



REPORT No.: SZ23030352S01

Annex E Conducted Power

Note:

Conducted power unit: dBm

The target power was recorded in the manufacture document.



Left Ear

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	6.92	4.4	4.44
	CH 39	2441	6.94	4.64	4.63
	CH 78	2480	7.33	4.59	4.74
Tune-up Limit			8	5.5	5.5
Power Setting			54	54	54
Duty Cycle %			76.8	77.07	77.33

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			1Mbps	2Mbps
LE	CH 00	2402	5.97	3.18
	CH 19	2440	6.16	3.32
	CH 39	2480	6.19	3.42
Tune-up Limit			7	4
Power Setting			54	54
Duty Cycle %			60.88	31.44



Right Ear

Mode	Channel	Frequency (MHz)	Average power (dBm)		
			1Mbps	2Mbps	3Mbps
BR / EDR	CH 00	2402	4.83	2.41	2.47
	CH 39	2441	4.56	1.74	1.81
	CH 78	2480	4.22	1.69	1.42
Tune-up Limit			5.5	3	3
Power Setting			54	54	54
Duty Cycle %			76.8	76.8	77.07

Mode	Channel	Frequency (MHz)	Average power (dBm)	
			1Mbps	2Mbps
LE	CH 00	2402	3.88	1.02
	CH 19	2440	3.55	0.74
	CH 39	2480	3.04	0.32
Tune-up Limit			4.5	2
Power Setting			54	54
Duty Cycle %			60.8	31.36