

Sense MCE IBC Made in Germany
Year of Construction XX

PN 410012
SN 00001234


Rated Voltage: 4.2 [V]
Rated Current: 3 [A]
T amb: -20 °C...+ 55 °C
IP66

FCC ID: 2ASE6SENSECEIBC
Contains FCC IDs:
ZMONL668AM00,
2AC7Z-ESPWROOM32D


IC: 26095-SENSECEIBC
Contains IC IDs:
21374-NL668AM00,
21098-ESPWROOM32D

WARNING - DO NOT CHARGE THE BATTERY IN
HAZARDOUS LOCATION

MYNXG
Friedhofstr. 72, DE-03263, Neuenhagen







MYNXG





MYXXU Product GmbH
Friedhofstr. 72, DE-63263, Neu-Isenburg

Sense MCE IBC	Made in Germany Year of Construction XX
PN 410012 SN 00001234	
Rated Voltage: 4.2 [V] Rated Current: 3 [A] T amb: -20 °C..+ 55 °C IP66	FCC ID: 2ASE6SENSEMCEIBC Contains FCC IDs: ZMONL668AM00, 2AC7Z-ESPWROOM32D
  	IC: 26095-SENSEMCEIBC Contains IC IDs: 21374-NL668AM00, 21098-ESPWROOM32D
WARNING - DO NOT CHARGE THE BATTERY IN HAZARDOUS LOCATION	