






<p>Solder Board-Component View 5</p>	 <p>A photograph of a black flexible PCB component, labeled 'LOCKLY', with two gold-plated connectors on the left and a multi-pin connector on the right. The component is placed on a blue textured surface. A vertical ruler on the left shows centimeter and millimeter markings, and a horizontal ruler below shows millimeter markings. The component's length is approximately 17 cm.</p>
<p>Solder Board-Component View 6</p>	 <p>A photograph of the same black flexible PCB component from a different perspective, showing the gold-plated connectors on the left and the multi-pin connector on the right. The component is placed on a blue textured surface. A vertical ruler on the left shows centimeter and millimeter markings, and a horizontal ruler below shows millimeter markings. The component's length is approximately 16 cm.</p>



<p>Solder Board-Component View 9</p>	 A photograph showing a circular, metallic solder component. The component is a shallow, cylindrical cup with a dark interior. It is placed on a blue textured surface. Two metal rulers are used for scale: one is vertical on the left, showing markings from 1 to 4 cm, and another is horizontal at the bottom, showing markings from 1 to 8 mm. The component's diameter is approximately 1.5 cm.
<p>Solder Board-Component View 10</p>	 A photograph showing a circular, black printed circuit board (PCB) component. The component has a complex layout of components, including a central chip and various smaller components. It is placed on a blue textured surface. Two metal rulers are used for scale: one is vertical on the left, showing markings from 1 to 5 cm, and another is horizontal at the bottom, showing markings from 1 to 10 mm. The component's diameter is approximately 1.5 cm.