







EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

<p>EUT Housing and Board View 1</p>	
<p>EUT Housing and Board View 2</p>	

<p style="text-align: center;">Solder Board-Component View 1</p>	 <p>A photograph of a small black PCB component, labeled 'LOCKLY WAGA GA-08 24-1 RoHS E129764', with a USB connector on the right and a gold-plated edge connector on the left. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 45 mm.</p>
<p style="text-align: center;">Solder Board-Component View 2</p>	 <p>A photograph of the same black PCB component from a different perspective. The USB connector is on the left and the gold-plated edge connector is on the right. The component is placed on a blue textured surface next to a black ruler with white markings. The ruler shows measurements in millimeters, with the component's length being approximately 45 mm.</p>

<p style="text-align: center;">Solder Board-Component View 3</p>	 <p>A photograph of a small black PCB component, model WAGA GA-08, mounted on a blue perforated board. The component features a USB connector on the right and a gold-plated header on the left. A ruler is placed below the component for scale, showing measurements in millimeters. The PCB is marked with 'LOCKLY', 'WAGA GA-08', 'RoHS', 'E129764', and '2204'.</p>
<p style="text-align: center;">Antenna View</p>	 <p>A photograph showing the component from the previous view inserted into a white plastic housing. A green antenna module is connected to the gold-plated header. A red box highlights the antenna module, with a label 'WIFI/BT Antenna' below it. Another red box highlights the frequency range '433.97-443.97MHz' at the top of the image.</p>