

Appendix A

RF Test Data for BT V5.0(BT LE) (Conducted Measurement)

Product Name: Door Sense

Trade Mark: Phillips Connect Technologies

Test Model: DoorSense


Environmental Conditions

Temperature:	23.3 ° C
Relative Humidity:	52.7%
ATM Pressure:	100.0 kPa
Test Engineer:	SCOUT WU
Supervised by:	Li Huan

A.1 Duty Cycle


BT LE

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



BT 2LE

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS



A.2 Maximum Conducted Peak Output Power

BT LE

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.656	30	PASS
BT LE	MCH	0.244	30	PASS
BT LE	HCH	-0.358	30	PASS

Test Graphs


LCH	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.40200000 GHz</p> <p>Mkr1 2.401 838 GHz 0.656 dBm</p> <p>Center 2.40200 GHz #Res BW 3.0 MHz #VBW 8.0 MHz Sweep 1.067 ms (8001 pts)</p>	<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.402000000 GHz</p> <p>Start Freq 2.389500000 GHz</p> <p>Stop Freq 2.414500000 GHz</p> <p>CF Step 2.500000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>
MCH	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.44000000 GHz</p> <p>Mkr1 2.439 922 GHz 0.244 dBm</p> <p>Center 2.44000 GHz #Res BW 3.0 MHz #VBW 8.0 MHz Sweep 1.067 ms (8001 pts)</p>	<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.440000000 GHz</p> <p>Start Freq 2.427500000 GHz</p> <p>Stop Freq 2.452500000 GHz</p> <p>CF Step 2.500000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>

BT 2LE

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.644	30	PASS
BT LE	MCH	0.246	30	PASS
BT LE	HCH	-0.338	30	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.40200000 GHz Mkr1 2.401 550 GHz 0.644 dBm Ref Offset 8.05 dB Ref 20.00 dBm 10 dB/div Log Center 2.4020 GHz #Res BW 3.0 MHz #VBW 8.0 MHz Span 25.00 MHz Sweep 1.067 ms (8001 pts)</p>	Frequency Auto Tune Center Freq 2.402000000 GHz Start Freq 2.389500000 GHz Stop Freq 2.414500000 GHz CF Step 2.500000 MHz Auto Freq Offset 0 Hz
MCH	<p>Agilent Spectrum Analyzer - Swept SA Center Freq 2.44000000 GHz Mkr1 2.439 625 GHz 0.246 dBm Ref Offset 8.05 dB Ref 20.00 dBm 10 dB/div Log Center 2.44000 GHz #Res BW 3.0 MHz #VBW 8.0 MHz Span 25.00 MHz Sweep 1.067 ms (8001 pts)</p>	Frequency Auto Tune Center Freq 2.440000000 GHz Start Freq 2.427500000 GHz Stop Freq 2.452500000 GHz CF Step 2.500000 MHz Auto Freq Offset 0 Hz




A.3 Maximum Power Spectral Density

BT LE

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-17.132	8	PASS
BT LE	MCH	-17.358	8	PASS
BT LE	HCH	-18.525	8	PASS

Test Graphs

<p>LCH</p>		<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.40200000 GHz</p> <p>Mkr1 2.402 007 5 GHz -17.132 dBm</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.402000000 GHz</p> <p>Start Freq 2.401250000 GHz</p> <p>Stop Freq 2.402750000 GHz</p> <p>CF Step 150.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
<p>MCH</p>		<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.44000000 GHz</p> <p>Mkr1 2.440 007 5 GHz -17.358 dBm</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.440000000 GHz</p> <p>Start Freq 2.439250000 GHz</p> <p>Stop Freq 2.440750000 GHz</p> <p>CF Step 150.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>



BT 2LE

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-19.037	8	PASS
BT LE	MCH	-19.352	8	PASS
BT LE	HCH	-20.066	8	PASS

Test Graphs

LCH		<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.40200000 GHz</p> <p>Mkr1 2.401 988 GHz -19.037 dBm</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>10 dB/div Log</p> <p>Center 2.402000 GHz #Res BW 3.0 kHz #VBW 10 kHz</p> <p>Span 3.000 MHz Sweep 316.3 ms (1001 pts)</p>	<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.402000000 GHz</p> <p>Start Freq 2.400500000 GHz</p> <p>Stop Freq 2.403500000 GHz</p> <p>CF Step 300.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
	MCH		<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.44000000 GHz</p> <p>Mkr1 2.439 988 GHz -19.352 dBm</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>10 dB/div Log</p> <p>Center 2.440000 GHz #Res BW 3.0 kHz #VBW 10 kHz</p> <p>Span 3.000 MHz Sweep 316.3 ms (1001 pts)</p>

A.4 6dB Bandwidth

BT LE

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6870	≥0.5	PASS
BT LE	MCH	0.6817	≥0.5	PASS
BT LE	HCH	0.6811	≥0.5	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.40200000 GHz</p> <p>Center Freq: 2.402000000 GHz</p> <p>Mkr1 2.4019921 GHz</p> <p>0.49060 dBm</p> <p>Occupied Bandwidth 1.0672 MHz</p> <p>Total Power 6.74 dBm</p> <p>Transmit Freq Error -5.467 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 687.0 kHz</p> <p>x dB -6.00 dB</p>	<p>Frequency</p> <p>Center Freq 2.402000000 GHz</p> <p>CF Step 300.000 kHz</p> <p>Freq Offset 0 Hz</p>
MCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.44000000 GHz</p> <p>Center Freq: 2.440000000 GHz</p> <p>Mkr1 2.4399861 GHz</p> <p>0.11473 dBm</p> <p>Occupied Bandwidth 1.0713 MHz</p> <p>Total Power 6.27 dBm</p> <p>Transmit Freq Error -6.139 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 681.7 kHz</p> <p>x dB -6.00 dB</p>	<p>Frequency</p> <p>Center Freq 2.440000000 GHz</p> <p>CF Step 300.000 kHz</p> <p>Freq Offset 0 Hz</p>

BT 2LE

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	1.182	≥0.5	PASS
BT LE	MCH	1.160	≥0.5	PASS
BT LE	HCH	1.163	≥0.5	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.40200000 GHz</p> <p>Center Freq: 2.40200000 GHz Trig: Free Run #IFGain:Low #Atten: 30 dB AvgHold: 1/1 Radio Std: None Radio Device: BTS</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm Mkr1 2.40199 GHz 0.49103 dBm</p> <p>Center 2.402 GHz #Res BW 100 kHz #VBW 300 kHz Span 4 MHz Sweep 1.067 ms</p> <p>Occupied Bandwidth 2.0778 MHz Total Power 6.40 dBm</p> <p>Transmit Freq Error 477 Hz OBW Power 99.00 % x dB Bandwidth 1.182 MHz x dB -6.00 dB</p>	<p>Frequency</p> <p>Center Freq 2.40200000 GHz</p> <p>CF Step 400.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
	MCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.44000000 GHz</p> <p>Center Freq: 2.44000000 GHz Trig: Free Run #IFGain:Low #Atten: 30 dB AvgHold: 1/1 Radio Std: None Radio Device: BTS</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm Mkr1 2.4399915 GHz 0.13532 dBm</p> <p>Center 2.44 GHz #Res BW 100 kHz #VBW 300 kHz Span 4 MHz Sweep 1.067 ms</p> <p>Occupied Bandwidth 2.0881 MHz Total Power 6.06 dBm</p> <p>Transmit Freq Error -2.227 kHz OBW Power 99.00 % x dB Bandwidth 1.160 MHz x dB -6.00 dB</p>

HCH

Agilent Spectrum Analyzer - Occupied BW

<input type="checkbox"/> RL	<input type="checkbox"/> RF	<input type="checkbox"/> 50 Ω	<input type="checkbox"/> AC	<input type="checkbox"/> SENSE:INT	<input type="checkbox"/> ALIGN:AUTO	04:06:01 PM May 23, 2020
Center Freq 2.480000000 GHz				Center Freq: 2.480000000 GHz	Radio Std: None	Frequency
				Trig: Free Run	AvgJHold: 1/1	
				#IFGain:Low	#Atten: 30 dB	Radio Device: BTS

10 dB/div	Ref Offset 8.05 dB	Mkr1 2.479994 GHz
Log	Ref 20.00 dBm	-0.48897 dBm

Center 2.48 GHz	#VBW 300 kHz	Span 4 MHz
#Res BW 100 kHz		Sweep 1.067 ms

Occupied Bandwidth	Total Power	5.49 dBm
2.0851 MHz		
Transmit Freq Error	2.635 kHz	OBW Power
		99.00 %
x dB Bandwidth	1.163 MHz	x dB
		-6.00 dB

CF Step 400.000 kHz Auto Man
Freq Offset 0 Hz

MSG
STATUS

A.5 Occupied Bandwidth

BT LE

Mode	Channel	Occupied Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	1.0333	≥0.5	PASS
BT LE	MCH	1.0384	≥0.5	PASS
BT LE	HCH	1.0372	≥0.5	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold: 10/10 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Occupied Bandwidth Total Power 6.19 dBm 1.0333 MHz</p> <p>Transmit Freq Error 1.001 kHz OBW Power 99.00 % x dB Bandwidth 596.2 kHz x dB -6.00 dB</p>	<p>Frequency</p> <p>Center Freq 2.402000000 GHz</p> <p>CF Step 400.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
	<p>MSG STATUS</p>	<p>MSG STATUS</p>
MCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold: 10/10 #IFGain:Low #Atten: 30 dB Radio Device: BTS</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Occupied Bandwidth Total Power 5.77 dBm 1.0384 MHz</p> <p>Transmit Freq Error -224 Hz OBW Power 99.00 % x dB Bandwidth 595.9 kHz x dB -6.00 dB</p>	<p>Frequency</p> <p>Center Freq 2.440000000 GHz</p> <p>CF Step 400.000 kHz Auto Man</p> <p>Freq Offset 0 Hz</p>
	<p>MSG STATUS</p>	<p>MSG STATUS</p>

BT 2LE

Mode	Channel	Occupied Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	2.0455	≥0.5	PASS
BT LE	MCH	2.0493	≥0.5	PASS
BT LE	HCH	2.0503	≥0.5	PASS

Test Graphs

LCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.40200000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Center 2.402 GHz #Res BW 30 kHz</p> <p>Span 4 MHz Sweep 4.267 ms</p> <p>#VBW 100 kHz</p> <p>Occupied Bandwidth 2.0455 MHz</p> <p>Total Power 5.03 dBm</p> <p>Transmit Freq Error 10.716 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 467.4 kHz</p> <p>x dB -6.00 dB</p>	<p>Frequency</p> <p>Center Freq 2.40200000 GHz</p> <p>CF Step 400.000 kHz</p> <p>Freq Offset 0 Hz</p>
	MCH	<p>Agilent Spectrum Analyzer - Occupied BW</p> <p>Center Freq 2.44000000 GHz</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Center 2.44 GHz #Res BW 30 kHz</p> <p>Span 4 MHz Sweep 4.267 ms</p> <p>#VBW 100 kHz</p> <p>Occupied Bandwidth 2.0493 MHz</p> <p>Total Power 4.72 dBm</p> <p>Transmit Freq Error 10.215 kHz</p> <p>OBW Power 99.00 %</p> <p>x dB Bandwidth 465.9 kHz</p> <p>x dB -6.00 dB</p>



HCH	Agilent Spectrum Analyzer - Occupied BW				RL		RF		50 Ω		AC		SENSE:INT		ALIGN:AUTO		03:29:30 PM May 23, 2020																									
	Center Freq 2.480000000 GHz						Center Freq: 2.480000000 GHz						Radio Std: None																													
							Trig: Free Run						AvgHold: 10/10																													
							#IFGain:Low						#Atten: 30 dB																													
													Radio Device: BTS																													
<p>10 dB/div Ref Offset 8.05 dB Log Ref 20.00 dBm</p> <p>Center 2.48 GHz Span 4 MHz #Res BW 30 kHz #VBW 100 kHz Sweep 4.267 ms</p> <table border="1"> <tr> <td colspan="2">Occupied Bandwidth</td> <td colspan="2">Total Power</td> <td colspan="2">4.10 dBm</td> </tr> <tr> <td colspan="2" style="text-align: center;">2.0503 MHz</td> <td colspan="2"></td> <td colspan="2"></td> </tr> <tr> <td>Transmit Freq Error</td> <td>9.573 kHz</td> <td>OBW Power</td> <td colspan="3">99.00 %</td> </tr> <tr> <td>x dB Bandwidth</td> <td>465.7 kHz</td> <td>x dB</td> <td colspan="3">-6.00 dB</td> </tr> </table>																			Occupied Bandwidth		Total Power		4.10 dBm		2.0503 MHz						Transmit Freq Error	9.573 kHz	OBW Power	99.00 %			x dB Bandwidth	465.7 kHz	x dB	-6.00 dB		
Occupied Bandwidth		Total Power		4.10 dBm																																						
2.0503 MHz																																										
Transmit Freq Error	9.573 kHz	OBW Power	99.00 %																																							
x dB Bandwidth	465.7 kHz	x dB	-6.00 dB																																							
Frequency																																										
Center Freq 2.480000000 GHz																																										
CF Step 400.000 kHz Auto Man																																										
Freq Offset 0 Hz																																										
MSG STATUS																																										

A.6 RF Conducted Spurious Emissions

BT LE


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.472	-38.155	-19.528	PASS
BT LE	MCH	0.126	-36.779	-19.874	PASS
BT LE	HCH	-0.352	-36.989	-20.352	PASS

BT LE_LCH_Graphs




BT LE_MCH_Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH





Puw/BT LE/HCH



BT 2LE


Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.525	-36.860	-19.475	PASS
BT LE	MCH	0.13	-37.464	-19.870	PASS
BT LE	HCH	-0.486	-35.843	-20.486	PASS

BT LE_LCH_Graphs




BT LE_MCH_Graphs

Pref/BT LE/MCH



Puw/BT LE/MCH




BT LE_HCH_Graphs

Pref/BT LE/HCH



Puw/BT LE/HCH



A.7 Band-edge for RF Conducted Emissions

BT LE

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.264	-48.896	-19.74	PASS
BT LE	HCH	-0.679	-48.808	-20.68	PASS

Test Graphs

<p>LCH</p>		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.357000000 GHz</p> <p>Start Freq 2.310000000 GHz</p> <p>Stop Freq 2.404000000 GHz</p> <p>CF Step 9.400000 MHz</p> <p>Freq Offset 0 Hz</p>
<p>HCH</p>		<p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.489000000 GHz</p> <p>Start Freq 2.478000000 GHz</p> <p>Stop Freq 2.500000000 GHz</p> <p>CF Step 2.200000 MHz</p> <p>Freq Offset 0 Hz</p>

BT 2LE

Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	0.652	-49.668	-19.35	PASS
BT LE	HCH	-0.352	-49.162	-20.35	PASS

Test Graphs


LCH		<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.357000000 GHz</p> <p>Mkr4 2.381 969 GHz -49.668 dBm</p> <p>10 dB/div Log</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Start 2.31000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.40400 GHz Sweep 9.067 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>f</td> <td></td> <td>2.401991 GHz</td> <td>0.652 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>f</td> <td></td> <td>2.400000 GHz</td> <td>-31.331 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>f</td> <td></td> <td>2.390000 GHz</td> <td>-51.766 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>f</td> <td></td> <td>2.381969 GHz</td> <td>-49.668 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.401991 GHz	0.652 dBm				2	N	f		2.400000 GHz	-31.331 dBm				3	N	f		2.390000 GHz	-51.766 dBm				4	N	f		2.381969 GHz	-49.668 dBm			
	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	f		2.401991 GHz	0.652 dBm																																										
2	N	f		2.400000 GHz	-31.331 dBm																																										
3	N	f		2.390000 GHz	-51.766 dBm																																										
4	N	f		2.381969 GHz	-49.668 dBm																																										
HCH		<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Center Freq 2.489000000 GHz</p> <p>Mkr4 2.497 659 75 GHz -49.162 dBm</p> <p>10 dB/div Log</p> <p>Ref Offset 8.05 dB Ref 20.00 dBm</p> <p>Start 2.47800 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.50000 GHz Sweep 2.133 ms (8001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>f</td> <td></td> <td>2.47999650 GHz</td> <td>-0.352 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>f</td> <td></td> <td>2.48350000 GHz</td> <td>-52.539 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>f</td> <td></td> <td>2.50000000 GHz</td> <td>-52.966 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>N</td> <td>f</td> <td></td> <td>2.49765975 GHz</td> <td>-49.162 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.47999650 GHz	-0.352 dBm				2	N	f		2.48350000 GHz	-52.539 dBm				3	N	f		2.50000000 GHz	-52.966 dBm				4	N	f		2.49765975 GHz	-49.162 dBm			
	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																						
1	N	f		2.47999650 GHz	-0.352 dBm																																										
2	N	f		2.48350000 GHz	-52.539 dBm																																										
3	N	f		2.50000000 GHz	-52.966 dBm																																										
4	N	f		2.49765975 GHz	-49.162 dBm																																										

A.8 Restrict-band band-edge measurements


BT LE

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-42.48	4.04	0	56.82	PEAK	74	PASS
		Ant1	2310.0	-53.62	4.04	0	45.68	AV	54	PASS
		Ant1	2390.0	-42.57	4.04	0	56.73	PEAK	74	PASS
		Ant1	2390.0	-53.29	4.04	0	46.01	AV	54	PASS
	2480	Ant1	2483.5	-42.67	4.04	0	56.63	PEAK	74	PASS
		Ant1	2483.5	-52.81	4.04	0	46.49	AV	54	PASS
		Ant1	2500.0	-42.08	4.04	0	57.22	PEAK	74	PASS
		Ant1	2500.0	-52.64	4.04	0	46.66	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK




Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK




Restrict-band band-edge measurements_BT LE_2480_Ant1_AV




BT 2LE

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-42.11	4.04	0	57.19	PEAK	74	PASS
		Ant1	2310.0	-53.62	4.04	0	45.68	AV	54	PASS
		Ant1	2390.0	-42.19	4.04	0	57.11	PEAK	74	PASS
		Ant1	2390.0	-53.28	4.04	0	46.02	AV	54	PASS
	2480	Ant1	2483.5	-39.09	4.04	0	60.21	PEAK	74	PASS
		Ant1	2483.5	-52.72	4.04	0	46.58	AV	54	PASS
		Ant1	2500.0	-41.17	4.04	0	58.13	PEAK	74	PASS
		Ant1	2500.0	-52.65	4.04	0	46.65	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

