USER'S MANUAL

TWO WAY RADIO RT19

- ♦ Scrambler ♦ Frequency Hopping
- ♦ Voice Compandor

THANK YOU!

We are grateful that you chose our two way radio. We believe this Two Way Radio will provide dependable and reliable communication to personal operating at peak efficiency. The transceivers incorporate the latest in advanced technology. As a result, We feel strongly that you will be pleased with the quality and features of this product!

Product safety and RF Exposure for Two Way Radio:




Before using this Two way radio, please read the manual which contains important operating instructions for safe usage, RF Energy Awareness, control information and operational instructions for compliance with RF Energy Exposure limits in applicablenational and international standards, and also read the operational instructions for safe use.

CONTENT


| Supplied Accessories ······ | 01 |
|------------------------------------------|----|
| Getting start ······ | 01 |
| Charging Precautions | 02 |
| Basic Operation and Function Description | 02 |
| CTCSS (50) | 04 |
| DCS (210) | 04 |
| Technical Specifications | 05 |
| Warning | 06 |


Supplied Accessories

| Enclosed Accessories | Quality |
|----------------------|---------|
| Two Way Radio | 1 |
| Li-ion Battery Pack | 1 |
| Belt Clip | 1 |
| Strap | 1 |
| Micro-USB | 1 |
| User's Manual | 1 |




Getting start





Charging Precautions

Take out the charger, and then plug it into the AC power. Using the output plug into the transceiver charging jack. In this case transceiver indicator light blue(see radio's bottom). After charging full, the indicator is green.(As shown below)



Basic Operation and Function Description

Power Switch

Continue Press "o" button, radio switch on. Press this button "o" again more than 2S, radio switch off.

Transmit

Press the PTT key, then speak to the microphone with a normal tone. Release PTT key to receiving a message from another speaker when finishing talking.

Short press " • " key switch(under the main channel mode). Shortly press " + " key, volume up. You will hear the "beep" tone.

Shortly press " - " key, volume down. You will hear the "beep" tone.

Short press "b" key switch(under the main volume mode).

Shortly press " + " key, to increase channel number.

Shortly press " - " key, to decrease channel number.

Key lock

Press the " - "for 2s enter the key lock mode, press " - " the for 2s again out of the key lock mode.

Monitor Function

Press the " + " for 2s, Trun on Monitor, Release the " + "close the Monitor.

Low Voltage Warning

Flashing red when the battery is low, And prompt "please charge"

Scrambler

There are eight sets of scrambling groups available, scrambling encryption.

Frequency Hopping

Frequency hopping encryption, three frequency hopping modes are available, and can be used suited with other models.

Voice Companding

Turn on this feature to eliminate background noise.

Main Mode

The factory main mode is the audio mode, which can be programmed in the main channel mode via software. 5s no operate, it will automatically adjust back to the original mode.

VOX

VOX function frees your hand without pushing the PTT button for transmission. It uses voice to transmit, when the voice stops then transmitting stops automatically. Users can use programmable software to ON/OFF this function.

TOT

The purpose of the tot is to prevent any signal person from using a channel for an extended period of time. If the transmission continues out of set time, the transceiver will stop transmission and give out alarms. To stop the alarms, please release the PTT switch and the transceiver will resume the state of standby.

CTCSS (50)

| 67.0 | 69.3 | 71.9 | 74.4 | 77.0 | 79.7 | 82.5 | 85.4 | 88.5 | 91.5 |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| 94.8 | 97.4 | 100.0 | 103.5 | 107.2 | 110.9 | 114.8 | 118.8 | 123.0 | 127.3 |
| 131.8 | 136.5 | 141.3 | 146.2 | 151.4 | 156.7 | 159.8 | 162.2 | 165.5 | 167.9 |
| 171.3 | 173.8 | 177.3 | 179.9 | 183.5 | 186.2 | 189.9 | 192.8 | 196.6 | 199.5 |
| 203.5 | 206.5 | 210.7 | 218.1 | 225.7 | 229.1 | 233.6 | 241.8 | 250.3 | 254.1 |

DCS (210)

| D023N | D025N | D026N | D031N | D032N | D036N | D043N | D047N | D051N | D053N |
|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| D054N | D065N | D071N | D072N | D073N | D074N | D114N | D115N | D116N | D122N |
| D125N | D131N | D132N | D134N | D143N | D145N | D152N | D155N | D156N | D162N |
| D165N | D172N | D174N | D205N | D212N | D223N | D225N | D226N | D243N | D244N |
| D245N | D246N | D251N | D252N | D255N | D261N | D263N | D265N | D266N | D271N |
| D274N | D306N | D311N | D315N | D325N | D331N | D332N | D343N | D346N | D351N |
| D356N | D364N | D365N | D371N | D411N | D412N | D413N | D423N | D431N | D432N |
| D445N | D446N | D452N | D454N | D455N | D462N | D464N | D465N | D466N | D503N |
| D506N | D516N | D523N | D526N | D532N | D546N | D565N | D606N | D612N | D624N |
| D627N | D631N | D632N | D645N | D654N | D662N | D664N | D703N | D712N | D723N |
| D731N | D732N | D734N | D743N | D754N | | | | | |
| | | | | | | | | | |
| D023I | D025I | D026I | D031I | D032I | D036I | D043I | D047I | D051I | D053I |
| D054I | D065I | D071I | D072I | D073I | D074I | D114I | D115I | D116I | D122I |
| D125I | D131I | D132I | D134I | D143I | D145I | D152I | D155I | D156I | D162I |
| D165I | D172I | D174I | D205I | D212I | D223I | D225I | D226I | D243I | D244I |
| D245I | D246I | D251I | D252I | D255I | D261I | D263I | D265I | D266I | D271I |
| D274I | D306I | D311I | D315I | D325I | D331I | D332I | D343I | D346I | D351I |
| D356I | D364I | D365I | D371I | D411I | D412I | D413I | D423I | D431I | D432I |
| D445I | D446I | D452I | D454I | D455I | D462I | D464I | D465I | D466I | D503I |
| D506I | D516I | D523I | D526I | D532I | D546I | D565I | D606I | D612I | D624I |
| D627I | D631I | D632I | D645I | D654I | D662I | D664I | D703I | D712I | D723I |
| D731I | D732I | D734I | D743I | D754I | | | | | |

Technical Specifications

| Gerneral | |
|------------------------------|--------------------------------|
| Frequency Range | PMR:446.00625-446.19375MHz |
| | FRS: |
| | 462.5625MHz~462.7125MHz |
| | 467.5625MHz~467.7125MHz |
| | 462.5500MHz~462.7250MHz |
| Rated Voltage | 3.7V DC |
| Memory Channel | 16 / 22 |
| Antenna Impedance | 50Ω |
| Standard battery | 1300mA |
| Working temperature | -20-40°C |
| Dimension (HxWxD) | 122 x 50 x18mm |
| Transmitter | |
| Output Power | PMR:≤0.5W |
| | FRS: |
| | 462.5625MHz~462.7125MHz |
| | (IC:≤0.5W,FCC:≤2W) |
| | 467.5625MHz~467.7125MHz(≤0.5W) |
| | 462.5500MHz~462.7250MHz(≤2W) |
| Modulation | 11K F3E |
| Maximum Frequency Deviation | 1≤5KHZ / ≤2.5KHz |
| Remanent Radiation Mode | ≤7uW |
| Electric Current | ≤1.2A |
| Modulation Distortion | ≤5% (300-3000Hz) |
| Receiver | |
| RF Sensitivity | ≤0.25uV / ≤0.3uV |
| Audio Frequency Power | ≥200mW |
| Audio Distortion | ≤5% |
| Inter-Modulation | ≥60dB |
| Adjacent Channel Selectivity | ≥65dB |
| Spurious Rejection | ≥55dB |

Warnings

RF ENERGY EXPOSURE AND PRODUCT SAFETY GUIDE FOR PORTABLE TWO-WAY RADIOS



Before using this radio, read this guide which contains important operating instructions for safe usage and RF energy awareness and control for compliance with applicable standards and regulations.

This two-way radio uses electromagnetic energy in the radio frequency (RF) spectrum to provide communications between two or more users over a distance. RF energy, which when used improperly, can cause biological damage.

All two-way radios are designed, manufactured, and tested to ensure they meet government-established RF exposure levels. In addition, manufacturers also recommend specific operating instructions to users of two-way radios. These instructions are important because they inform users about RF energy exposure and provide simple procedures on how to control it.

Please refer to the following websites for more information on what RF energy exposure is and how to control your exposure to assure compliance with established RF exposure limits:http://www.who.int/en/

Local Government Regulations

When two-way radios are used as a consequence of employment, the Local Government Regulations requires users to be fully aware of and able to control their exposure to meet occupational requirements. Exposure awareness can be facilitated by the use of a product label directing users to specific user awareness information. Your two-way radio has a RF Exposure Product Label. Also, your user manual, or separate safety booklet includes information and operating instructions required to control your RF exposure and to satisfy compliance requirements.

Radio License

Governments keep the radios in classification, business two-way radios operate on radio frequencies that are regulated by the local radio management departments (FCC, ISED, OFCOM, ANFR, BFTK, Bundesnetzagentur...). To transmit on these frequencies, you are required to have a license issued by them. The detailed classification and the use of

your two radios, please contact the local government radio management departments.

Use of this radio outside the country where it was intended to be distributed is subject to government regulations and may be prohibited.

Unauthorized modification and adjustment

Changes or modifications not expressly approved by the party responsible for compliance may void the user's authority granted by the local government radio management departments to operate this radio and should not be made. To comply with the corresponding requirements, transmitter adjustments should be made only by or under the supervision of a person certified as technically qualified to perform transmitter maintenance and repairs in the private land mobile and fixed services as certified by an organization representative of the user of those services. Replacement of any transmitter component (crystal, semiconductor, etc.) not authorized by the local government radio management departments equipment authorization for this radio could violate the rules.

FCC Requirements:

This device complies with part 15 of the FCC Rules. Operation is subject to the condition that this device does not cause harmful interference. (Licensed radios are applicable);

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (Other devices are applicable)

- (1) This device may not cause harmful interference, and
- (2) this device must accept any interference received, including interference that may cause undesired operation.

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

CE Requirements:

• (Simple EU declaration of conformity) Quanzhou Chierda Electronic Telecom Co., Ltd. declares that the radio equipment type is in compliance with the essential requirements and other relevant provisions of RED Direc-

tive 2014/53/EU and the ROHS Directive 2011/65/EU and the WEEE Directive 2012/19/EU; the full text of the EU declaration of conformity is available at the following internet address: www.chierda.com.

Restriction Information

This product can be used in EU countries and regions, including: Belgium (BE), Bulgaria (BG), Czech Republic (CZ), Denmark (DK), Germany (DE), Estonia (EE), Ireland (IE), Greece (EL), Spain (ES), France (FR), Croatia (HR), Italy (IT), Cyprus (CY), Latvia (LV), Lithuania (LT), Luxembourg (LU), Hungary (HU), Malta (MT), Netherlands (NL), Austria (AT), Poland (PL), Portugal (PT), Romania (RO), Slovenia (SI), Slovakia (SK), Finland (FI), Sweden (SE) and United Kingdom (UK). For the warning information of the frequency restriction, please refer to the package or manual section.

Disposal

The crossed-out wheeled-bin symbol on your product, literature, or packaging reminds you that in the European Union, all electrical and electronic products, batteries, and accumulators (rechargeable batteries) must be taken to designated collection locations at the end of their working life. Do not dispose of these products as unsorted municipal waste. Dispose of them according to the laws in your area.

Risk of explosion if battery is replaced by an incorrect type. Dispose of used batteries according to the instructions.

Adapter shall be installed near the equipment and shall be easily accessible.

IC Requirements:

Licence-exempt radio apparatus

This device contains licence-exempt transmitter(s)/receiver(s) that comply with Innovation, Science and Economic Development Canada's licence-exempt RSS(s). Operation is subject to the following two conditions:

- (1) This device may not cause interference.
- (2) This device must accept any interference, including interference that may cause undesired operation of the device.

Le présent appareil est conforme aux CNR d'Industrie Canada applicables aux appareils radio exempts de licence. L'exploitation est autorisée aux deux conditions suivantes :

- (1) l'appareil ne doit pas produire de brouillage;
- (2) l'utilisateur de l'appareil doit accepter tout brouillage radioélectrique subi, même si le brouillage est susceptible d'en compromettre le fonctionnement.

RF Exposure Information

- DO NOT operate the radio without a proper antenna attached, as this
 may damage the radio and may also cause you to exceed RF exposure
 limits. A proper antenna is the antenna supplied with this radio by the
 manufacturer or an antenna specifically authorized by the manufacturer
 for use with this radio, and the antenna gain shall not exceed the
 specified gain by the manufacturer declared.
- DO NOT transmit for more than 50% of total radio use time, more than 50% of the time can cause RF exposure compliance requirements to be exceeded.
- During transmissions, your radio generates RF energy that can possibly cause interference with other devices or systems. To avoid such interference, turn off the radio in areas where signs are posted to do so.
- DO NOT operate the transmitter in areas that are sensitive to electromagnetic radiation such as hospitals, aircraft, and blasting sites.
- Portable Device, this transmitter may operate with the antenna(s)
 documented in this filing in Push-to-Talk and body-worn configurations.
 RF exposure compliance is limited to the specific belt-clip and accessory
 configurations as documented in this filing and the separation distance
 between user and the device or its antenna shall be at least 2.5 cm.
- General population/uncontrolled Radio, this radio is designed for and classified as "General population/uncontrolled Use".

RF Exposure Compliance and Control Guidelines and Operating Instructions

To control your exposure and ensure compliance with the occupational/controlled environment exposure limits, always adhere to the following procedures.

Guidelines:

- User awareness instructions should accompany the device when transferred to other users.
- Do not use this device if the operational requirements described herein

Operating Instructions:

- Transmit no more than the rated duty factor of 50% of the time. To Transmit (Talk), push the Push to Talk (PTT) button. To receive calls (listen), release the PTT button. Transmitting 50% of the time, or less, is important because the radio generates measurable RF energy exposure only when transmitting in terms of measuring for standards compliance.
- Transmit only when people outside the vehicle are at least the recommended minimum lateral distance away from a properly installed according to installation instructions, externally mounted antenna.
- When operating in front of the face, worn on the body, always place the radio in a Retevis approved clip, holder, holster, case, or body harness for this product. Using approved body-worn accessories is important because the use of Non-Retevis approved accessories may result in exposure levels, which exceed the IEEE/ICNIRP RF exposure limits.

Hand-held Mode

• Hold the radio in a vertical position with the microphone (and other parts of the radio including the antenna) at least 2.5 cm (one inch) away from the nose or lips. The antenna should be kept away from the eyes. Keeping the radio at a proper distance is important as RF exposure decreases with increasing distance from the antenna.

Phone Mode

• When placing or receiving a phone call, hold your radio product as you would a wireless telephone. Speak directly into the microphone.

Electromagnetic Interference/Compatibility

NOTE: Nearly every electronic device is susceptible to electromagnetic interference (EMI) if inadequately shielded, designed, or otherwise configured for electromagnetic compatibility.

Avoid Choking Hazard



Small Parts. Not for children under 3 years.

Turn off your radio power in the following conditions:

- Turn off your radio before removing (installing) a battery or accessory or when charging battery.
- Turn off your radio when you are in a potentially hazardous



environments: Near electrical blasting caps, in a blasting area, in explosive atmospheres (inflammable gas, dust particles, metallic powders, grain powders, etc.).

 Turn off your radio while taking on fuel or while parked at gasoline service stations.

To avoid electromagnetic interference and/or compatibility conflicts

- Turn off your radio in any facility where posted notices instruct you to do so, hospitals or health care facilities (Pacemakers, Hearing Aids and Other Medical Devices) may be using equipment that is sensitive to external RF energy.
- Turn off your radio when on board an aircraft. Any use of a radio must be in accordance with applicable regulations per airline crew instructions.

Protect your hearing:



- Use the lowest volume necessary to do your job.
- Turn up the volume only if you are in noisy surroundings.
- Turn down the volume before adding headset or earpiece.
- Limit the amount of time you use headsets or earpieces at high volume.
- When using the radio without a headset or earpiece, do not place the radio's speaker directly against your ear
- Use careful with the earphone maybe possible excessive sound pressure from earphones and headphones can cause hearing loss

Note: Exposure to loud noises from any source for extended periods of time may temporarily or permanently affect your hearing. The louder the radio's volume, the less time is required before your hearing could be affected. Hearing damage from loud noise is sometimes undetectable at first and can have a cumulative effect.

Avoid Burns



Antennas

• Do not use any portable radio that has a damaged antenna. If a damaged antenna comes into contact with the skin when the radio is in use, a minor burn can result.

Batteries (If appropriate)

 When the conductive material such as jewelry, keys or chains touch exposed terminals of the batteries, may complete an electrical circuit (short circuit the battery) and become hot to cause bodily injury such as burns. Exercise care in handling any battery, particularly when placing it inside a pocket, purse or other container with metal objects

Long transmission

• When the transceiver is used for long transmissions, the radiator and chassis will become hot.

Safety Operation



Forbid

- Do not use charger outdoors or in moist environments, use only in dry locations/conditions.
- Do not disassemble the charger, that may result in risk of electrical shock or fire.
- Do not operate the charger if it has been broken or damaged in any way.
- Do not place a portable radio in the area over an air bag or in the air bag deployment area. The radio may be propelled with great force and cause serious injury to occupants of the vehicle when the air bag inflates.

To reduce risk

- Pull by the plug rather than the cord when disconnecting the charger.
- Unplug the charger from the AC outlet before attempting any maintenance or cleaning.
- Contact Retevis for assistance regarding repairs and service.
- The adapter shall be installed near the equipment and shall be easily accessible

Approved Accessories



- This radio meets the RF exposure guidelines when used with the accessories supplied or designated for the product. Use of other accessories may not ensure compliance with the RF exposure guidelines and may violate regulations.
- For a list of Retevis-approved accessories for your radio model, visit the following website: www.chierda.com.

Warranty Card

| Product model: | Date of purchase: |
|----------------|-------------------|
| Serial Number: | |
| Seller: | contact number: |
| Username: | contact number: |
| Address: | Zip code: |

Warranty description:

- 1. The warranty card is saved by the customer as the warranty certificate, and the loss is not compensated.
- 2. This card must be stamped and dated for sale to take effect.
- 3. This card must not be altered. Please confirm that the warranty card serial number matches the purchase machine number, otherwise it will be invalid.
- 4. The warranty period is one year. Chargers, batteries, headphones, antennas and feeders are consumables, not covered by warranty.
- 5. Users can choose the following ways to get repair service:
- a. At the original purchase office.
- b. Our company is in the local special maintenance point.

