

Annex 4: Set-up photographs to
TEST REPORT
No.: 18-1-0178401T01a-C1

According to:
47 CFR Part 15.519

for

ELOKON GmbH

**ELOshield Warning System
Verification Module**

FCC ID: 2ASP7-VERIFM-V01



Laboratory Accreditation
  Deutsche Akkreditierungsstelle D-PL-12047-01-01 D-PL-12047-01-03 D-PL-12047-01-04
accredited according to DIN EN ISO/IEC 17025
<p>CETECOM GmbH Laboratory Radio Communications & Electromagnetic Compatibility Im Teelbruch 116 • 45219 Essen • Germany Registered in Essen, Germany, Reg. No.: HRB Essen 8984 Tel.: + 49 (0) 20 54 / 95 19-954 • Fax: + 49 (0) 20 54 / 95 19-964 E-mail: info@cetecom.com • Internet: www.cetecom.com</p>

TABLE OF CONTENTS:


1. 10 DB BANDWIDTH MEASUREMENT	3
2. RADIATED RF-MEASUREMENTS SET-UP.....	4
2.1. Radiated Field Strength Emissions – 960 MHz – 4193 MHz.....	4
2.2. Radiated Field Strength Emissions – 4193 MHz – 15000 MHz.....	5
2.3. Radiated Field Strength Emissions – 15000 MHz – 18000 MHz.....	5
3. FUNDAMENTAL EMISSION PEAK POWER	5

1. 10 dB bandwidth measurement


See chapter 2.2.

2. Radiated RF-Measurements Set-up

2.1. Radiated Field Strength Emissions – 960 MHz – 4193 MHz




Photograph 1: Overall View



Photograph 2: Close View

2.2. Radiated Field Strength Emissions – 4193 MHz – 15000 MHz



Photograph 3: Overall View

For close view see photograph 2.

2.3. Radiated Field Strength Emissions – 15000 MHz – 18000 MHz

Please see photograph 2.

3. Fundamental emission peak power

See chapter 2.2.