



TESTING LABORATORY
CERTIFICATE #4820.01



FCC PART 22H, PART 24E, PART 27 MEASUREMENT AND TEST REPORT

For

MAXWEST COMMUNICATION LIMITED

ROOM 1802B FORTRESS TOWER, 250 KING'S ROAD, NORTH POINT, HONG KONG

FCC ID: 2ASP8GRAVITY6PS

Report Type: Original Report	Product Type: Mobile Phone
Report Number:	RDG200910013-00D
Report Date:	2020-11-04
Reviewed By:	Ivan Cao Assistant Manager 
Test Laboratory:	Bay Area Compliance Laboratories Corp. (Dongguan) No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China Tel: +86-769-86858888 Fax: +86-769-86858891 www.baclcorp.com.cn

TABLE OF CONTENTS

GENERAL INFORMATION.....	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	5
TEST FACILITY	5
DECLARATIONS.....	5
SYSTEM TEST CONFIGURATION.....	6
JUSTIFICATION	6
EQUIPMENT MODIFICATIONS	7
SUPPORT EQUIPMENT LIST AND DETAILS	7
CONFIGURATION OF TEST SETUP	7
BLOCK DIAGRAM OF TEST SETUP	7
SUMMARY OF TEST RESULTS	8
FCC §1.1310 & §2.1093- RF EXPOSURE	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C) & § 27.50- RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	12
TEST EQUIPMENT LIST AND DETAILS.....	17
TEST DATA	17
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH.....	39
APPLICABLE STANDARD	39
TEST PROCEDURE	39
TEST EQUIPMENT LIST AND DETAILS.....	39
TEST DATA	39
FCC §2.1051, §22.917(A) & §24.238(A) & §27.53- SPURIOUS EMISSIONS AT ANTENNA TERMINALS...76	76
APPLICABLE STANDARD	76
TEST PROCEDURE	76
TEST EQUIPMENT LIST AND DETAILS.....	76
TEST DATA	76
FCC §2.1053, §22.917 & §24.238 & §27.53- SPURIOUS RADIATED EMISSIONS	108
APPLICABLE STANDARD	108
TEST PROCEDURE	108
TEST EQUIPMENT LIST AND DETAILS.....	109
TEST DATA	109
FCC §22.917(A) & §24.238(A) & §27.53 - BAND EDGES.....	121
APPLICABLE STANDARD	121
TEST PROCEDURE	121
TEST EQUIPMENT LIST AND DETAILS.....	121
TEST DATA	121

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY.....	146
APPLICABLE STANDARD	146
TEST PROCEDURE	146
TEST EQUIPMENT LIST AND DETAILS.....	147
TEST DATA	147

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

EUT Name:		Mobile Phone
EUT Model:		GRAVITY 6P
Operation modes:		GSM Voice, GPRS/EDGE Data, WCDMA(R99 (Voice+Data), HSDPA,HSUPA,DC-HSDPA, HSPA+) FDD-LTE
Operation Frequency:		GSM 850: 824-849 MHz(TX); 869-894 MHz(RX) PCS 1900: 1850-1910 MHz(TX); 1930-1990 MHz(RX) WCDMA Band 2: 1850-1910 MHz(TX); 1930-1990 MHz(RX) WCDMA Band 4:1710-1755 MHz(TX), 2110-2155 MHz(RX) WCDMA Band 5: 824-849 MHz(TX); 869-894 MHz(RX) LTE Band 2:1850-1910 MHz(TX), 1930-1990 MHz(RX) LTE Band 4:1710-1755 MHz(TX), 2110-2155 MHz(RX) LTE Band 5: 824-849 MHz(TX); 869-894 MHz(RX) LTE Band 7:2500-2570 MHz(TX), 2620-2690 MHz(RX) LTE Band 12: 699-716 MHz(TX), 729-746 MHz(RX) LTE Band 17: 704-716 MHz(TX), 734-746 MHz(RX)
Modulation Type:		GMSK, 8PSK, BPSK, QPSK, 16QAM
Adapter Information	Model:	UT-236A-5150ZY
	Input:	AC 100-240V 50/60Hz 0.3A
	Output:	DC 5.0V 1.5A 7.5W
Rated Input Voltage:		DC 3.8V from battery or DC 5V from Adapter
Serial Number:		RDG200910013-RF-S1
EUT Received Date:		2020.09.14
EUT Received Status:		Good

Objective

This report is prepared on behalf of **MAXWEST COMMUNICATION LIMITED** in accordance with: Part 2-Subpart J, Part 22-Subpart H, Part 24-Subpart E, Part 27 of the Federal Communications Commission's rules.

The objective is to determine compliance with FCC Rules for output power, modulation characteristic, occupied bandwidth, spurious emissions at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15C DSS,DTS submissions with FCC ID:2ASP8GRAVITY6PS.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with:

the Code of federal Regulations Title 47, Part 2, Part 22H, Part 24E, Part 27.

ANSI C63.26-2015, American National Standard for Compliance Testing of Transmitters Used in Licensed Radio Services

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Dongguan). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter	Measurement Uncertainty
Occupied Channel Bandwidth	±5 %
RF output power, conducted	±0.61dB
Unwanted Emissions, radiated	30MHz ~ 1GHz: 5.85 dB 1G~26.5GHz: 5.23 dB
Unwanted Emissions, conducted	±1.5 dB
Temperature	±1 °C
Humidity	±5%
DC and low frequency voltages	±0.4%
Duty Cycle	1%

Note: Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty. The extended uncertainty given in this report is obtained by combining the standard uncertainty times the coverage factor K with the 95% confidence interval.

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Dongguan) to collect test data is located on the No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China.

The lab has been recognized as the FCC accredited lab under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No. : 897218, the FCC Designation No. : CN1220.

The lab has been recognized by Innovation, Science and Economic Development Canada to test to Canadian radio equipment requirements, the CAB identifier: CN0022.

Declarations

BACL is not responsible for the authenticity of any test data provided by the applicant. Data included from the applicant that may affect test results are marked with a triangle symbol “△”. Customer model name, addresses, names, trademarks etc. are not considered data.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

This report cannot be reproduced except in full, without prior written approval of the Company.

This report is valid only with a valid digital signature. The digital signature may be available only under the Adobe software above version 7.0.

This report may contain data that are not covered by the accreditation scope and shall be marked with an asterisk “★”.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to ANSI C63.26-2015.

The test items were performed with the EUT operating at testing mode. The device operates on GSM Band 850/1900MHz, WCDMA Band 2/4/5, and LTE band 2/4/5/7/12/17, test was performed with channels as below table:

Frequency Bands	Bandwidth (MHz)	Test Frequency(MHz)		
		Low	Middle	High
GSM/GPRS/EDGE 850	0.25	824.2	836.6	848.8
GSM/GPRS/EDGE 1900	0.25	1850.2	1880	1909.8
WCDMA Band 2	4.2	1852.4	1880	1907.6
WCDMA Band 4	4.2	1712.4	1732.6	1752.6
WCDMA Band 5	4.2	826.4	836.6	846.6
LTE Band 2	1.4	1850.7	1880	1909.3
	3	1851.5	1880	1908.5
	5	1852.5	1880	1907.5
	10	1855	1880	1905
	15	1857.5	1880	1902.5
	20	1860	1880	1900
LTE Band 4	1.4	1710.7	1732.5	1754.3
	3	1711.5	1732.5	1753.5
	5	1712.5	1732.5	1752.5
	10	1715	1732.5	1750
	15	1717.5	1732.5	1747.5
	20	1720	1732.5	1745
LTE Band 5	1.4	824.7	836.5	848.3
	3	825.5	836.5	847.5
	5	826.5	836.5	846.5
	10	829	836.5	844
LTE Band 7	5	2502.5	2535	2567.5
	10	2505	2535	2565
	15	2507.5	2535	2562.5
	20	2510	2535	2560
LTE Band 12	1.4	699.7	707.5	715.3
	3	700.5	707.5	714.5
	5	701.5	707.5	713.5
	10	704	707.5	711
LTE Band 17	5	706.5	710	713.5
	10	709	710	711


Equipment Modifications

No modification was made to the EUT.


Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
R&S	Universal Radio Communication Tester	CMU200	106 891
R&S	Wideband Radio Communication Tester	CMW500	147473
Un-Known	ANTENNA	Un-Known	Un-Known

Configuration of Test Setup



Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

Rules	Description of Test	Result
FCC§1.1310, §2.1093	RF Exposure	Compliance
FCC§2.1046;§ 22.913 (a); § 24.232 (c);§27.50	RF Output Power	Compliance
FCC§ 2.1047	Modulation Characteristics	Not Applicable
FCC§ 2.1049; § 22.905 § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
FCC§ 2.1051, § 22.917 (a); § 24.238 (a); §27.53;	Spurious Emissions at Antenna Terminal	Compliance
FCC§ 2.1053 § 22.917 (a); § 24.238 (a); §27.53	Field Strength of Spurious Radiation	Compliance
FCC§ 22.917 (a); § 24.238 (a); §27.53;	Out of band emission, Band Edge	Compliance
FCC§ 2.1055 § 22.355; § 24.235; §27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

FCC §1.1310 & §2.1093- RF EXPOSURE

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RDG200910013-20A.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c) & § 27.50- RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to §24.232 (d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

According to §27.50

(a)(3) Mobile and portable stations. (i) For mobile and portable stations transmitting in the 2305-2315 MHz band or the 2350-2360 MHz band, the average EIRP must not exceed 50 milliwatts within any 1 megahertz of authorized bandwidth, except that for mobile and portable stations compliant with 3GPP LTE standards or another advanced mobile broadband protocol that avoids concentrating energy at the edge of the operating band the average EIRP must not exceed 250 milliwatts within any 5 megahertz of authorized bandwidth but may exceed 50 milliwatts within any 1 megahertz of authorized bandwidth. For mobile and portable stations using time division duplexing (TDD) technology, the duty cycle must not exceed 38 percent in the 2305-2315 MHz and 2350-2360 MHz bands. Mobile and portable stations using FDD technology are restricted to transmitting in the 2305-2315 MHz band. Power averaging shall not include intervals in which the transmitter is off.

(b)(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

(c) (10) Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

(d), (4) Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

(h),(2) Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Test Procedure

GSM/GPRS/EGPRS

Function: Menu select > GSM Mobile Station > GSM 850/1900
 Press Connection control to choose the different menus
 Press RESET > choose all the reset all settings
 Connection Press Signal Off to turn off the signal and change settings
 Network Support > GSM + GPRS or GSM + EGSM
 Main Service > Packet Data
 Service selection > Test Mode A – Auto Slot Config. off
 MS Signal Press Slot Config Bottom on the right twice to select and change the number of time slots and power setting
 > Slot configuration > Uplink/Gamma
 > 33 dBm for GPRS 850
 > 30 dBm for GPRS 1900
 > 27 dBm for EGPRS 850
 > 26 dBm for EGPRS 1900
 BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel
 Frequency Offset > + 0 Hz
 Mode > BCCH and TCH

 BCCH Level > -85 dBm (May need to adjust if link is not stable)
 BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]

 Channel Type > Off
 P0 > 4 dB
 Slot Config > Unchanged (if already set under MS signal)
 TCH > choose desired test channel
 Hopping > Off
 Main Timeslot > 3
 Network Coding Scheme > CS4 (GPRS) and MCS5 (EGPRS)

 Bit Stream > 2E9-1 PSR Bit Stream
 AF/RF Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input
 Connection Press Signal on to turn on the signal and change settings

WCDMA-Release 99

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification. The EUT has a nominal maximum output power of 24dBm (+1.7/-3.7).

WCDMA General Settings	Loopback Mode	Test Mode 1
	Rel99 RMC	12.2kbps RMC
	Power Control Algorithm	Algorithm2
	βc / βd	8/15

WCDMA HSDPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSDPA	HSDPA	HSDPA	HSDPA
	Subset	1	2	3	4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	β_d (SF)	64			
	β_c / β_d	2/15	12/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
	MPR(dB)	0	0	0.5	0.5
HSDPA Specific Settings	DACK	8			
	DNAK	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback	4ms			
	CQI Repetition Factor	2			
	$A_{hs} = \beta_{hs} / \beta_c$	30/15			

WCDMA HSUPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSUPA	HSUPA	HSUPA	HSUPA	HSUPA
	Subset	1	2	3	4	5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	Rel99 RMC	12.2kbps RMC				
	HSDPA FRC	H-Set1				
	HSUPA Test	HSUPA Loopback				
	Power Control Algorithm	Algorithm2				
	β_c	11/15	6/15	15/15	2/15	15/15
	β_d	15/15	15/15	9/15	15/15	0
	β_{ec}	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	-
	β_{hs}	22/15	12/15	30/15	4/15	5/15
	CM(dB)	1.0	3.0	2.0	3.0	1.0
MPR(dB)	0	2	1	2	0	
HSDPA Specific Settings	DACK	8				
	DNAK	8				
	DCQI	8				
	Ack-Nack repetition factor	3				
	CQI Feedback	4ms				
	CQI Repetition Factor	2				
	$A_{hs}=\beta_{hs}/\beta_c$	30/15				
HSUPA Specific Settings	DE-DPCCH	6	8	8	5	7
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	21
	ETFCI	75	67	92	71	81
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E_FCI	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	

HSPA+

The following tests were conducted according to the test requirements in Table C.11.1.4 of 3GPP TS 34.121-1

Sub-test	β_c (Note3)	β_d	β_{HS} (Note1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105

- Note 1: $\Delta_{ACK}, \Delta_{NACK}$ and $\Delta_{CQI} = 30/15$ with $\beta_{HS} = 30/15 * \beta_c$.
- Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).
- Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default.
- Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.
- Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.

DC-HSDPA

The following tests were conducted according to the test requirements in Table C.8.1.12 of 3GPP TS 34.121-1

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
<p>Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.</p> <p>Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.</p>		

LTE (FDD):

The following tests were conducted according to the test requirements in 3GPP TS36.101

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
16 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N _{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
NS_04	6.6.2.2.2	41	20	>10	≤ 1
			5	>6	≤ 1
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3	13	10	Table 6.2.4-2	Table 6.2.4-2
	6.6.3.3.2				
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
ERP/EIRP Test					
Sunol Sciences	Antenna	JB3	A060611-2	2020-08-25	2023-08-25
R&S	EMI Test Receiver	ESCI	100224	2020-09-12	2021-09-12
Unknown	Coaxial Cable	C-NJNJ-50	C-1000-01	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-02	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0530-01	2020-09-24	2021-09-24
ETS-Lindgren	Horn Antenna	3115	000 527 35	2018-10-12	2021-10-12
TDK RF	Horn Antenna	HRN-0118	130 084	2018-10-12	2021-10-12
Agilent	Spectrum Analyzer	E4440A	SG43360054	2020-07-07	2021-07-07
Unknown	Coaxial Cable	C-SJSJ-50	C-0800-01	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-2.4J2.4J-50	C-0700-02	2020-06-27	2021-06-27
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Agilent	Signal Generator	E8247C	MY43321350	2019-12-10	2020-12-10
Conducted Output Power Test					
Unknown	Coaxial Cable	C-SJ00-0010	C0010/04	Each time	N/A
E-Microwave	Blocking Control	EMDCB-00036	0E01201048	Each time	N/A
E-Microwave	Coaxial Attenuators	EMCA10-5RN-6	0E01203239	Each time	N/A
R&S	Universal Radio Communication Tester	CMU200	106 891	2020-09-12	2021-09-12
R&S	Wideband Radio Communication Tester	CMW500	149216	2020-09-12	2021-09-12

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Test Items:	Radiation Below 1GHz	Radiation Above 1GHz	Conducted Output Power
Temperature:	27.6°C	26.6°C	26.9 °C
Relative Humidity:	39%	49%	45%
ATM Pressure:	100.5kPa	100.8kPa	100.8kPa
Tester:	Jalon Liu	Joker Chen	Taylor Li
Test Date:	2020-10-03	2020-10-19	2020-10-19

Test Result: Compliance

Conducted Output Power

Cellular Band & PCS Band

Band	Channel No.	Conducted Peak Output Power (dBm)								
		GSM	GPRS 1 TX Slot	GPRS 2 TX Slots	GPRS 3 TX Slots	GPRS 4 TX Slots	EGPRS 1 TX Slot	EGPRS 2 TX Slots	EGPRS 3 TX Slots	EGPRS 4 TX Slots
Cellular	128	33.1	33.08	30.88	29.15	26.96	25.02	23.8	21.28	18.64
	190	33.5	33.54	31.33	29.62	27.42	24.83	23.5	21.01	18.39
	251	33.8	33.86	31.68	29.97	27.78	24.6	23.17	20.8	18.16
PCS	512	31.5	31.48	29.76	28.15	26.1	24.75	23.77	23.43	23.43
	661	30.9	30.93	28.88	27.35	25.34	25.21	23.87	23.84	23.71
	810	30.3	30.27	27.56	26	24.06	24.68	23.54	23.45	23.15

WCDMA Band 2

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	22.08	3.04	21.91	2.95	21.76	2.85
HSDPA	1	21.09	5.16	20.94	5.26	20.42	5.29
	2	21.02	4.98	20.84	4.61	20.76	4.82
	3	21.06	4.65	21.11	5.14	20.85	5.06
	4	20.65	4.58	20.82	4.74	21.02	4.98
HSUPA	1	20.89	3.27	20.74	3.24	20.41	3.14
	2	20.73	3.40	20.92	3.76	20.82	3.53
	3	20.95	3.42	20.61	3.42	20.85	3.83
	4	21.12	3.75	20.67	3.59	21.14	3.61
HSPA+ (16QAM)	1	20.97	6.13	20.93	6.22	21.07	6.12

WCDMA Band 4

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	22.25	3.01	22.31	2.98	22.53	2.79
HSDPA	1	20.58	5.77	20.88	5.74	20.35	5.61
	2	20.35	5.70	20.13	5.86	20.54	6.07
	3	20.55	5.68	20.11	6.00	20.49	6.07
	4	20.29	6.00	20.34	5.58	20.51	5.64
HSUPA	1	20.12	3.46	20.35	3.46	20.15	3.40
	2	20.54	3.82	20.30	3.80	20.12	3.29
	3	20.42	4.06	20.29	3.43	20.02	3.35
	4	20.43	3.91	20.52	3.76	20.04	3.09
	5	20.16	3.59	20.46	3.69	20.47	2.92
HSPA+ (16QAM)	1	20.57	5.12	20.11	5.45	20.04	4.92

WCDMA Band 5

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	23.04	2.95	23.08	3.04	23.02	2.95
HSDPA	1	21.56	5.38	21.30	5.26	21.35	5.26
	2	20.68	4.27	20.42	4.24	20.70	4.60
	3	20.76	4.07	20.59	4.08	20.65	4.39
	4	20.79	4.54	20.44	4.25	20.59	4.21
HSUPA	1	21.34	3.40	21.33	3.30	21.24	3.37
	2	20.59	3.80	20.68	3.07	20.48	3.83
	3	20.36	3.27	20.47	3.43	20.74	4.27
	4	20.55	3.55	20.39	3.04	20.46	4.20
	5	20.61	3.81	20.72	3.25	20.39	4.42
HSPA+ (16QAM)	1	20.64	5.69	20.76	5.26	20.76	6.41

LTE Band 2

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	23.74	23.04	21.85
		RB1#3	23.78	23.07	21.80
		RB1#5	23.74	23.06	21.75
		RB3#0	23.91	22.96	22.03
		RB3#3	23.90	22.95	21.95
		RB6#0	22.91	21.92	20.98
	16QAM	RB1#0	23.53	22.41	21.64
		RB1#3	23.58	22.31	21.60
		RB1#5	23.59	22.28	21.53
		RB3#0	22.84	22.04	20.95
3MHz	QPSK	RB1#0	23.78	22.93	21.93
		RB1#8	23.74	22.83	21.90
		RB1#14	23.69	22.82	21.88
		RB6#0	22.85	22.07	20.97
		RB6#9	22.73	21.91	20.94
		RB15#0	22.83	21.98	20.98
	16QAM	RB1#0	23.28	22.57	20.88
		RB1#8	23.24	22.47	20.85
		RB1#14	23.18	22.40	20.81
		RB6#0	21.94	21.26	20.37
5MHz	QPSK	RB1#0	23.85	23.21	21.95
		RB1#13	23.78	22.99	21.90
		RB1#24	23.77	23.05	21.88
		RB15#0	22.89	22.07	21.01
		RB15#10	22.82	21.99	21.00
		RB25#0	22.83	22.03	21.06
	16QAM	RB1#0	22.13	22.29	20.82
		RB1#13	22.06	22.14	20.75
		RB1#24	22.08	22.18	20.67
		RB15#0	22.06	21.12	20.24
		RB15#10	22.05	20.96	20.14
		RB25#0	22.03	21.15	20.07

10MHz	QPSK	RB1#0	23.72	23.17	22.32
		RB1#25	23.72	23.08	22.09
		RB1#49	23.64	22.92	21.97
		RB25#0	22.82	22.19	21.29
		RB25#25	22.72	21.89	21.04
	RB50#0	22.77	22.02	21.18	
	16QAM	RB1#0	23.12	22.29	20.96
		RB1#25	23.01	22.20	20.61
		RB1#49	22.92	22.09	20.31
		RB25#0	21.98	21.26	20.28
RB25#25		21.90	21.16	20.18	
RB50#0	21.93	21.26	20.17		
15MHz	QPSK	RB1#0	23.75	23.11	22.30
		RB1#38	23.58	22.84	22.04
		RB1#74	23.51	22.59	21.97
		RB36#0	22.76	22.11	21.07
		RB36#39	22.75	21.85	20.97
		RB75#0	22.81	21.99	21.09
	16QAM	RB1#0	23.25	22.96	21.14
		RB1#38	23.08	22.74	21.18
		RB1#74	23.08	22.50	21.22
		RB36#0	21.94	21.23	21.12
		RB36#39	21.73	21.00	21.00
		RB75#0	21.83	21.20	20.07
20MHz	QPSK	RB1#0	21.92	21.80	21.97
		RB1#50	21.99	21.88	22.07
		RB1#99	22.07	21.85	22.05
		RB50#0	20.76	20.98	20.94
		RB50#50	20.99	20.82	20.96
		RB100#0	20.87	20.88	20.98
	16QAM	RB1#0	21.09	20.99	21.66
		RB1#50	21.05	20.96	21.61
		RB1#99	21.14	20.95	21.61
		RB50#0	20.79	21.00	20.97
		RB50#50	21.02	20.95	20.98
		RB100#0	19.94	20.06	20.15

LTE Band 4

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.19	22.18	22.27
		RB1#3	22.19	22.25	22.23
		RB1#5	22.20	22.22	22.28
		RB3#0	22.19	22.23	22.29
		RB3#3	22.22	22.20	22.26
		RB6#0	21.25	21.17	21.17
	16QAM	RB1#0	21.84	21.67	22.04
		RB1#3	21.85	21.67	22.03
		RB1#5	21.84	21.67	21.96
		RB3#0	22.19	22.22	22.28
		RB3#3	22.22	22.21	22.26
		RB6#0	20.44	20.34	20.37
3MHz	QPSK	RB1#0	22.12	22.11	22.43
		RB1#8	22.11	22.17	22.43
		RB1#14	22.09	22.12	22.48
		RB6#0	21.19	21.19	21.25
		RB6#9	21.15	21.16	21.21
		RB15#0	21.18	21.13	21.27
	16QAM	RB1#0	21.65	21.94	21.44
		RB1#8	21.62	21.95	21.39
		RB1#14	21.56	21.95	21.37
		RB6#0	20.18	20.36	20.66
		RB6#9	20.27	20.41	20.61
		RB15#0	20.38	20.31	20.42
5MHz	QPSK	RB1#0	22.22	22.31	22.06
		RB1#13	22.08	22.30	22.07
		RB1#24	22.06	22.31	22.13
		RB15#0	21.17	21.17	21.31
		RB15#10	21.27	21.20	21.26
		RB25#0	21.18	21.13	21.25
	16QAM	RB1#0	20.55	21.39	20.82
		RB1#13	20.47	21.38	20.93
		RB1#24	20.48	21.41	20.85
		RB15#0	21.18	21.19	21.22
		RB15#10	21.26	21.24	21.38
		RB25#0	20.45	20.32	20.19
10MHz	QPSK	RB1#0	22.12	22.16	22.35
		RB1#25	22.04	22.20	22.39
		RB1#49	22.08	22.23	22.36
		RB25#0	21.13	21.17	21.18
		RB25#25	21.21	21.21	21.21
		RB50#0	21.24	21.12	21.14
	16QAM	RB1#0	21.45	21.35	20.82
		RB1#25	21.38	21.34	20.75
		RB1#49	21.39	21.30	20.82
		RB25#0	21.14	21.13	21.16
		RB25#25	21.21	21.18	21.23
		RB50#0	20.32	20.46	20.32

15MHz	QPSK	RB1#0	22.11	22.17	22.46
		RB1#38	22.10	22.21	22.51
		RB1#74	22.11	22.18	22.54
		RB36#0	21.16	21.20	21.67
		RB36#39	21.19	21.19	21.43
	RB75#0	21.11	21.14	21.59	
	16QAM	RB1#0	21.44	21.94	21.83
		RB1#38	21.33	21.93	21.80
		RB1#74	21.37	21.96	21.84
		RB36#0	21.16	21.53	21.65
RB36#39		21.19	21.55	21.52	
RB75#0	20.42	20.70	20.66		
20MHz	QPSK	RB1#0	22.61	22.50	22.61
		RB1#50	22.53	22.45	22.64
		RB1#99	22.69	22.50	22.72
		RB50#0	21.47	21.55	21.47
		RB50#50	21.46	21.58	21.57
	RB100#0	21.51	21.49	21.68	
	16QAM	RB1#0	21.67	22.05	22.19
		RB1#50	21.71	21.93	22.21
		RB1#99	21.69	21.94	22.19
		RB50#0	21.46	21.54	21.47
RB50#50		21.44	21.57	21.66	
RB100#0	20.59	20.66	20.65		

LTE Band 5

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.29	22.45	22.45
		RB1#3	22.33	22.52	22.42
		RB1#5	22.35	22.52	22.47
		RB3#0	22.54	22.60	22.50
		RB3#3	22.49	22.58	22.55
		RB6#0	21.41	21.56	21.58
	16QAM	RB1#0	22.18	22.12	22.39
		RB1#3	22.15	22.26	22.38
		RB1#5	22.13	22.30	22.37
		RB6#0	20.46	20.72	20.53
3MHz	QPSK	RB1#0	22.34	22.47	22.55
		RB1#8	22.34	22.46	22.58
		RB1#14	22.29	22.52	22.61
		RB6#0	21.40	21.53	21.51
		RB6#9	21.46	21.54	21.59
		RB15#0	21.45	21.58	21.57
	16QAM	RB1#0	21.59	22.16	21.24
		RB1#8	21.48	22.28	21.25
		RB1#14	21.60	22.24	21.26
		RB6#0	20.51	21.05	20.53
5MHz	QPSK	RB1#0	22.34	22.53	22.46
		RB1#13	22.40	22.64	22.43
		RB1#24	22.39	22.57	22.49
		RB15#0	21.48	21.45	21.45
		RB15#10	21.43	21.42	21.65
		RB25#0	21.42	21.56	21.51
	16QAM	RB1#0	20.52	21.59	21.18
		RB1#13	20.66	21.60	21.16
		RB1#24	20.65	21.69	21.17
		RB15#0	20.57	20.77	20.52
10MHz	QPSK	RB15#10	20.47	20.35	20.61
		RB25#0	20.54	20.57	20.47
		RB1#0	22.32	22.67	22.51
		RB1#25	22.40	22.63	22.53
		RB1#49	22.47	22.56	22.61
		RB25#0	21.46	21.54	21.53
	16QAM	RB25#25	21.43	21.58	21.45
		RB50#0	21.43	21.57	21.55
		RB1#0	21.86	22.15	20.88
		RB1#25	21.90	22.19	20.98
	RB1#49	21.90	22.28	21.08	
	RB25#0	20.48	20.95	20.63	
	RB25#25	20.64	20.62	20.63	
	RB50#0	20.52	20.68	20.60	

LTE Band 7

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5 MHz	QPSK	RB1#0	21.98	21.82	21.94
		RB1#13	21.98	21.77	21.98
		RB1#24	22.05	21.78	21.55
		RB15#0	20.90	20.89	21.08
		RB15#10	20.91	20.89	21.12
		RB25#0	20.88	20.88	21.15
	16QAM	RB1#0	21.08	20.60	20.55
		RB1#13	21.09	20.61	20.58
		RB1#24	21.02	20.71	20.55
		RB15#0	19.94	20.09	20.25
		RB15#10	19.97	20.05	20.31
		RB25#0	20.09	19.95	20.32
10 MHz	QPSK	RB1#0	21.90	21.83	22.06
		RB1#25	21.87	21.81	22.11
		RB1#49	21.87	21.91	22.09
		RB25#0	20.98	20.92	21.08
		RB25#25	21.03	20.94	21.09
		RB50#0	20.94	20.86	21.12
	16QAM	RB1#0	21.28	21.22	21.04
		RB1#25	21.31	21.26	21.03
		RB1#49	21.23	21.27	21.10
		RB25#0	20.15	20.12	20.36
		RB25#25	20.13	20.14	20.42
		RB50#0	20.25	20.07	20.28
15 MHz	QPSK	RB1#0	21.86	21.80	22.04
		RB1#38	21.90	21.82	22.09
		RB1#74	21.88	22.01	21.93
		RB36#0	20.98	20.95	20.95
		RB36#39	20.93	20.85	21.04
		RB75#0	20.96	20.90	21.02
	16QAM	RB1#0	21.24	21.35	21.39
		RB1#38	21.31	21.43	21.39
		RB1#74	21.27	21.50	21.55
		RB36#0	20.10	19.98	20.10
		RB36#39	20.11	20.09	20.22
		RB75#0	20.09	20.11	20.16
20MHz	QPSK	RB1#0	22.10	21.80	22.18
		RB1#50	22.06	21.89	22.01
		RB1#99	22.05	22.09	22.24
		RB50#0	21.04	20.96	20.83
		RB50#50	20.95	21.08	21.00
		RB100#0	20.99	20.99	20.98
	16QAM	RB1#0	21.00	21.45	21.60
		RB1#50	20.88	21.48	21.44
		RB1#99	20.88	21.71	21.65
		RB50#0	20.19	20.17	20.00
		RB50#50	20.16	20.23	20.11
		RB100#0	20.09	20.02	20.10

LTE Band 12

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	21.95	22.07	22.09
		RB1#3	22.04	22.21	22.18
		RB1#5	22.08	22.11	22.26
		RB3#0	22.01	22.23	22.23
		RB3#3	22.11	22.18	22.24
		RB6#0	20.92	21.04	21.12
	16QAM	RB1#0	21.45	21.65	21.48
		RB1#3	21.43	21.65	22.24
		RB1#5	21.38	21.65	22.20
		RB3#0	21.14	21.35	21.11
3MHz	QPSK	RB1#0	22.18	22.17	22.36
		RB1#8	22.20	22.27	22.42
		RB1#14	22.24	22.30	22.52
		RB6#0	21.15	21.22	21.28
		RB6#9	21.21	21.37	21.28
		RB15#0	21.12	21.29	21.28
	16QAM	RB1#0	21.29	21.92	20.93
		RB1#8	21.28	21.98	21.01
		RB1#14	21.24	21.97	21.01
		RB6#0	20.21	20.21	20.46
5MHz	QPSK	RB1#0	21.99	22.27	22.22
		RB1#13	22.15	22.28	22.23
		RB1#24	22.05	22.40	22.30
		RB15#0	21.10	21.26	21.33
		RB15#10	21.13	21.26	21.16
		RB25#0	21.04	21.22	21.35
	16QAM	RB1#0	20.38	21.32	20.94
		RB1#13	20.14	21.29	20.87
		RB1#24	20.41	21.35	21.05
		RB15#0	20.13	19.99	20.43
10MHz	QPSK	RB15#10	20.27	20.22	20.27
		RB25#0	20.31	20.32	20.03
		RB1#0	22.02	22.07	22.49
		RB1#25	22.02	22.25	22.43
		RB1#49	22.28	22.33	22.55
		RB25#0	21.07	21.20	21.24
	16QAM	RB25#25	21.25	21.30	21.23
		RB50#0	21.28	21.29	21.24
		RB1#0	21.50	21.27	20.72
		RB1#25	21.62	21.45	20.79
	RB1#49	21.66	21.51	20.92	
	RB25#0	20.01	20.17	20.39	
	RB25#25	20.10	20.40	20.43	
	RB50#0	20.12	20.36	20.30	

LTE Band 17

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5 MHz	QPSK	RB1#0	22.10	22.06	21.98
		RB1#13	22.16	21.98	22.02
		RB1#24	22.17	22.10	22.06
		RB15#0	21.15	21.15	21.11
		RB15#10	21.11	21.13	21.00
		RB25#0	21.18	21.12	21.07
	16QAM	RB1#0	20.17	21.16	20.67
		RB1#13	20.17	21.11	20.60
		RB1#24	20.18	21.00	20.70
		RB15#0	21.17	21.15	20.97
		RB15#10	21.10	21.14	21.01
		RB25#0	20.10	20.04	19.86
10 MHz	QPSK	RB1#0	21.90	22.06	22.22
		RB1#25	21.94	22.09	22.17
		RB1#49	22.08	22.11	22.25
		RB25#0	21.11	21.06	21.03
		RB25#25	21.15	21.12	21.00
		RB50#0	20.97	21.08	21.04
	16QAM	RB1#0	21.14	21.21	20.53
		RB1#25	21.11	21.31	20.57
		RB1#49	21.08	21.24	20.50
		RB25#0	21.12	21.11	21.07
		RB25#25	21.15	21.12	21.01
		RB50#0	20.20	20.11	20.07

PAR, Band 2

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	5.06	3.81	3.53	13
	100 RB		5.61	5.74	5.51	13
16QAM	1 RB	20 MHz	5.74	4.78	4.49	13
	100 RB		6.47	6.41	6.25	13

PAR, Band 4

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.42	4.81	3.53	13
	100 RB		5.38	5.58	5.19	13
16QAM	1 RB	20 MHz	5.48	5.64	4.49	13
	100 RB		6.15	6.41	5.90	13

PAR, Band 5

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	4.52	4.26	5.38	13
	50 RB		5.35	5.77	5.38	13
16QAM	1 RB	10 MHz	5.64	5.29	6.63	13
	50 RB		6.19	6.54	6.25	13

PAR, Band 7

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	2.85	3.27	2.82	13
	100 RB		5.06	5.13	4.97	13
16QAM	1 RB	20 MHz	3.11	4.65	3.78	13
	100 RB		5.80	5.96	5.87	13

PAR, Band 12

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	5.13	5.26	4.46	13
	50 RB		5.61	5.67	5.77	13
16QAM	1 RB	10 MHz	6.63	6.57	5.74	13
	50 RB		6.57	6.60	6.70	13

PAR, Band 17

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	5.06	4.94	4.62	13
	50 RB		5.74	5.80	5.71	13
16QAM	1 RB	10 MHz	6.09	6.41	5.74	13
	50 RB		6.63	6.67	6.73	13

ERP & EIRP
Part 22H:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 850 Low Channel								
824.20	H	94.05	19.03	0.00	0.96	18.07	38.45	20.38
824.20	V	100.01	28.09	0.00	0.96	27.13	38.45	11.32
GSM 850 Middle Channel								
836.60	H	94.37	19.45	0.00	0.97	18.48	38.45	19.97
836.60	V	100.66	28.87	0.00	0.97	27.90	38.45	10.55
GSM 850 High Channel								
848.80	H	94.43	19.60	0.00	0.99	18.61	38.45	19.84
848.80	V	100.72	29.05	0.00	0.99	28.06	38.45	10.39
EDGE 850 Low Channel								
824.20	H	89.37	14.35	0.00	0.96	13.39	38.45	25.06
824.20	V	95.82	23.90	0.00	0.96	22.94	38.45	15.51
EDGE 850 Middle Channel								
836.60	H	89.99	15.07	0.00	0.97	14.10	38.45	24.35
836.60	V	96.36	24.57	0.00	0.97	23.60	38.45	14.85
EDGE 850 High Channel								
848.80	H	90.53	15.70	0.00	0.99	14.71	38.45	23.74
848.80	V	97.32	25.65	0.00	0.99	24.66	38.45	13.79
WCDMA R99 Band 5 Low channel								
826.40	H	84.08	9.08	0.00	0.96	8.12	38.45	30.33
826.40	V	90.29	18.39	0.00	0.96	17.43	38.45	21.02
WCDMA R99 Band 5 middle channel								
836.60	H	84.60	9.68	0.00	0.97	8.71	38.45	29.74
836.60	V	90.78	18.99	0.00	0.97	18.02	38.45	20.43
WCDMA R99 Band 5 High channel								
846.60	H	84.38	9.53	0.00	0.99	8.54	38.45	29.91
846.60	V	90.60	18.91	0.00	0.99	17.92	38.45	20.53

Part 24E:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
PCS 1900 Low Channel								
1850.20	H	93.93	18.03	11.05	1.20	27.88	33.00	5.12
1850.20	V	88.17	12.06	11.05	1.20	21.91	33.00	11.09
PCS 1900 Middle Channel								
1880.00	H	95.19	19.35	11.14	1.18	29.31	33.00	3.69
1880.00	V	89.36	13.33	11.14	1.18	23.29	33.00	9.71
PCS 1900 High Channel								
1909.80	H	94.62	18.84	11.23	1.17	28.90	33.00	4.10
1909.80	V	88.70	12.74	11.23	1.17	22.80	33.00	10.20
EDGE 1900 Low Channel								
1850.20	H	92.67	16.77	11.05	1.20	26.62	33.00	6.38
1850.20	V	89.22	13.11	11.05	1.20	22.96	33.00	10.04
EDGE 1900 Middle Channel								
1880.00	H	92.32	16.48	11.14	1.18	26.44	33.00	6.56
1880.00	V	89.01	12.98	11.14	1.18	22.94	33.00	10.06
EDGE 1900 High Channel								
1908.80	H	90.67	14.89	11.23	1.17	24.95	33.00	8.05
1908.80	V	87.86	11.90	11.23	1.17	21.96	33.00	11.04
WCDMA R99 Band 2 low channel								
1852.40	H	88.62	12.73	11.06	1.19	22.60	33.00	10.40
1852.40	V	84.97	8.86	11.06	1.19	18.73	33.00	14.27
WCDMA R99 Band 2 middle channel								
1880.00	H	89.08	13.24	11.14	1.18	23.20	33.00	9.80
1880.00	V	85.26	9.23	11.14	1.18	19.19	33.00	13.81
WCDMA R99 Band 2 high channel								
1907.60	H	89.63	13.85	11.22	1.17	23.90	33.00	9.10
1907.60	V	85.92	9.96	11.22	1.17	20.01	33.00	12.99

Part 27:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA R99 Band 4 low channel								
1712.40	H	85.56	9.39	10.64	1.26	18.77	30.00	11.23
1712.40	V	83.05	6.57	10.64	1.26	15.95	30.00	14.05
WCDMA R99 Band 4 middle channel								
1732.60	H	86.24	10.11	10.70	1.25	19.56	30.00	10.44
1732.60	V	85.38	8.95	10.70	1.25	18.40	30.00	11.60
WCDMA R99 Band 4 high channel								
1752.60	H	86.13	10.04	10.76	1.24	19.56	30.00	10.44
1752.60	V	85.60	9.23	10.76	1.24	18.75	30.00	11.25

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit - Absolute Level

LTE Band 2:

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1.40	QPSK	Low	H	86.42	10.53	11.05	1.20	20.38	33.00	12.62
		Low	V	81.04	4.93	11.05	1.20	14.78	33.00	18.22
		Middle	H	88.23	12.39	11.14	1.18	22.35	33.00	10.65
		Middle	V	82.82	6.79	11.14	1.18	16.75	33.00	16.25
		High	H	86.61	10.83	11.23	1.17	20.89	33.00	12.11
		High	V	81.23	5.27	11.23	1.17	15.33	33.00	17.67
	16QAM	Low	H	85.53	9.64	11.05	1.20	19.49	33.00	13.51
		Low	V	80.16	4.05	11.05	1.20	13.90	33.00	19.10
		Middle	H	86.45	10.61	11.14	1.18	20.57	33.00	12.43
		Middle	V	81.06	5.03	11.14	1.18	14.99	33.00	18.01
		High	H	85.62	9.84	11.23	1.17	19.90	33.00	13.10
		High	V	80.21	4.25	11.23	1.17	14.31	33.00	18.69
3.00	QPSK	Low	H	86.06	10.17	11.05	1.20	20.02	33.00	12.98
		Low	V	80.68	4.57	11.05	1.20	14.42	33.00	18.58
		Middle	H	87.86	12.02	11.14	1.18	21.98	33.00	11.02
		Middle	V	82.47	6.44	11.14	1.18	16.40	33.00	16.60
		High	H	86.25	10.47	11.23	1.17	20.53	33.00	12.47
		High	V	80.87	4.91	11.23	1.17	14.97	33.00	18.03
	16QAM	Low	H	85.16	9.27	11.05	1.20	19.12	33.00	13.88
		Low	V	79.79	3.68	11.05	1.20	13.53	33.00	19.47
		Middle	H	86.09	10.25	11.14	1.18	20.21	33.00	12.79
		Middle	V	80.70	4.67	11.14	1.18	14.63	33.00	18.37
		High	H	85.27	9.49	11.23	1.17	19.55	33.00	13.45
		High	V	79.86	3.90	11.23	1.17	13.96	33.00	19.04
5.00	QPSK	Low	H	85.54	9.65	11.06	1.19	19.52	33.00	13.48
		Low	V	80.16	4.05	11.06	1.19	13.92	33.00	19.08
		Middle	H	87.34	11.50	11.14	1.18	21.46	33.00	11.54
		Middle	V	81.95	5.92	11.14	1.18	15.88	33.00	17.12
		High	H	85.73	9.95	11.22	1.17	20.00	33.00	13.00
		High	V	80.35	4.39	11.22	1.17	14.44	33.00	18.56
	16QAM	Low	H	84.64	8.75	11.06	1.19	18.62	33.00	14.38
		Low	V	79.27	3.16	11.06	1.19	13.03	33.00	19.97
		Middle	H	85.57	9.73	11.14	1.18	19.69	33.00	13.31
		Middle	V	80.18	4.15	11.14	1.18	14.11	33.00	18.89
		High	H	84.75	8.97	11.22	1.17	19.02	33.00	13.98
		High	V	79.34	3.38	11.22	1.17	13.43	33.00	19.57
10.0	QPSK	Low	H	84.36	8.47	11.07	1.19	18.35	33.00	14.65
		Low	V	78.98	2.88	11.07	1.19	12.76	33.00	20.24
		Middle	H	86.16	10.32	11.14	1.18	20.28	33.00	12.72
		Middle	V	80.77	4.74	11.14	1.18	14.70	33.00	18.30
		High	H	84.55	8.76	11.22	1.17	18.81	33.00	14.19
		High	V	79.17	3.20	11.22	1.17	13.25	33.00	19.75
	16QAM	Low	H	83.46	7.57	11.07	1.19	17.45	33.00	15.55
		Low	V	78.09	1.99	11.07	1.19	11.87	33.00	21.13
		Middle	H	84.39	8.55	11.14	1.18	18.51	33.00	14.49
		Middle	V	79.00	2.97	11.14	1.18	12.93	33.00	20.07
		High	H	83.46	7.66	11.20	1.17	17.69	33.00	15.31
		High	V	78.07	2.09	11.20	1.17	12.12	33.00	20.88

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
15.0	QPSK	Low	H	84.24	8.36	11.07	1.19	18.24	33.00	14.76
		Low	V	78.86	2.77	11.07	1.19	12.65	33.00	20.35
		Middle	H	86.04	10.20	11.14	1.18	20.16	33.00	12.84
		Middle	V	80.65	4.62	11.14	1.18	14.58	33.00	18.42
		High	H	84.43	8.64	11.21	1.17	18.68	33.00	14.32
		High	V	79.05	3.08	11.21	1.17	13.12	33.00	19.88
	16QAM	Low	H	83.34	7.46	11.07	1.19	17.34	33.00	15.66
		Low	V	77.97	1.88	11.07	1.19	11.76	33.00	21.24
		Middle	H	84.27	8.43	11.14	1.18	18.39	33.00	14.61
		Middle	V	78.88	2.85	11.14	1.18	12.81	33.00	20.19
		High	H	83.57	7.78	11.22	1.17	17.83	33.00	15.17
		High	V	78.16	2.19	11.22	1.17	12.24	33.00	20.76
20.0	QPSK	Low	H	84.24	8.36	11.08	1.19	18.25	33.00	14.75
		Low	V	78.86	2.77	11.08	1.19	12.66	33.00	20.34
		Middle	H	86.04	10.20	11.14	1.18	20.16	33.00	12.84
		Middle	V	80.65	4.62	11.14	1.18	14.58	33.00	18.42
		High	H	84.43	8.63	11.20	1.17	18.66	33.00	14.34
		High	V	79.05	3.07	11.20	1.17	13.10	33.00	19.90
	16QAM	Low	H	83.35	7.47	11.08	1.19	17.36	33.00	15.64
		Low	V	77.96	1.87	11.08	1.19	11.76	33.00	21.24
		Middle	H	84.28	8.44	11.14	1.18	18.40	33.00	14.60
		Middle	V	78.85	2.82	11.14	1.18	12.78	33.00	20.22
		High	H	83.45	7.66	11.21	1.17	17.70	33.00	15.30
		High	V	78.04	2.07	11.21	1.17	12.11	33.00	20.89

LTE Band 4:

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1.40	QPSK	Low	H	84.55	8.37	10.63	1.26	17.74	30.00	12.26
		Low	V	81.24	4.75	10.63	1.26	14.12	30.00	15.88
		Middle	H	83.83	7.70	10.70	1.25	17.15	30.00	12.85
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	83.49	7.40	10.76	1.24	16.92	30.00	13.08
		High	V	80.17	3.80	10.76	1.24	13.32	30.00	16.68
	16QAM	Low	H	84.07	7.89	10.63	1.26	17.26	30.00	12.74
		Low	V	80.74	4.25	10.63	1.26	13.62	30.00	16.38
		Middle	H	83.02	6.89	10.70	1.25	16.34	30.00	13.66
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	82.51	6.42	10.76	1.24	15.94	30.00	14.06
		High	V	79.17	2.80	10.76	1.24	12.32	30.00	17.68
3.00	QPSK	Low	H	84.30	8.13	10.63	1.26	17.50	30.00	12.50
		Low	V	80.99	4.51	10.63	1.26	13.88	30.00	16.12
		Middle	H	83.57	7.44	10.70	1.25	16.89	30.00	13.11
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	83.24	7.15	10.76	1.24	16.67	30.00	13.33
		High	V	79.92	3.55	10.76	1.24	13.07	30.00	16.93
	16QAM	Low	H	84.07	7.89	10.63	1.26	17.26	30.00	12.74
		Low	V	80.74	4.25	10.63	1.26	13.62	30.00	16.38
		Middle	H	83.02	6.89	10.70	1.25	16.34	30.00	13.66
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	82.51	6.42	10.76	1.24	15.94	30.00	14.06
		High	V	79.17	2.80	10.76	1.24	12.32	30.00	17.68
5.00	QPSK	Low	H	84.26	8.09	10.64	1.26	17.47	30.00	12.53
		Low	V	80.95	4.47	10.64	1.26	13.85	30.00	16.15
		Middle	H	83.53	7.40	10.70	1.25	16.85	30.00	13.15
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	83.20	7.11	10.76	1.24	16.63	30.00	13.37
		High	V	79.88	3.51	10.76	1.24	13.03	30.00	16.97
	16QAM	Low	H	83.76	7.59	10.64	1.26	16.97	30.00	13.03
		Low	V	80.43	3.95	10.64	1.26	13.33	30.00	16.67
		Middle	H	82.71	6.58	10.70	1.25	16.03	30.00	13.97
		Middle	V	79.39	2.96	10.70	1.25	12.41	30.00	17.59
		High	H	82.19	6.10	10.76	1.24	15.62	30.00	14.38
		High	V	78.85	2.48	10.76	1.24	12.00	30.00	18.00
10.0	QPSK	Low	H	83.56	7.39	10.65	1.26	16.78	30.00	13.22
		Low	V	80.25	3.78	10.65	1.26	13.17	30.00	16.83
		Middle	H	82.83	6.70	10.70	1.25	16.15	30.00	13.85
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	82.50	6.40	10.75	1.24	15.91	30.00	14.09
		High	V	79.18	2.80	10.75	1.24	12.31	30.00	17.69
	16QAM	Low	H	83.06	6.89	10.65	1.26	16.28	30.00	13.72
		Low	V	79.73	3.26	10.65	1.26	12.65	30.00	17.35
		Middle	H	82.01	5.88	10.70	1.25	15.33	30.00	14.67
		Middle	V	78.69	2.26	10.70	1.25	11.71	30.00	18.29
		High	H	81.49	5.39	10.75	1.24	14.90	30.00	15.10
		High	V	78.15	1.77	10.75	1.24	11.28	30.00	18.72

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
15.0	QPSK	Low	H	83.95	7.79	10.65	1.25	17.19	30.00	12.81
		Low	V	80.64	4.17	10.65	1.25	13.57	30.00	16.43
		Middle	H	83.22	7.09	10.70	1.25	16.54	30.00	13.46
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	82.89	6.79	10.74	1.24	16.29	30.00	13.71
		High	V	79.57	3.18	10.74	1.24	12.68	30.00	17.32
	16QAM	Low	H	83.45	7.29	10.65	1.25	16.69	30.00	13.31
		Low	V	80.12	3.65	10.65	1.25	13.05	30.00	16.95
		Middle	H	82.40	6.27	10.70	1.25	15.72	30.00	14.28
		Middle	V	79.08	2.65	10.70	1.25	12.10	30.00	17.90
		High	H	81.88	5.78	10.74	1.24	15.28	30.00	14.72
		High	V	78.54	2.15	10.74	1.24	11.65	30.00	18.35
20.0	QPSK	Low	H	84.53	8.37	10.66	1.25	17.78	30.00	12.22
		Low	V	81.22	4.76	10.66	1.25	14.17	30.00	15.83
		Middle	H	83.80	7.67	10.70	1.25	17.12	30.00	12.88
		Middle	V	79.72	3.29	10.70	1.25	12.74	30.00	17.26
		High	H	83.47	7.36	10.74	1.24	16.86	30.00	13.14
		High	V	80.15	3.76	10.74	1.24	13.26	30.00	16.74
	16QAM	Low	H	84.03	7.87	10.66	1.25	17.28	30.00	12.72
		Low	V	80.69	4.23	10.66	1.25	13.64	30.00	16.36
		Middle	H	82.98	6.85	10.70	1.25	16.30	30.00	13.70
		Middle	V	79.68	3.25	10.70	1.25	12.70	30.00	17.30
		High	H	82.46	6.35	10.74	1.24	15.85	30.00	14.15
		High	V	79.15	2.76	10.74	1.24	12.26	30.00	17.74

LTE Band 5:

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1.40	QPSK	Low	H	83.89	8.87	0.00	0.96	7.91	38.45	30.54
		Low	V	91.62	19.70	0.00	0.96	18.74	38.45	19.71
		Middle	H	84.63	9.70	0.00	0.97	8.73	38.45	29.72
		Middle	V	92.42	20.63	0.00	0.97	19.66	38.45	18.79
		High	H	83.92	9.09	0.00	0.99	8.10	38.45	30.35
		High	V	91.69	20.02	0.00	0.99	19.03	38.45	19.42
	16QAM	Low	H	83.71	8.69	0.00	0.96	7.73	38.45	30.72
		Low	V	91.43	19.51	0.00	0.96	18.55	38.45	19.90
		Middle	H	84.46	9.53	0.00	0.97	8.56	38.45	29.89
		Middle	V	92.25	20.46	0.00	0.97	19.49	38.45	18.96
		High	H	83.71	8.88	0.00	0.99	7.89	38.45	30.56
		High	V	91.51	19.84	0.00	0.99	18.85	38.45	19.60
3.00	QPSK	Low	H	83.51	8.50	0.00	0.96	7.54	38.45	30.91
		Low	V	91.08	19.17	0.00	0.96	18.21	38.45	20.24
		Middle	H	83.56	8.63	0.00	0.97	7.66	38.45	30.79
		Middle	V	91.36	19.57	0.00	0.97	18.60	38.45	19.85
		High	H	83.33	8.49	0.00	0.99	7.50	38.45	30.95
		High	V	91.00	19.32	0.00	0.99	18.33	38.45	20.12
	16QAM	Low	H	83.30	8.29	0.00	0.96	7.33	38.45	31.12
		Low	V	90.92	19.01	0.00	0.96	18.05	38.45	20.40
		Middle	H	83.38	8.45	0.00	0.97	7.48	38.45	30.97
		Middle	V	91.22	19.43	0.00	0.97	18.46	38.45	19.99
		High	H	83.14	8.30	0.00	0.99	7.31	38.45	31.14
		High	V	90.82	19.14	0.00	0.99	18.15	38.45	20.30
5.00	QPSK	Low	H	82.26	7.26	0.00	0.96	6.30	38.45	32.15
		Low	V	90.04	18.14	0.00	0.96	17.18	38.45	21.27
		Middle	H	82.49	7.56	0.00	0.97	6.59	38.45	31.86
		Middle	V	90.41	18.62	0.00	0.97	17.65	38.45	20.80
		High	H	82.67	7.82	0.00	0.99	6.83	38.45	31.62
		High	V	90.31	18.62	0.00	0.99	17.63	38.45	20.82
	16QAM	Low	H	81.98	6.98	0.00	0.96	6.02	38.45	32.43
		Low	V	89.76	17.86	0.00	0.96	16.90	38.45	21.55
		Middle	H	82.31	7.38	0.00	0.97	6.41	38.45	32.04
		Middle	V	90.25	18.46	0.00	0.97	17.49	38.45	20.96
		High	H	82.43	7.58	0.00	0.99	6.59	38.45	31.86
		High	V	90.12	18.43	0.00	0.99	17.44	38.45	21.01
10.0	QPSK	Low	H	82.01	7.03	0.00	0.96	6.07	38.45	32.38
		Low	V	89.29	17.42	0.00	0.96	16.46	38.45	21.99
		Middle	H	81.43	6.50	0.00	0.97	5.53	38.45	32.92
		Middle	V	89.50	17.71	0.00	0.97	16.74	38.45	21.71
		High	H	81.72	6.85	0.00	0.98	5.87	38.45	32.58
		High	V	89.29	17.57	0.00	0.98	16.59	38.45	21.86
	16QAM	Low	H	81.72	6.74	0.00	0.96	5.78	38.45	32.67
		Low	V	89.05	17.18	0.00	0.96	16.22	38.45	22.23
		Middle	H	81.28	6.35	0.00	0.97	5.38	38.45	33.07
		Middle	V	89.37	17.58	0.00	0.97	16.61	38.45	21.84
		High	H	81.53	6.66	0.00	0.98	5.68	38.45	32.77
		High	V	89.07	17.35	0.00	0.98	16.37	38.45	22.08

LTE Band 7:

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
5.00	QPSK	Low	H	82.94	8.37	12.20	1.24	19.33	33.00	13.67
		Low	V	78.55	3.69	12.20	1.24	14.65	33.00	18.35
		Middle	H	83.04	8.55	12.21	1.26	19.50	33.00	13.50
		Middle	V	78.63	3.85	12.21	1.26	14.80	33.00	18.20
		High	H	82.13	7.73	12.23	1.28	18.68	33.00	14.32
		High	V	77.70	3.00	12.23	1.28	13.95	33.00	19.05
	16QAM	Low	H	82.27	7.70	12.20	1.24	18.66	33.00	14.34
		Low	V	77.85	2.99	12.20	1.24	13.95	33.00	19.05
		Middle	H	82.66	8.17	12.21	1.26	19.12	33.00	13.88
		Middle	V	78.23	3.45	12.21	1.26	14.40	33.00	18.60
		High	H	81.17	6.77	12.23	1.28	17.72	33.00	15.28
		High	V	76.79	2.09	12.23	1.28	13.04	33.00	19.96
10.0	QPSK	Low	H	82.57	8.00	12.20	1.24	18.96	33.00	14.04
		Low	V	78.18	3.33	12.20	1.24	14.29	33.00	18.71
		Middle	H	82.69	8.20	12.21	1.26	19.15	33.00	13.85
		Middle	V	78.28	3.50	12.21	1.26	14.45	33.00	18.55
		High	H	81.76	7.35	12.23	1.27	18.31	33.00	14.69
		High	V	77.33	2.62	12.23	1.27	13.58	33.00	19.42
	16QAM	Low	H	81.87	7.30	12.20	1.24	18.26	33.00	14.74
		Low	V	77.45	2.60	12.20	1.24	13.56	33.00	19.44
		Middle	H	82.28	7.79	12.21	1.26	18.74	33.00	14.26
		Middle	V	77.85	3.07	12.21	1.26	14.02	33.00	18.98
		High	H	80.76	6.35	12.23	1.27	17.31	33.00	15.69
		High	V	76.38	1.67	12.23	1.27	12.63	33.00	20.37
15.0	QPSK	Low	H	82.79	8.23	12.20	1.24	19.19	33.00	13.81
		Low	V	78.40	3.56	12.20	1.24	14.52	33.00	18.48
		Middle	H	82.91	8.42	12.21	1.26	19.37	33.00	13.63
		Middle	V	78.50	3.72	12.21	1.26	14.67	33.00	18.33
		High	H	81.98	7.57	12.23	1.27	18.53	33.00	14.47
		High	V	77.55	2.84	12.23	1.27	13.80	33.00	19.20
	16QAM	Low	H	82.09	7.53	12.20	1.24	18.49	33.00	14.51
		Low	V	77.67	2.83	12.20	1.24	13.79	33.00	19.21
		Middle	H	82.50	8.01	12.21	1.26	18.96	33.00	14.04
		Middle	V	78.07	3.29	12.21	1.26	14.24	33.00	18.76
		High	H	80.98	6.57	12.23	1.27	17.53	33.00	15.47
		High	V	76.60	1.89	12.23	1.27	12.85	33.00	20.15
20.0	QPSK	Low	H	82.81	8.26	12.20	1.25	19.21	33.00	13.79
		Low	V	78.42	3.58	12.20	1.25	14.53	33.00	18.47
		Middle	H	82.93	8.44	12.21	1.26	19.39	33.00	13.61
		Middle	V	78.52	3.74	12.21	1.26	14.69	33.00	18.31
		High	H	82.00	7.58	12.22	1.27	18.53	33.00	14.47
		High	V	77.57	2.85	12.22	1.27	13.80	33.00	19.20
	16QAM	Low	H	82.11	7.56	12.20	1.25	18.51	33.00	14.49
		Low	V	77.67	2.83	12.20	1.25	13.78	33.00	19.22
		Middle	H	82.52	8.03	12.21	1.26	18.98	33.00	14.02
		Middle	V	78.12	3.34	12.21	1.26	14.29	33.00	18.71
		High	H	81.00	6.58	12.22	1.27	17.53	33.00	15.47
		High	V	76.58	1.86	12.22	1.27	12.81	33.00	20.19

LTE Band 12:

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1.40	QPSK	Low	H	89.20	12.20	0.00	0.94	11.26	34.77	23.51
		Low	V	99.12	24.51	0.00	0.94	23.57	34.77	11.20
		Middle	H	88.94	12.08	0.00	0.94	11.14	34.77	23.63
		Middle	V	98.52	24.10	0.00	0.94	23.16	34.77	11.61
		High	H	87.41	10.69	0.00	0.94	9.75	34.77	25.02
		High	V	97.33	23.10	0.00	0.94	22.16	34.77	12.61
	16QAM	Low	H	89.06	12.06	0.00	0.94	11.12	34.77	23.65
		Low	V	99.01	24.40	0.00	0.94	23.46	34.77	11.31
		Middle	H	88.78	11.92	0.00	0.94	10.98	34.77	23.79
		Middle	V	98.43	24.01	0.00	0.94	23.07	34.77	11.70
		High	H	87.25	10.53	0.00	0.94	9.59	34.77	25.18
		High	V	97.23	23.00	0.00	0.94	22.06	34.77	12.71
3.00	QPSK	Low	H	88.26	11.28	0.00	0.94	10.34	34.77	24.43
		Low	V	98.13	23.54	0.00	0.94	22.60	34.77	12.17
		Middle	H	87.87	11.01	0.00	0.94	10.07	34.77	24.70
		Middle	V	97.66	23.24	0.00	0.94	22.30	34.77	12.47
		High	H	86.49	9.76	0.00	0.94	8.82	34.77	25.95
		High	V	96.34	22.09	0.00	0.94	21.15	34.77	13.62
	16QAM	Low	H	88.16	11.18	0.00	0.94	10.24	34.77	24.53
		Low	V	98.02	23.43	0.00	0.94	22.49	34.77	12.28
		Middle	H	87.71	10.85	0.00	0.94	9.91	34.77	24.86
		Middle	V	97.53	23.11	0.00	0.94	22.17	34.77	12.60
		High	H	86.33	9.60	0.00	0.94	8.66	34.77	26.11
		High	V	96.21	21.96	0.00	0.94	21.02	34.77	13.75
5.00	QPSK	Low	H	87.38	10.42	0.00	0.94	9.48	34.77	25.29
		Low	V	96.95	22.39	0.00	0.94	21.45	34.77	13.32
		Middle	H	86.79	9.93	0.00	0.94	8.99	34.77	25.78
		Middle	V	96.70	22.28	0.00	0.94	21.34	34.77	13.43
		High	H	85.55	8.80	0.00	0.94	7.86	34.77	26.91
		High	V	95.67	21.40	0.00	0.94	20.46	34.77	14.31
	16QAM	Low	H	87.22	10.26	0.00	0.94	9.32	34.77	25.45
		Low	V	96.82	22.26	0.00	0.94	21.32	34.77	13.45
		Middle	H	86.65	9.79	0.00	0.94	8.85	34.77	25.92
		Middle	V	96.53	22.11	0.00	0.94	21.17	34.77	13.60
		High	H	85.46	8.71	0.00	0.94	7.77	34.77	27.00
		High	V	95.58	21.31	0.00	0.94	20.37	34.77	14.40
10.0	QPSK	Low	H	86.19	9.27	0.00	0.94	8.33	34.77	26.44
		Low	V	95.58	21.08	0.00	0.94	20.14	34.77	14.63
		Middle	H	85.44	8.58	0.00	0.94	7.64	34.77	27.13
		Middle	V	95.09	20.67	0.00	0.94	19.73	34.77	15.04
		High	H	84.61	7.82	0.00	0.94	6.88	34.77	27.89
		High	V	94.69	20.36	0.00	0.94	19.42	34.77	15.35
	16QAM	Low	H	86.02	9.10	0.00	0.94	8.16	34.77	26.61
		Low	V	95.43	20.93	0.00	0.94	19.99	34.77	14.78
		Middle	H	85.28	8.42	0.00	0.94	7.48	34.77	27.29
		Middle	V	94.98	20.56	0.00	0.94	19.62	34.77	15.15
		High	H	84.48	7.69	0.00	0.94	6.75	34.77	28.02
		High	V	94.54	20.21	0.00	0.94	19.27	34.77	15.50

LTE Band 17:

BW (MHz)	Modulation	Test Channel	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
5.00	QPSK	Low	H	86.30	9.43	0.00	0.94	8.49	34.77	26.28
		Low	V	96.14	21.70	0.00	0.94	20.76	34.77	14.01
		Middle	H	85.79	8.98	0.00	0.94	8.04	34.77	26.73
		Middle	V	95.61	21.25	0.00	0.94	20.31	34.77	14.46
		High	H	85.65	8.90	0.00	0.94	7.96	34.77	26.81
		High	V	95.45	21.18	0.00	0.94	20.24	34.77	14.53
	16QAM	Low	H	86.11	9.24	0.00	0.94	8.30	34.77	26.47
		Low	V	96.01	21.57	0.00	0.94	20.63	34.77	14.14
		Middle	H	85.54	8.73	0.00	0.94	7.79	34.77	26.98
		Middle	V	95.38	21.02	0.00	0.94	20.08	34.77	14.69
		High	H	85.34	8.59	0.00	0.94	7.65	34.77	27.12
		High	V	95.31	21.04	0.00	0.94	20.10	34.77	14.67
10.0	QPSK	Low	H	84.82	7.99	0.00	0.94	7.05	34.77	27.72
		Low	V	94.64	20.26	0.00	0.94	19.32	34.77	15.45
		Middle	H	84.83	8.02	0.00	0.94	7.08	34.77	27.69
		Middle	V	94.66	20.30	0.00	0.94	19.36	34.77	15.41
		High	H	84.28	7.49	0.00	0.94	6.55	34.77	28.22
		High	V	94.57	20.24	0.00	0.94	19.30	34.77	15.47
	16QAM	Low	H	84.63	7.80	0.00	0.94	6.86	34.77	27.91
		Low	V	94.40	20.02	0.00	0.94	19.08	34.77	15.69
		Middle	H	84.62	7.81	0.00	0.94	6.87	34.77	27.90
		Middle	V	94.31	19.95	0.00	0.94	19.01	34.77	15.76
		High	H	84.12	7.33	0.00	0.94	6.39	34.77	28.38
		High	V	94.29	19.96	0.00	0.94	19.02	34.77	15.75

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH


Applicable Standard

FCC §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The 26 dB & 99% bandwidth was recorded.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2020-07-07	2021-07-07
R&S	Spectrum Analyzer	FSP 38	100478	2020-07-07	2021-07-07
Unknown	Coaxial Cable	C-SJ00-0010	C0010/04	Each time	N/A
E-Microwave	Blocking Control	EMDCB-00036	0E01201048	Each time	N/A
E-Microwave	Coaxial Attenuators	EMCA10-5RN-6	OE01203239	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Temperature:	24.5~27.9 °C
Relative Humidity:	45~58%
ATM Pressure:	100.8~101.2kPa
Tester:	Taylor Li
Test Date:	2020-10-08~2020-10-26

Test Mode: Transmitting

Test Result: Compliance. Please refer to the following table and plots.

GSM&EGPRS:

Band	Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
		Low Channel	Middle Channel	High Channel	Low Channel	Middle Channel	High Channel
Cellular	GSM	0.24	0.24	0.24	0.32	0.31	0.32
	EGPRS	0.24	0.24	0.24	0.31	0.30	0.31
PCS	GSM	0.24	0.25	0.25	0.32	0.34	0.32
	EGPRS	0.24	0.26	0.25	0.31	0.32	0.32

WCDMA:


Band	Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
		Low Channel	Middle Channel	High Channel	Low Channel	Middle Channel	High Channel
PCS	Rel 99	4.151	4.151	4.167	4.721	4.715	4.737
	HSDPA	4.183	4.183	4.199	4.712	4.699	4.737
	HSUPA	4.151	4.151	4.167	4.696	4.712	4.734
AWS	Rel 99	4.167	4.167	4.151	4.721	4.724	4.724
	HSDPA	4.151	4.167	4.151	4.715	4.708	4.702
	HSUPA	4.151	4.167	4.151	4.699	4.718	4.702
Cellular	Rel 99	4.151	4.135	4.167	4.705	4.708	4.705
	HSDPA	4.167	4.167	4.167	4.715	4.696	4.743
	HSUPA	4.167	4.151	4.167	4.728	4.696	4.728

LTE Bands:

Band	Bandwidth (MHz)	Modulation mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
			Low Channel	Middle Channel	High Channel	Low Channel	Middle Channel	High Channel
LTE Band 2	1.4 MHz	QPSK	1.104	1.110	1.110	1.320	1.332	1.320
		16QAM	1.110	1.098	1.116	1.278	1.302	1.278
	3 MHz	QPSK	2.712	2.700	2.700	3.048	3.000	3.024
		16QAM	2.688	2.700	2.700	3.060	3.024	3.120
	5 MHz	QPSK	4.540	4.560	4.540	5.380	5.320	5.540
		16QAM	4.540	4.540	4.540	5.420	5.340	5.260
	10 MHz	QPSK	8.960	9.000	9.000	10.120	9.800	9.880
		16QAM	9.000	9.000	8.960	10.040	9.800	9.960
	15 MHz	QPSK	13.560	13.620	13.560	16.080	15.600	15.180
		16QAM	13.560	13.620	13.560	15.120	15.300	14.940
	20 MHz	QPSK	18.000	18.160	18.000	19.520	20.000	19.680
		16QAM	18.000	18.080	18.000	19.600	19.600	19.680
LTE Band 4	1.4 MHz	QPSK	1.110	1.098	1.110	1.326	1.284	1.320
		16QAM	1.110	1.110	1.098	1.320	1.266	1.296
	3 MHz	QPSK	2.712	2.712	2.712	3.012	3.012	3.048
		16QAM	2.700	2.688	2.712	3.060	3.012	3.096
	5 MHz	QPSK	4.540	4.540	4.540	5.580	5.380	5.480
		16QAM	4.540	4.520	4.540	5.540	5.320	5.540
	10 MHz	QPSK	8.960	8.960	8.960	9.960	9.840	10.000
		16QAM	9.000	8.960	8.960	10.000	9.760	10.080
	15 MHz	QPSK	13.560	13.620	13.560	15.720	15.660	15.780
		16QAM	13.560	13.560	13.560	15.000	15.120	15.000
	20 MHz	QPSK	18.000	18.000	18.000	20.320	19.840	19.760
		16QAM	18.000	18.080	18.080	20.080	20.160	20.160


Band	Bandwidth (MHz)	Modulation mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
			Low Channel	Middle Channel	High Channel	Low Channel	Middle Channel	High Channel
LTE Band 5	1.4 MHz	QPSK	1.104	1.110	1.104	1.308	1.308	1.302
		16QAM	1.116	1.098	1.110	1.278	1.320	1.326
	3 MHz	QPSK	2.712	2.700	2.688	3.012	3.012	3.024
		16QAM	2.700	2.700	2.700	3.048	3.036	3.096
	5 MHz	QPSK	4.520	4.560	4.540	5.440	5.220	5.540
		16QAM	4.560	4.560	4.560	5.540	5.220	5.460
10 MHz	QPSK	9.000	9.000	8.960	9.960	9.760	9.800	
	16QAM	9.000	9.000	8.960	9.920	9.920	9.800	
LTE Band 7	5 MHz	QPSK	4.560	4.520	4.560	5.420	5.280	6.260
		16QAM	4.580	4.540	4.560	5.380	5.380	6.740
	10 MHz	QPSK	9.000	9.000	9.000	10.000	9.840	11.200
		16QAM	8.960	8.960	9.000	10.080	9.760	11.880
	15 MHz	QPSK	13.560	13.620	13.560	15.720	15.540	17.460
		16QAM	13.560	13.560	13.560	15.120	15.060	18.028
20 MHz	QPSK	18.000	18.000	18.000	19.840	20.000	20.000	
	16QAM	18.080	18.080	18.000	20.000	20.000	19.920	
LTE Band 12	1.4 MHz	QPSK	1.098	1.104	1.104	1.302	1.296	1.308
		16QAM	1.110	1.116	1.110	1.308	1.266	1.296
	3 MHz	QPSK	2.700	2.712	2.700	3.000	3.012	3.000
		16QAM	2.700	2.712	2.700	3.072	3.036	3.108
	5 MHz	QPSK	4.520	4.520	4.500	5.420	5.300	5.300
		16QAM	4.520	4.540	4.520	5.360	5.200	5.380
10 MHz	QPSK	8.920	8.960	8.920	9.760	9.840	9.720	
	16QAM	8.920	8.960	8.920	9.880	9.800	9.840	
LTE Band 17	5 MHz	QPSK	4.540	4.540	4.520	5.580	5.320	5.340
		16QAM	4.560	4.560	4.540	5.420	5.560	5.420
	10 MHz	QPSK	9.000	8.960	9.000	9.960	9.800	9.920
		16QAM	9.000	8.960	8.960	10.440	9.840	9.880

Cellular 850 Band, GSM, Low Channel




Date: 19.OCT.2020 19:16:27

Cellular 850 Band, GSM, Middle Channel




Date: 19.OCT.2020 19:19:47

Cellular 850 Band, GSM, High Channel




Date: 19.OCT.2020 19:23:17

PCS 1900 Band, GSM, Low Channel




Date: 19.OCT.2020 20:55:21

PCS 1900 Band, GSM, Middle Channel




Date: 19.OCT.2020 20:56:33

PCS 1900 Band, GSM, High Channel




Date: 19.OCT.2020 20:58:54

Cellular 850 Band, EDGE, Low Channel




Date: 19.OCT.2020 20:31:47

Cellular 850 Band, EDGE, Middle Channel




Date: 19.OCT.2020 20:36:00

Cellular 850 Band, EDGE, High Channel




Date: 19.OCT.2020 20:44:49

PCS 1900 Band, EDGE, Low Channel




Date: 20.OCT.2020 09:01:24

PCS 1900 Band, EDGE, Middle Channel




Date: 20.OCT.2020 09:03:38

PCS 1900 Band, EDGE, High Channel




Date: 20.OCT.2020 09:05:14

WCDMA Band V, Rel99, Low Channel




Date: 19.OCT.2020 14:54:56

WCDMA Band V, Rel99, Middle Channel




Date: 19.OCT.2020 14:57:10

WCDMA Band V, Rel99, High Channel




Date: 19.OCT.2020 14:58:57

WCDMA Band V, HSDPA, Low Channel




Date: 19.OCT.2020 16:09:37

WCDMA Band V, HSDPA, Middle Channel




Date: 19.OCT.2020 16:11:45

WCDMA Band V, HSDPA, High Channel




Date: 19.OCT.2020 16:13:35

WCDMA Band V, HSUPA, Low Channel




Date: 19.OCT.2020 17:33:35

WCDMA Band V, HSUPA, Middle Channel




Date: 19.OCT.2020 17:37:16

WCDMA Band V, HSUPA, High Channel




Date: 19.OCT.2020 17:39:41

WCDMA Band II, Rel99, Low Channel




Date: 19.OCT.2020 14:43:00

WCDMA Band II, Rel99, Middle Channel




Date: 19.OCT.2020 14:44:26

WCDMA Band II, Rel99, High Channel




Date: 19.OCT.2020 14:46:12

WCDMA Band II, HSDPA, Low Channel




Date: 19.OCT.2020 15:07:46

WCDMA Band II, HSDPA, Middle Channel




Date: 19.OCT.2020 15:10:33

WCDMA Band II, HSDPA, High Channel




Date: 19.OCT.2020 15:20:30

WCDMA Band II, HSUPA, Low Channel




Date: 19.OCT.2020 17:17:46

WCDMA Band II, HSUPA, Middle Channel




Date: 19.OCT.2020 17:20:10

WCDMA Band II, HSUPA, High Channel




Date: 19.OCT.2020 17:21:41

WCDMA Band IV, Rel99, Low Channel




Date: 19.OCT.2020 14:32:12

WCDMA Band IV, Rel99, Middle Channel




Date: 19.OCT.2020 14:34:05

WCDMA Band IV, Rel99, High Channel




Date: 19.OCT.2020 14:29:36

WCDMA Band IV, HSDPA, Low Channel




Date: 19.OCT.2020 16:02:29

WCDMA Band IV, HSDPA, Middle Channel




Date: 19.OCT.2020 16:04:29

WCDMA Band IV, HSDPA, High Channel




Date: 19.OCT.2020 16:06:51

WCDMA Band IV, HSUPA, Low Channel




Date: 19.OCT.2020 17:24:40

WCDMA Band IV, HSUPA, Middle Channel



Date: 19.OCT.2020 17:28:36


WCDMA Band IV, HSUPA, High Channel



Date: 19.OCT.2020 17:30:25


LTE Band 2

1.4M, QPSK, Low Channel




Date: 24.OCT.2020 15:44:36

1.4M, 16QAM, Low Channel




Date: 24.OCT.2020 15:44:53

1.4M, QPSK, Middle Channel




Date: 8.OCT.2020 14:46:44

1.4M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:47:08

1.4M, QPSK, High Channel




Date: 24.OCT.2020 15:59:08

1.4M, 16QAM, High Channel




Date: 24.OCT.2020 15:59:28

3M, QPSK, Low Channel




Date: 24.OCT.2020 16:26:25

3M, 16QAM, Low Channel




Date: 24.OCT.2020 16:26:45

3M, QPSK, Middle Channel




Date: 8.OCT.2020 14:47:28

3M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:47:45

3M, QPSK, High Channel




Date: 24.OCT.2020 17:07:53

3M, 16QAM, High Channel




Date: 24.OCT.2020 17:08:10

5M, QPSK, Low Channel




Date: 24.OCT.2020 16:29:41

5M, 16QAM, Low Channel




Date: 24.OCT.2020 16:30:06

5M, QPSK, Middle Channel




Date: 8.OCT.2020 14:48:11

5M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:48:31

5M, QPSK, High Channel




Date: 24.OCT.2020 17:09:34

5M, 16QAM, High Channel




Date: 24.OCT.2020 17:09:59

10M, QPSK, Low Channel




Date: 24.OCT.2020 16:32:10

10M, 16QAM, Low Channel




Date: 24.OCT.2020 16:32:35

10M, QPSK, Middle Channel




Date: 8.OCT.2020 14:48:54

10M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:49:15

10M, QPSK, High Channel




Date: 24.OCT.2020 17:11:45

10M, 16QAM, High Channel




Date: 24.OCT.2020 17:12:07

15M, QPSK, Low Channel




Date: 24.OCT.2020 16:36:22

15M, 16QAM, Low Channel




Date: 24.OCT.2020 16:36:47

15M, QPSK, Middle Channel




Date: 8.OCT.2020 14:49:43

15M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:50:07

15M, QPSK, High Channel




Date: 24.OCT.2020 17:14:45

15M, 16QAM, High Channel




Date: 24.OCT.2020 17:15:10

20M, QPSK, Low Channel




Date: 24.OCT.2020 16:38:19

20M, 16QAM, Low Channel




Date: 24.OCT.2020 16:38:44

20M, QPSK, Middle Channel




Date: 8.OCT.2020 14:50:36

20M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:50:58

20M, QPSK, High Channel



Date: 24.OCT.2020 17:16:30


20M, 16QAM, High Channel



Date: 24.OCT.2020 17:16:55


LTE Band 4:

1.4M, QPSK, Low Channel




Date: 24.OCT.2020 16:44:26

1.4M, 16QAM, Low Channel




Date: 24.OCT.2020 16:45:10

1.4M, QPSK, Middle Channel




Date: 8.OCT.2020 14:51:23

1.4M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:51:40

1.4M, QPSK, High Channel




Date: 24.OCT.2020 17:18:39

1.4M, 16QAM, High Channel




Date: 24.OCT.2020 17:18:59

3M, QPSK, Low Channel




Date: 24.OCT.2020 16:47:34

3M, 16QAM, Low Channel




Date: 24.OCT.2020 16:47:54

3M, QPSK, Middle Channel




Date: 8.OCT.2020 14:52:03

3M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:52:23

3M, QPSK, High Channel




Date: 24.OCT.2020 17:20:30

3M, 16QAM, High Channel




Date: 24.OCT.2020 17:20:50

5M, QPSK, Low Channel




Date: 24.OCT.2020 16:49:32

5M, 16QAM, Low Channel




Date: 24.OCT.2020 16:49:57

5M, QPSK, Middle Channel




Date: 8.OCT.2020 14:52:52

5M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:53:13

5M, QPSK, High Channel




Date: 24.OCT.2020 17:22:45

5M, 16QAM, High Channel




Date: 24.OCT.2020 17:23:09

10M, QPSK, Low Channel




Date: 24.OCT.2020 18:59:52

10M, 16QAM, Low Channel




Date: 24.OCT.2020 19:00:14

10M, QPSK, Middle Channel




Date: 8.OCT.2020 14:53:39

10M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:53:59

10M, QPSK, High Channel




Date: 24.OCT.2020 17:26:26

10M, 16QAM, High Channel




Date: 24.OCT.2020 17:26:47

15M, QPSK, Low Channel




Date: 24.OCT.2020 19:03:14

15M, 16QAM, Low Channel




Date: 24.OCT.2020 16:54:12

15M, QPSK, Middle Channel




Date: 8.OCT.2020 14:54:26

15M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:54:52

15M, QPSK, High Channel




Date: 24.OCT.2020 17:28:27

15M, 16QAM, High Channel




Date: 24.OCT.2020 17:28:51

20M, QPSK, Low Channel




Date: 24.OCT.2020 16:55:46

20M, 16QAM, Low Channel




Date: 24.OCT.2020 16:56:15

20M, QPSK, Middle Channel




Date: 8.OCT.2020 14:55:21

20M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:55:50

20M, QPSK, High Channel



Date: 24.OCT.2020 17:30:43


20M, 16QAM, High Channel



Date: 24.OCT.2020 17:31:11


LTE Band 5:

1.4M, QPSK, Low Channel




Date: 24.OCT.2020 18:15:53

1.4M, 16QAM, Low Channel




Date: 24.OCT.2020 18:16:10

1.4M, QPSK, Middle Channel




Date: 8.OCT.2020 14:25:25

1.4M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:25:45

1.4M, QPSK, High Channel




Date: 24.OCT.2020 18:24:30

1.4M, 16QAM, High Channel




Date: 24.OCT.2020 18:24:51

3M, QPSK, Low Channel




Date: 24.OCT.2020 18:17:38

3M, 16QAM, Low Channel




Date: 24.OCT.2020 18:17:55

3M, QPSK, Middle Channel




Date: 8.OCT.2020 14:26:08

3M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:26:25

3M, QPSK, High Channel




Date: 24.OCT.2020 18:28:50

3M, 16QAM, High Channel




Date: 24.OCT.2020 18:29:10

5M, QPSK, Low Channel




Date: 24.OCT.2020 18:19:58

5M, 16QAM, Low Channel




Date: 24.OCT.2020 18:20:25

5M, QPSK, Middle Channel




Date: 8.OCT.2020 14:27:06

5M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:27:36

5M, QPSK, High Channel




Date: 24.OCT.2020 18:30:52

5M, 16QAM, High Channel




Date: 24.OCT.2020 18:31:22

10M, QPSK, Low Channel




Date: 24.OCT.2020 18:21:53

10M, 16QAM, Low Channel




Date: 24.OCT.2020 18:22:14

10M, QPSK, Middle Channel




Date: 8.OCT.2020 14:28:02

10M, 16QAM, Middle Channel




Date: 8.OCT.2020 14:28:22

10M, QPSK, High Channel



Date: 24.OCT.2020 18:33:10


10M, 16QAM, High Channel



Date: 24.OCT.2020 18:33:31


LTE Band 7:

5M, QPSK, Low Channel




Date: 24.OCT.2020 17:34:19

5M, 16QAM, Low Channel




Date: 24.OCT.2020 17:34:40

5M, QPSK, Middle Channel




Date: 8.OCT.2020 13:14:14

5M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:14:44

5M, QPSK, High Channel




Date: 24.OCT.2020 17:56:06

5M, 16QAM, High Channel




Date: 24.OCT.2020 17:56:30

10M, QPSK, Low Channel




Date: 24.OCT.2020 17:36:47

10M, 16QAM, Low Channel




Date: 24.OCT.2020 17:37:09

10M, QPSK, Middle Channel




Date: 8.OCT.2020 13:15:07

10M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:15:27

10M, QPSK, High Channel




Date: 24.OCT.2020 17:59:07

10M, 16QAM, High Channel




Date: 24.OCT.2020 17:59:28

15M, QPSK, Low Channel




Date: 24.OCT.2020 17:39:01

15M, 16QAM, Low Channel




Date: 24.OCT.2020 17:39:29

15M, QPSK, Middle Channel




Date: 8.OCT.2020 13:15:58

15M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:16:30

15M, QPSK, High Channel




Date: 24.OCT.2020 18:01:16

15M, 16QAM, High Channel




Date: 26.OCT.2020 08:39:48

20M, QPSK, Low Channel




Date: 24.OCT.2020 17:41:08

20M, 16QAM, Low Channel




Date: 24.OCT.2020 17:41:33

20M, QPSK, Middle Channel




Date: 8.OCT.2020 13:16:59

20M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:17:24

20M, QPSK, High Channel



Date: 24.OCT.2020 18:03:09


20M, 16QAM, High Channel



Date: 24.OCT.2020 18:02:44


LTE Band 12:

1.4M, QPSK, Low Channel




Date: 24.OCT.2020 17:44:23

1.4M, 16QAM, Low Channel




Date: 24.OCT.2020 17:44:44

1.4M, QPSK, Middle Channel




Date: 8.OCT.2020 13:17:48

1.4M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:18:08

1.4M, QPSK, High Channel




Date: 24.OCT.2020 18:05:14

1.4M, 16QAM, High Channel




Date: 24.OCT.2020 18:05:31

3M, QPSK, Low Channel




Date: 24.OCT.2020 17:47:04

3M, 16QAM, Low Channel




Date: 24.OCT.2020 17:47:24

3M, QPSK, Middle Channel




Date: 8.OCT.2020 13:18:31

3M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:18:48

3M, QPSK, High Channel




Date: 24.OCT.2020 18:07:30

3M, 16QAM, High Channel




Date: 24.OCT.2020 18:07:47

5M, QPSK, Low Channel




Date: 24.OCT.2020 17:49:07

5M, 16QAM, Low Channel




Date: 24.OCT.2020 17:49:38

5M, QPSK, Middle Channel




Date: 8.OCT.2020 13:19:23

5M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:19:53

5M, QPSK, High Channel




Date: 24.OCT.2020 18:10:19

5M, 16QAM, High Channel




Date: 24.OCT.2020 18:10:47

10M, QPSK, Low Channel




Date: 24.OCT.2020 17:52:28

10M, 16QAM, Low Channel




Date: 24.OCT.2020 17:52:50

10M, QPSK, Middle Channel




Date: 8.OCT.2020 13:20:19

10M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:20:39

10M, QPSK, High Channel




Date: 24.OCT.2020 18:12:44

10M, 16QAM, High Channel




Date: 24.OCT.2020 18:13:05

10M, QPSK, Low Channel




Date: 24.OCT.2020 18:48:20

10M, 16QAM, Low Channel




Date: 24.OCT.2020 18:48:42

10M, QPSK, Middle Channel




Date: 8.OCT.2020 13:29:08

10M, 16QAM, Middle Channel




Date: 8.OCT.2020 13:29:33

10M, QPSK, High Channel



Date: 24.OCT.2020 18:44:32

10M, 16QAM, High Channel



Date: 24.OCT.2020 18:44:53

FCC §2.1051, §22.917(a) & §24.238(a) & §27.53- SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2020-07-07	2021-07-07
R&S	Spectrum Analyzer	FSP 38	100478	2020-07-07	2021-07-07
Unknown	Coaxial Cable	C-SJ00-0010	C0010/04	Each time	N/A
E-Microwave	Blocking Control	EMDCB-00036	0E01201048	Each time	N/A
E-Microwave	Coaxial Attenuators	EMCA10-5RN-6	OE01203239	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).



Test Data

Environmental Conditions

Temperature:	23.8~26.8 °C
Relative Humidity:	50~65%
ATM Pressure:	100.6~101.9kPa
Tester:	Taylor Li
Test Date:	2020-10-08~2020-11-03

Test Result: Compliance. Please refer to the following plots.



GSM 850, Low Channel



Date: 19.OCT.2020 19:40:15

Date: 19.OCT.2020 19:42:10



GSM 850, Middle Channel



Date: 19.OCT.2020 19:38:45

Date: 19.OCT.2020 19:41:48


GSM 850, High Channel




Date: 19.OCT.2020 19:40:49

Date: 19.OCT.2020 19:41:31

PCS 1900, Low Channel




Date: 19.OCT.2020 21:04:13




Date: 19.OCT.2020 21:06:34

PCS 1900, Middle Channel




Date: 19.OCT.2020 21:04:37




Date: 19.OCT.2020 21:07:19

PCS 1900, High Channel





Date: 19.OCT.2020 21:04:56



Date: 19.OCT.2020 21:08:03



WCDMA Band II, R99, Low Channel



Date: 19.OCT.2020 14:50:15

Date: 19.OCT.2020 14:49:50



WCDMA Band II, R99, Middle Channel



Date: 19.OCT.2020 14:50:27

Date: 19.OCT.2020 14:49:10



WCDMA Band II, R99, High Channel



Date: 19.OCT.2020 14:47:27

Date: 19.OCT.2020 14:48:32



WCDMA Band IV, R99, Low Channel



Date: 19.OCT.2020 14:37:51

Date: 19.OCT.2020 14:40:14



WCDMA Band IV, R99, Middle Channel



Date: 19.OCT.2020 14:38:14

Date: 19.OCT.2020 14:39:45



WCDMA Band IV, R99, High Channel



Date: 19.OCT.2020 14:38:30

Date: 19.OCT.2020 14:39:20



WCDMA Band V, R99, Low Channel



Date: 19.OCT.2020 14:08:35

Date: 19.OCT.2020 14:07:52



WCDMA Band V, R99, Middle Channel



Date: 19.OCT.2020 14:06:09

Date: 19.OCT.2020 14:07:23

WCDMA Band V, R99, High Channel





Date: 19.OCT.2020 14:16:12

Date: 19.OCT.2020 14:16:45

LTE Band 2:



1.4M, QPSK, Low Channel



Date: 21.OCT.2020 14:30:29

Date: 21.OCT.2020 14:30:42



1.4M, QPSK, Middle Channel



Date: 8.OCT.2020 15:22:01

Date: 8.OCT.2020 15:22:12



1.4M, QPSK, High Channel



Date: 21.OCT.2020 14:43:37

Date: 21.OCT.2020 14:43:48



3M, QPSK, Low Channel



Date: 21.OCT.2020 14:31:47

Date: 21.OCT.2020 14:31:59



3M, QPSK, Middle Channel



Date: 8.OCT.2020 15:22:31

Date: 8.OCT.2020 15:22:42



3M, QPSK, High Channel



Date: 21.OCT.2020 14:44:31

Date: 21.OCT.2020 14:44:43



5M, QPSK, Low Channel



Date: 21.OCT.2020 14:32:59

Date: 21.OCT.2020 14:33:14



5M, QPSK, Middle Channel



Date: 8.OCT.2020 15:23:01

Date: 8.OCT.2020 15:23:12



5M, QPSK, High Channel



Date: 21.OCT.2020 14:46:52

Date: 21.OCT.2020 14:47:04



10M, QPSK, Low Channel



Date: 21.OCT.2020 14:33:48

Date: 21.OCT.2020 14:34:00



10M, QPSK, Middle Channel



Date: 8.OCT.2020 15:23:32

Date: 8.OCT.2020 15:23:43



10M, QPSK, High Channel



Date: 21.OCT.2020 14:47:41

Date: 21.OCT.2020 14:47:53



15M, QPSK, Low Channel



Date: 21.OCT.2020 14:34:38

Date: 21.OCT.2020 14:34:58



15M, QPSK, Middle Channel



Date: 8.OCT.2020 15:24:04

Date: 8.OCT.2020 15:24:15



15M, QPSK, High Channel



Date: 21.OCT.2020 14:48:37

Date: 21.OCT.2020 14:48:49



20M, QPSK, Low Channel



Date: 21.OCT.2020 14:35:29

Date: 21.OCT.2020 14:35:55



20M, QPSK, Middle Channel



Date: 8.OCT.2020 15:24:36

Date: 8.OCT.2020 15:24:47

20M, QPSK, High Channel





Date: 21.OCT.2020 14:49:29



Date: 21.OCT.2020 14:49:40

LTE Band 4:



1.4M, QPSK, Low Channel





1.4M, QPSK, Middle Channel



1.4M, QPSK, High Channel





3M, QPSK, Low Channel



Date: 21.OCT.2020 14:37:07

Date: 21.OCT.2020 14:37:18



3M, QPSK, Middle Channel



Date: 8.OCT.2020 15:25:43

Date: 8.OCT.2020 15:25:54


3M, QPSK, High Channel




Date: 21.OCT.2020 14:51:40

Date: 21.OCT.2020 14:51:52

5M, QPSK, Low Channel




Date: 21.OCT.2020 14:37:55




Date: 21.OCT.2020 14:38:06

5M, QPSK, Middle Channel




Date: 8.OCT.2020 15:26:16




Date: 8.OCT.2020 15:26:27

5M, QPSK, High Channel





Date: 21.OCT.2020 14:53:06



Date: 21.OCT.2020 14:53:18



10M, QPSK, Low Channel



Date: 21.OCT.2020 14:38:59

Date: 21.OCT.2020 14:39:30



10M, QPSK, Middle Channel



Date: 8.OCT.2020 15:26:48

Date: 8.OCT.2020 15:27:00



10M, QPSK, High Channel



Date: 21.OCT.2020 14:54:20

Date: 21.OCT.2020 14:54:31



15M, QPSK, Low Channel



Date: 21.OCT.2020 14:40:09

Date: 21.OCT.2020 14:40:21



15M, QPSK, Middle Channel



Date: 8.OCT.2020 15:27:20

Date: 8.OCT.2020 15:27:32



15M, QPSK, High Channel



Date: 21.OCT.2020 14:55:51

Date: 21.OCT.2020 14:56:29



20M, QPSK, Low Channel



Date: 21.OCT.2020 14:41:03

Date: 21.OCT.2020 14:41:15



20M, QPSK, Middle Channel



Date: 8.OCT.2020 15:27:55

Date: 8.OCT.2020 15:28:07

20M, QPSK, High Channel





Date: 21.OCT.2020 14:56:55

Date: 21.OCT.2020 14:57:07

LTE Band 5:



1.4M, QPSK, Low Channel



Date: 21.OCT.2020 11:16:58

Date: 21.OCT.2020 11:17:09



1.4M, QPSK, Middle Channel



Date: 8.OCT.2020 14:40:56

Date: 8.OCT.2020 14:41:08



1.4M, QPSK, High Channel



Date: 21.OCT.2020 11:27:35

Date: 21.OCT.2020 11:27:46



3M, QPSK, Low Channel



Date: 21.OCT.2020 11:22:32

Date: 21.OCT.2020 11:22:44



3M, QPSK, Middle Channel



Date: 8.OCT.2020 14:41:26

Date: 8.OCT.2020 14:41:38


3M, QPSK, High Channel




Date: 21.OCT.2020 11:29:01

Date: 21.OCT.2020 11:29:12

5M, QPSK, Low Channel




Date: 21.OCT.2020 11:23:38




Date: 21.OCT.2020 11:23:49

5M, QPSK, Middle Channel




Date: 8.OCT.2020 14:41:56




Date: 8.OCT.2020 14:42:07

5M, QPSK, High Channel





Date: 21.OCT.2020 11:29:44



Date: 21.OCT.2020 11:29:55



10M, QPSK, Low Channel



Date: 21.OCT.2020 11:24:30

Date: 21.OCT.2020 11:24:41



10M, QPSK, Middle Channel



Date: 8.OCT.2020 14:42:26

Date: 8.OCT.2020 14:42:37

10M, QPSK, High Channel





Date: 21.OCT.2020 11:30:38

Date: 21.OCT.2020 11:30:50

LTE Band 7:



5M, QPSK, Low Channel



Date: 21.OCT.2020 13:55:02

Date: 21.OCT.2020 13:55:13



5M, QPSK, Middle Channel



Date: 8.OCT.2020 14:18:34

Date: 8.OCT.2020 14:18:45


5M, QPSK, High Channel




Date: 21.OCT.2020 14:04:13

Date: 21.OCT.2020 14:04:25

10M, QPSK, Low Channel




Date: 21.OCT.2020 13:56:01




Date: 21.OCT.2020 13:56:12

10M, QPSK, Middle Channel




Date: 8.OCT.2020 14:19:07




Date: 8.OCT.2020 14:19:18

10M, QPSK, High Channel





Date: 21.OCT.2020 14:04:56



Date: 21.OCT.2020 14:05:08



15M, QPSK, Low Channel



Date: 21.OCT.2020 13:57:00

Date: 21.OCT.2020 13:57:18



15M, QPSK, Middle Channel



Date: 8.OCT.2020 14:19:42

Date: 8.OCT.2020 14:19:53



15M, QPSK, High Channel



Date: 21.OCT.2020 14:05:40

Date: 21.OCT.2020 14:05:52



20M, QPSK, Low Channel



Date: 21.OCT.2020 13:57:57

Date: 21.OCT.2020 13:58:09



20M, QPSK, Middle Channel



Date: 8.OCT.2020 14:20:17

Date: 8.OCT.2020 14:20:29

20M, QPSK, High Channel





Date: 21.OCT.2020 14:06:26

Date: 21.OCT.2020 14:06:38

LTE Band 12:



1.4M, QPSK, Low Channel



Date: 21.OCT.2020 13:58:56

Date: 21.OCT.2020 13:59:07



1.4M, QPSK, Middle Channel



Date: 8.OCT.2020 14:20:51

Date: 8.OCT.2020 14:21:03



1.4M, QPSK, High Channel



Date: 21.OCT.2020 14:07:14

Date: 21.OCT.2020 14:07:25



3M, QPSK, Low Channel



Date: 21.OCT.2020 13:59:38

Date: 21.OCT.2020 13:59:49



3M, QPSK, Middle Channel



Date: 8.OCT.2020 14:21:21

Date: 8.OCT.2020 14:21:32



3M, QPSK, High Channel



Date: 21.OCT.2020 14:08:05

Date: 21.OCT.2020 14:08:16



5M, QPSK, Low Channel



Date: 21.OCT.2020 14:00:26

Date: 21.OCT.2020 14:00:37



5M, QPSK, Middle Channel



Date: 8.OCT.2020 14:21:54

Date: 8.OCT.2020 14:22:05



5M, QPSK, High Channel



Date: 21.OCT.2020 14:09:23

Date: 21.OCT.2020 14:09:35



10M, QPSK, Low Channel



Date: 21.OCT.2020 14:01:13

Date: 21.OCT.2020 14:01:25



10M, QPSK, Middle Channel



Date: 8.OCT.2020 14:22:23

Date: 8.OCT.2020 14:22:35

10M, QPSK, High Channel





Date: 21.OCT.2020 14:10:04

Date: 21.OCT.2020 14:10:16

LTE Band 17:



5M, QPSK, Low Channel



Date: 21.OCT.2020 13:42:18

Date: 21.OCT.2020 13:42:29



5M, QPSK, Middle Channel



Date: 8.OCT.2020 13:54:34

Date: 8.OCT.2020 13:54:45



5M, QPSK, High Channel



Date: 21.OCT.2020 13:45:57

Date: 21.OCT.2020 13:46:08



10M, QPSK, Low Channel



Date: 21.OCT.2020 13:43:11

Date: 21.OCT.2020 13:43:23



10M, QPSK, Middle Channel



Date: 8.OCT.2020 13:55:03

Date: 8.OCT.2020 13:55:15

10M, QPSK, High Channel



Date: 21.OCT.2020 13:46:45

Date: 21.OCT.2020 13:46:57

FCC §2.1053, §22.917 & §24.238 & §27.53- SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53;

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \lg(\text{TXpwr in Watts}/0.001)$ – the absolute level

Spurious attenuation limit in dB = $43 + 10 \text{Log}_{10}(\text{power out in Watts})$

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Sunol Sciences	Antenna	JB3	A060611-2	2020-08-25	2023-08-25
R&S	EMI Test Receiver	ESCI	100224	2020-09-12	2021-09-12
Unknown	Coaxial Cable	C-NJNJ-50	C-1000-01	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-02	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0530-01	2020-09-24	2021-09-24
Sonoma	Amplifier	310N	185914	2020-10-13	2021-10-13
ETS-Lindgren	Horn Antenna	3115	000 527 35	2018-10-12	2021-10-12
TDK RF	Horn Antenna	HRN-0118	130 084	2018-10-12	2021-10-12
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-01 1304	2017-12-06	2020-12-05
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-02 1304	2017-12-06	2020-12-05
Agilent	Spectrum Analyzer	E4440A	SG43360054	2020-07-07	2021-07-07
Unknown	Coaxial Cable	C-SJSJ-50	C-0800-01	2020-09-05	2021-09-05
Unknown	Coaxial Cable	C-2.4J2.4J-50	C-0700-02	2020-06-27	2021-06-27
Mini-Circuit	Amplifier	ZVA-213-S+	54201245	2020-09-05	2021-09-05
Quinstar	Amplifier	QLW-18405536- JO	15964001001	2020-06-27	2021-06-27
Sinoscite	Band-stop filter	BSF1850- 1910MS-0935V2	0935V2	2020-06-16	2021-06-16
Sinoscite	Band-stop filter	BSF2500- 2750MS-1439-001	1437001	2020-06-16	2021-06-16
Micro-tronics	High Pass Filter	HPM50111	S/N-G217	2020-06-16	2021-06-16
Agilent	Signal Generator	E8247C	MY43321350	2019-12-10	2020-12-10
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2020-09-05	2021-09-05
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data

Environmental Conditions

Test Items	Radiation Below 1GHz	Radiation Above 1GHz
Temperature:	27.6°C	26.6°C
Relative Humidity:	39%	49%
ATM Pressure:	100.5kPa	100.8kPa
Tester:	Jalon Liu	Joker Chen
Test Date:	2020-10-14	2020-10-19

Test Result: Compliance.

EUT Operation Mode: Transmitting

Cellular Band (PART 22H)**30 MHz-10 GHz:**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dB μ V)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM850 Frequency:824.2MHz								
1648.40	H	48.05	-56.99	10.45	1.28	-47.82	-13.00	34.82
1648.40	V	49.09	-55.88	10.45	1.28	-46.71	-13.00	33.71
2472.60	H	54.15	-49.56	12.16	1.23	-38.63	-13.00	25.63
2472.60	V	49.04	-56.01	12.16	1.23	-45.08	-13.00	32.08
3296.80	H	39.16	-63.10	12.28	1.57	-52.39	-13.00	39.39
3296.80	V	36.69	-64.64	12.28	1.57	-53.93	-13.00	40.93
597.80	H	48.25	-53.93	0.00	0.76	-54.69	-13.00	41.69
597.80	V	52.21	-53.22	0.00	0.76	-53.98	-13.00	40.98
GSM850 Frequency:836.6MHz								
1673.20	H	49.72	-55.30	10.52	1.27	-46.05	-13.00	33.05
1673.20	V	46.76	-58.19	10.52	1.27	-48.94	-13.00	35.94
2509.80	H	56.47	-47.16	12.20	1.25	-36.21	-13.00	23.21
2509.80	V	50.56	-54.46	12.20	1.25	-43.51	-13.00	30.51
3346.40	H	40.01	-62.17	12.26	1.58	-51.49	-13.00	38.49
3346.40	V	39.29	-61.81	12.26	1.58	-51.13	-13.00	38.13
234.20	H	46.40	-62.65	0.00	0.50	-63.15	-13.00	50.15
234.20	V	39.49	-72.48	0.00	0.50	-72.98	-13.00	59.98
GSM850 Frequency:848.8MHz								
1697.60	H	47.24	-57.76	10.59	1.26	-48.43	-13.00	35.43
1697.60	V	44.77	-60.16	10.59	1.26	-50.83	-13.00	37.83
2546.40	H	58.03	-45.54	12.22	1.26	-34.58	-13.00	21.58
2546.40	V	49.15	-55.70	12.22	1.26	-44.74	-13.00	31.74
3395.20	H	37.57	-64.52	12.24	1.59	-53.87	-13.00	40.87
3395.20	V	39.36	-61.52	12.24	1.59	-50.87	-13.00	37.87
597.80	H	49.02	-53.16	0.00	0.76	-53.92	-13.00	40.92
597.80	V	50.81	-54.62	0.00	0.76	-55.38	-13.00	42.38

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band 5 Frequency:826.4 MHz								
1652.80	H	36.68	-68.35	10.46	1.28	-59.17	-13.00	46.17
1652.80	V	35.53	-69.44	10.46	1.28	-60.26	-13.00	47.26
2479.20	H	37.58	-66.12	12.17	1.24	-55.19	-13.00	42.19
2479.20	V	38.51	-66.54	12.17	1.24	-55.61	-13.00	42.61
3305.60	H	37.86	-64.39	12.28	1.57	-53.68	-13.00	40.68
3305.60	V	37.51	-63.78	12.28	1.57	-53.07	-13.00	40.07
466.50	H	41.33	-63.09	0.00	0.68	-63.77	-13.00	50.77
466.50	V	43.29	-64.27	0.00	0.68	-64.95	-13.00	51.95
WCDMA Band 5 Frequency:836.6MHz								
1673.20	H	36.58	-68.44	10.52	1.27	-59.19	-13.00	46.19
1673.20	V	39.63	-65.32	10.52	1.27	-56.07	-13.00	43.07
2509.80	H	41.30	-62.33	12.20	1.25	-51.38	-13.00	38.38
2509.80	V	39.96	-65.06	12.20	1.25	-54.11	-13.00	41.11
3346.40	H	38.62	-63.56	12.26	1.58	-52.88	-13.00	39.88
3346.40	V	39.23	-61.87	12.26	1.58	-51.19	-13.00	38.19
515.30	H	39.97	-63.94	0.00	0.72	-64.66	-13.00	51.66
515.30	V	41.08	-65.89	0.00	0.72	-66.61	-13.00	53.61
WCDMA Band 5 Frequency:846.6MHz								
1693.20	H	36.23	-68.77	10.58	1.26	-59.45	-13.00	46.45
1693.20	V	35.33	-69.61	10.58	1.26	-60.29	-13.00	47.29
2539.80	H	36.48	-67.10	12.22	1.26	-56.14	-13.00	43.14
2539.80	V	36.14	-68.74	12.22	1.26	-57.78	-13.00	44.78
3386.40	H	36.89	-65.22	12.25	1.59	-54.56	-13.00	41.56
3386.40	V	37.21	-63.71	12.25	1.59	-53.05	-13.00	40.05
593.60	H	38.92	-63.34	0.00	0.76	-64.10	-13.00	51.10
593.60	V	40.34	-65.17	0.00	0.76	-65.93	-13.00	52.93

PCS Band (PART 24E)**30 MHz-20 GHz:**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dB μ V)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM1900 Frequency:1850.2MHz								
3700.40	H	45.34	-55.95	12.24	1.55	-45.26	-13.00	32.26
3700.40	V	40.00	-60.71	12.24	1.55	-50.02	-13.00	37.02
5550.60	H	41.38	-55.15	12.87	1.26	-43.54	-13.00	30.54
5550.60	V	42.90	-54.02	12.87	1.26	-42.41	-13.00	29.41
531.80	H	43.35	-60.21	0.00	0.73	-60.94	-13.00	47.94
531.80	V	41.08	-65.59	0.00	0.73	-66.32	-13.00	53.32
GSM 1900 Frequency:1880MHz								
3760.00	H	45.70	-55.40	12.25	1.53	-44.68	-13.00	31.68
3760.00	V	40.28	-60.53	12.25	1.53	-49.81	-13.00	36.81
5640.00	H	41.51	-54.78	13.00	1.28	-43.06	-13.00	30.06
5640.00	V	38.42	-58.17	13.00	1.28	-46.45	-13.00	33.45
464.50	H	40.68	-63.76	0.00	0.67	-64.43	-13.00	51.43
464.50	V	43.51	-64.07	0.00	0.67	-64.74	-13.00	51.74
GSM 1900 Frequency:1909.8MHz								
3819.60	H	45.88	-55.04	12.26	1.51	-44.29	-13.00	31.29
3819.60	V	43.14	-57.76	12.26	1.51	-47.01	-13.00	34.01
5729.40	H	40.83	-55.22	13.12	1.31	-43.41	-13.00	30.41
5729.40	V	44.01	-52.26	13.12	1.31	-40.45	-13.00	27.45
593.60	H	41.62	-60.64	0.00	0.76	-61.40	-13.00	48.40
593.60	V	42.84	-62.67	0.00	0.76	-63.43	-13.00	50.43

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band II, Frequency: 1852.4 MHz								
3704.80	H	36.82	-64.46	12.24	1.54	-53.76	-13.00	40.76
3704.80	V	37.78	-62.94	12.24	1.54	-52.24	-13.00	39.24
5557.20	H	35.73	-60.78	12.88	1.26	-49.16	-13.00	36.16
5557.20	V	35.76	-61.14	12.88	1.26	-49.52	-13.00	36.52
536.10	H	41.35	-62.12	0.00	0.73	-62.85	-13.00	49.85
536.10	V	43.14	-63.44	0.00	0.73	-64.17	-13.00	51.17
WCDMA Band II, Frequency: 1880 MHz								
3760.00	H	37.69	-63.41	12.25	1.53	-52.69	-13.00	39.69
3760.00	V	38.66	-62.15	12.25	1.53	-51.43	-13.00	38.43
5640.00	H	35.94	-60.35	13.00	1.28	-48.63	-13.00	35.63
5640.00	V	35.55	-61.04	13.00	1.28	-49.32	-13.00	36.32
602.00	H	42.18	-59.94	0.00	0.76	-60.70	-13.00	47.70
602.00	V	43.22	-62.14	0.00	0.76	-62.90	-13.00	49.90
WCDMA Band II, Frequency: 1907.6MHz								
3815.20	H	36.85	-64.08	12.26	1.51	-53.33	-13.00	40.33
3815.20	V	38.32	-62.57	12.26	1.51	-51.82	-13.00	38.82
5722.80	H	36.31	-59.76	13.11	1.31	-47.96	-13.00	34.96
5722.80	V	36.10	-60.19	13.11	1.31	-48.39	-13.00	35.39
663.80	H	40.56	-61.12	0.00	0.87	-61.99	-13.00	48.99
663.80	V	42.01	-62.43	0.00	0.87	-63.30	-13.00	50.30

AWS Band, Part 27

30 MHz-20 GHz:

Frequency (MHz)	Polar (H/V)	Receiver Reading (dB μ V)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
WCDMA Band IV, Frequency:1712.4 MHz								
3424.80	H	37.48	-64.56	12.23	1.59	-53.92	-13.00	40.92
3424.80	V	37.65	-63.10	12.23	1.59	-52.46	-13.00	39.46
5137.20	H	35.62	-61.59	12.95	1.39	-50.03	-13.00	37.03
5137.20	V	36.11	-60.98	12.95	1.39	-49.42	-13.00	36.42
731.20	H	39.67	-60.89	0.00	0.94	-61.83	-13.00	48.83
731.20	V	41.93	-61.51	0.00	0.94	-62.45	-13.00	49.45
WCDMA Band IV, Frequency:1732.6 MHz								
3465.20	H	36.56	-65.41	12.21	1.60	-54.80	-13.00	41.80
3465.20	V	38.20	-62.37	12.21	1.60	-51.76	-13.00	38.76
5197.80	H	36.19	-60.93	12.92	1.36	-49.37	-13.00	36.37
5197.80	V	35.07	-62.02	12.92	1.36	-50.46	-13.00	37.46
562.70	H	39.61	-63.30	0.00	0.74	-64.04	-13.00	51.04
562.70	V	39.51	-66.58	0.00	0.74	-67.32	-13.00	54.32
WCDMA Band II, Frequency:1952.6MHz								
3505.20	H	35.91	-65.98	12.20	1.61	-55.39	-13.00	42.39
3505.20	V	36.03	-64.39	12.20	1.61	-53.80	-13.00	40.80
5257.80	H	35.52	-61.51	12.90	1.34	-49.95	-13.00	36.95
5257.80	V	35.67	-61.43	12.90	1.34	-49.87	-13.00	36.87
663.80	H	39.59	-62.09	0.00	0.87	-62.96	-13.00	49.96
663.80	V	40.15	-64.29	0.00	0.87	-65.16	-13.00	52.16

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

LTE Band 2 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 1850.7 MHz								
3701.40	H	38.11	-63.18	12.24	1.55	-52.49	-13.00	39.49
3701.40	V	40.64	-60.08	12.24	1.55	-49.39	-13.00	36.39
5552.10	H	44.09	-52.43	12.87	1.26	-40.82	-13.00	27.82
5552.10	V	42.13	-54.79	12.87	1.26	-43.18	-13.00	30.18
597.80	H	43.11	-59.07	0.00	0.76	-59.83	-13.00	46.83
597.80	V	44.67	-60.76	0.00	0.76	-61.52	-13.00	48.52
QPSK, Frequency: 1880 MHz								
3760.00	H	39.06	-62.04	12.25	1.53	-51.32	-13.00	38.32
3760.00	V	41.76	-59.05	12.25	1.53	-48.33	-13.00	35.33
5640.00	H	45.05	-51.24	13.00	1.28	-39.52	-13.00	26.52
5640.00	V	43.06	-53.53	13.00	1.28	-41.81	-13.00	28.81
353.60	H	41.87	-64.72	0.00	0.57	-65.29	-13.00	52.29
353.60	V	43.90	-65.11	0.00	0.57	-65.68	-13.00	52.68
QPSK, Frequency: 1909.3 MHz								
3818.60	H	38.08	-62.84	12.26	1.51	-52.09	-13.00	39.09
3818.60	V	40.66	-60.23	12.26	1.51	-49.48	-13.00	36.48
5727.90	H	44.13	-51.92	13.12	1.31	-40.11	-13.00	27.11
5727.90	V	42.04	-54.23	13.12	1.31	-42.42	-13.00	29.42
356.90	H	42.13	-64.33	0.00	0.57	-64.90	-13.00	51.90
356.90	V	43.65	-65.30	0.00	0.57	-65.87	-13.00	52.87

LTE Band 4 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 1710.7 MHz								
3421.40	H	37.66	-64.39	12.23	1.59	-53.75	-13.00	40.75
3421.40	V	38.21	-62.56	12.23	1.59	-51.92	-13.00	38.92
5132.10	H	39.44	-57.78	12.95	1.39	-46.22	-13.00	33.22
5132.10	V	38.26	-58.83	12.95	1.39	-47.27	-13.00	34.27
234.20	H	39.95	-69.10	0.00	0.50	-69.60	-13.00	56.60
234.20	V	41.00	-70.97	0.00	0.50	-71.47	-13.00	58.47
QPSK, Frequency: 1732.5 MHz								
3465.00	H	38.61	-63.36	12.21	1.60	-52.75	-13.00	39.75
3465.00	V	39.03	-61.54	12.21	1.60	-50.93	-13.00	37.93
5197.50	H	40.34	-56.78	12.92	1.36	-45.22	-13.00	32.22
5197.50	V	39.13	-57.96	12.92	1.36	-46.40	-13.00	33.40
246.50	H	40.32	-68.88	0.00	0.50	-69.38	-13.00	56.38
246.50	V	41.66	-70.85	0.00	0.50	-71.35	-13.00	58.35
QPSK, Frequency: 1754.3 MHz								
3508.60	H	37.71	-64.17	12.20	1.61	-53.58	-13.00	40.58
3508.60	V	38.26	-62.16	12.20	1.61	-51.57	-13.00	38.57
5262.90	H	39.49	-57.53	12.89	1.33	-45.97	-13.00	32.97
5262.90	V	38.30	-58.80	12.89	1.33	-47.24	-13.00	34.24
310.10	H	39.55	-68.70	0.00	0.53	-69.23	-13.00	56.23
310.10	V	40.71	-69.09	0.00	0.53	-69.62	-13.00	56.62

LTE Band 5(30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 824.7 MHz								
1649.40	H	43.88	-61.16	10.45	1.28	-51.99	-13.00	38.99
1649.40	V	38.29	-66.68	10.45	1.28	-57.51	-13.00	44.51
2474.10	H	44.02	-59.69	12.16	1.23	-48.76	-13.00	35.76
2474.10	V	45.53	-59.52	12.16	1.23	-48.59	-13.00	35.59
3298.80	H	36.75	-65.51	12.28	1.57	-54.80	-13.00	41.80
3298.80	V	37.06	-64.26	12.28	1.57	-53.55	-13.00	40.55
708.70	H	39.99	-61.20	0.00	0.94	-62.14	-13.00	49.14
708.70	V	41.37	-62.40	0.00	0.94	-63.34	-13.00	50.34
QPSK, Frequency: 836.5 MHz								
1673.00	H	44.83	-60.19	10.52	1.27	-50.94	-13.00	37.94
1673.00	V	39.64	-65.31	10.52	1.27	-56.06	-13.00	43.06
2509.50	H	45.01	-58.62	12.20	1.24	-47.66	-13.00	34.66
2509.50	V	46.73	-58.29	12.20	1.24	-47.33	-13.00	34.33
3346.00	H	36.80	-65.38	12.26	1.58	-54.70	-13.00	41.70
3346.00	V	37.02	-64.09	12.26	1.58	-53.41	-13.00	40.41
710.80	H	40.04	-61.09	0.00	0.94	-62.03	-13.00	49.03
710.80	V	41.16	-62.58	0.00	0.94	-63.52	-13.00	50.52
QPSK, Frequency: 848.3 MHz								
1696.60	H	43.84	-61.16	10.59	1.26	-51.83	-13.00	38.83
1696.60	V	38.26	-66.67	10.59	1.26	-57.34	-13.00	44.34
2544.90	H	44.12	-59.45	12.22	1.26	-48.49	-13.00	35.49
2544.90	V	45.61	-59.24	12.22	1.26	-48.28	-13.00	35.28
3393.20	H	36.77	-65.33	12.24	1.59	-54.68	-13.00	41.68
3393.20	V	37.02	-63.87	12.24	1.59	-53.22	-13.00	40.22
679.60	H	41.12	-60.45	0.00	0.90	-61.35	-13.00	48.35
679.60	V	42.43	-61.77	0.00	0.90	-62.67	-13.00	49.67

LTE Band 7(30MHz-26.5GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBµV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2502.5 MHz								
5005.00	H	43.87	-53.54	13.00	1.44	-41.98	-25.00	16.98
5005.00	V	38.06	-59.02	13.00	1.44	-47.46	-25.00	22.46
7507.50	H	37.10	-55.68	12.80	1.33	-44.21	-25.00	19.21
7507.50	V	36.02	-57.46	12.80	1.33	-45.99	-25.00	20.99
492.50	H	38.88	-65.39	0.00	0.70	-66.09	-25.00	41.09
492.50	V	40.05	-67.28	0.00	0.70	-67.98	-25.00	42.98
QPSK, Frequency: 2535 MHz								
5070.00	H	45.04	-52.27	12.97	1.41	-40.71	-25.00	15.71
5070.00	V	39.26	-57.82	12.97	1.41	-46.26	-25.00	21.26
7605.00	H	38.13	-54.46	12.84	1.40	-43.02	-25.00	18.02
7605.00	V	36.24	-57.02	12.84	1.40	-45.58	-25.00	20.58
476.90	H	39.65	-64.71	0.00	0.69	-65.40	-25.00	40.40
476.90	V	40.27	-67.20	0.00	0.69	-67.89	-25.00	42.89
QPSK, Frequency: 2567.5 MHz								
5135.00	H	43.92	-53.29	12.95	1.39	-41.73	-25.00	16.73
5135.00	V	38.03	-59.06	12.95	1.39	-47.50	-25.00	22.50
7702.50	H	37.01	-55.38	12.88	1.47	-43.97	-25.00	18.97
7702.50	V	35.84	-57.19	12.88	1.47	-45.78	-25.00	20.78
487.70	H	38.98	-65.32	0.00	0.70	-66.02	-25.00	41.02
487.70	V	41.22	-66.15	0.00	0.70	-66.85	-25.00	41.85

LTE Band 12(30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 699.7 MHz								
1399.40	H	36.96	-67.50	9.58	1.23	-59.15	-13.00	46.15
1399.40	V	37.67	-66.88	9.58	1.23	-58.53	-13.00	45.53
2099.10	H	44.09	-60.44	11.64	1.15	-49.95	-13.00	36.95
2099.10	V	44.02	-60.75	11.64	1.15	-50.26	-13.00	37.26
2798.80	H	37.95	-65.18	12.32	1.40	-54.26	-13.00	41.26
2798.80	V	38.47	-65.17	12.32	1.40	-54.25	-13.00	41.25
597.80	H	41.41	-60.77	0.00	0.76	-61.53	-13.00	48.53
597.80	V	42.64	-62.79	0.00	0.76	-63.55	-13.00	50.55
QPSK, Frequency: 707.5 MHz								
1415.00	H	36.18	-68.39	9.64	1.25	-60.00	-13.00	47.00
1415.00	V	37.61	-67.02	9.64	1.25	-58.63	-13.00	45.63
2122.50	H	46.11	-58.37	11.67	1.16	-47.86	-13.00	34.86
2122.50	V	44.55	-60.23	11.67	1.16	-49.72	-13.00	36.72
2830.00	H	39.03	-64.05	12.33	1.41	-53.13	-13.00	40.13
2830.00	V	38.88	-64.61	12.33	1.41	-53.69	-13.00	40.69
593.50	H	39.70	-62.57	0.00	0.76	-63.33	-13.00	50.33
593.50	V	40.23	-65.28	0.00	0.76	-66.04	-13.00	53.04
QPSK, Frequency: 715.3 MHz								
1430.60	H	37.43	-67.25	9.71	1.27	-58.81	-13.00	45.81
1430.60	V	39.38	-65.34	9.71	1.27	-56.90	-13.00	43.90
2145.90	H	44.36	-60.07	11.70	1.16	-49.53	-13.00	36.53
2145.90	V	41.35	-63.45	11.70	1.16	-52.91	-13.00	39.91
2861.20	H	38.81	-64.21	12.34	1.43	-53.30	-13.00	40.30
2861.20	V	38.83	-64.51	12.34	1.43	-53.60	-13.00	40.60
531.80	H	40.13	-63.43	0.00	0.73	-64.16	-13.00	51.16
531.80	V	41.36	-65.31	0.00	0.73	-66.04	-13.00	53.04

LTE Band 17(30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dB μ V)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 706.5 MHz								
1413.00	H	37.07	-67.48	9.63	1.24	-59.09	-13.00	46.09
1413.00	V	37.09	-67.53	9.63	1.24	-59.14	-13.00	46.14
2119.50	H	40.20	-64.29	11.67	1.16	-53.78	-13.00	40.78
2119.50	V	39.15	-65.63	11.67	1.16	-55.12	-13.00	42.12
2826.00	H	39.36	-63.72	12.33	1.41	-52.80	-13.00	39.80
2826.00	V	39.33	-64.18	12.33	1.41	-53.26	-13.00	40.26
663.10	H	39.75	-61.94	0.00	0.87	-62.81	-13.00	49.81
663.10	V	39.91	-64.54	0.00	0.87	-65.41	-13.00	52.41
QPSK, Frequency:710 MHz								
1420.00	H	38.11	-66.49	9.66	1.25	-58.08	-13.00	45.08
1420.00	V	38.03	-66.63	9.66	1.25	-58.22	-13.00	45.22
2130.00	H	40.28	-64.18	11.68	1.16	-53.66	-13.00	40.66
2130.00	V	38.15	-66.64	11.68	1.16	-56.12	-13.00	43.12
2840.00	H	39.22	-63.84	12.34	1.42	-52.92	-13.00	39.92
2840.00	V	38.60	-64.84	12.34	1.42	-53.92	-13.00	40.92
597.20	H	39.60	-62.59	0.00	0.76	-63.35	-13.00	50.35
597.20	V	40.15	-65.29	0.00	0.76	-66.05	-13.00	53.05
QPSK, Frequency: 713.5 MHz								
1427.00	H	36.87	-67.78	9.69	1.26	-59.35	-13.00	46.35
1427.00	V	37.81	-66.89	9.69	1.26	-58.46	-13.00	45.46
2140.50	H	39.95	-64.49	11.70	1.16	-53.95	-13.00	40.95
2140.50	V	38.81	-65.99	11.70	1.16	-55.45	-13.00	42.45
2854.00	H	38.67	-64.36	12.34	1.42	-53.44	-13.00	40.44
2854.00	V	38.87	-64.50	12.34	1.42	-53.58	-13.00	40.58
426.50	H	38.73	-65.93	0.00	0.64	-66.57	-13.00	53.57
426.50	V	39.66	-68.27	0.00	0.64	-68.91	-13.00	55.91

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

FCC §22.917(a) & §24.238(a) & §27.53 - BAND EDGES


Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2020-07-07	2021-07-07
R&S	Spectrum Analyzer	FSP 38	100478	2020-07-07	2021-07-07
R&S	Spectrum Analyzer	FSV40	101474	2020-01-09	2021-01-09
Unknown	Coaxial Cable	C-SJ00-0010	C0010/04	Each time	N/A
E-Microwave	Blocking Control	EMDCB-00036	0E01201048	Each time	N/A
E-Microwave	Coaxial Attenuators	EMCA10-5RN-6	OE01203239	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data


Environmental Conditions

Temperature:	26.5~27.9 °C
Relative Humidity:	45~58%
ATM Pressure:	100.8~101.1kPa
Tester:	Taylor Li
Test Date:	2020-10-08~2020-11-04

Test Mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

GSM 850, Left Band Edge




Date: 19.OCT.2020 19:28:15

GSM 850, Right Band Edge




Date: 19.OCT.2020 19:24:49

PCS 1900, Left Band Edge




Date: 19.OCT.2020 21:01:41

PCS 1900, Right Band Edge




Date: 19.OCT.2020 21:03:10

EDGE 850, Left Band Edge




Date: 19.OCT.2020 20:47:32

EDGE 850, Right Band Edge




Date: 19.OCT.2020 20:48:19

EDGE 1900, Left Band Edge




Date: 20.OCT.2020 08:54:22

EDGE 1900, Right Band Edge




Date: 20.OCT.2020 08:55:18

WCDMA Band II,Rel99, Left Band Edge




Date: 19.OCT.2020 13:53:48

WCDMA Band II,Rel99, Right Band Edge




Date: 19.OCT.2020 13:54:51

WCDMA Band II,HSDPA, Left Band Edge




Date: 19.OCT.2020 15:23:12

WCDMA Band II,HSDPA,Right Band Edge




Date: 19.OCT.2020 15:23:55

WCDMA Band II,HSUPA, Left Band Edge




Date: 19.OCT.2020 16:51:54

WCDMA Band II,HSUPA, Right Band Edge




Date: 19.OCT.2020 16:53:53

WCDMA Band IV,Rel99, Left Band Edge




Date: 19.OCT.2020 13:57:18

WCDMA Band IV,Rel99, Right Band Edge




Date: 19.OCT.2020 13:58:51

WCDMA Band IV,HSDPA, Left Band Edge




Date: 19.OCT.2020 15:25:32

WCDMA Band IV,HSDPA,Right Band Edge




Date: 19.OCT.2020 15:26:34

WCDMA Band IV,HSUPA, Left Band Edge




Date: 19.OCT.2020 16:55:13

WCDMA Band IV,HSUPA, Right Band Edge




Date: 19.OCT.2020 16:55:57

WCDMA Band V,Rel99, Left Band Edge




Date: 19.OCT.2020 14:00:40

WCDMA Band V,Rel99, Right Band Edge




Date: 19.OCT.2020 14:01:19

WCDMA Band V,HSDPA, Left Band Edge




Date: 19.OCT.2020 16:20:11

WCDMA Band V,HSDPA,Right Band Edge




Date: 19.OCT.2020 16:20:54

WCDMA Band V,HSUPA, Left Band Edge



Date: 19.OCT.2020 16:56:51


WCDMA Band V,HSUPA, Right Band Edge



Date: 19.OCT.2020 16:57:49


LTE Band 2:

1.4M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:05:18

1.4M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:06:15

3M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:06:54

3M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:07:28

5M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:08:07

5M, QPSK, Right Band Edge




Date: 23.OCT.2020 11:25:57

10M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:09:36

10M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:10:10

15M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:10:52

15M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:11:29

20M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:12:10

20M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:12:55

1.4M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:05:38

1.4M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:06:34

3M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:07:10

3M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:07:44

5M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:08:30

5M, 16QAM, Right Band Edge




Date: 23.OCT.2020 11:24:50

10M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:09:53

10M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:10:27

15M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:11:11

15M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:11:48

20M, 16QAM, Left Band Edge



Date: 8.OCT.2020 15:12:32


20M, 16QAM, Right Band Edge



Date: 8.OCT.2020 15:13:16


LTE Band 4:

1.4M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:13:40

1.4M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:14:37

3M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:15:16

3M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:15:53

5M, QPSK, Left Band Edge




Date: 23.OCT.2020 11:28:18

5M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:17:12

10M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:17:55

10M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:18:31

15M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:19:09

15M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:19:49

20M, QPSK, Left Band Edge




Date: 8.OCT.2020 15:20:32

20M, QPSK, Right Band Edge




Date: 8.OCT.2020 15:21:13

1.4M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:13:59

1.4M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:14:56

3M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:15:32

3M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:16:09

5M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:16:55

5M, 16QAM, Right Band Edge




Date: 23.OCT.2020 11:32:11

10M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:18:14

10M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:18:48

15M, 16QAM, Left Band Edge




Date: 8.OCT.2020 15:19:29

15M, 16QAM, Right Band Edge




Date: 8.OCT.2020 15:20:09

20M, 16QAM, Left Band Edge



Date: 8.OCT.2020 15:20:50


20M, 16QAM, Right Band Edge



Date: 8.OCT.2020 15:21:35


LTE Band 5:

1.4M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:35:16

1.4M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:36:17

3M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:36:53

3M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:37:29

5M, QPSK, Left Band Edge




Date: 23.OCT.2020 11:47:02

5M, QPSK, Right Band Edge




Date: 23.OCT.2020 11:49:04

10M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:39:28

10M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:40:07

1.4M, 16QAM, Left Band Edge




Date: 8.OCT.2020 14:35:36

1.4M, 16QAM, Right Band Edge




Date: 8.OCT.2020 14:36:33

3M, 16QAM, Left Band Edge




Date: 8.OCT.2020 14:37:12

3M, 16QAM, Right Band Edge




Date: 8.OCT.2020 14:37:45

5M, 16QAM, Left Band Edge




Date: 23.OCT.2020 11:47:33

5M, 16QAM, Right Band Edge




Date: 4.NOV.2020 16:34:04

10M, 16QAM, Left Band Edge



Date: 8.OCT.2020 14:39:44


10M, 16QAM, Right Band Edge



Date: 8.OCT.2020 14:40:24


LTE Band 7:

5M, QPSK, Left Band Edge




Date: 23.OCT.2020 11:54:35

5M, QPSK, Right Band Edge




Date: 23.OCT.2020 11:56:44

10M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:09:28

10M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:10:03

15M, QPSK, Left Band Edge




Date: 23.OCT.2020 13:07:47

15M, QPSK, Right Band Edge




Date: 23.OCT.2020 13:08:59

20M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:11:58

20M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:12:36

5M, 16QAM, Left Band Edge




Date: 23.OCT.2020 11:55:14

5M, 16QAM, Right Band Edge




Date: 23.OCT.2020 13:02:03

10M, 16QAM, Left Band Edge




Date: 8.OCT.2020 14:09:45

10M, 16QAM, Right Band Edge




Date: 8.OCT.2020 14:10:19

15M, 16QAM, Left Band Edge




Date: 8.OCT.2020 14:10:59

15M, 16QAM, Right Band Edge




Date: 8.OCT.2020 14:11:36

20M, 16QAM, Left Band Edge



Date: 8.OCT.2020 14:12:16


20M, 16QAM, Right Band Edge



Date: 8.OCT.2020 14:12:54


LTE Band 12:

1.4M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:13:14

1.4M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:14:14

3M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:14:51

3M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:15:24

5M, QPSK, Left Band Edge




Date: 23.OCT.2020 13:11:41

5M, QPSK, Right Band Edge




Date: 23.OCT.2020 13:14:27

10M, QPSK, Left Band Edge




Date: 8.OCT.2020 14:17:20

10M, QPSK, Right Band Edge




Date: 8.OCT.2020 14:17:53

1.4M, 16QAM, Left Band Edge




Date: 8.OCT.2020 14:13:34

1.4M, 16QAM, Right Band Edge




Date: 8.OCT.2020 14:14:31

3M, 16QAM, Left Band Edge




Date: 8.OCT.2020 14:15:07

3M, 16QAM, Right Band Edge




Date: 8.OCT.2020 14:15:40

5M, 16QAM, Left Band Edge




Date: 23.OCT.2020 13:12:35

5M, 16QAM, Right Band Edge




Date: 23.OCT.2020 13:16:21

10M, 16QAM, Left Band Edge



Date: 8.OCT.2020 14:17:36


10M, 16QAM, Right Band Edge



Date: 8.OCT.2020 14:18:10


LTE Band 17:

5M, QPSK, Left Band Edge




Date: 23.OCT.2020 13:18:13

5M, QPSK, Right Band Edge




Date: 23.OCT.2020 13:22:12

10M, QPSK, Left Band Edge




Date: 8.OCT.2020 13:53:10

10M, QPSK, Right Band Edge




Date: 8.OCT.2020 13:53:46

5M, 16QAM, Left Band Edge




Date: 23.OCT.2020 13:20:04

5M, 16QAM, Right Band Edge




Date: 23.OCT.2020 13:23:03

10M, 16QAM, Left Band Edge



Date: 8.OCT.2020 13:53:29

10M, 16QAM, Right Band Edge



Date: 8.OCT.2020 13:54:03

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY

Applicable Standard


FCC § 2.1055 (a), § 2.1055 (d), §22.355, §24.235, §27.54

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: An external variable DC power supply was connected to the battery terminals of the equipment under test. The voltage was set from 85% to 115% of the nominal value and was then decreased until the transmitter light no longer illuminated; i.e., the battery end point. The output frequency was recorded for each battery voltage.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2020-01-09	2021-01-09
Unknown	Coaxial Cable	C-SJ00-0010	C0010/04	Each time	N/A
E-Microwave	Blocking Control	EMDCB-00036	0E01201048	Each time	N/A
E-Microwave	Coaxial Attenuators	EMCA10-5RN-6	OE01203239	Each time	N/A
R&S	Universal Radio Communication Tester	CMU200	106 891	2020-09-12	2021-09-12
R&S	Wideband Radio Communication Tester	CMW500	149216	2020-09-12	2021-09-12
ESPEC	Constant temperature and humidity Tester	ESX-4CA	018 463	2020-03-10	2021-03-09
UNI-T	Multimeter	UT39A	M130199938	2020-07-24	2021-07-24
Pro instrument	DC Power Supply	pps3300	3300012	N/A	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	24.9~26.9 °C
Relative Humidity:	35~51%
ATM Pressure:	100.8~101.2kPa
Tester:	Taylor Li
Test Date:	2020-10-19~2020-10-21

Test Result: Compliance.

Cellular Band

GMSK, Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	2	0.00239	2.5
-20		-1	-0.00120	
-10		3	0.00359	
0		-12	-0.01434	
10		7	0.00837	
20		-3	-0.00359	
30		4	0.00478	
40		10	0.01195	
50		7	0.00837	
20		3.6	-8	
20	4.35	-13	-0.01554	

8PSK, Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	11	0.01315	2.5
-20		3	0.00359	
-10		-5	-0.00598	
0		7	0.00837	
10		8	0.00956	
20		9	0.01076	
30		-5	-0.00598	
40		-7	-0.00837	
50		7	0.00837	
20		3.6	11	
20	4.35	-11	-0.01315	

PCS Band

GMSK, Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V _{DC}	Hz	ppm	
-30	3.8	-13	-0.00691	Pass
-20		11	0.00585	
-10		6	0.00319	
0		1	0.00053	
10		-1	-0.00053	
20		13	0.00691	
30		-2	-0.00106	
40		0	0.00000	
50		-9	-0.00479	
20		3.6	-8	
20	4.35	2	0.00106	

8PSK, Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V _{DC}	Hz	ppm	
-30	3.8	-4	-0.00213	Pass
-20		6	0.00319	
-10		1	0.00053	
0		-2	-0.00106	
10		-9	-0.00479	
20		6	0.00319	
30		-11	-0.00585	
40		9	0.00479	
50		9	0.00479	
20		3.6	11	
20	4.35	-7	-0.00372	

WCDMA Band II: R99

Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	-1	-0.00053191	Pass
-20		-2	-0.00106383	
-10		-1	-0.00053191	
0		1	0.00053191	
10		3	0.00159574	
20		-2	-0.00106383	
30		2	0.00106383	
40		-4	-0.00212766	
50		-2	-0.00106383	
25		3.6	-3	
25	4.35	-5	-0.00265957	

WCDMA Band IV: R99

Power Supplied	Temperature	F _L	Limit	F _H	Limit
Vdc	°C	GHz	GHz	GHz	GHz
3.8	-30	1.710319	1.710	1.754664	1.755
	-20	1.710321		1.754677	
	-10	1.710314		1.754669	
	0	1.710316		1.754685	
	10	1.710321		1.754686	
	20	1.710333		1.754683	
	30	1.710318		1.754662	
	40	1.710316		1.754669	
	50	1.710317		1.754671	
	3.6	25		1.711450	
4.35	25	1.710333	1.754683		

WCDMA Band V: R99

Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	-6	-0.00717189	2.5
-20		-2	-0.00239063	
-10		-3	-0.00358594	
0		-4	-0.00478126	
10		-4	-0.00478126	
20		1	0.00119531	
30		2	0.00239063	
40		3	0.00358594	
50		-1	-0.00119531	
25		3.6	-3	
25	4.35	-2	-0.00239063	

LTE Band 2:

QPSK, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	-36.15	-0.0192	Pass
-20		-6.50	-0.0035	
-10		9.77	0.0052	
0		6.57	0.0035	
10		-8.88	-0.0047	
20		-8.08	-0.0043	
30		-5.74	-0.0031	
40		6.15	0.0033	
50		-8.15	-0.0043	
20		3.6	8.07	
20	4.35	6.09	0.0032	

16QAM, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V _{DC}	Hz	ppm	
-30	3.8	-21.69	-0.0115	Pass
-20		5.97	0.0032	
-10		8.01	0.0043	
0		8.77	0.0047	
10		5.24	0.0028	
20		-7.85	-0.0042	
30		-8.25	-0.0044	
40		-7.19	-0.0038	
50		-9.00	-0.0048	
20		3.6	6.70	
20	4.35	-9.52	-0.0051	

LTE Band 4

QPSK, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	1710.0354	1710	1754.9154	1755
	-20	1710.0365		1754.9157	
	-10	1710.0352		1754.9165	
	0	1710.0387		1754.9158	
	10	1710.0365		1754.9164	
	20	1710.0363		1754.9166	
	30	1710.0366		1754.9147	
	40	1710.0357		1754.9165	
	50	1710.0351		1754.9176	
3.6	20	1710.0357		1754.9155	
4.35	20	1710.0358		1754.9165	

16-QAM, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	1710.0366	1710	1754.9157	1755
	-20	1710.0354		1754.9165	
	-10	1710.0376		1754.9165	
	0	1710.0366		1754.9177	
	10	1710.0345		1754.9175	
	20	1710.0355		1754.9174	
	30	1710.0367		1754.9178	
	40	1710.0367		1754.9188	
	50	1710.0354		1754.9184	
3.6	20	1710.0355		1754.9183	
4.35	20	1710.0354		1754.9186	

LTE Band 5:

Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth: 10MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	3.06	-0.0442	2.5
-20		-5.30	-0.011	
-10		6.21	-0.0118	
0		8.60	0.0065	
10		-5.94	-0.0077	
20		7.62	-0.0084	
30		8.14	-0.0068	
40		7.44	0.0079	
50		-6.50	0.0066	
20		3.6	-6.24	
20	4.35	9.91	-0.0093	

Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth: 10MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	-45.06	-0.0539	2.5
-20		-5.00	-0.006	
-10		5.65	0.0068	
0		-7.47	-0.0089	
10		-5.78	-0.0069	
20		5.15	0.0062	
30		7.70	0.0092	
40		9.32	0.0111	
50		-6.88	-0.0082	
20		3.6	-7.37	
20	4.35	5.98	0.0071	

LTE Band 7

QPSK, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	2500.532	2500	2569.490	2570
	-20	2500.520		2569.520	
	-10	2500.500		2569.520	
	0	2500.500		2569.520	
	10	2500.520		2569.520	
	20	2500.520		2569.520	
	30	2500.534		2569.490	
	40	2500.520		2569.520	
	50	2500.516		2569.510	
3.6	20	2500.516		2569.510	
4.35	20	2500.520		2569.520	

16-QAM, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	2500.510	2500	2569.490	2570
	-20	2500.520		2569.516	
	-10	2500.500		2569.490	
	0	2500.520		2569.480	
	10	2500.520		2569.516	
	20	2500.520		2569.480	
	30	2500.520		2569.520	
	40	2500.520		2569.480	
	50	2500.520		2569.480	
3.6	20	2500.516		2569.520	
4.35	20	2500.520		2569.480	

LTE Band 12

QPSK, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	699.015	699	715.854	716
	-20	699.015		715.857	
	-10	699.017		715.858	
	0	699.015		715.855	
	10	699.015		715.852	
	20	699.020		715.980	
	30	699.014		715.856	
	40	699.012		715.859	
	50	699.015		715.863	
3.6	20	699.012		715.866	
4.35	20	699.014		715.867	

16-QAM, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	699.009	699	715.860	716
	-20	699.004		715.864	
	-10	699.006		715.864	
	0	699.008		715.867	
	10	699.003		715.867	
	20	699.020		715.980	
	30	699.010		715.864	
	40	699.014		715.865	
	50	699.018		715.863	
3.6	20	699.016		715.866	
4.35	20	699.019		715.868	

LTE Band 17

QPSK, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	704.523	704	715.476	716
	-20	704.521		715.479	
	-10	704.518		715.468	
	0	704.524		715.465	
	10	704.520		715.480	
	20	704.520		715.480	
	30	704.519		715.479	
	40	704.522		715.473	
	50	704.524		715.472	
3.6	20	704.518		715.466	
4.35	20	704.520		715.460	

16-QAM, Channel Bandwidth:10MHz					
Power Supplied	Temperature	F_L	Limit	F_H	Limit
Vdc	°C	MHz	MHz	MHz	MHz
3.8	-30	704.523	704	715.476	716
	-20	704.521		715.479	
	-10	704.518		715.468	
	0	704.524		715.465	
	10	704.520		715.465	
	20	704.520		715.480	
	30	704.524		715.469	
	40	704.517		715.478	
	50	704.513		715.464	
3.6	20	704.518		715.465	
4.35	20	704.520		715.460	

Note: The fundamental emissions stay within the authorized bands of operation based on the frequency deviation measured is small, the extreme voltage was declared by applicant.

******* END OF REPORT *******