



Spurious Emissions at Antenna Terminal



Channel

15MHz Bandwidth QPSK



Lowest




Middle




Highest




Spurious Emissions at Antenna Terminal




Out of band emission, Band Edge




Out of band emission, Band Edge



Out of band emission, Band Edge



Out of band emission, Band Edge



4.7 Antenna Port Test Data and Results for LTE Band 4

Serial Number:	CR22060051-RF-S1	Test Date:	2022/07/19
Test Site:	RF	Test Mode:	Transmitting
Tester:	Rinka Li	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	27.4	Relative Humidity: (%)	45	ATM Pressure: (kPa)	100.5
----------------------	------	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101474	2021-07-15	2022-07-14
R&S	Spectrum Analyzer	FSV40	101474	2022-07-15	2023-07-14
zhuoxiang	Coaxial Cable	SMA-178	211002	Each time	N/A
Weinschel	Coaxial Attenuators	53-20-34	LN751	Each time	N/A
Mini-Circuits	DC Block	BLK-18-S+	1554404	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	149218	2021-07-22	2023-07-21
UNI-T	Multimeter	UT39A+	C210582554	2021-09-30	2022-09-29
E-Microwave	Two-way Splitter	ODP-1-6	OE0120176	Each time	N/A
BACL	TEMP&HUMI Test Chamber	BTH-150-40	30174	2022-04-06	2023-04-05

* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

EUT Information@ LTE Band 4▲:

Antenna Gain (dBi):	0.56	Cable Loss (dB):	0
Operation Voltage(V _{DC}):			
Lowest:	3.5	Normal:	3.8
		Highest:	4.35

Test Frequency For Each Mode:

Operation Bandwidth	Lowest Frequency (MHz)	Middle Frequency (MHz)	Highest Frequency (MHz)
1.4MHz	1710.7	1732.5	1754.3
3MHz	1711.5	1732.5	1753.5
5MHz	1712.5	1732.5	1752.5
10MHz	1715	1732.5	1750
15MHz	1717.5	1732.5	1747.5
20MHz	1720	1732.5	1745

Test Data:

FCC §2.1046; § 27.50(d)(4)						
RF Output Power:						
Test Bandwidth & Modulation	Resource Block & RB offset	Conducted Average Output Power(dBm)			Maximum EIRP (dBm)	EIRP Limit (dBm)
		Lowest Channel	Middle Channel	Highest Channel		
1.4MHz QPSK	RB1#0	22.1	22.13	22.66	23.29	30
	RB1#3	22.15	22.04	22.73		
	RB1#5	22.13	22.02	22.7		
	RB3#0	22.26	22.25	22.58		
	RB3#3	22.16	22.26	22.66		
	RB6#0	21.19	21.18	21.58		
1.4MHz 16QAM	RB1#0	21.84	20.91	22.46	23.15	30
	RB1#3	21.9	20.94	22.59		
	RB1#5	21.87	20.95	22.58		
	RB3#0	21.05	21.27	21.68		
	RB3#3	21	21.3	21.86		
	RB6#0	20.29	20.46	20.79		
3MHz QPSK	RB1#0	22.12	22.08	22.42	22.98	30
	RB1#8	22.15	22.12	22.39		
	RB1#14	22.18	22.09	22.36		
	RB6#0	21.22	21.17	21.5		
	RB6#9	21.23	21.15	21.51		
	RB15#0	21.15	21.12	21.54		
3MHz 16QAM	RB1#0	21.92	20.9	21.73	22.53	30
	RB1#8	21.94	20.85	21.7		
	RB1#14	21.97	20.9	21.73		
	RB6#0	20.29	20.4	20.53		
	RB6#9	20.4	20.43	20.55		
	RB15#0	20.21	20.22	20.61		
5MHz QPSK	RB1#0	22.21	22.13	22.53	23.1	30
	RB1#13	22.28	22.14	22.54		
	RB1#24	22.3	22.19	22.5		
	RB15#0	21.12	21.14	21.5		
	RB15#10	21.24	21.21	21.49		
	RB25#0	21.17	21.2	21.54		
5MHz 16QAM	RB1#0	21.26	20.79	20.69	21.9	30
	RB1#13	21.34	20.83	20.67		
	RB1#24	21.34	20.86	20.72		
	RB15#0	20.11	20.25	20.57		
	RB15#10	20.16	20.26	20.6		
	RB25#0	20.26	20.17	20.66		

10MHz QPSK	RB1#0	22.18	22.11	22.39	23.08	30
	RB1#25	22.2	22.14	22.43		
	RB1#49	22.26	22.27	22.52		
	RB25#0	21.07	21.1	21.35		
	RB25#25	21.15	21.19	21.51		
	RB50#0	21.19	21.16	21.43		
10MHz 16QAM	RB1#0	21.26	20.58	21.61	22.34	30
	RB1#25	21.31	20.64	21.72		
	RB1#49	21.31	20.7	21.78		
	RB25#0	20.29	20.28	20.44		
	RB25#25	20.23	20.32	20.48		
	RB50#0	20.26	20.24	20.84		
15MHz QPSK	RB1#0	22.16	22.11	22.29	23.01	30
	RB1#38	22.21	22.09	22.4		
	RB1#74	22.17	22.22	22.45		
	RB36#0	21.15	21.11	21.32		
	RB36#39	21.1	21.25	21.37		
	RB75#0	21.02	21.06	21.44		
15MHz 16QAM	RB1#0	21.23	21.53	21.5	22.32	30
	RB1#38	21.25	21.54	21.66		
	RB1#74	21.29	21.63	21.76		
	RB36#0	20.27	20.15	20.55		
	RB36#39	20.21	20.31	20.66		
	RB75#0	20.15	20.22	20.53		
20MHz QPSK	RB1#0	22.13	22.28	22.42	23.36	30
	RB1#50	22.19	22.23	22.66		
	RB1#99	22.19	22.46	22.8		
	RB50#0	21.13	21.1	21.26		
	RB50#50	21.21	21.23	21.43		
	RB100#0	21.11	21.15	21.44		
20MHz 16QAM	RB1#0	21.56	21.97	20.56	22.65	30
	RB1#50	21.56	21.9	20.88		
	RB1#99	21.56	22.09	20.94		
	RB50#0	20.27	20.18	20.47		
	RB50#50	20.29	20.3	20.92		
	RB100#0	20.12	20.24	20.43		

Note: EIRP=Conducted Power(dBm) - Cable loss(dB) + Antenna Gain(dBi)

Result:

Pass

Peak-to-average Ratio(PAR)					
Test Bandwidth & Modulation	Resource Block & RB offset	Peak-to-average Ratio(dB)			Limit (dB)
		Lowest Channel	Middle Channel	Highest Channel	
20MHz QPSK	RB1#0	4.26	4.58	5.01	13
	RB100#0	4.72	5.22	5.01	13
20MHz 16QAM	RB1#0	5.33	5.62	5.97	13
	RB100#0	5.8	6.2	5.88	13
Result:					Pass

FCC §2.1049, §27.53:Occupied Bandwidth						
Operation Mode	99% Occupied Bandwidth (MHz)			26 dB Occupied Bandwidth (MHz)		
	Low Channel	Middle channel	High Channel	Low Channel	Middle Channel	High Channel
1.4MHz QPSK	1.102	1.102	1.102	1.26	1.26	1.254
1.4MHz 16QAM	1.102	1.102	1.108	1.254	1.254	1.266
3MHz QPSK	2.695	2.695	2.695	3.012	3.012	2.988
3MHz 16QAM	2.683	2.683	2.695	3.024	3.024	3.024
5MHz QPSK	4.511	4.511	4.531	5	5	5
5MHz 16QAM	4.551	4.511	4.511	5.02	5	4.98
10MHz QPSK	8.942	8.942	8.942	9.72	9.8	9.76
10MHz 16QAM	8.942	8.942	8.942	9.8	9.8	9.76
15MHz QPSK	13.413	13.593	13.473	15	15.12	15
15MHz 16QAM	13.533	13.533	13.473	15.06	15	15
20MHz QPSK	17.964	17.964	17.964	19.6	19.84	19.52
20MHz 16QAM	18.044	17.964	18.044	19.76	19.76	19.68

Note: The test plots please refer to the Plots of Occupied Bandwidth

FCC §2.1051, §27.53:Spurious Emissions at Antenna Terminal	
Result:	Pass, Please refer to the test plots of Spurious Emissions at Antenna Terminal.

FCC §2.1051, §27.53:Out of band emission, Band Edge	
Result:	Pass, Please refer to the test plots of Out of band emission, Band Edge.


FCC §2.1055, §27.54: Frequency Stability

Test Mode:	20M QPSK	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	1710.966	1710.00	1754.030	1755
	-20	3.8	1710.966	1710.00	1754.030	1755
	-10	3.8	1710.965	1710.00	1754.028	1755
	0	3.8	1710.961	1710.00	1754.024	1755
	10	3.8	1710.958	1710.00	1754.023	1755
	20	3.8	1710.958	1710.00	1754.022	1755
	30	3.8	1710.956	1710.00	1754.020	1755
	40	3.8	1710.955	1710.00	1754.018	1755
Frequency Stability vs. Voltage	20	3.5	1710.953	1710.00	1754.017	1755
	20	4.35	1710.951	1710.00	1754.016	1755
Result:					Pass	


Test Mode:	20M 16QAM	Test Channel: Lowest for Lower Edge,Highest for Upper Edge				
Test Item	Temperature (°C)	Voltage (V _{DC})	Lower Edge (MHz)		Upper Edge (MHz)	
			Result	Limit	Result	Limit
Frequency Stability vs. Temperature	-30	3.8	1710.984	1710.00	1754.113	1755
	-20	3.8	1710.983	1710.00	1754.111	1755
	-10	3.8	1710.982	1710.00	1754.108	1755
	0	3.8	1710.981	1710.00	1754.104	1755
	10	3.8	1710.980	1710.00	1754.102	1755
	20	3.8	1710.978	1710.00	1754.102	1755
	30	3.8	1710.976	1710.00	1754.102	1755
	40	3.8	1710.976	1710.00	1754.101	1755
Frequency Stability vs. Voltage	20	3.5	1710.974	1710.00	1754.099	1755
	20	4.35	1710.971	1710.00	1754.097	1755
Result:					Pass	

Test Plots:

Occupied Bandwidth




Occupied Bandwidth




Occupied Bandwidth

Channel	5MHz Bandwidth QPSK	5MHz Bandwidth 16QAM																																																																																
Lowest	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.71 GHz</td> <td>-14.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.7102445 GHz</td> <td>7.29 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.7147555 GHz</td> <td>7.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.0 MHz</td> <td>0.12 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 19.JUL.2022 00:15:19</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.71 GHz	-14.07 dBm			T1	1			1.7102445 GHz	7.29 dBm	Occ Bw	4.510978044 MHz	T2	1			1.7147555 GHz	7.20 dBm			D1	M1	1		5.0 MHz	0.12 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.71 GHz</td> <td>-15.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.7102246 GHz</td> <td>5.41 dBm</td> <td>Occ Bw</td> <td>4.550898204 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.7147754 GHz</td> <td>5.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.02 MHz</td> <td>0.22 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 19.JUL.2022 00:15:43</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.71 GHz	-15.43 dBm			T1	1			1.7102246 GHz	5.41 dBm	Occ Bw	4.550898204 MHz	T2	1			1.7147754 GHz	5.74 dBm			D1	M1	1		5.02 MHz	0.22 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.71 GHz	-14.07 dBm																																																																													
T1	1			1.7102445 GHz	7.29 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.7147555 GHz	7.20 dBm																																																																													
D1	M1	1		5.0 MHz	0.12 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.71 GHz	-15.43 dBm																																																																													
T1	1			1.7102246 GHz	5.41 dBm	Occ Bw	4.550898204 MHz																																																																											
T2	1			1.7147754 GHz	5.74 dBm																																																																													
D1	M1	1		5.02 MHz	0.22 dB																																																																													
Middle	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.73 GHz</td> <td>-13.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.7302445 GHz</td> <td>6.39 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.7347555 GHz</td> <td>9.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.0 MHz</td> <td>-0.35 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 19.JUL.2022 00:15:13</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.73 GHz	-13.43 dBm			T1	1			1.7302445 GHz	6.39 dBm	Occ Bw	4.510978044 MHz	T2	1			1.7347555 GHz	9.13 dBm			D1	M1	1		5.0 MHz	-0.35 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.73 GHz</td> <td>-13.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.7302445 GHz</td> <td>4.66 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.7347555 GHz</td> <td>6.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.0 MHz</td> <td>-2.23 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 19.JUL.2022 00:15:37</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.73 GHz	-13.97 dBm			T1	1			1.7302445 GHz	4.66 dBm	Occ Bw	4.510978044 MHz	T2	1			1.7347555 GHz	6.05 dBm			D1	M1	1		5.0 MHz	-2.23 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.73 GHz	-13.43 dBm																																																																													
T1	1			1.7302445 GHz	6.39 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.7347555 GHz	9.13 dBm																																																																													
D1	M1	1		5.0 MHz	-0.35 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.73 GHz	-13.97 dBm																																																																													
T1	1			1.7302445 GHz	4.66 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.7347555 GHz	6.05 dBm																																																																													
D1	M1	1		5.0 MHz	-2.23 dB																																																																													
Highest	<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.75 GHz</td> <td>-13.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.7502445 GHz</td> <td>8.05 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.7547555 GHz</td> <td>7.86 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>5.0 MHz</td> <td>-0.80 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 19.JUL.2022 00:15:41:11</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.75 GHz	-13.81 dBm			T1	1			1.7502445 GHz	8.05 dBm	Occ Bw	4.510978044 MHz	T2	1			1.7547555 GHz	7.86 dBm			D1	M1	1		5.0 MHz	-0.80 dB			<table border="1"> <thead> <tr> <th>Marker</th> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-value</th> <th>Y-value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td></td> <td>1.75002 GHz</td> <td>-13.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td></td> <td>1.7502445 GHz</td> <td>6.39 dBm</td> <td>Occ Bw</td> <td>4.510978044 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td></td> <td>1.7547555 GHz</td> <td>5.63 dBm</td> <td></td> <td></td> </tr> <tr> <td>D1</td> <td>M1</td> <td>1</td> <td></td> <td>4.98 MHz</td> <td>0.52 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 19.JUL.2022 00:15:43:38</p>	Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result	M1	1			1.75002 GHz	-13.64 dBm			T1	1			1.7502445 GHz	6.39 dBm	Occ Bw	4.510978044 MHz	T2	1			1.7547555 GHz	5.63 dBm			D1	M1	1		4.98 MHz	0.52 dB		
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.75 GHz	-13.81 dBm																																																																													
T1	1			1.7502445 GHz	8.05 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.7547555 GHz	7.86 dBm																																																																													
D1	M1	1		5.0 MHz	-0.80 dB																																																																													
Marker	Type	Ref	Trc	X-value	Y-value	Function	Function Result																																																																											
M1	1			1.75002 GHz	-13.64 dBm																																																																													
T1	1			1.7502445 GHz	6.39 dBm	Occ Bw	4.510978044 MHz																																																																											
T2	1			1.7547555 GHz	5.63 dBm																																																																													
D1	M1	1		4.98 MHz	0.52 dB																																																																													

Occupied Bandwidth



Occupied Bandwidth





Occupied Bandwidth

Channel

20MHz Bandwidth QPSK

20MHz Bandwidth 16QAM



Lowest



Date: 19_JUL_2022 01:01:08

Date: 19_JUL_2022 01:01:33



Middle



Date: 19_JUL_2022 01:01:59

Date: 19_JUL_2022 01:02:28

Highest



Date: 19_JUL_2022 01:02:54



Date: 19_JUL_2022 01:03:20

Spurious Emissions at Antenna Terminal



Channel

1.4MHz Bandwidth QPSK



Lowest




Middle



Highest



Spurious Emissions at Antenna Terminal





Spurious Emissions at Antenna Terminal



Channel

5MHz Bandwidth QPSK



Lowest



Middle



Highest





Spurious Emissions at Antenna Terminal



Channel

10MHz Bandwidth QPSK

Lowest



Middle



Highest

