

Appendix for 15.247

Product Name: PeriPage Mini A4 Printer

Test Model: A40



1. Bandwidth


1.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT No.	6dB Bandwidth	Verdict
				Test Result (MHz)	
1M	2402	SISO	1	0.704	PASS
	2440	SISO	1	0.700	PASS
	2480	SISO	1	0.699	PASS


Test Mode	Frequency (MHz)	TX Type	ANT No.	99% Occupied Bandwidth	
				Test Result (MHz)	
1M	2402	SISO	1	1.043	Only for Report Use
	2440	SISO	1	1.045	Only for Report Use
	2480	SISO	1	1.045	Only for Report Use



1.2 Test Graph - 6dB Bandwidth





1.3 Test Graph - 99% Occupied Bandwidth








2. Maximum Conducted Output Power

2.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Measured Peak Output Power (dBm)	Limits (dBm)	Verdict
			Ant 1		
1M	2402	SISO	3.31	30	PASS
	2440	SISO	0.70	30	PASS
	2480	SISO	-0.51	30	PASS

2.2 Test Graph








3. Maximum Power Spectral Density (PSD)

3.1 Test Result

Test Mode	Frequency (MHz)	Tx Type	Maximum Power Spectral Density (dBm/3KHz)	Limits (dBm/3kHz)	Verdict
			Ant 1		
1M	2402	SISO	-12.34	≤8	PASS
	2440	SISO	-14.74	≤8	PASS
	2480	SISO	-15.93	≤8	PASS

3.2 Test Graph








4. Unwanted Emissions in Non-restricted Frequency Bands



4.1 Test Result


Test Mode	Frequency (MHz)	TX Type	ANT No.	Spurious Conducted Emission (dBm)	Limits (dBm)	Verdict
1M	2402	SISO	1	Refer to test graph	-17.12	PASS
	2440	SISO	1	Refer to test graph	-17.12	PASS
	2480	SISO	1	Refer to test graph	-17.12	PASS

4.2 Test Graph









5. Frequency Error

5.1 Test Result

Test Mode	Frequency (MHz)	TX Type	ANT	Measured Frequency (MHz)		Verdict
				Test Result	Limit	
1M	2402	SISO	1	2402.01	2400-2483.5	PASS
	2440	SISO	1	2440.01	2400-2483.5	PASS
	2480	SISO	1	2480.01	2400-2483.5	PASS

5.2 Test Graph

