




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 17:57:19




Date: 10.JAN.2019 17:56:54




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



Date: 10.JAN.2019 17:56:29




Date: 10.JAN.2019 17:55:55



Report Number: W6M21812-18679-P-20


FCC ID: 2ASQXZONEDAS

Uplink



OUTPUT POWER

Date: 12.JAN.2019 11:31:03




OUTPUT POWER


Date: 12.JAN.2019 11:31:25



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:31:46




OUTPUT POWER
Date: 12.JAN.2019 11:32:40



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:34:58




OUTPUT POWER
Date: 12.JAN.2019 11:34:35



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:34:13




OUTPUT POWER
Date: 12.JAN.2019 11:33:55



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:36:10




OUTPUT POWER
Date: 12.JAN.2019 11:36:32




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:36:52




OUTPUT POWER
Date: 12.JAN.2019 11:37:17



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS
Band IV
Downlink




Date: 10.JAN.2019 19:02:50




Date: 10.JAN.2019 19:03:14




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 19:03:34




Date: 10.JAN.2019 19:03:56




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 19:06:48




Date: 10.JAN.2019 19:06:27




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 19:06:06




Date: 10.JAN.2019 19:05:38




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 19:08:15




Date: 10.JAN.2019 19:08:52



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



Date: 10.JAN.2019 19:09:14




Date: 10.JAN.2019 19:09:36




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS


Uplink




OUTPUT POWER
Date: 12.JAN.2019 11:42:21




OUTPUT POWER
Date: 12.JAN.2019 11:42:01



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:41:41




OUTPUT POWER
Date: 12.JAN.2019 11:41:18




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



OUTPUT POWER
Date: 12.JAN.2019 11:43:23




OUTPUT POWER
Date: 12.JAN.2019 11:43:46




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 11:44:06




OUTPUT POWER
Date: 12.JAN.2019 11:44:26



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



OUTPUT POWER
Date: 12.JAN.2019 11:46:33




OUTPUT POWER
Date: 12.JAN.2019 11:46:15




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



OUTPUT POWER
Date: 12.JAN.2019 11:45:56




OUTPUT POWER
Date: 12.JAN.2019 11:45:38




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS
Band V
Downlink




Date: 10.JAN.2019 19:16:27




Date: 10.JAN.2019 19:16:00




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



Date: 10.JAN.2019 19:15:36




Date: 10.JAN.2019 19:14:51




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 19:17:28




Date: 10.JAN.2019 19:17:55



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 19:18:22




Date: 10.JAN.2019 19:18:41




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



Date: 10.JAN.2019 19:59:38




Date: 10.JAN.2019 19:59:08



Report Number: W6M21812-18679-P-20


FCC ID: 2ASQXZONEDAS

Uplink




OUTPUT POWER

Date: 12.JAN.2019 13:10:05




OUTPUT POWER


Date: 12.JAN.2019 13:10:29



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 13:10:50




OUTPUT POWER
Date: 12.JAN.2019 13:11:14




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 13:13:45




OUTPUT POWER
Date: 12.JAN.2019 13:13:22




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 13:12:58




OUTPUT POWER
Date: 12.JAN.2019 13:12:28




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 13:14:55




OUTPUT POWER
Date: 12.JAN.2019 13:15:17



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



OUTPUT POWER
Date: 12.JAN.2019 13:15:45




OUTPUT POWER
Date: 12.JAN.2019 13:16:04




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS
Band XII
Downlink




Date: 10.JAN.2019 20:14:25




Date: 10.JAN.2019 20:14:55




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 20:15:18




Date: 10.JAN.2019 20:15:37




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 20:19:06




Date: 10.JAN.2019 20:18:47




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 20:18:28




Date: 10.JAN.2019 20:17:24



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 10.JAN.2019 20:20:40




Date: 10.JAN.2019 20:21:04




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



Date: 10.JAN.2019 20:21:29




Date: 10.JAN.2019 20:21:51



Report Number: W6M21812-18679-P-20


FCC ID: 2ASQXZONEDAS

Uplink



OUTPUT POWER

Date: 12.JAN.2019 13:20:24




OUTPUT POWER


Date: 12.JAN.2019 13:20:03



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 13:19:40




OUTPUT POWER
Date: 12.JAN.2019 13:19:18



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER
Date: 12.JAN.2019 13:22:25



OUTPUT POWER
Date: 12.JAN.2019 13:22:48




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




OUTPUT POWER

Date: 12.JAN.2019 13:24:59




OUTPUT POWER


Date: 12.JAN.2019 13:23:32




Report Number: W6M21812-18679-P-20
 FCC ID: 2ASQXZONEDAS




OUTPUT POWER
 Date: 12.JAN.2019 13:26:07




OUTPUT POWER
 Date: 12.JAN.2019 13:26:27




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



OUTPUT POWER
Date: 12.JAN.2019 13:26:45




OUTPUT POWER
Date: 12.JAN.2019 13:27:05




Worldwide Testing Services(Taiwan) Co., Ltd.


Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS
Band XIII
Downlink




Date: 26.FEB.2019 19:52:53




Date: 26.FEB.2019 19:52:34



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS



Date: 26.FEB.2019 19:52:09




Date: 26.FEB.2019 19:51:13




Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS


Uplink




Date: 26.FEB.2019 19:46:39




Date: 26.FEB.2019 19:47:15



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS




Date: 26.FEB.2019 19:48:24



Date: 26.FEB.2019 19:48:52

Test equipment: ETSTW-RE 050, ETSTW-RE 055, ETSTW-RE 134



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

8. Frequency stability measurements

8.1 Test procedure

Frequency stability measurements are required by Section 2.1055 of the FCC rules. However, this requirement presumes that the EUT processes an input signal in a manner that can influence the output signal frequency/frequencies (i.e., most signal boosters do not incorporate an oscillator). If this is not the case (i.e., the amplifier, booster, or repeater does not alter the input signal in any way), then a frequency stability test may not be required.

When performing frequency stability measurements on these types of devices, the instability associated with the EUT must be isolated from any frequency instability associated with the measurement instrumentation. One method for realizing this isolation is to connect the reference clock input of the signal generator to the reference output of the frequency counter to confirm that any frequency instability is associated with the EUT, but is not due to differences between the reference oscillators internal to the measurement instrumentation.

8.2 Test Results

WCDMA

WCDMA Band II - Down Link				
Test Frequency (MHz)	Voltage (V _{a.c.})	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
1960	120	-30	1959.99984	-0.08
		-20	1959.99984	-0.08
		-10	1959.99984	-0.08
		0	1959.99984	-0.08
		10	1959.99984	-0.08
		20(Ref)	1959.99984	-0.08
		30	1959.99984	-0.08
		40	1959.99984	-0.08
		50	1959.99984	-0.08
	102	20	1959.99984	-0.08
	138	20	1959.99984	-0.08




Worldwide Testing Services(Taiwan) Co., Ltd.

Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band II - Up Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
1880	120	-30	1879.99984	-0.09
		-20	1879.99984	-0.09
		-10	1879.99987	-0.07
		0	1879.99987	-0.07
		10	1879.99987	-0.07
		20(Ref)	1879.99987	-0.07
		30	1879.99987	-0.07
		40	1879.99984	-0.09
		50	1879.99984	-0.09
	102	20	1879.99987	-0.07
	138	20	1879.99987	-0.07

Band V - Down Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
881.6	120	-30	881.599935	-0.07
		-20	881.599935	-0.07
		-10	881.599935	-0.07
		0	881.599935	-0.07
		10	881.599935	-0.07
		20(Ref)	881.599935	-0.07
		30	881.599935	-0.07
		40	881.599935	-0.07
		50	881.599935	-0.07
	102	20	881.599935	-0.07
	138	20	881.599935	-0.07



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band V - Up Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
836.6	120	-30	836.599935	-0.08
		-20	836.599935	-0.08
		-10	836.599935	-0.08
		0	836.599935	-0.08
		10	836.599935	-0.08
		20(Ref)	836.599935	-0.08
		30	836.599935	-0.08
		40	836.599935	-0.08
		50	836.599935	-0.08
	102	20	836.599935	-0.08
	138	20	836.599935	-0.08

LTE

Band II 20MHz Bandwidth - Down Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
1960	120	-30	1959.99984	-0.08
		-20	1959.99984	-0.08
		-10	1959.99984	-0.08
		0	1959.99984	-0.08
		10	1959.99984	-0.08
		20(Ref)	1959.99984	-0.08
		30	1959.99984	-0.08
		40	1959.99984	-0.08
		50	1959.99984	-0.08
	102	20	1959.99984	-0.08
	138	20	1959.99984	-0.08




Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band II 20MHz Bandwidth - Up Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
1880	120	-30	1879.99984	-0.09
		-20	1879.99984	-0.09
		-10	1879.99987	-0.07
		0	1879.99987	-0.07
		10	1879.99987	-0.07
		20(Ref)	1879.99987	-0.07
		30	1879.99987	-0.07
		40	1879.99984	-0.09
		50	1879.99984	-0.09
	102	20	1879.99987	-0.07
	138	20	1879.99987	-0.07

Band IV 20MHz Bandwidth - Down Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
2132.5	120	-30	2132.49984	-0.08
		-20	2132.49984	-0.08
		-10	2132.49984	-0.08
		0	2132.49984	-0.08
		10	2132.49984	-0.08
		20(Ref)	2132.49984	-0.08
		30	2132.49984	-0.08
		40	2132.49984	-0.08
		50	2132.49984	-0.08
	102	20	2132.49984	-0.08
	138	20	2132.49984	-0.08




Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band IV 20MHz Bandwidth - Up Link				
Test Frequency (MHz)	Voltage (V.a.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
1732.5	120	-30	1732.49984	-0.09
		-20	1732.49984	-0.09
		-10	1732.49984	-0.09
		0	1732.49984	-0.09
		10	1732.49984	-0.09
		20(Ref)	1732.49984	-0.09
		30	1732.49984	-0.09
		40	1732.49984	-0.09
		50	1732.49987	-0.08
	102	20	1732.49984	-0.09
	138	20	1732.49984	-0.09

Band V 10MHz Bandwidth - Down Link				
Test Frequency (MHz)	Voltage (V.a.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
881.5	120	-30	881.499935	-0.07
		-20	881.499935	-0.07
		-10	881.499935	-0.07
		0	881.499935	-0.07
		10	881.499935	-0.07
		20(Ref)	881.499935	-0.07
		30	881.499903	-0.11
		40	881.499903	-0.11
		50	881.499903	-0.11
	102	20	881.499935	-0.07
	138	20	881.499935	-0.07



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band V 10MHz Bandwidth - Up Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
836.5	120	-30	836.499935	-0.08
		-20	836.499935	-0.08
		-10	836.499935	-0.08
		0	836.499935	-0.08
		10	836.499935	-0.08
		20(Ref)	836.499935	-0.08
		30	836.499935	-0.08
		40	836.499935	-0.08
		50	836.499935	-0.08
	102	20	836.499935	-0.08
	138	20	836.499935	-0.08

Band XII 10MHz Bandwidth - Down Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
737.5	120	-30	737.499935	-0.09
737.5	120	-20	737.499935	-0.09
737.5	120	-10	737.499935	-0.09
737.5	120	0	737.499935	-0.09
737.5	120	10	737.499935	-0.09
737.5	120	20(Ref)	737.499935	-0.09
737.5	120	30	737.499935	-0.09
737.5	120	40	737.499935	-0.09
737.5	120	50	737.499935	-0.09
737.5	102	20	737.499935	-0.09
737.5	138	20	737.499935	-0.09



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band XII 10MHz Bandwidth - Up Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
707.5	120	-30	707.499935	-0.09
707.5	120	-20	707.499935	-0.09
707.5	120	-10	707.499935	-0.09
707.5	120	0	707.499935	-0.09
707.5	120	10	707.499935	-0.09
707.5	120	20(Ref)	707.499935	-0.09
707.5	120	30	707.499935	-0.09
707.5	120	40	707.499935	-0.09
707.5	120	50	707.499935	-0.09
707.5	102	20	707.499935	-0.09
707.5	138	20	707.499935	-0.09

Band XIII 10MHz Bandwidth - Down Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
751	120	-30	750.999935	-0.09
751	120	-20	750.999935	-0.09
751	120	-10	750.999935	-0.09
751	120	0	750.999935	-0.09
751	120	10	750.999935	-0.09
751	120	20(Ref)	750.999935	-0.09
751	120	30	750.999935	-0.09
751	120	40	750.999935	-0.09
751	120	50	750.999935	-0.09
751	102	20	750.999935	-0.09
751	138	20	750.999935	-0.09



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band XIII 10MHz Bandwidth - Up Link				
Test Frequency (MHz)	Voltage (Va.c.)	Temp (°C)	Frequency (MHz)	Tolerance (ppm)
782	120	-30	781.999935	-0.08
782	120	-20	781.999935	-0.08
782	120	-10	781.999935	-0.08
782	120	0	781.999935	-0.08
782	120	10	781.999935	-0.08
782	120	20(Ref)	781.999935	-0.08
782	120	30	781.999935	-0.08
782	120	40	781.999935	-0.08
782	120	50	781.999935	-0.08
782	102	20	781.999935	-0.08
782	138	20	781.999935	-0.08

Test equipment: ETSTW-RE 050, ETSTW-RE 055, ETSTW-RE 134, ETSTW-CE 009



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

9. Spurious emissions radiated measurements

9.1 Test procedure

This measurement is intended to produce test data necessary to demonstrate compliance to the radiated spurious emission requirements specified in Section 2.1053 of the FCC rules. This test is intended to capture any emissions that radiate directly from the case, cabinet, control circuits, etc., instead of via the antenna output port, and thus would not be captured in conducted spurious emission measurements. See KDB Publication 971168 [R8] for measurement procedure guidance.

9.2 Test Results

Model: ZoneDAS Date: --
 Mode: -- Temperature: -- °C Engineer: --
 Polarization: Horizontal Humidity: -- %


Frequency (MHz)	Reading (dBuV)	Detector	Factor (dB)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Table Degree (Deg.)	Ant. High (cm)
--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--

Frequency (MHz)	Reading (dBuV)		Factor (dB) Corr.	Result @3m (dBuV/m)		Limit @3m (dBuV/m)		Margin (dB)	Table Degree (Deg.)	Ant. High (cm)
	Peak	Ave.		Peak	Ave.	Peak	Ave.			
--	--	--	--	--	--	--	--	--	--	--
--	--	--	--	--	--	--	--	--	--	--

Note:

- 1. Correction Factor = Antenna factor + Cable loss - Preamplifier**
- 2. The formula of measured value as: Test Result = Reading + Correction Factor**
- 3. Detector function in the form : PK = Peak, QP = Quasi Peak, AV = Average**
- 4. Up Line: PK Limit Line, Down Line: Ave Limit Line.**
- 5. See attached diagrams in appendix.**

Test equipment: ETSTW-RE 042, ETSTW-RE 043, ETSTW-RE 044, ETSTW-RE 061, ETSTW-RE 134



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

10 Maximum Permissible Exposure

10.1 RF Exposure Compliance Requirements

FCC OET Bulletin 65 Edition 97.01 determines the equations for predicting RF fields and applicable limits.

The prediction for power density in the far-field but will over-predict power density in the near field, where it could be used for walking a “worst case” or conservative prediction.

$$S = \frac{PG}{4\pi R^2}$$

- S – Power Density
- P – Output power ERP
- R – Distance
- D – Cable Loss
- AG – Antenna Gain


WCDMA

Band II			
Item	Unit	Value	Remarks
P	dBm/mW	22.66 / 184.50	Peak value
D	dB	--	
AG	dBi	5.1	
G		3.24	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.1188	Calculated value

Band V			
Item	Unit	Value	Remarks
P	dBm/mW	22.03 / 159.59	Peak value
D	dB	--	
AG	dBi	2	
G		1.58	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.3153	Calculated value

LTE

Band II			
Item	Unit	Value	Remarks
P	dBm/mW	23.42 / 219.79	Peak value
D	dB	--	
AG	dBi	5.1	
G		3.24	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.1415	Calculated value



Report Number: W6M21812-18679-P-20

FCC ID: 2ASQXZONEDAS

Band IV			
Item	Unit	Value	Remarks
P	dBm/mW	21.59 / 144.21	Peak value
D	dB	--	
AG	dB _i	4.4	
G		2.75	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0790	Calculated value


Band V			
Item	Unit	Value	Remarks
P	dBm/mW	22.52 / 178.65	Peak value
D	dB	--	
AG	dB _i	2	
G		1.58	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0563	Calculated value

Band XII			
Item	Unit	Value	Remarks
P	dBm/mW	23.24 / 210.86	Peak value
D	dB	--	
AG	dB _i	0.2	
G		1.05	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.044	Calculated value

Band XIII			
Item	Unit	Value	Remarks
P	dBm/mW	22.23 / 167.11	Peak value
D	dB	--	
AG	dB _i	1.4	
G		1.38	Calculated Value
R	cm	20	Assumed value
S	mW/cm ²	0.0459	Calculated value

Limits:

Limit for General Population / Uncontrolled Exposure	
Frequency (MHz)	Power Density (mW/cm ²)
1500 – 100.000	1.0



Report Number: W6M21812-18679-P-20
FCC ID: 2ASQXZONEDAS

Appendix

Measurement diagrams

Spurious Emission



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:11:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-76.77	peak	23.67	-53.10	-13.00	150	220	-40.10	
	98.8176	-79.88	peak	23.66	-56.22	-13.00	150	130	-43.22	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:16:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.9360	-76.53	peak	23.69	-52.84	-13.00	150	245	-39.84	
	73.9480	-76.14	peak	23.23	-52.91	-13.00	150	130	-39.91	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:45:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-38.59	peak	-8.29	-46.88	-13.00	150	245	-33.88	
	400.4008	-40.55	peak	-8.33	-48.88	-13.00	150	160	-35.88	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:51:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	363.5271	-41.02	peak	-7.26	-48.28	-13.00	150	75	-35.28	
	376.3527	-40.86	peak	-7.62	-48.48	-13.00	150	220	-35.48	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:14:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:19:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:15:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6276.553	-54.00	peak	11.76	-42.24	-13.00	150	245	-29.24	
*	7366.734	-47.78	peak	11.43	-36.35	-13.00	150	160	-23.35	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:20:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-56.55	peak	11.44	-45.11	-13.00	150	110	-32.11	
*	7366.734	-45.67	peak	11.00	-34.67	-13.00	150	245	-21.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:16:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:20:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:16:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:21:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:16:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:21:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:12:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.2445	-76.81	peak	23.68	-53.13	-13.00	150	220	-40.13	
	98.1363	-79.43	peak	23.61	-55.82	-13.00	150	130	-42.82	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:15:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.5952	-75.90	peak	23.68	-52.22	-13.00	150	220	-39.22	
	74.2886	-76.58	peak	23.24	-53.34	-13.00	150	160	-40.34	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	369.9400	-37.63	peak	-8.29	-45.92	-13.00	150	245	-32.92	
	402.0040	-41.18	peak	-8.31	-49.49	-13.00	150	130	-36.49	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:50:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	365.1303	-40.71	peak	-7.30	-48.01	-13.00	150	245	-35.01	
	398.7976	-40.40	peak	-8.27	-48.67	-13.00	150	130	-35.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:26:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:31:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:27:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-54.28	peak	11.77	-42.51	-13.00	150	110	-29.51	
*	7503.006	-48.69	peak	11.33	-37.36	-13.00	150	130	-24.36	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:32:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-55.13	peak	11.44	-43.69	-13.00	150	45	-30.69	
*	7503.006	-49.79	peak	10.81	-38.98	-13.00	150	330	-25.98	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:28:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:32:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:28:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:33:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:28:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:33:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:13:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-76.33	peak	23.67	-52.66	-13.00	150	330	-39.66	
	99.1583	-79.74	peak	23.69	-56.05	-13.00	150	160	-43.05	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:14:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.2545	-76.59	peak	23.67	-52.92	-13.00	150	55	-39.92	
	74.6293	-76.43	peak	23.25	-53.18	-13.00	150	130	-40.18	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:47:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	369.9400	-37.01	peak	-8.29	-45.30	-13.00	150	220	-32.30	
	400.4008	-40.64	peak	-8.33	-48.97	-13.00	150	130	-35.97	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:49:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	363.5271	-40.72	peak	-7.26	-47.98	-13.00	150	45	-34.98	
	733.8677	-59.16	peak	-1.34	-60.50	-13.00	150	330	-47.50	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:37:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:41:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:37:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6725.451	-54.35	peak	11.77	-42.58	-13.00	150	245	-29.58	
	7647.295	-55.87	peak	11.49	-44.38	-13.00	150	160	-31.38	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:42:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-55.51	peak	11.44	-44.07	-13.00	150	145	-31.07	
*	7647.295	-53.35	peak	10.83	-42.52	-13.00	150	130	-29.52	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:38:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:43:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:38:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:43:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:39:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:43:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:33:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-74.78	peak	23.68	-51.10	-13.00	150	245	-38.10	
	98.8176	-78.95	peak	23.66	-55.29	-13.00	150	160	-42.29	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:38:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.9360	-76.29	peak	23.69	-52.60	-13.00	150	240	-39.60	
	72.9260	-75.89	peak	23.21	-52.68	-13.00	150	110	-39.68	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:21:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	368.3367	-37.42	peak	-8.29	-45.71	-13.00	150	245	-32.71	
	400.4008	-40.61	peak	-8.33	-48.94	-13.00	150	160	-35.94	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:23:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-39.23	peak	-7.53	-46.76	-13.00	150	160	-33.76	
	806.0120	-59.48	peak	-0.44	-59.92	-13.00	150	245	-46.92	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:00:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-51.63	peak	11.76	-39.87	-13.00	150	245	-26.87	
	7647.295	-55.26	peak	11.49	-43.77	-13.00	150	110	-30.77	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4841.683	-52.33	peak	6.70	-45.63	-13.00	150	130	-32.63	
*	6741.483	-53.97	peak	11.45	-42.52	-13.00	150	200	-29.52	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:01:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:05:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:34:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-75.72	peak	23.67	-52.05	-13.00	150	65	-39.05	
	99.8397	-79.92	peak	23.74	-56.18	-13.00	150	305	-43.18	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:37:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-76.85	peak	23.68	-53.17	-13.00	150	245	-40.17	
*	72.9260	-75.79	peak	23.21	-52.58	-13.00	150	185	-39.58	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:27:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	369.9400	-37.52	peak	-8.29	-45.81	-13.00	150	75	-32.81	
	400.4008	-41.08	peak	-8.33	-49.41	-13.00	150	200	-36.41	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:29:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	377.9560	-39.77	peak	-7.67	-47.44	-13.00	150	245	-34.44	
	400.4008	-40.19	peak	-8.29	-48.48	-13.00	150	130	-35.48	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:09:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:29:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:09:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-51.88	peak	11.76	-40.12	-13.00	150	240	-27.12	
	7647.295	-55.44	peak	11.49	-43.95	-13.00	150	115	-30.95	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:29:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5186.373	-55.28	peak	8.28	-47.00	-13.00	150	160	-34.00	
*	7647.295	-54.75	peak	10.83	-43.92	-13.00	150	245	-30.92	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:10:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:30:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:35:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-75.87	peak	23.67	-52.20	-13.00	150	75	-39.20	
	98.8176	-79.59	peak	23.66	-55.93	-13.00	150	220	-42.93	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:36:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-76.31	peak	23.68	-52.63	-13.00	150	225	-39.63	
*	73.9480	-75.80	peak	23.23	-52.57	-13.00	150	160	-39.57	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:32:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	369.9400	-37.47	peak	-8.29	-45.76	-13.00	150	205	-32.76	
	400.4008	-41.85	peak	-8.33	-50.18	-13.00	150	160	-37.18	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	381.1623	-40.06	peak	-7.76	-47.82	-13.00	150	75	-34.82	
	437.2745	-44.92	peak	-6.91	-51.83	-13.00	150	330	-38.83	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:34:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:35:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-51.88	peak	11.76	-40.12	-13.00	150	305	-27.12	
	7639.279	-55.83	peak	11.49	-44.34	-13.00	150	160	-31.34	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:38:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4841.683	-52.45	peak	6.70	-45.75	-13.00	150	160	-32.75	
*	6741.483	-53.12	peak	11.45	-41.67	-13.00	150	30	-28.67	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:35:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:39:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:02:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.2445	-76.82	peak	23.68	-53.14	-13.00	150	245	-40.14	
	99.1583	-79.15	peak	23.69	-55.46	-13.00	150	160	-42.46	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:09:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	59.2986	-76.80	peak	23.73	-53.07	-13.00	150	245	-40.07	
*	74.6293	-75.65	peak	23.25	-52.40	-13.00	150	110	-39.40	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	371.5431	-37.15	peak	-8.29	-45.44	-13.00	150	75	-32.44	
	397.1944	-41.39	peak	-8.34	-49.73	-13.00	150	220	-36.73	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:43:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	360.3206	-40.74	peak	-7.17	-47.91	-13.00	150	305	-34.91	
*	381.1623	-39.95	peak	-7.76	-47.71	-13.00	150	75	-34.71	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:40:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:44:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:40:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-55.11	peak	11.77	-43.34	-13.00	150	205	-30.34	
*	7398.797	-49.42	peak	11.40	-38.02	-13.00	150	130	-25.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:45:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-54.95	peak	11.44	-43.51	-13.00	150	305	-30.51	
*	7406.814	-47.64	peak	10.94	-36.70	-13.00	150	110	-23.70	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:41:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:46:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:41:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:46:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:42:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:46:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:04:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-75.66	peak	23.68	-51.98	-13.00	150	245	-38.98	
	97.7956	-79.56	peak	23.59	-55.97	-13.00	150	110	-42.97	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:08:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.5952	-74.97	peak	23.68	-51.29	-13.00	150	205	-38.29	
	73.6071	-76.32	peak	23.22	-53.10	-13.00	150	160	-40.10	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:39:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	369.9400	-38.07	peak	-8.29	-46.36	-13.00	150	305	-33.36	
	400.4008	-41.26	peak	-8.33	-49.59	-13.00	150	160	-36.59	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	382.7655	-39.89	peak	-7.81	-47.70	-13.00	150	305	-34.70	
	438.8778	-45.34	peak	-6.85	-52.19	-13.00	150	160	-39.19	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:51:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:56:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-54.32	peak	11.77	-42.55	-13.00	150	245	-29.55	
*	7503.006	-48.98	peak	11.33	-37.65	-13.00	150	110	-24.65	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-55.79	peak	11.44	-44.35	-13.00	150	145	-31.35	
*	7503.006	-50.12	peak	10.81	-39.31	-13.00	150	220	-26.31	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:52:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:53:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:57:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:53:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 02:58:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	72.2445	-76.20	peak	23.68	-52.52	-13.00	150	35	-39.52	
	97.7956	-79.45	peak	23.59	-55.86	-13.00	150	160	-42.86	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:07:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.9360	-75.48	peak	23.69	-51.79	-13.00	150	95	-38.79	
	73.9480	-75.27	peak	23.23	-52.04	-13.00	150	330	-39.04	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:40:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	371.5431	-39.19	peak	-8.29	-47.48	-13.00	150	95	-34.48	
	398.7976	-41.24	peak	-8.34	-49.58	-13.00	150	305	-36.58	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:41:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	379.5591	-40.27	peak	-7.72	-47.99	-13.00	150	75	-34.99	
	443.6874	-45.35	peak	-6.67	-52.02	-13.00	150	300	-39.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:02:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:03:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-54.40	peak	11.77	-42.63	-13.00	150	45	-29.63	
*	7599.198	-52.42	peak	11.44	-40.98	-13.00	150	220	-27.98	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:07:37

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-56.76	peak	11.44	-45.32	-13.00	150	245	-32.32	
*	7607.214	-51.60	peak	10.83	-40.77	-13.00	150	160	-27.77	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:04:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:08:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:04:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:08:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:04:29

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:08:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1980MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:18:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.5631	-75.92	peak	23.67	-52.25	-13.00	150	205	-39.25	
	98.4770	-78.85	peak	23.64	-55.21	-13.00	150	45	-42.21	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:24:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	58.2766	-75.78	peak	23.70	-52.08	-13.00	150	95	-39.08	
	73.2665	-76.73	peak	23.21	-53.52	-13.00	150	330	-40.52	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:53:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	377.9560	-39.76	peak	-8.30	-48.06	-13.00	150	265	-35.06	
	403.6072	-41.92	peak	-8.29	-50.21	-13.00	150	330	-37.21	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	361.9238	-41.53	peak	-7.21	-48.74	-13.00	150	130	-35.74	
*	381.1623	-39.74	peak	-7.76	-47.50	-13.00	150	305	-34.50	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:52:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:57:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:52:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6645.291	-56.93	peak	11.79	-45.14	-13.00	150	110	-32.14	
*	7647.295	-55.57	peak	11.49	-44.08	-13.00	150	305	-31.08	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:58:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5170.341	-53.52	peak	8.16	-45.36	-13.00	150	30	-32.36	
*	7647.295	-53.85	peak	10.83	-43.02	-13.00	150	195	-30.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:59:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:59:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:53:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 03:59:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2120MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:19:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-75.94	peak	23.67	-52.27	-13.00	150	75	-39.27	
	98.4770	-79.43	peak	23.64	-55.79	-13.00	150	205	-42.79	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:23:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.9360	-76.23	peak	23.69	-52.54	-13.00	150	245	-39.54	
	73.6071	-75.85	peak	23.22	-52.63	-13.00	150	130	-39.63	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	371.5431	-37.74	peak	-8.29	-46.03	-13.00	150	55	-33.03	
	398.7976	-40.45	peak	-8.34	-48.79	-13.00	150	260	-35.79	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:57:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	376.3527	-40.01	peak	-7.62	-47.63	-13.00	150	75	-34.63	
	440.4810	-45.81	peak	-6.79	-52.60	-13.00	150	330	-39.60	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:03:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:10:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:04:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6444.890	-58.16	peak	11.81	-46.35	-13.00	150	160	-33.35	
*	6693.387	-54.91	peak	11.78	-43.13	-13.00	150	245	-30.13	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:11:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5170.341	-52.93	peak	8.16	-44.77	-13.00	150	145	-31.77	
*	7639.279	-52.93	peak	10.83	-42.10	-13.00	150	220	-29.10	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:07:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:07:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:07:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2132.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:21:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-81.23	peak	23.84	-57.39	-13.00	150	220	-44.39	
*	71.5631	-75.94	peak	23.67	-52.27	-13.00	150	75	-39.27	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:22:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.5952	-76.68	peak	23.68	-53.00	-13.00	150	245	-40.00	
	73.9480	-76.64	peak	23.23	-53.41	-13.00	150	110	-40.41	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:55:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	369.9400	-38.60	peak	-8.29	-46.89	-13.00	150	305	-33.89	
	402.0040	-40.82	peak	-8.31	-49.13	-13.00	150	110	-36.13	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:56:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	384.3687	-40.24	peak	-7.85	-48.09	-13.00	150	245	-35.09	
	442.0842	-45.00	peak	-6.73	-51.73	-13.00	150	110	-38.73	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:17:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:21:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:17:51

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-53.10	peak	11.76	-41.34	-13.00	150	130	-28.34	
	7647.295	-55.72	peak	11.49	-44.23	-13.00	150	195	-31.23	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:22:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5170.341	-52.94	peak	8.16	-44.78	-13.00	150	300	-31.78	
*	6741.483	-55.82	peak	11.45	-44.37	-13.00	150	195	-31.37	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:18:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:18:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:18:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:23:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band4-2145MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:26:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.5631	-75.93	peak	23.67	-52.26	-13.00	150	95	-39.26	
	98.1363	-79.22	peak	23.61	-55.61	-13.00	150	330	-42.61	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:31:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.2545	-76.28	peak	23.67	-52.61	-13.00	150	220	-39.61	
	101.2023	-76.97	peak	23.79	-53.18	-13.00	150	130	-40.18	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:05:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	371.5431	-36.64	peak	-8.29	-44.93	-13.00	150	245	-31.93	
	400.4008	-41.38	peak	-8.33	-49.71	-13.00	150	160	-36.71	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:07:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	381.1623	-39.17	peak	-7.76	-46.93	-13.00	150	245	-33.93	
	437.2745	-44.85	peak	-6.91	-51.76	-13.00	150	160	-38.76	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:32:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:36:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:33:31

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-53.60	peak	11.76	-41.84	-13.00	150	245	-28.84	
	7647.295	-55.13	peak	11.49	-43.64	-13.00	150	110	-30.64	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4841.683	-51.51	peak	6.70	-44.81	-13.00	150	220	-31.81	
*	6741.483	-54.89	peak	11.45	-43.44	-13.00	150	305	-30.44	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:34:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:37:54

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-874MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:27:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-75.43	peak	23.68	-51.75	-13.00	150	65	-38.75	
	99.1583	-79.11	peak	23.69	-55.42	-13.00	150	330	-42.42	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:30:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.5952	-76.89	peak	23.68	-53.21	-13.00	150	75	-40.21	
*	74.9700	-75.84	peak	23.26	-52.58	-13.00	150	205	-39.58	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:10:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-36.86	peak	-8.29	-45.15	-13.00	150	75	-32.15	
	398.7976	-40.67	peak	-8.34	-49.01	-13.00	150	330	-36.01	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:12:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	395.5912	-39.85	peak	-8.17	-48.02	-13.00	150	160	-35.02	
	806.0120	-58.90	peak	-0.44	-59.34	-13.00	150	205	-46.34	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-52.25	peak	11.76	-40.49	-13.00	150	305	-27.49	
	7647.295	-55.47	peak	11.49	-43.98	-13.00	150	160	-30.98	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:45:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4841.683	-52.73	peak	6.70	-46.03	-13.00	150	305	-33.03	
*	6741.483	-55.61	peak	11.45	-44.16	-13.00	150	160	-31.16	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-881.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:28:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.2224	-76.00	peak	23.67	-52.33	-13.00	150	305	-39.33	
	99.4990	-78.84	peak	23.71	-55.13	-13.00	150	160	-42.13	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:29:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	57.9360	-76.42	peak	23.69	-52.73	-13.00	150	245	-39.73	
*	74.2886	-75.89	peak	23.24	-52.65	-13.00	150	110	-39.65	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:16:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	371.5431	-37.28	peak	-8.29	-45.57	-13.00	150	305	-32.57	
	400.4008	-41.97	peak	-8.33	-50.30	-13.00	150	160	-37.30	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 07:17:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	387.5752	-39.63	peak	-7.94	-47.57	-13.00	150	195	-34.57	
	852.5050	-61.08	peak	0.40	-60.68	-13.00	150	305	-47.68	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:53:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6741.483	-51.69	peak	11.76	-39.93	-13.00	150	205	-26.93	
	7647.295	-55.15	peak	11.49	-43.66	-13.00	150	130	-30.66	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4841.683	-52.58	peak	6.70	-45.88	-13.00	150	130	-32.88	
*	6741.483	-53.98	peak	11.45	-42.53	-13.00	150	300	-29.53	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:51:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band5-889MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:27:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.6954	-60.78	peak	23.76	-37.02	-13.00	150	220	-24.02	
	99.1583	-65.39	peak	23.69	-41.70	-13.00	150	130	-28.70	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:33:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.6293	-57.23	peak	23.25	-33.98	-13.00	150	245	-20.98	
	80.0802	-59.54	peak	23.39	-36.15	-13.00	150	160	-23.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:37:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-38.28	peak	-8.29	-46.57	-13.00	150	130	-33.57	
	406.8136	-38.32	peak	-8.25	-46.57	-13.00	150	245	-33.57	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:38:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	382.7655	-37.83	peak	-7.81	-45.64	-13.00	150	95	-32.64	
	405.2104	-38.26	peak	-8.11	-46.37	-13.00	150	330	-33.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 08:04:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 08:06:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6717.435	-53.00	peak	11.77	-41.23	-13.00	150	220	-28.23	
	7406.814	-53.39	peak	11.40	-41.99	-13.00	150	145	-28.99	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 08:07:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-734MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-53.13	peak	11.44	-41.69	-13.00	150	75	-28.69	
*	7406.814	-48.95	peak	10.94	-38.01	-13.00	150	305	-25.01	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:29:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	76.3327	-61.23	peak	23.74	-37.49	-13.00	150	205	-24.49	
	99.1583	-64.69	peak	23.69	-41.00	-13.00	150	150	-28.00	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:32:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.2886	-57.35	peak	23.24	-34.11	-13.00	150	75	-21.11	
	98.8176	-60.64	peak	23.84	-36.80	-13.00	150	330	-23.80	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:42:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	349.0982	-38.71	peak	-8.25	-46.96	-13.00	150	245	-33.96	
*	382.7655	-37.69	peak	-8.31	-46.00	-13.00	150	160	-33.00	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:43:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	382.7655	-36.73	peak	-7.81	-44.54	-13.00	150	45	-31.54	
	400.4008	-38.80	peak	-8.29	-47.09	-13.00	150	220	-34.09	

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:57:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:59:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	6725.451	-53.36	peak	11.77	-41.59	-13.00	150	240	-28.59	
	7406.814	-53.56	peak	11.40	-42.16	-13.00	150	110	-29.16	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 08:00:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-737.5MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-53.33	peak	11.44	-41.89	-13.00	150	135	-28.89	
*	7406.814	-49.15	peak	10.94	-38.21	-13.00	150	195	-25.21	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:30:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	77.0140	-61.77	peak	23.75	-38.02	-13.00	150	75	-25.02	
	98.1363	-65.42	peak	23.61	-41.81	-13.00	150	220	-28.81	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:31:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	74.6293	-57.34	peak	23.25	-34.09	-13.00	150	305	-21.09	
	80.4208	-59.38	peak	23.41	-35.97	-13.00	150	110	-22.97	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:46:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	347.4950	-38.88	peak	-8.25	-47.13	-13.00	150	305	-34.13	
*	368.3367	-38.06	peak	-8.29	-46.35	-13.00	150	110	-33.35	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:48:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	374.7495	-37.27	peak	-7.58	-44.85	-13.00	150	205	-31.85	
	589.5792	-56.60	peak	-3.55	-60.15	-13.00	150	160	-47.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:51:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:52:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6725.451	-55.41	peak	11.77	-43.64	-13.00	150	245	-30.64	
*	7406.814	-54.47	peak	11.40	-43.07	-13.00	150	160	-30.07	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/7

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band12-741MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6717.435	-54.04	peak	11.44	-42.60	-13.00	150	245	-29.60	
*	7398.797	-48.89	peak	10.96	-37.93	-13.00	150	160	-24.93	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:40:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	71.9038	-76.11	peak	23.68	-52.43	-13.00	150	245	-39.43	
	98.1363	-79.55	peak	23.61	-55.94	-13.00	150	160	-42.94	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 08:42:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	57.5952	-75.90	peak	23.68	-52.22	-13.00	150	245	-39.22	
	73.9480	-76.26	peak	23.23	-53.03	-13.00	150	110	-40.03	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:54:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	373.1463	-37.71	peak	-8.29	-46.00	-13.00	150	330	-33.00	
	400.4008	-40.77	peak	-8.33	-49.10	-13.00	150	195	-36.10	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2

Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:56:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	376.3527	-38.77	peak	-7.62	-46.39	-13.00	150	330	-33.39	
	398.7976	-40.42	peak	-8.27	-48.69	-13.00	150	185	-35.69	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:45:30

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:49:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4841.683	-52.11	peak	6.70	-45.41	-13.00	150	130	-32.41	
*	6741.483	-53.28	peak	11.45	-41.83	-13.00	150	205	-28.83	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:46:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/3/5

Temperature:24 °C

0.0 dBm

Time: 下午 05:50:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 27

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band13-751MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: 6F., No. 58, Ln 188, Ruey Kuang Rd, Neihu, Taipei
 Tel: +886-2-6606-8877
 Fax: +886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature: 24 °C

0.0 dBm

Time: 下午 04:11:49

Humidity: 60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.92	peak	23.21	-56.71	-13.00	150	205	-43.71	
*	98.4770	-80.06	peak	23.64	-56.42	-13.00	150	110	-43.42	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:46:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.5972	-73.94	peak	23.81	-50.13	-13.00	150	110	-37.13	
*	92.6854	-73.40	peak	23.87	-49.53	-13.00	150	230	-36.53	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:43:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-77.22	peak	33.58	-43.64	-13.00	150	305	-30.64	
*	873.3467	-76.63	peak	37.57	-39.06	-13.00	150	185	-26.06	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:47:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-69.26	peak	25.34	-43.92	-13.00	150	305	-30.92	
*	871.7435	-75.74	peak	36.60	-39.14	-13.00	150	195	-26.14	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:22:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:27:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:23:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5579.158	-54.88	peak	10.51	-44.37	-13.00	150	220	-31.37	
*	7358.717	-49.40	peak	11.43	-37.97	-13.00	150	160	-24.97	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:27:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-54.52	peak	11.39	-43.13	-13.00	150	160	-30.13	
*	7366.734	-46.15	peak	11.00	-35.15	-13.00	150	330	-22.15	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:15

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:33

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:24:39

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:28:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:12:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-80.21	peak	23.21	-57.00	-13.00	150	185	-44.00	
*	99.4990	-79.98	peak	23.71	-56.27	-13.00	150	205	-43.27	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:45:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.5311	-75.51	peak	23.66	-51.85	-13.00	150	160	-38.85	
*	93.3667	-73.60	peak	23.87	-49.73	-13.00	150	245	-36.73	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:44:22

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-77.55	peak	33.58	-43.97	-13.00	150	300	-30.97	
*	873.3467	-76.89	peak	37.57	-39.32	-13.00	150	75	-26.32	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:48:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-69.60	peak	24.83	-44.77	-13.00	150	220	-31.77	
*	873.3467	-74.67	peak	36.59	-38.08	-13.00	150	145	-25.08	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:19

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:33:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5234.469	-53.41	peak	7.96	-45.45	-13.00	150	220	-32.45	
*	7503.006	-50.62	peak	11.33	-39.29	-13.00	150	160	-26.29	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:37:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-54.67	peak	11.39	-43.28	-13.00	150	185	-30.28	
*	7503.006	-43.21	peak	10.81	-32.40	-13.00	150	245	-19.40	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:34:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:38:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:34:46

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:38:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:34:58

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:39:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:14:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.3447	-79.31	peak	23.18	-56.13	-13.00	150	205	-43.13	
	99.8397	-80.15	peak	23.74	-56.41	-13.00	150	110	-43.41	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:44:52

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-74.61	peak	23.64	-50.97	-13.00	150	200	-37.97	
*	92.6854	-72.92	peak	23.87	-49.05	-13.00	150	130	-36.05	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:45:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	371.5431	-76.61	peak	33.22	-43.39	-13.00	150	145	-30.39	
*	873.3467	-76.70	peak	37.57	-39.13	-13.00	150	355	-26.13	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:49:12

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-69.75	peak	25.34	-44.41	-13.00	150	205	-31.41	
*	871.7435	-75.89	peak	36.60	-39.29	-13.00	150	195	-26.29	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:42:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:47:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:43:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5234.469	-52.79	peak	7.96	-44.83	-13.00	150	200	-31.83	
*	7647.295	-49.95	peak	11.49	-38.46	-13.00	150	160	-25.46	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:47:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-54.25	peak	11.39	-42.86	-13.00	150	160	-29.86	
*	7639.279	-49.05	peak	10.83	-38.22	-13.00	150	330	-25.22	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:44:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:44:45

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:36

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:44:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:48:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:15:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	92.3447	-78.85	peak	23.18	-55.67	-13.00	150	195	-42.67	
	100.5210	-79.75	peak	23.71	-56.04	-13.00	150	330	-43.04	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:43:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-75.44	peak	23.64	-51.80	-13.00	150	110	-38.80	
*	92.3447	-73.05	peak	23.87	-49.18	-13.00	150	245	-36.18	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:51:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	249.6994	-77.57	peak	32.73	-44.84	-13.00	150	205	-31.84	
*	873.3467	-77.34	peak	37.57	-39.77	-13.00	150	160	-26.77	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:54:47

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-71.24	peak	25.50	-45.74	-13.00	150	130	-32.74	
*	873.3467	-74.63	peak	36.59	-38.04	-13.00	150	200	-25.04	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:00:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:04:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:00:59

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4184.369	-53.77	peak	6.56	-47.21	-13.00	150	130	-34.21	
*	7366.734	-50.70	peak	11.43	-39.27	-13.00	150	220	-26.27	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:05:23

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4785.571	-51.48	peak	6.65	-44.83	-13.00	150	160	-31.83	
*	7366.734	-45.84	peak	11.00	-34.84	-13.00	150	205	-21.84	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:01:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:08

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:01:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:02:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:06:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1932.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:16:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.3447	-79.52	peak	23.18	-56.34	-13.00	150	160	-43.34	
*	100.1804	-79.90	peak	23.74	-56.16	-13.00	150	220	-43.16	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:42:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.83	peak	23.61	-51.22	-13.00	150	160	-38.22	
*	92.6854	-73.87	peak	23.87	-50.00	-13.00	150	220	-37.00	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:52:10

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	376.3527	-77.84	peak	33.21	-44.63	-13.00	150	160	-31.63	
*	873.3467	-77.40	peak	37.57	-39.83	-13.00	150	245	-26.83	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:55:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-69.78	peak	25.50	-44.28	-13.00	150	330	-31.28	
*	873.3467	-76.31	peak	36.59	-39.72	-13.00	150	95	-26.72	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:10:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:16:11

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:11:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	4240.481	-53.81	peak	6.49	-47.32	-13.00	150	160	-34.32	
*	7503.006	-51.21	peak	11.33	-39.88	-13.00	150	205	-26.88	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:16:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5242.485	-53.26	peak	8.72	-44.54	-13.00	150	160	-31.54	
*	7503.006	-44.83	peak	10.81	-34.02	-13.00	150	245	-21.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:11:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:17:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:12:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:17:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:12:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:17:56

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1960MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:17:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.99	peak	23.21	-56.78	-13.00	150	145	-43.78	
*	99.4990	-80.24	peak	23.71	-56.53	-13.00	150	130	-43.53	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:41:32

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	88.2565	-75.21	peak	23.79	-51.42	-13.00	150	160	-38.42	
*	93.3667	-73.78	peak	23.87	-49.91	-13.00	150	245	-36.91	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:53:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	236.8737	-76.55	peak	33.20	-43.35	-13.00	150	240	-30.35	
*	873.3467	-77.20	peak	37.57	-39.63	-13.00	150	110	-26.63	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:56:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	238.4770	-69.60	peak	25.09	-44.51	-13.00	150	160	-31.51	
*	873.3467	-75.25	peak	36.59	-38.66	-13.00	150	205	-25.66	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:21:26

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:25:17

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:22:04

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-57.01	peak	11.81	-45.20	-13.00	150	160	-32.20	
*	7647.295	-49.53	peak	11.49	-38.04	-13.00	150	330	-25.04	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#7


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:25:55

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-55.48	peak	11.39	-44.09	-13.00	150	330	-31.09	
*	7639.279	-49.20	peak	10.83	-38.37	-13.00	150	75	-25.37	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:22:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#8


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:26:38

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:23:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#9


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:26:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:23:13

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#10


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 03:27:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band2-1987.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:49:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.31	peak	23.21	-56.10	-13.00	150	185	-43.10	
*	99.8397	-79.79	peak	23.74	-56.05	-13.00	150	220	-43.05	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:52:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-75.17	peak	23.63	-51.54	-13.00	150	220	-38.54	
*	92.0040	-73.67	peak	23.87	-49.80	-13.00	150	105	-36.80	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:58:44

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-76.00	peak	33.44	-42.56	-13.00	150	330	-29.56	
	743.4870	-81.32	peak	35.25	-46.07	-13.00	150	95	-33.07	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 08:03:27

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-70.42	peak	25.34	-45.08	-13.00	150	75	-32.08	
	741.8837	-83.30	peak	34.93	-48.37	-13.00	150	330	-35.37	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:03

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1991.984	-32.08	peak	3.21	-28.87	-13.00	150	305	-15.87	
	2148.297	-47.57	peak	4.06	-43.51	-13.00	150	195	-30.51	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:57:24

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1973.948	-37.25	peak	4.33	-32.92	-13.00	150	300	-19.92	
	2418.838	-44.83	peak	7.07	-37.76	-13.00	150	110	-24.76	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:42

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:58:06

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:28

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 04:58:48

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-871.4MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:50:09

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.90	peak	23.21	-56.69	-13.00	150	30	-43.69	
*	99.8397	-79.61	peak	23.74	-55.87	-13.00	150	185	-42.87	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:54:02

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.5090	-74.89	peak	23.61	-51.28	-13.00	150	100	-38.28	
*	93.0261	-74.00	peak	23.87	-50.13	-13.00	150	205	-37.13	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 07:59:53

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	241.6834	-75.15	peak	33.44	-41.71	-13.00	150	130	-28.71	
	374.7495	-77.73	peak	33.21	-44.52	-13.00	150	210	-31.52	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 08:04:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-71.17	peak	25.34	-45.83	-13.00	150	330	-32.83	
	743.4870	-81.86	peak	34.94	-46.92	-13.00	150	160	-33.92	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:02:40

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:05:57

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:03:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	5579.158	-54.44	peak	10.51	-43.93	-13.00	150	205	-30.93	
*	7647.295	-49.84	peak	11.49	-38.35	-13.00	150	160	-25.35	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:06:34

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6420.842	-53.46	peak	11.39	-42.07	-13.00	150	305	-29.07	
*	7647.295	-49.80	peak	10.83	-38.97	-13.00	150	160	-25.97	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:04:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:07:16

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-881.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:51:18

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	92.6854	-79.81	peak	23.21	-56.60	-13.00	150	220	-43.60	
*	99.8397	-80.07	peak	23.74	-56.33	-13.00	150	75	-43.33	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 04:55:00

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	93.0261	-73.11	peak	23.87	-49.24	-13.00	150	205	-36.24	
	98.8176	-74.66	peak	23.84	-50.82	-13.00	150	110	-37.82	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 08:01:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	240.0802	-76.16	peak	33.58	-42.58	-13.00	150	205	-29.58	
	371.5431	-78.33	peak	33.22	-45.11	-13.00	150	110	-32.11	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 08:05:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	238.4770	-69.44	peak	25.09	-44.35	-13.00	150	245	-31.35	
	361.9238	-81.52	peak	29.58	-51.94	-13.00	150	160	-38.94	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:11:25

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1979.960	-30.87	peak	3.13	-27.74	-13.00	150	245	-14.74	
	2148.297	-44.67	peak	4.06	-40.61	-13.00	150	160	-27.61	



Radiated Emission Measurement

Operator: Kent

File :3

Data :#4


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:14:43

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1979.960	-36.57	peak	4.36	-32.21	-13.00	150	205	-19.21	
	2442.886	-47.24	peak	7.22	-40.02	-13.00	150	160	-27.02	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:12:07

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#5


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:15:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#3


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:12:49

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/11

Temperature:24 °C

0.0 dBm

Time: 下午 05:16:05

Humidity:60 %



Site : Chamber

Condition : FCC_part 22

EUT : W6M21812-18679

M/N:

Test Mode : WCDMA-DownLink-Band5-891.6MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :1

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 03:20:41

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.1904	-80.05	peak	23.39	-56.66	-13.00	150	160	-43.66	
*	98.4770	-79.59	peak	23.64	-55.95	-13.00	150	205	-42.95	



Radiated Emission Measurement

Operator: Kent

File :1

Data :#2

Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 03:31:20

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	84.8496	-74.16	peak	23.63	-50.53	-13.00	150	160	-37.53	
*	93.0261	-72.17	peak	23.87	-48.30	-13.00	150	205	-35.30	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#1


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 08:11:21

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	240.0802	-78.03	peak	33.58	-44.45	-13.00	150	130	-31.45	
*	873.3467	-77.19	peak	37.57	-39.62	-13.00	150	80	-26.62	



Radiated Emission Measurement

Operator: Kent

File :2

Data :#2


Date: 2019/1/14

Temperature:24 °C

0.0 dBm

Time: 下午 08:18:01

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	241.6834	-70.70	peak	25.50	-45.20	-13.00	150	305	-32.20	
*	873.3467	-75.78	peak	36.59	-39.19	-13.00	150	195	-26.19	



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#1


Date: 2019/1/9

Temperature:24 °C

0.0 dBm

Time: 下午 08:57:35

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:6F.,No.58,Ln 188,Ruey Kuang Rd,Neihu,Taipei
 Tel:+886-2-6606-8877
 Fax:+886-2-6606-8875

Radiated Emission Measurement

Operator: Kent

File :3

Data :#6


Date: 2019/1/9

Temperature:24 °C

0.0 dBm

Time: 下午 09:01:50

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Vertical*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Kent

File :3

Data :#2


Date: 2019/1/9

Temperature:24 °C

0.0 dBm

Time: 下午 08:58:14

Humidity:60 %



Site : Chamber

Condition : FCC_part 24

EUT : W6M21812-18679

M/N:

Test Mode : LTE-DownLink-Band2-1940MHz

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	6404.810	-56.74	peak	11.80	-44.94	-13.00	150	160	-31.94	
*	7406.814	-52.80	peak	11.40	-41.40	-13.00	150	205	-28.40	