



Appendix A

RF Test Data for BT (Conducted Measurement)

Product Name: 21,5" Fully Outdoor

Test Model: YT21O

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Li Huan





A.1 -20dB Bandwidth


Condition	Mode	Frequency (MHz)	Antenna	-20 dB Bandwidth (MHz)	Limit -20 dB Bandwidth (MHz)	Verdict
NVNT	1-DH5	2402	BT Ant	1.018	N/A	Pass
NVNT	1-DH5	2441	BT Ant	0.936	N/A	Pass
NVNT	1-DH5	2480	BT Ant	0.965	N/A	Pass
NVNT	2-DH5	2402	BT Ant	1.344	N/A	Pass
NVNT	2-DH5	2441	BT Ant	1.356	N/A	Pass
NVNT	2-DH5	2480	BT Ant	1.345	N/A	Pass
NVNT	3-DH5	2402	BT Ant	1.34	N/A	Pass
NVNT	3-DH5	2441	BT Ant	1.311	N/A	Pass
NVNT	3-DH5	2480	BT Ant	1.307	N/A	Pass






Test Graphs

-20dB Bandwidth NVNT 1-DH5 2402MHz BT Ant




-20dB Bandwidth NVNT 1-DH5 2441MHz BT Ant






-20dB Bandwidth NVNT 1-DH5 2480MHz BT Ant




-20dB Bandwidth NVNT 2-DH5 2402MHz BT Ant






-20dB Bandwidth NVNT 2-DH5 2441MHz BT Ant



-20dB Bandwidth NVNT 2-DH5 2480MHz BT Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-20dB Bandwidth NVNT 3-DH5 2402MHz BT Ant




-20dB Bandwidth NVNT 3-DH5 2441MHz BT Ant





-20dB Bandwidth NVNT 3-DH5 2480MHz BT Ant





A.2 Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	BT Ant	3.6	21	Pass
NVNT	1-DH5	2441	BT Ant	3.98	21	Pass
NVNT	1-DH5	2480	BT Ant	3.3	21	Pass
NVNT	2-DH5	2402	BT Ant	5.15	21	Pass
NVNT	2-DH5	2441	BT Ant	5.56	21	Pass
NVNT	2-DH5	2480	BT Ant	4.85	21	Pass
NVNT	3-DH5	2402	BT Ant	5.59	21	Pass
NVNT	3-DH5	2441	BT Ant	6.08	21	Pass
NVNT	3-DH5	2480	BT Ant	5.38	21	Pass






Test Graphs

Power NVNT 1-DH5 2402MHz BT Ant




Power NVNT 1-DH5 2441MHz BT Ant






Power NVNT 1-DH5 2480MHz BT Ant




Power NVNT 2-DH5 2402MHz BT Ant






Power NVNT 2-DH5 2441MHz BT Ant




Power NVNT 2-DH5 2480MHz BT Ant







Power NVNT 3-DH5 2402MHz BT Ant



Power NVNT 3-DH5 2441MHz BT Ant







A.3 Carrier Frequencies Separation

Condition	Mode	Antenna	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	BT Ant	2401.988	2402.996	1.008	0.679	Pass
NVNT	2-DH5	BT Ant	2401.958	2402.98	1.022	0.896	Pass
NVNT	3-DH5	BT Ant	2401.984	2403.122	1.138	0.893	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

CFS NVNT 1-DH5 2402MHz BT Ant




CFS NVNT 2-DH5 2402MHz BT Ant





CFS NVNT 3-DH5 2402MHz BT Ant





A.4 Dwell Time

Condition	Mode	Frequency (MHz)	Antenna	Pulse Time (ms)	Total Dwell Time (ms)	Burst Count	Period Time (ms)	Limit (ms)	Verdict
NVNT	1-DH5	2402	BT Ant	2.888	303.24	105	31600	400	Pass
NVNT	1-DH5	2441	BT Ant	2.887	349.327	121	31600	400	Pass
NVNT	1-DH5	2480	BT Ant	2.888	297.464	103	31600	400	Pass
NVNT	2-DH5	2402	BT Ant	2.889	323.568	112	31600	400	Pass
NVNT	2-DH5	2441	BT Ant	2.889	283.122	98	31600	400	Pass
NVNT	2-DH5	2480	BT Ant	2.889	277.344	96	31600	400	Pass
NVNT	3-DH5	2402	BT Ant	2.891	318.01	110	31600	400	Pass
NVNT	3-DH5	2441	BT Ant	2.891	300.664	104	31600	400	Pass
NVNT	3-DH5	2480	BT Ant	2.891	315.119	109	31600	400	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Dwell NVNT 1-DH5 2402MHz BT Ant One Burst




Dwell NVNT 1-DH5 2402MHz BT Ant Accumulated






Dwell NVNT 1-DH5 2441MHz BT Ant One Burst




Dwell NVNT 1-DH5 2441MHz BT Ant Accumulated






Dwell NVNT 1-DH5 2480MHz BT Ant One Burst




Dwell NVNT 1-DH5 2480MHz BT Ant Accumulated






Dwell NVNT 2-DH5 2402MHz BT Ant One Burst




Dwell NVNT 2-DH5 2402MHz BT Ant Accumulated






Dwell NVNT 2-DH5 2441MHz BT Ant One Burst




Dwell NVNT 2-DH5 2441MHz BT Ant Accumulated






Dwell NVNT 2-DH5 2480MHz BT Ant One Burst




Dwell NVNT 2-DH5 2480MHz BT Ant Accumulated






Dwell NVNT 3-DH5 2402MHz BT Ant One Burst




Dwell NVNT 3-DH5 2402MHz BT Ant Accumulated






Dwell NVNT 3-DH5 2441MHz BT Ant One Burst




Dwell NVNT 3-DH5 2441MHz BT Ant Accumulated






Dwell NVNT 3-DH5 2480MHz BT Ant One Burst



Dwell NVNT 3-DH5 2480MHz BT Ant Accumulated





A.5 Number of Hopping Channel


Condition	Mode	Antenna	Hopping Number	Limit	Verdict
NVNT	1-DH5	BT Ant	79	15	Pass
NVNT	2-DH5	BT Ant	79	15	Pass
NVNT	3-DH5	BT Ant	79	15	Pass






Test Graphs

Hopping No. NVNT 1-DH5 2402MHz BT Ant




Hopping No. NVNT 2-DH5 2402MHz BT Ant





Hopping No. NVNT 3-DH5 2402MHz BT Ant



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



A.6 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	BT Ant	No-Hopping	-58.12	-20	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	-60.01	-20	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	-56.47	-20	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	-58.71	-20	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	-57.32	-20	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	-57.86	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT 1-DH5 2402MHz BT Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2402MHz BT Ant No-Hopping Emission






Band Edge NVNT 1-DH5 2480MHz BT Ant No-Hopping Ref




Band Edge NVNT 1-DH5 2480MHz BT Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2402MHz BT Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2402MHz BT Ant No-Hopping Emission






Band Edge NVNT 2-DH5 2480MHz BT Ant No-Hopping Ref




Band Edge NVNT 2-DH5 2480MHz BT Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2402MHz BT Ant No-Hopping Ref




Band Edge NVNT 3-DH5 2402MHz BT Ant No-Hopping Emission






Band Edge NVNT 3-DH5 2480MHz BT Ant No-Hopping Ref



Band Edge NVNT 3-DH5 2480MHz BT Ant No-Hopping Emission



**(Hopping)**


Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	BT Ant	Hopping	-56.96	-20	Pass
NVNT	1-DH5	2480	BT Ant	Hopping	-55.96	-20	Pass
NVNT	2-DH5	2402	BT Ant	Hopping	-56.93	-20	Pass
NVNT	2-DH5	2480	BT Ant	Hopping	-58.19	-20	Pass
NVNT	3-DH5	2402	BT Ant	Hopping	-57.8	-20	Pass
NVNT	3-DH5	2480	BT Ant	Hopping	-57.2	-20	Pass






Test Graphs

Band Edge(Hopping) NVNT 1-DH5 2402MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2402MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 1-DH5 2480MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 1-DH5 2480MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2402MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2402MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 2-DH5 2480MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 2-DH5 2480MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2402MHz BT Ant Hopping Ref




Band Edge(Hopping) NVNT 3-DH5 2402MHz BT Ant Hopping Emission






Band Edge(Hopping) NVNT 3-DH5 2480MHz BT Ant Hopping Ref



Band Edge(Hopping) NVNT 3-DH5 2480MHz BT Ant Hopping Emission





A.7 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	BT Ant	-58.35	-20	Pass
NVNT	1-DH5	2441	BT Ant	-57.87	-20	Pass
NVNT	1-DH5	2480	BT Ant	-59.22	-20	Pass
NVNT	2-DH5	2402	BT Ant	-57	-20	Pass
NVNT	2-DH5	2441	BT Ant	-58.59	-20	Pass
NVNT	2-DH5	2480	BT Ant	-57.19	-20	Pass
NVNT	3-DH5	2402	BT Ant	-57.74	-20	Pass
NVNT	3-DH5	2441	BT Ant	-57.76	-20	Pass
NVNT	3-DH5	2480	BT Ant	-57.34	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT 1-DH5 2402MHz BT Ant Ref




Tx. Spurious NVNT 1-DH5 2402MHz BT Ant Emission






Tx. Spurious NVNT 1-DH5 2441MHz BT Ant Ref




Tx. Spurious NVNT 1-DH5 2441MHz BT Ant Emission






Tx. Spurious NVNT 1-DH5 2480MHz BT Ant Ref




Tx. Spurious NVNT 1-DH5 2480MHz BT Ant Emission






Tx. Spurious NVNT 2-DH5 2402MHz BT Ant Ref




Tx. Spurious NVNT 2-DH5 2402MHz BT Ant Emission






Tx. Spurious NVNT 2-DH5 2441MHz BT Ant Ref




Tx. Spurious NVNT 2-DH5 2441MHz BT Ant Emission






Tx. Spurious NVNT 2-DH5 2480MHz BT Ant Ref




Tx. Spurious NVNT 2-DH5 2480MHz BT Ant Emission






Tx. Spurious NVNT 3-DH5 2402MHz BT Ant Ref




Tx. Spurious NVNT 3-DH5 2402MHz BT Ant Emission






Tx. Spurious NVNT 3-DH5 2441MHz BT Ant Ref




Tx. Spurious NVNT 3-DH5 2441MHz BT Ant Emission






Tx. Spurious NVNT 3-DH5 2480MHz BT Ant Ref



Tx. Spurious NVNT 3-DH5 2480MHz BT Ant Emission





A.8 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Hopping Mode	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	1-DH5	2402	BT Ant	No-Hopping	2310	-50.7	2.0	46.53	Peak	74	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2310	-60.66	2.0	36.57	Average	54	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2315.472	-47.73	2.0	49.50	Peak	74	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2364.624	-60.07	2.0	37.16	Average	54	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2390	-49.17	2.0	48.06	Peak	74	Pass
NVNT	1-DH5	2402	BT Ant	No-Hopping	2390	-60.37	2.0	36.86	Average	54	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.5	-50.46	2.0	46.77	Peak	74	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.5	-58.81	2.0	38.42	Average	54	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.848	-46.99	2.0	50.27	Peak	74	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2483.512	-58.81	2.0	38.45	Average	54	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2500	-50.47	2.0	46.79	Peak	74	Pass
NVNT	1-DH5	2480	BT Ant	No-Hopping	2500	-60.02	2.0	37.24	Average	54	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2310	-50.18	2.0	47.08	Peak	74	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2310	-60.6	2.0	36.66	Average	54	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2389.296	-47.72	2.0	49.54	Peak	74	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2364.432	-59.88	2.0	37.38	Average	54	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2390	-49.71	2.0	47.55	Peak	74	Pass
NVNT	2-DH5	2402	BT Ant	No-Hopping	2390	-59.96	2.0	37.3	Average	54	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2483.5	-50.29	2.0	46.97	Peak	74	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2483.5	-58.64	2.0	38.62	Average	54	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2484.472	-46.06	2.0	51.2	Peak	74	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2483.512	-58.64	2.0	38.62	Average	54	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2500	-49.52	2.0	47.74	Peak	74	Pass
NVNT	2-DH5	2480	BT Ant	No-Hopping	2500	-59.69	2.0	37.57	Average	54	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2310	-51.03	2.0	46.23	Peak	74	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2310	-60.54	2.0	36.72	Average	54	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2335.248	-47.55	2.0	49.71	Peak	74	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2364.624	-59.78	2.0	37.48	Average	54	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2390	-49.22	2.0	48.04	Peak	74	Pass
NVNT	3-DH5	2402	BT Ant	No-Hopping	2390	-59.86	2.0	37.4	Average	54	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2483.5	-48.95	2.0	48.31	Peak	74	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2483.5	-58.5	2.0	38.76	Average	54	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2484.184	-46.02	2.0	51.24	Peak	74	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2483.512	-58.5	2.0	38.76	Average	54	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2500	-51.33	2.0	45.93	Peak	74	Pass
NVNT	3-DH5	2480	BT Ant	No-Hopping	2500	-59.91	2.0	37.35	Average	54	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT 1-DH5 2402MHz BT Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2402MHz BT Ant No-Hopping Average






Restrict Band NVNT 1-DH5 2480MHz BT Ant No-Hopping Peak




Restrict Band NVNT 1-DH5 2480MHz BT Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2402MHz BT Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2402MHz BT Ant No-Hopping Average






Restrict Band NVNT 2-DH5 2480MHz BT Ant No-Hopping Peak




Restrict Band NVNT 2-DH5 2480MHz BT Ant No-Hopping Average






Restrict Band NVNT 3-DH5 2402MHz BT Ant No-Hopping Peak




Restrict Band NVNT 3-DH5 2402MHz BT Ant No-Hopping Average





Restrict Band NVNT 3-DH5 2480MHz BT Ant No-Hopping Peak



Restrict Band NVNT 3-DH5 2480MHz BT Ant No-Hopping Average

