



Appendix C

RF Test Data for 2.4GWIFI (Conducted Measurement)

Product Name: 21,5" Fully Outdoor

Test Model: YT21O

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.2%
ATM Pressure:	100.0 kPa
Test Engineer:	Nick Peng
Supervised by:	Li Huan



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



C.1 -6dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant0	6.54	≥ 0.5	Pass
NVNT	b	2437	Ant0	7.069	≥ 0.5	Pass
NVNT	b	2462	Ant0	7.119	≥ 0.5	Pass
NVNT	g	2412	Ant0	16.068	≥ 0.5	Pass
NVNT	g	2437	Ant0	16.019	≥ 0.5	Pass
NVNT	g	2462	Ant0	16.333	≥ 0.5	Pass
NVNT	n20	2412	Ant0	16.558	≥ 0.5	Pass
NVNT	n20	2437	Ant0	17.726	≥ 0.5	Pass
NVNT	n20	2462	Ant0	16.911	≥ 0.5	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant0




-6dB Bandwidth NVNT b 2437MHz Ant0






-6dB Bandwidth NVNT b 2462MHz Ant0



-6dB Bandwidth NVNT g 2412MHz Ant0



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT g 2437MHz Ant0




-6dB Bandwidth NVNT g 2462MHz Ant0







-6dB Bandwidth NVNT n20 2412MHz Ant0



-6dB Bandwidth NVNT n20 2437MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	b	2412	Ant1	6.475	>=0.5	Pass
NVNT	b	2437	Ant1	6.832	>=0.5	Pass
NVNT	b	2462	Ant1	6.011	>=0.5	Pass
NVNT	g	2412	Ant1	16.342	>=0.5	Pass
NVNT	g	2437	Ant1	16.318	>=0.5	Pass
NVNT	g	2462	Ant1	16.386	>=0.5	Pass
NVNT	n20	2412	Ant1	16.92	>=0.5	Pass
NVNT	n20	2437	Ant1	17.591	>=0.5	Pass
NVNT	n20	2462	Ant1	17.173	>=0.5	Pass






Test Graphs

-6dB Bandwidth NVNT b 2412MHz Ant1




-6dB Bandwidth NVNT b 2437MHz Ant1






-6dB Bandwidth NVNT b 2462MHz Ant1



-6dB Bandwidth NVNT g 2412MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT g 2437MHz Ant1




-6dB Bandwidth NVNT g 2462MHz Ant1







-6dB Bandwidth NVNT n20 2412MHz Ant1



-6dB Bandwidth NVNT n20 2437MHz Ant1







C.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant0	17.35	30	Pass
NVNT	b	2437	Ant0	17.05	30	Pass
NVNT	b	2462	Ant0	17.14	30	Pass
NVNT	g	2412	Ant0	18.32	30	Pass
NVNT	g	2437	Ant0	18.44	30	Pass
NVNT	g	2462	Ant0	18.33	30	Pass
NVNT	n20	2412	Ant0	17.32	30	Pass
NVNT	n20	2437	Ant0	17.59	30	Pass
NVNT	n20	2462	Ant0	18.87	30	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	b	2412	Ant1	17.22	30	Pass
NVNT	b	2437	Ant1	16.8	30	Pass
NVNT	b	2462	Ant1	16.53	30	Pass
NVNT	g	2412	Ant1	18.75	30	Pass
NVNT	g	2437	Ant1	18.35	30	Pass
NVNT	g	2462	Ant1	17.91	30	Pass
NVNT	n20	2412	Ant1	17.77	30	Pass
NVNT	n20	2437	Ant1	17.48	30	Pass
NVNT	n20	2462	Ant1	18.91	30	Pass

MIMO

Condition	Mode	Frequency (MHz)	Total Power (dBm)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+ant1		
NVNT	n20	2412	17.32	17.77	20.56	30	Pass
NVNT	n20	2437	17.59	17.48	20.55	30	Pass
NVNT	n20	2462	18.87	18.91	21.90	30	Pass





C.3 Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant0	-5.97	8.0	Pass
NVNT	b	2437	Ant0	-6.58	8.0	Pass
NVNT	b	2462	Ant0	-6.22	8.0	Pass
NVNT	g	2412	Ant0	-8.67	8.0	Pass
NVNT	g	2437	Ant0	-9.07	8.0	Pass
NVNT	g	2462	Ant0	-8.65	8.0	Pass
NVNT	n20	2412	Ant0	-10.07	8.0	Pass
NVNT	n20	2437	Ant0	-10.45	8.0	Pass
NVNT	n20	2462	Ant0	-10.1	8.0	Pass

Condition	Mode	Frequency (MHz)	Antenna	Total PSD (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
NVNT	b	2412	Ant1	-6.8	8.0	Pass
NVNT	b	2437	Ant1	-5.39	8.0	Pass
NVNT	b	2462	Ant1	-6.6	8.0	Pass
NVNT	g	2412	Ant1	-8.77	8.0	Pass
NVNT	g	2437	Ant1	-9.06	8.0	Pass
NVNT	g	2462	Ant1	-9.06	8.0	Pass
NVNT	n20	2412	Ant1	-8.75	8.0	Pass
NVNT	n20	2437	Ant1	-9.55	8.0	Pass
NVNT	n20	2462	Ant1	-10.42	8.0	Pass

MIMO


Condition	Mode	Frequency (MHz)	Total PSD (dBm/3kHz)			Limit (dBm)	Verdict
			Ant0	Ant1	Ant0+Ant1		
NVNT	n20	2412	-10.07	-8.75	-6.35	8.0	Pass
NVNT	n20	2437	-10.45	-9.55	-6.97	8.0	Pass
NVNT	n20	2462	-10.1	-10.42	-7.25	8.0	Pass






Test Graphs

PSD NVNT b 2412MHz Ant0




PSD NVNT b 2437MHz Ant0






PSD NVNT b 2462MHz Ant0




PSD NVNT g 2412MHz Ant0






PSD NVNT g 2437MHz Ant0




PSD NVNT g 2462MHz Ant0







PSD NVNT n20 2412MHz Ant0



PSD NVNT n20 2437MHz Ant0









Test Graphs

PSD NVNT b 2412MHz Ant1




PSD NVNT b 2437MHz Ant1






PSD NVNT b 2462MHz Ant1




PSD NVNT g 2412MHz Ant1






PSD NVNT g 2437MHz Ant1




PSD NVNT g 2462MHz Ant1







PSD NVNT n20 2412MHz Ant1



PSD NVNT n20 2437MHz Ant1







C.4 Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-51.03	-20	Pass
NVNT	b	2462	Ant0	-59.48	-20	Pass
NVNT	g	2462	Ant0	-42.59	-20	Pass
NVNT	n20	2412	Ant0	-37.03	-20	Pass
NVNT	n20	2462	Ant0	-39.67	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant0 Ref




Band Edge NVNT b 2412MHz Ant0 Emission






Band Edge NVNT b 2462MHz Ant0 Ref




Band Edge NVNT b 2462MHz Ant0 Emission






Band Edge NVNT g 2462MHz Ant0 Ref




Band Edge NVNT g 2462MHz Ant0 Emission






Band Edge NVNT n20 2412MHz Ant0 Ref




Band Edge NVNT n20 2412MHz Ant0 Emission






Band Edge NVNT n20 2462MHz Ant0 Ref



Band Edge NVNT n20 2462MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-45.22	-20	Pass
NVNT	b	2462	Ant1	-59.65	-20	Pass
NVNT	g	2412	Ant1	-36.41	-20	Pass
NVNT	g	2462	Ant1	-51.82	-20	Pass
NVNT	n20	2412	Ant1	-38.22	-20	Pass
NVNT	n20	2462	Ant1	-47.68	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Band Edge NVNT b 2412MHz Ant1 Ref




Band Edge NVNT b 2412MHz Ant1 Emission






Band Edge NVNT b 2462MHz Ant1 Ref




Band Edge NVNT b 2462MHz Ant1 Emission






Band Edge NVNT g 2412MHz Ant1 Ref




Band Edge NVNT g 2412MHz Ant1 Emission






Band Edge NVNT g 2462MHz Ant1 Ref




Band Edge NVNT g 2462MHz Ant1 Emission






Band Edge NVNT n20 2412MHz Ant1 Ref




Band Edge NVNT n20 2412MHz Ant1 Emission






Band Edge NVNT n20 2462MHz Ant1 Ref



Band Edge NVNT n20 2462MHz Ant1 Emission





C.5 Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant0	-54.73	-20	Pass
NVNT	b	2437	Ant0	-53.99	-20	Pass
NVNT	b	2462	Ant0	-54.04	-20	Pass
NVNT	g	2412	Ant0	-49.29	-20	Pass
NVNT	g	2437	Ant0	-49.68	-20	Pass
NVNT	g	2462	Ant0	-49.26	-20	Pass
NVNT	n20	2412	Ant0	-49.26	-20	Pass
NVNT	n20	2437	Ant0	-49.29	-20	Pass
NVNT	n20	2462	Ant0	-48.73	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant0 Ref




Tx. Spurious NVNT b 2412MHz Ant0 Emission






Tx. Spurious NVNT b 2437MHz Ant0 Ref




Tx. Spurious NVNT b 2437MHz Ant0 Emission






Tx. Spurious NVNT b 2462MHz Ant0 Ref




Tx. Spurious NVNT b 2462MHz Ant0 Emission






Tx. Spurious NVNT g 2412MHz Ant0 Ref




Tx. Spurious NVNT g 2412MHz Ant0 Emission






Tx. Spurious NVNT g 2437MHz Ant0 Ref




Tx. Spurious NVNT g 2437MHz Ant0 Emission






Tx. Spurious NVNT g 2462MHz Ant0 Ref




Tx. Spurious NVNT g 2462MHz Ant0 Emission






Tx. Spurious NVNT n20 2412MHz Ant0 Ref




Tx. Spurious NVNT n20 2412MHz Ant0 Emission






Tx. Spurious NVNT n20 2437MHz Ant0 Ref




Tx. Spurious NVNT n20 2437MHz Ant0 Emission






Tx. Spurious NVNT n20 2462MHz Ant0 Ref



Tx. Spurious NVNT n20 2462MHz Ant0 Emission





Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	b	2412	Ant1	-54.33	-20	Pass
NVNT	b	2437	Ant1	-54.06	-20	Pass
NVNT	b	2462	Ant1	-53.85	-20	Pass
NVNT	g	2412	Ant1	-49.32	-20	Pass
NVNT	g	2437	Ant1	-50.23	-20	Pass
NVNT	g	2462	Ant1	-49.34	-20	Pass
NVNT	n20	2412	Ant1	-49.37	-20	Pass
NVNT	n20	2437	Ant1	-49.63	-20	Pass
NVNT	n20	2462	Ant1	-49.25	-20	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Tx. Spurious NVNT b 2412MHz Ant1 Ref




Tx. Spurious NVNT b 2412MHz Ant1 Emission






Tx. Spurious NVNT b 2437MHz Ant1 Ref




Tx. Spurious NVNT b 2437MHz Ant1 Emission






Tx. Spurious NVNT b 2462MHz Ant1 Ref




Tx. Spurious NVNT b 2462MHz Ant1 Emission






Tx. Spurious NVNT g 2412MHz Ant1 Ref




Tx. Spurious NVNT g 2412MHz Ant1 Emission






Tx. Spurious NVNT g 2437MHz Ant1 Ref




Tx. Spurious NVNT g 2437MHz Ant1 Emission






Tx. Spurious NVNT g 2462MHz Ant1 Ref




Tx. Spurious NVNT g 2462MHz Ant1 Emission






Tx. Spurious NVNT n20 2412MHz Ant1 Ref




Tx. Spurious NVNT n20 2412MHz Ant1 Emission






Tx. Spurious NVNT n20 2437MHz Ant1 Ref




Tx. Spurious NVNT n20 2437MHz Ant1 Emission






Tx. Spurious NVNT n20 2462MHz Ant1 Ref



Tx. Spurious NVNT n20 2462MHz Ant1 Emission





C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	b	2412	Ant0	99.6	0	0.12
NVNT	b	2437	Ant0	99.6	0	0.12
NVNT	b	2462	Ant0	99.6	0	0.12
NVNT	g	2412	Ant0	97.22	0.12	0.72
NVNT	g	2437	Ant0	97.08	0.13	0.72
NVNT	g	2462	Ant0	97.08	0.13	0.72
NVNT	n20	2412	Ant0	96.89	0.14	0.76
NVNT	n20	2437	Ant0	96.89	0.14	0.76
NVNT	n20	2462	Ant0	96.89	0.14	0.76




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Duty Cycle NVNT b 2412MHz Ant0




Duty Cycle NVNT b 2437MHz Ant0






Duty Cycle NVNT b 2462MHz Ant0




Duty Cycle NVNT g 2412MHz Ant0






Duty Cycle NVNT g 2437MHz Ant0




Duty Cycle NVNT g 2462MHz Ant0







Duty Cycle NVNT n20 2412MHz Ant0



Duty Cycle NVNT n20 2437MHz Ant0







C.7 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant0	2310	-51.57	2.0	45.69	Peak	74	Pass
NVNT	b	2412	Ant0	2310	-60.21	2.0	37.05	Average	54	Pass
NVNT	b	2412	Ant0	2385.933	-40.34	2.0	56.92	Peak	74	Pass
NVNT	b	2412	Ant0	2385.231	-47.95	2.0	49.31	Average	54	Pass
NVNT	b	2412	Ant0	2390	-44.91	2.0	52.35	Peak	74	Pass
NVNT	b	2412	Ant0	2390	-54.81	2.0	42.45	Average	54	Pass
NVNT	b	2462	Ant0	2483.5	-46.84	2.0	50.42	Peak	74	Pass
NVNT	b	2462	Ant0	2483.5	-56.95	2.0	40.31	Average	54	Pass
NVNT	b	2462	Ant0	2488.764	-41.5	2.0	55.76	Peak	74	Pass
NVNT	b	2462	Ant0	2488.658	-50.39	2.0	46.87	Average	54	Pass
NVNT	b	2462	Ant0	2500	-49.13	2.0	48.13	Peak	74	Pass
NVNT	b	2462	Ant0	2500	-57.53	2.0	39.73	Average	54	Pass
NVNT	g	2412	Ant0	2310	-50.29	2.0	46.97	Peak	74	Pass
NVNT	g	2412	Ant0	2310	-59.67	2.0	37.59	Average	54	Pass
NVNT	g	2412	Ant0	2389.326	-24.07	2.0	73.19	Peak	74	Pass
NVNT	g	2412	Ant0	2389.794	-47.18	2.0	50.08	Average	54	Pass
NVNT	g	2412	Ant0	2390	-30.4	2.0	66.86	Peak	74	Pass
NVNT	g	2412	Ant0	2390	-47.14	2.0	50.12	Average	54	Pass
NVNT	g	2462	Ant0	2483.5	-25.74	2.0	71.52	Peak	74	Pass
NVNT	g	2462	Ant0	2483.5	-47.51	2.0	49.75	Average	54	Pass
NVNT	g	2462	Ant0	2483.729	-23.31	2.0	73.95	Peak	74	Pass
NVNT	g	2462	Ant0	2483.941	-47.38	2.0	49.88	Average	54	Pass
NVNT	g	2462	Ant0	2500	-37.4	2.0	59.86	Peak	74	Pass
NVNT	g	2462	Ant0	2500	-54.02	2.0	43.24	Average	54	Pass
NVNT	n20	2412	Ant0	2310	-50.53	2.0	46.73	Peak	74	Pass
NVNT	n20	2412	Ant0	2310	-59.64	2.0	37.62	Average	54	Pass
NVNT	n20	2412	Ant0	2387.805	-27.34	2.0	69.92	Peak	74	Pass
NVNT	n20	2412	Ant0	2389.794	-48.05	2.0	49.21	Average	54	Pass
NVNT	n20	2412	Ant0	2390	-28.56	2.0	68.7	Peak	74	Pass
NVNT	n20	2412	Ant0	2390	-47.91	2.0	49.35	Average	54	Pass
NVNT	n20	2462	Ant0	2483.5	-23.53	2.0	73.73	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.5	-51.89	2.0	45.37	Average	54	Pass
NVNT	n20	2462	Ant0	2483.517	-23.53	2.0	73.73	Peak	74	Pass
NVNT	n20	2462	Ant0	2483.623	-51.76	2.0	45.5	Average	54	Pass
NVNT	n20	2462	Ant0	2500	-43.21	2.0	54.05	Peak	74	Pass
NVNT	n20	2462	Ant0	2500	-56.52	2.0	40.74	Average	54	Pass





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	b	2412	Ant1	2310	-50.32	2.0	46.94	Peak	74	Pass
NVNT	b	2412	Ant1	2310	-60.12	2.0	37.14	Average	54	Pass
NVNT	b	2412	Ant1	2386.284	-40.47	2.0	56.79	Peak	74	Pass
NVNT	b	2412	Ant1	2387.337	-48.12	2.0	49.14	Average	54	Pass
NVNT	b	2412	Ant1	2390	-42.67	2.0	54.59	Peak	74	Pass
NVNT	b	2412	Ant1	2390	-53.83	2.0	43.43	Average	54	Pass
NVNT	b	2462	Ant1	2483.5	-43.07	2.0	54.19	Peak	74	Pass
NVNT	b	2462	Ant1	2483.5	-51.61	2.0	45.65	Average	54	Pass
NVNT	b	2462	Ant1	2488.817	-41.94	2.0	55.32	Peak	74	Pass
NVNT	b	2462	Ant1	2486.75	-50.96	2.0	46.3	Average	54	Pass
NVNT	b	2462	Ant1	2500	-48.58	2.0	48.68	Peak	74	Pass
NVNT	b	2462	Ant1	2500	-58.19	2.0	39.07	Average	54	Pass
NVNT	g	2412	Ant1	2310	-50.5	2.0	46.76	Peak	74	Pass
NVNT	g	2412	Ant1	2310	-59.56	2.0	37.7	Average	54	Pass
NVNT	g	2412	Ant1	2389.911	-28.83	2.0	68.43	Peak	74	Pass
NVNT	g	2412	Ant1	2389.911	-45.47	2.0	51.79	Average	54	Pass
NVNT	g	2412	Ant1	2390	-31.35	2.0	65.91	Peak	74	Pass
NVNT	g	2412	Ant1	2390	-45.25	2.0	52.01	Average	54	Pass
NVNT	g	2462	Ant1	2483.5	-30.83	2.0	66.43	Peak	74	Pass
NVNT	g	2462	Ant1	2483.5	-50.32	2.0	46.94	Average	54	Pass
NVNT	g	2462	Ant1	2483.729	-26.96	2.0	70.3	Peak	74	Pass
NVNT	g	2462	Ant1	2483.517	-50.32	2.0	46.94	Average	54	Pass
NVNT	g	2462	Ant1	2500	-46.46	2.0	50.8	Peak	74	Pass
NVNT	g	2462	Ant1	2500	-54.87	2.0	42.39	Average	54	Pass
NVNT	n20	2412	Ant1	2310	-49.68	2.0	47.58	Peak	74	Pass
NVNT	n20	2412	Ant1	2310	-59.41	2.0	37.85	Average	54	Pass
NVNT	n20	2412	Ant1	2389.911	-29.28	2.0	67.98	Peak	74	Pass
NVNT	n20	2412	Ant1	2389.794	-45.55	2.0	51.71	Average	54	Pass
NVNT	n20	2412	Ant1	2390	-30.76	2.0	66.5	Peak	74	Pass
NVNT	n20	2412	Ant1	2390	-45.65	2.0	51.61	Average	54	Pass
NVNT	n20	2462	Ant1	2483.5	-35.52	2.0	61.74	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.5	-50.25	2.0	47.01	Average	54	Pass
NVNT	n20	2462	Ant1	2483.676	-30.89	2.0	66.37	Peak	74	Pass
NVNT	n20	2462	Ant1	2483.517	-50.25	2.0	47.01	Average	54	Pass
NVNT	n20	2462	Ant1	2500	-43.3	2.0	53.96	Peak	74	Pass
NVNT	n20	2462	Ant1	2500	-53.85	2.0	43.41	Average	54	Pass





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	Power (dBm)			E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
				Ant0	Ant1	Ant0+Ant1				
NVNT	n20	2412	2310	-50.53	-49.68	-47.07	50.15	Peak	74	Pass
NVNT	n20	2412	2310	-59.64	-59.41	-56.51	40.71	Average	54	Pass
NVNT	n20	2412	2387.805	-27.34	-29.28	-25.19	72.04	Peak	74	Pass
NVNT	n20	2412	2389.794	-49.82	-45.55	-44.17	53.06	Average	54	Pass
NVNT	n20	2412	2390	-28.56	-30.76	-26.51	70.72	Peak	74	Pass
NVNT	n20	2412	2390	-47.91	-45.65	-43.62	53.60	Average	54	Pass
NVNT	n20	2462	2483.5	-25.32	-37.21	-25.05	72.18	Peak	74	Pass
NVNT	n20	2462	2483.5	-51.89	-50.25	-47.98	49.24	Average	54	Pass
NVNT	n20	2462	2483.517	-26.21	-34.12	-25.56	71.67	Peak	74	Pass
NVNT	n20	2462	2483.623	-51.76	-50.25	-47.93	49.30	Average	54	Pass
NVNT	n20	2462	2500	-43.21	-43.3	-40.24	56.98	Peak	74	Pass
NVNT	n20	2462	2500	-56.52	-53.85	-51.97	45.25	Average	54	Pass

Note: The Antenna Gain is compensated in the graph




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

Restrict Band NVNT b 2412MHz Ant0 Peak



Restrict Band NVNT b 2412MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT b 2462MHz Ant0 Peak




Restrict Band NVNT b 2462MHz Ant0 Average






Restrict Band NVNT g 2412MHz Ant0 Peak




Restrict Band NVNT g 2412MHz Ant0 Average






Restrict Band NVNT g 2462MHz Ant0 Peak




Restrict Band NVNT g 2462MHz Ant0 Average






Restrict Band NVNT n20 2412MHz Ant0 Peak




Restrict Band NVNT n20 2412MHz Ant0 Average






Restrict Band NVNT n20 2462MHz Ant0 Peak




Restrict Band NVNT n20 2462MHz Ant0 Average





Test Graphs

Restrict Band NVNT b 2412MHz Ant1 Peak




Restrict Band NVNT b 2412MHz Ant1 Average






Restrict Band NVNT b 2462MHz Ant1 Peak




Restrict Band NVNT b 2462MHz Ant1 Average






Restrict Band NVNT g 2412MHz Ant1 Peak




Restrict Band NVNT g 2412MHz Ant1 Average






Restrict Band NVNT g 2462MHz Ant1 Peak




Restrict Band NVNT g 2462MHz Ant1 Average






Restrict Band NVNT n20 2412MHz Ant1 Peak




Restrict Band NVNT n20 2412MHz Ant1 Average





Restrict Band NVNT n20 2462MHz Ant1 Peak



Restrict Band NVNT n20 2462MHz Ant1 Average

