





Restrict Band NVNT ax40 5190MHz Ant0 Peak




Restrict Band NVNT ax40 5190MHz Ant0 Average






Restrict Band NVNT ax40 5230MHz Ant0 Peak



Restrict Band NVNT ax40 5230MHz Ant0 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-50.28	2.97	-	47.92	Peak	74	Pass
NVNT	a	5180	Ant1	4500	-58.18	2.97	0.13	40.15	Average	54	Pass
NVNT	a	5180	Ant1	5143.3	-42.71	2.97	-	55.49	Peak	74	Pass
NVNT	a	5180	Ant1	5148.9	-53.03	2.97	0.13	45.30	Average	54	Pass
NVNT	a	5180	Ant1	5150	-43.48	2.97	-	54.72	Peak	74	Pass
NVNT	a	5180	Ant1	5150	-53.12	2.97	0.13	45.21	Average	54	Pass
NVNT	a	5240	Ant1	5350	-48.89	2.97	-	49.31	Peak	74	Pass
NVNT	a	5240	Ant1	5350	-56.67	2.97	0.13	41.66	Average	54	Pass
NVNT	a	5240	Ant1	5395.68	-46.46	2.97	-	51.74	Peak	74	Pass
NVNT	a	5240	Ant1	5356.08	-56.35	2.97	0.13	41.98	Average	54	Pass
NVNT	a	5240	Ant1	5460	-50.17	2.97	-	48.03	Peak	74	Pass
NVNT	a	5240	Ant1	5460	-57.88	2.97	0.13	40.45	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-50.66	2.97	-	47.54	Peak	74	Pass
NVNT	n20	5180	Ant1	4500	-58.13	2.97	0.15	40.22	Average	54	Pass
NVNT	n20	5180	Ant1	5147.5	-41.75	2.97	-	56.45	Peak	74	Pass
NVNT	n20	5180	Ant1	5145.4	-53.37	2.97	0.15	44.98	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-45.53	2.97	-	52.67	Peak	74	Pass
NVNT	n20	5180	Ant1	5150	-54.03	2.97	0.15	44.32	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-49.15	2.97	-	49.05	Peak	74	Pass
NVNT	n20	5240	Ant1	5350	-57.12	2.97	0.15	41.23	Average	54	Pass
NVNT	n20	5240	Ant1	5372.88	-46.35	2.97	-	51.85	Peak	74	Pass
NVNT	n20	5240	Ant1	5366.64	-56.31	2.97	0.15	42.04	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-49.71	2.97	-	48.49	Peak	74	Pass
NVNT	n20	5240	Ant1	5460	-57.78	2.97	0.15	40.57	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-49.22	2.97	-	48.98	Peak	74	Pass
NVNT	n40	5190	Ant1	4500	-57.82	2.97	0.28	40.66	Average	54	Pass
NVNT	n40	5190	Ant1	5146.05	-36.78	2.97	-	61.42	Peak	74	Pass
NVNT	n40	5190	Ant1	5147.51	-50.45	2.97	0.28	48.03	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-37.59	2.97	-	60.61	Peak	74	Pass
NVNT	n40	5190	Ant1	5150	-51.89	2.97	0.28	46.59	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-50.19	2.97	-	48.01	Peak	74	Pass
NVNT	n40	5230	Ant1	5350	-57.3	2.97	0.28	41.18	Average	54	Pass
NVNT	n40	5230	Ant1	5364.96	-46.62	2.97	-	51.58	Peak	74	Pass
NVNT	n40	5230	Ant1	5353.89	-56.37	2.97	0.28	42.11	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.89	2.97	-	48.31	Peak	74	Pass
NVNT	n40	5230	Ant1	5460	-58.07	2.97	0.28	40.41	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-50.57	2.97	-	47.63	Peak	74	Pass
NVNT	ac20	5180	Ant1	4500	-57.89	2.97	0.14	40.45	Average	54	Pass
NVNT	ac20	5180	Ant1	5139.8	-43.73	2.97	-	54.47	Peak	74	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant1	5147.5	-53.32	2.97	0.14	45.02	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-47.04	2.97	-	51.16	Peak	74	Pass
NVNT	ac20	5180	Ant1	5150	-53.47	2.97	0.14	44.87	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-49.07	2.97	-	49.13	Peak	74	Pass
NVNT	ac20	5240	Ant1	5350	-56.63	2.97	0.14	41.71	Average	54	Pass
NVNT	ac20	5240	Ant1	5361.84	-46.82	2.97	-	51.38	Peak	74	Pass
NVNT	ac20	5240	Ant1	5352.24	-56.08	2.97	0.14	42.26	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-50.1	2.97	-	48.10	Peak	74	Pass
NVNT	ac20	5240	Ant1	5460	-57.88	2.97	0.14	40.46	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.85	2.97	-	47.35	Peak	74	Pass
NVNT	ac40	5190	Ant1	4500	-58.45	2.97	0.28	40.03	Average	54	Pass
NVNT	ac40	5190	Ant1	5136.56	-41.53	2.97	-	56.67	Peak	74	Pass
NVNT	ac40	5190	Ant1	5149.7	-51.18	2.97	0.28	47.30	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-41.72	2.97	-	56.48	Peak	74	Pass
NVNT	ac40	5190	Ant1	5150	-51.18	2.97	0.28	47.30	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-49.51	2.97	-	48.69	Peak	74	Pass
NVNT	ac40	5230	Ant1	5350	-56.72	2.97	0.28	41.76	Average	54	Pass
NVNT	ac40	5230	Ant1	5444.88	-46.48	2.97	-	51.72	Peak	74	Pass
NVNT	ac40	5230	Ant1	5360.91	-56.36	2.97	0.28	42.12	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.75	2.97	-	48.45	Peak	74	Pass
NVNT	ac40	5230	Ant1	5460	-58.04	2.97	0.28	40.44	Average	54	Pass
NVNT	ax20	5180	Ant1	4500	-50.74	2.97	-	47.46	Peak	74	Pass
NVNT	ax20	5180	Ant1	4500	-58.44	2.97	0.14	39.90	Average	54	Pass
NVNT	ax20	5180	Ant1	5147.5	-43.26	2.97	-	54.94	Peak	74	Pass
NVNT	ax20	5180	Ant1	5137	-53.62	2.97	0.14	44.72	Average	54	Pass
NVNT	ax20	5180	Ant1	5150	-46.88	2.97	-	51.32	Peak	74	Pass
NVNT	ax20	5180	Ant1	5150	-53.32	2.97	0.14	45.02	Average	54	Pass
NVNT	ax20	5240	Ant1	5350	-48.24	2.97	-	49.96	Peak	74	Pass
NVNT	ax20	5240	Ant1	5350	-56.93	2.97	0.14	41.41	Average	54	Pass
NVNT	ax20	5240	Ant1	5379.12	-46.32	2.97	-	51.88	Peak	74	Pass
NVNT	ax20	5240	Ant1	5350.56	-56.44	2.97	0.14	41.90	Average	54	Pass
NVNT	ax20	5240	Ant1	5460	-50.82	2.97	-	47.38	Peak	74	Pass
NVNT	ax20	5240	Ant1	5460	-57.62	2.97	0.14	40.72	Average	54	Pass
NVNT	ax40	5190	Ant1	4500	-50.37	2.97	-	47.83	Peak	74	Pass
NVNT	ax40	5190	Ant1	4500	-58.37	2.97	0.28	40.11	Average	54	Pass
NVNT	ax40	5190	Ant1	5146.78	-39.43	2.97	-	58.77	Peak	74	Pass
NVNT	ax40	5190	Ant1	5148.97	-51.3	2.97	0.28	47.18	Average	54	Pass
NVNT	ax40	5190	Ant1	5150	-42.26	2.97	-	55.94	Peak	74	Pass
NVNT	ax40	5190	Ant1	5150	-51.31	2.97	0.28	47.17	Average	54	Pass
NVNT	ax40	5230	Ant1	5350	-47.27	2.97	-	50.93	Peak	74	Pass
NVNT	ax40	5230	Ant1	5350	-56.79	2.97	0.28	41.69	Average	54	Pass
NVNT	ax40	5230	Ant1	5367.39	-46.08	2.97	-	52.12	Peak	74	Pass
NVNT	ax40	5230	Ant1	5350.38	-56.14	2.97	0.28	42.34	Average	54	Pass






NVNT	ax40	5230	Ant1	5460	-50.14	2.97	-	48.06	Peak	74	Pass
NVNT	ax40	5230	Ant1	5460	-58.25	2.97	0.28	40.23	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak




Restrict Band NVNT a 5240MHz Ant1 Average






Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average








Restrict Band NVNT n20 5240MHz Ant1 Peak




Restrict Band NVNT n20 5240MHz Ant1 Average






Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak




Restrict Band NVNT ac20 5240MHz Ant1 Average






Restrict Band NVNT ac40 5190MHz Ant1 Peak




Restrict Band NVNT ac40 5190MHz Ant1 Average






Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ax20 5180MHz Ant1 Peak




Restrict Band NVNT ax20 5180MHz Ant1 Average








Restrict Band NVNT ax20 5240MHz Ant1 Peak




Restrict Band NVNT ax20 5240MHz Ant1 Average






Restrict Band NVNT ax40 5190MHz Ant1 Peak




Restrict Band NVNT ax40 5190MHz Ant1 Average






Restrict Band NVNT ax40 5230MHz Ant1 Peak



Restrict Band NVNT ax40 5230MHz Ant1 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	ANT0 Power (dBm)	ANT1 Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20 MIMO	5180	4500	-59.96	-50.66	5.98	51.03	Peak	74	Pass
NVNT	n20 MIMO	5180	4500	-68.18	-58.13	5.98	43.49	Average	54	Pass
NVNT	n20 MIMO	5180	5147.5	-34.3	-41.75	5.98	67.63	Peak	74	Pass
NVNT	n20 MIMO	5180	5145.4	-48.56	-53.37	5.98	53.89	Average	54	Pass
NVNT	n20 MIMO	5180	5150	-43.01	-55.53	5.98	58.43	Peak	74	Pass
NVNT	n20 MIMO	5180	5150	-49.15	-54.03	5.98	53.28	Average	54	Pass
NVNT	n20 MIMO	5240	5350	-53.23	-49.15	5.98	53.49	Peak	74	Pass
NVNT	n20 MIMO	5240	5350	-61.46	-57.12	5.98	45.45	Average	54	Pass
NVNT	n20 MIMO	5240	5372.88	-52.03	-46.35	5.98	55.90	Peak	74	Pass
NVNT	n20 MIMO	5240	5366.64	-60.98	-56.31	5.98	46.17	Average	54	Pass
NVNT	n20 MIMO	5240	5460	-57.98	-49.71	5.98	52.10	Peak	74	Pass
NVNT	n20 MIMO	5240	5460	-66.2	-57.78	5.98	44.01	Average	54	Pass
NVNT	n40 MIMO	5190	4500	-60.59	-49.22	5.98	52.29	Peak	74	Pass
NVNT	n40 MIMO	5190	4500	-68.74	-57.82	5.98	43.73	Average	54	Pass
NVNT	n40 MIMO	5190	5146.05	-46.72	-36.78	5.98	64.85	Peak	74	Pass
NVNT	n40 MIMO	5190	5147.51	-55.63	-50.45	5.98	51.91	Average	54	Pass
NVNT	n40 MIMO	5190	5150	-46.72	-37.59	5.98	64.12	Peak	74	Pass
NVNT	n40 MIMO	5190	5150	-55.63	-51.89	5.98	50.85	Average	54	Pass
NVNT	n40 MIMO	5230	5350	-48.52	-50.19	5.98	54.94	Peak	74	Pass
NVNT	n40 MIMO	5230	5350	-58.11	-57.3	5.98	46.53	Average	54	Pass
NVNT	n40 MIMO	5230	5364.96	-47.29	-46.62	5.98	57.28	Peak	74	Pass
NVNT	n40 MIMO	5230	5353.89	-57.42	-56.37	5.98	47.35	Average	54	Pass
NVNT	n40 MIMO	5230	5460	-58.63	-49.89	5.98	51.86	Peak	74	Pass
NVNT	n40 MIMO	5230	5460	-66.62	-58.07	5.98	43.71	Average	54	Pass
NVNT	ac20 MIMO	5180	4500	-58.95	-50.57	5.98	51.23	Peak	74	Pass
NVNT	ac20 MIMO	5180	4500	-68.37	-57.89	5.98	43.69	Average	54	Pass
NVNT	ac20 MIMO	5180	5139.8	-37.53	-43.73	5.98	64.61	Peak	74	Pass
NVNT	ac20 MIMO	5180	5147.5	-49.6	-53.32	5.98	53.14	Average	54	Pass
NVNT	ac20 MIMO	5180	5150	-38.6	-47.04	5.98	63.19	Peak	74	Pass
NVNT	ac20 MIMO	5180	5150	-49.4	-53.47	5.98	53.24	Average	54	Pass
NVNT	ac20 MIMO	5240	5350	-53.17	-49.07	5.98	53.56	Peak	74	Pass
NVNT	ac20 MIMO	5240	5350	-60.85	-56.63	5.98	45.97	Average	54	Pass
NVNT	ac20 MIMO	5240	5361.84	-50.5	-46.82	5.98	55.94	Peak	74	Pass
NVNT	ac20 MIMO	5240	5352.24	-60.04	-56.08	5.98	46.59	Average	54	Pass
NVNT	ac20 MIMO	5240	5460	-54.89	-50.1	5.98	52.35	Peak	74	Pass
NVNT	ac20 MIMO	5240	5460	-65.86	-57.88	5.98	43.97	Average	54	Pass
NVNT	ac40 MIMO	5190	4500	-59.81	-50.85	5.98	50.88	Peak	74	Pass
NVNT	ac40 MIMO	5190	4500	-74.9	-58.45	5.98	43.19	Average	54	Pass





NVNT	ac40 MIMO	5190	5136.56	-46.51	-41.53	5.98	60.88	Peak	74	Pass
NVNT	ac40 MIMO	5190	5149.7	-55.86	-51.18	5.98	51.30	Average	54	Pass
NVNT	ac40 MIMO	5190	5150	-48.08	-41.72	5.98	60.39	Peak	74	Pass
NVNT	ac40 MIMO	5190	5150	-56.43	-51.18	5.98	51.16	Average	54	Pass
NVNT	ac40 MIMO	5230	5350	-49.67	-49.51	5.98	54.63	Peak	74	Pass
NVNT	ac40 MIMO	5230	5350	-57.33	-56.72	5.98	47.20	Average	54	Pass
NVNT	ac40 MIMO	5230	5444.88	-46.23	-46.48	5.98	57.86	Peak	74	Pass
NVNT	ac40 MIMO	5230	5360.91	-57.33	-56.36	5.98	47.40	Average	54	Pass
NVNT	ac40 MIMO	5230	5460	-58.67	-49.75	5.98	51.98	Peak	74	Pass
NVNT	ac40 MIMO	5230	5460	-65.8	-58.04	5.98	43.84	Average	54	Pass
NVNT	ax20 MIMO	5180	4500	-60.22	-50.74	5.98	50.93	Peak	74	Pass
NVNT	ax20 MIMO	5180	4500	-67.93	-58.44	5.98	43.23	Average	54	Pass
NVNT	ax20 MIMO	5180	5147.5	-38.62	-43.26	5.98	63.87	Peak	74	Pass
NVNT	ax20 MIMO	5180	5137	-49.59	-53.62	5.98	53.06	Average	54	Pass
NVNT	ax20 MIMO	5180	5150	-36.93	-46.88	5.98	64.70	Peak	74	Pass
NVNT	ax20 MIMO	5180	5150	-49.61	-53.32	5.98	53.14	Average	54	Pass
NVNT	ax20 MIMO	5240	5350	-52.33	-48.24	5.98	54.40	Peak	74	Pass
NVNT	ax20 MIMO	5240	5350	-60.66	-56.93	5.98	45.81	Average	54	Pass
NVNT	ax20 MIMO	5240	5379.12	-50.93	-46.32	5.98	56.18	Peak	74	Pass
NVNT	ax20 MIMO	5240	5350.56	-60.1	-56.44	5.98	46.32	Average	54	Pass
NVNT	ax20 MIMO	5240	5460	-57.57	-50.82	5.98	51.22	Peak	74	Pass
NVNT	ax20 MIMO	5240	5460	-66.38	-57.62	5.98	44.13	Average	54	Pass
NVNT	ax40 MIMO	5190	4500	-59.25	-50.37	5.98	51.37	Peak	74	Pass
NVNT	ax40 MIMO	5190	4500	-68.35	-58.37	5.98	43.25	Average	54	Pass
NVNT	ax40 MIMO	5190	5146.78	-46.3	-39.43	5.98	62.59	Peak	74	Pass
NVNT	ax40 MIMO	5190	5148.97	-55.9	-51.3	5.98	51.20	Average	54	Pass
NVNT	ax40 MIMO	5190	5150	-47.7	-42.26	5.98	60.04	Peak	74	Pass
NVNT	ax40 MIMO	5190	5150	-55.9	-51.31	5.98	51.19	Average	54	Pass
NVNT	ax40 MIMO	5230	5350	-48.37	-47.27	5.98	56.43	Peak	74	Pass
NVNT	ax40 MIMO	5230	5350	-57.47	-56.79	5.98	47.10	Average	54	Pass
NVNT	ax40 MIMO	5230	5367.39	-46.34	-46.08	5.98	58.01	Peak	74	Pass
NVNT	ax40 MIMO	5230	5350.38	-57.4	-56.14	5.98	47.49	Average	54	Pass
NVNT	ax40 MIMO	5230	5460	-59.57	-50.14	5.98	51.54	Peak	74	Pass
NVNT	ax40 MIMO	5230	5460	-65.56	-58.25	5.98	43.70	Average	54	Pass





### C.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	n40	5190	Ant0	5190	0	0	25	Pass
NVNT	n40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant0	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant0	5199.96	-40000	-7.69	25	Pass
NVNT	ac20	5240	Ant0	5239.98	-20000	-3.82	25	Pass
NVNT	ac40	5190	Ant0	5190	0	0	25	Pass
NVNT	ac40	5230	Ant0	5229.92	-80000	-15.3	25	Pass






Test Graphs

Freq. Stability NVNT n40 5190MHz Ant0




Freq. Stability NVNT n40 5230MHz Ant0






Freq. Stability NVNT ac20 5180MHz Ant0




Freq. Stability NVNT ac20 5200MHz Ant0









Freq. Stability NVNT ac20 5240MHz Ant0



Freq. Stability NVNT ac40 5190MHz Ant0








Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	n40	5190	Ant1	5189.96	-40000	-7.71	25	Pass
NVNT	n40	5230	Ant1	5229.96	-40000	-7.65	25	Pass
NVNT	ac20	5180	Ant1	5179.98	-20000	-3.86	25	Pass
NVNT	ac20	5200	Ant1	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant1	5239.96	-40000	-7.63	25	Pass
NVNT	ac40	5190	Ant1	5190	0	0	25	Pass
NVNT	ac40	5230	Ant1	5229.92	-80000	-15.3	25	Pass






Test Graphs

Freq. Stability NVNT n40 5190MHz Ant1




Freq. Stability NVNT n40 5230MHz Ant1






Freq. Stability NVNT ac20 5180MHz Ant1




Freq. Stability NVNT ac20 5200MHz Ant1







Freq. Stability NVNT ac20 5240MHz Ant1



Freq. Stability NVNT ac40 5190MHz Ant1







### C.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant0	96.94	0.13	0.72
NVNT	a	5200	Ant0	96.94	0.13	0.72
NVNT	a	5240	Ant0	96.94	0.13	0.72
NVNT	n20	5180	Ant0	96.73	0.14	0.77
NVNT	n20	5200	Ant0	96.73	0.14	0.77
NVNT	n20	5240	Ant0	96.73	0.14	0.77
NVNT	n40	5190	Ant0	93.64	0.29	1.54
NVNT	n40	5230	Ant0	93.79	0.28	1.54
NVNT	ac20	5180	Ant0	96.76	0.14	0.76
NVNT	ac20	5200	Ant0	96.76	0.14	0.76
NVNT	ac20	5240	Ant0	96.83	0.14	0.76
NVNT	ac40	5190	Ant0	93.69	0.28	1.53
NVNT	ac40	5230	Ant0	93.68	0.28	1.53
NVNT	ax20	5180	Ant0	96.76	0.14	0.76
NVNT	ax20	5200	Ant0	96.76	0.14	0.76
NVNT	ax20	5240	Ant0	96.76	0.14	0.76
NVNT	ax40	5190	Ant0	93.68	0.28	1.53
NVNT	ax40	5230	Ant0	93.68	0.28	1.53









Test Graphs

Duty Cycle NVNT a 5180MHz Ant0




Duty Cycle NVNT a 5200MHz Ant0






Duty Cycle NVNT a 5240MHz Ant0




Test Graphs

Duty Cycle NVNT n20 5180MHz Ant0




Duty Cycle NVNT n20 5200MHz Ant0








Duty Cycle NVNT n20 5240MHz Ant0




Duty Cycle NVNT n40 5190MHz Ant0






Duty Cycle NVNT n40 5230MHz Ant0




Duty Cycle NVNT ac20 5180MHz Ant0






Duty Cycle NVNT ac20 5200MHz Ant0




Duty Cycle NVNT ac20 5240MHz Ant0






Duty Cycle NVNT ac40 5190MHz Ant0




Duty Cycle NVNT ac40 5230MHz Ant0






Duty Cycle NVNT ax20 5180MHz Ant0




Duty Cycle NVNT ax20 5200MHz Ant0









Duty Cycle NVNT ax20 5240MHz Ant0



Duty Cycle NVNT ax40 5190MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	96.94	0.13	0.72
NVNT	a	5200	Ant1	96.94	0.13	0.72
NVNT	a	5240	Ant1	96.94	0.13	0.72
NVNT	n20	5180	Ant1	96.7	0.15	0.78
NVNT	n20	5200	Ant1	96.62	0.15	0.78
NVNT	n20	5240	Ant1	96.7	0.15	0.78
NVNT	n40	5190	Ant1	93.68	0.28	1.57
NVNT	n40	5230	Ant1	93.68	0.28	1.57
NVNT	ac20	5180	Ant1	96.76	0.14	0.76
NVNT	ac20	5200	Ant1	96.76	0.14	0.76
NVNT	ac20	5240	Ant1	96.76	0.14	0.76
NVNT	ac40	5190	Ant1	93.68	0.28	1.53
NVNT	ac40	5230	Ant1	93.69	0.28	1.53
NVNT	ax20	5180	Ant1	96.76	0.14	0.76
NVNT	ax20	5200	Ant1	96.76	0.14	0.76
NVNT	ax20	5240	Ant1	96.76	0.14	0.76
NVNT	ax40	5190	Ant1	93.68	0.28	1.53
NVNT	ax40	5230	Ant1	93.68	0.28	1.53






Test Graphs

Duty Cycle NVNT a 5180MHz Ant1




Duty Cycle NVNT a 5200MHz Ant1






Duty Cycle NVNT a 5240MHz Ant1




Duty Cycle NVNT n20 5180MHz Ant1






Duty Cycle NVNT n20 5200MHz Ant1




Duty Cycle NVNT n20 5240MHz Ant1






Duty Cycle NVNT n40 5190MHz Ant1




Duty Cycle NVNT n40 5230MHz Ant1






Duty Cycle NVNT ac20 5180MHz Ant1




Duty Cycle NVNT ac20 5200MHz Ant1






Duty Cycle NVNT ac20 5240MHz Ant1




Duty Cycle NVNT ac40 5190MHz Ant1








Duty Cycle NVNT ac40 5230MHz Ant1




Duty Cycle NVNT ax20 5180MHz Ant1






Duty Cycle NVNT ax20 5200MHz Ant1




Duty Cycle NVNT ax20 5240MHz Ant1





Duty Cycle NVNT ax40 5190MHz Ant1



Duty Cycle NVNT ax40 5230MHz Ant1

