





Restrict Band NVNT ax40 5270MHz Ant0 Peak




Restrict Band NVNT ax40 5270MHz Ant0 Average






Restrict Band NVNT ax40 5310MHz Ant0 Peak



Restrict Band NVNT ax40 5310MHz Ant0 Average





Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5260	Ant1	4500	-50.32	2.97	-	47.88	Peak	74	Pass
NVNT	a	5260	Ant1	4500	-59.02	2.97	0.14	39.32	Average	54	Pass
NVNT	a	5260	Ant1	5084.22	-45.79	2.97	-	52.41	Peak	74	Pass
NVNT	a	5260	Ant1	5093.58	-56.18	2.97	0.14	42.16	Average	54	Pass
NVNT	a	5260	Ant1	5150	-48.5	2.97	-	49.70	Peak	74	Pass
NVNT	a	5260	Ant1	5150	-56.68	2.97	0.14	41.66	Average	54	Pass
NVNT	a	5320	Ant1	5350	-38.87	2.97	-	59.33	Peak	74	Pass
NVNT	a	5320	Ant1	5350	-53.91	2.97	0.13	44.42	Average	54	Pass
NVNT	a	5320	Ant1	5351	-53.24	2.97	0.13	45.09	Average	54	Pass
NVNT	a	5320	Ant1	5460	-49.67	2.97	-	48.53	Peak	74	Pass
NVNT	a	5320	Ant1	5460	-57.66	2.97	0.13	40.67	Average	54	Pass
NVNT	n20	5260	Ant1	4500	-52.82	2.97	-	45.38	Peak	74	Pass
NVNT	n20	5260	Ant1	4500	-58.86	2.97	0.15	39.49	Average	54	Pass
NVNT	n20	5260	Ant1	5144.28	-46.22	2.97	-	51.98	Peak	74	Pass
NVNT	n20	5260	Ant1	5146.62	-56.04	2.97	0.15	42.31	Average	54	Pass
NVNT	n20	5260	Ant1	5150	-47	2.97	-	51.20	Peak	74	Pass
NVNT	n20	5260	Ant1	5150	-56.47	2.97	0.15	41.88	Average	54	Pass
NVNT	n20	5320	Ant1	5350	-44.9	2.97	-	53.30	Peak	74	Pass
NVNT	n20	5320	Ant1	5350	-54.15	2.97	0.15	44.20	Average	54	Pass
NVNT	n20	5320	Ant1	5355.4	-38.68	2.97	-	59.52	Peak	74	Pass
NVNT	n20	5320	Ant1	5350.2	-53.68	2.97	0.15	44.67	Average	54	Pass
NVNT	n20	5320	Ant1	5460	-48.65	2.97	-	49.55	Peak	74	Pass
NVNT	n20	5320	Ant1	5460	-57.3	2.97	0.15	41.05	Average	54	Pass
NVNT	n40	5270	Ant1	4500	-50.13	2.97	-	48.07	Peak	74	Pass
NVNT	n40	5270	Ant1	4500	-58.97	2.97	0.28	39.51	Average	54	Pass
NVNT	n40	5270	Ant1	5004.63	-46.06	2.97	-	52.14	Peak	74	Pass
NVNT	n40	5270	Ant1	5104.26	-55.71	2.97	0.28	42.77	Average	54	Pass
NVNT	n40	5270	Ant1	5150	-48.26	2.97	-	49.94	Peak	74	Pass
NVNT	n40	5270	Ant1	5150	-57.05	2.97	0.28	41.43	Average	54	Pass
NVNT	n40	5310	Ant1	5350	-37.05	2.97	-	61.15	Peak	74	Pass
NVNT	n40	5310	Ant1	5350	-48.93	2.97	0.29	49.56	Average	54	Pass
NVNT	n40	5310	Ant1	5351.6	-31.38	2.97	-	66.82	Peak	74	Pass
NVNT	n40	5310	Ant1	5350.6	-48.45	2.97	0.29	50.04	Average	54	Pass
NVNT	n40	5310	Ant1	5460	-49.36	2.97	-	48.84	Peak	74	Pass
NVNT	n40	5310	Ant1	5460	-56.83	2.97	0.29	41.66	Average	54	Pass
NVNT	ac20	5260	Ant1	4500	-51.2	2.97	-	47.00	Peak	74	Pass
NVNT	ac20	5260	Ant1	4500	-59.39	2.97	0.14	38.95	Average	54	Pass
NVNT	ac20	5260	Ant1	5092.8	-46.33	2.97	-	51.87	Peak	74	Pass
NVNT	ac20	5260	Ant1	5110.74	-56.14	2.97	0.14	42.20	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5260	Ant1	5150	-48.12	2.97	-	50.08	Peak	74	Pass
NVNT	ac20	5260	Ant1	5150	-56.7	2.97	0.14	41.64	Average	54	Pass
NVNT	ac20	5320	Ant1	5350	-40.85	2.97	-	57.35	Peak	74	Pass
NVNT	ac20	5320	Ant1	5350	-52.43	2.97	0.14	45.91	Average	54	Pass
NVNT	ac20	5320	Ant1	5351.8	-39.89	2.97	-	58.31	Peak	74	Pass
NVNT	ac20	5320	Ant1	5460	-48.59	2.97	-	49.61	Peak	74	Pass
NVNT	ac20	5320	Ant1	5460	-56.95	2.97	0.14	41.39	Average	54	Pass
NVNT	ac40	5270	Ant1	4500	-50.16	2.97	-	48.04	Peak	74	Pass
NVNT	ac40	5270	Ant1	4500	-58.84	2.97	0.28	39.64	Average	54	Pass
NVNT	ac40	5270	Ant1	5149.62	-45.63	2.97	-	52.57	Peak	74	Pass
NVNT	ac40	5270	Ant1	5138.28	-55.93	2.97	0.28	42.55	Average	54	Pass
NVNT	ac40	5270	Ant1	5150	-45.63	2.97	-	52.57	Peak	74	Pass
NVNT	ac40	5270	Ant1	5150	-56.12	2.97	0.28	42.36	Average	54	Pass
NVNT	ac40	5310	Ant1	5350	-33.51	2.97	-	64.69	Peak	74	Pass
NVNT	ac40	5310	Ant1	5350	-49.42	2.97	0.28	49.06	Average	54	Pass
NVNT	ac40	5310	Ant1	5350.2	-49.18	2.97	0.28	49.02	Average	54	Pass
NVNT	ac40	5310	Ant1	5460	-47.3	2.97	-	50.90	Peak	74	Pass
NVNT	ac40	5310	Ant1	5460	-57.89	2.97	0.28	40.59	Average	54	Pass
NVNT	ax20	5260	Ant1	4500	-48.34	2.97	-	49.86	Peak	74	Pass
NVNT	ax20	5260	Ant1	4500	-59.1	2.97	0.14	39.24	Average	54	Pass
NVNT	ax20	5260	Ant1	5100.6	-46.67	2.97	-	51.53	Peak	74	Pass
NVNT	ax20	5260	Ant1	5140.38	-55.84	2.97	0.14	42.50	Average	54	Pass
NVNT	ax20	5260	Ant1	5150	-47.45	2.97	-	50.75	Peak	74	Pass
NVNT	ax20	5260	Ant1	5150	-56.38	2.97	0.14	41.96	Average	54	Pass
NVNT	ax20	5320	Ant1	5350	-41.51	2.97	-	56.69	Peak	74	Pass
NVNT	ax20	5320	Ant1	5350	-53.3	2.97	0.14	45.04	Average	54	Pass
NVNT	ax20	5320	Ant1	5351.6	-37.05	2.97	-	61.15	Peak	74	Pass
NVNT	ax20	5320	Ant1	5350.8	-52.01	2.97	0.14	46.33	Average	54	Pass
NVNT	ax20	5320	Ant1	5460	-49.67	2.97	-	48.53	Peak	74	Pass
NVNT	ax20	5320	Ant1	5460	-57.66	2.97	0.14	40.68	Average	54	Pass
NVNT	ax40	5270	Ant1	4500	-50.81	2.97	-	47.39	Peak	74	Pass
NVNT	ax40	5270	Ant1	4500	-59.45	2.97	0.28	39.03	Average	54	Pass
NVNT	ax40	5270	Ant1	5124.51	-45.98	2.97	-	52.22	Peak	74	Pass
NVNT	ax40	5270	Ant1	5105.07	-56.13	2.97	0.28	42.35	Average	54	Pass
NVNT	ax40	5270	Ant1	5150	-47.31	2.97	-	50.89	Peak	74	Pass
NVNT	ax40	5270	Ant1	5150	-56.58	2.97	0.28	41.90	Average	54	Pass
NVNT	ax40	5310	Ant1	5350	-34.3	2.97	-	63.90	Peak	74	Pass
NVNT	ax40	5310	Ant1	5350	-48.63	2.97	0.28	49.85	Average	54	Pass
NVNT	ax40	5310	Ant1	5350.2	-31.33	2.97	-	66.87	Peak	74	Pass
NVNT	ax40	5310	Ant1	5350.2	-48.42	2.97	0.28	50.06	Average	54	Pass
NVNT	ax40	5310	Ant1	5460	-49.27	2.97	-	48.93	Peak	74	Pass
NVNT	ax40	5310	Ant1	5460	-56.92	2.97	0.28	41.56	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5260MHz Ant1 Peak




Restrict Band NVNT a 5260MHz Ant1 Average






Restrict Band NVNT a 5320MHz Ant1 Peak




Restrict Band NVNT a 5320MHz Ant1 Average






Restrict Band NVNT n20 5260MHz Ant1 Peak




Restrict Band NVNT n20 5260MHz Ant1 Average






Restrict Band NVNT n20 5320MHz Ant1 Peak




Restrict Band NVNT n20 5320MHz Ant1 Average






Restrict Band NVNT n40 5270MHz Ant1 Peak




Restrict Band NVNT n40 5270MHz Ant1 Average






Restrict Band NVNT n40 5310MHz Ant1 Peak




Restrict Band NVNT n40 5310MHz Ant1 Average






Restrict Band NVNT ac20 5260MHz Ant1 Peak




Restrict Band NVNT ac20 5260MHz Ant1 Average






Restrict Band NVNT ac20 5320MHz Ant1 Peak




Restrict Band NVNT ac20 5320MHz Ant1 Average






Restrict Band NVNT ac40 5270MHz Ant1 Peak




Restrict Band NVNT ac40 5270MHz Ant1 Average






Restrict Band NVNT ac40 5310MHz Ant1 Peak




Restrict Band NVNT ac40 5310MHz Ant1 Average






Restrict Band NVNT ax20 5260MHz Ant1 Peak




Restrict Band NVNT ax20 5260MHz Ant1 Average






Restrict Band NVNT ax20 5320MHz Ant1 Peak




Restrict Band NVNT ax20 5320MHz Ant1 Average






Restrict Band NVNT ax40 5270MHz Ant1 Peak




Restrict Band NVNT ax40 5270MHz Ant1 Average






Restrict Band NVNT ax40 5310MHz Ant1 Peak



Restrict Band NVNT ax40 5310MHz Ant1 Average





MIMO

Condition	Mode	Frequency (MHz)	Spur Freq (MHz)	ANT0 Power (dBm)	ANT1 Power (dBm)	Gain (dBi)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5260	4500	-49.57	-52.82	5.98	53.32	Peak	74	Pass
NVNT	n20	5260	4500	-58.69	-58.86	5.98	45.44	Average	54	Pass
NVNT	n20	5260	4874.4	-45.79	-46.22	5.98	58.22	Peak	74	Pass
NVNT	n20	5260	4874.4	-55.37	-56.04	5.98	48.53	Average	54	Pass
NVNT	n20	5260	5150	-46.89	-47	5.98	57.27	Peak	74	Pass
NVNT	n20	5260	5150	-56.94	-56.47	5.98	47.52	Average	54	Pass
NVNT	n20	5320	5350	-35.22	-44.9	5.98	66.43	Peak	74	Pass
NVNT	n20	5320	5350	-49.89	-54.15	5.98	52.70	Average	54	Pass
NVNT	n20	5320	5425.6	-43.74	-58.68	5.98	57.60	Peak	74	Pass
NVNT	n20	5320	5357	-57.65	-53.68	5.98	48.99	Average	54	Pass
NVNT	n20	5320	5460	-48.3	-48.65	5.98	55.75	Peak	74	Pass
NVNT	n20	5320	5460	-57.6	-57.3	5.98	46.77	Average	54	Pass
NVNT	n40	5270	4500	-50.78	-50.13	5.98	53.78	Peak	74	Pass
NVNT	n40	5270	4500	-58.59	-58.97	5.98	45.44	Average	54	Pass
NVNT	n40	5270	5127.75	-45.2	-46.06	5.98	58.61	Peak	74	Pass
NVNT	n40	5270	5067	-54.42	-55.71	5.98	49.20	Average	54	Pass
NVNT	n40	5270	5150	-46.52	-48.26	5.98	56.91	Peak	74	Pass
NVNT	n40	5270	5150	-55.18	-57.05	5.98	48.20	Average	54	Pass
NVNT	n40	5310	5350	-47.39	-37.05	5.98	64.54	Peak	74	Pass
NVNT	n40	5310	5350	-54.61	-48.93	5.98	53.32	Average	54	Pass
NVNT	n40	5310	5386.4	-44.43	-41.38	5.98	61.58	Peak	74	Pass
NVNT	n40	5310	5434	-54.13	-48.45	5.98	53.80	Average	54	Pass
NVNT	n40	5310	5460	-49.6	-49.36	5.98	54.74	Peak	74	Pass
NVNT	n40	5310	5460	-57.62	-56.83	5.98	47.01	Average	54	Pass
NVNT	ac20	5260	4500	-49.78	-51.2	5.98	53.79	Peak	74	Pass
NVNT	ac20	5260	4500	-58.91	-59.39	5.98	45.07	Average	54	Pass
NVNT	ac20	5260	5094.36	-45.55	-46.33	5.98	58.30	Peak	74	Pass
NVNT	ac20	5260	4874.4	-55.64	-56.14	5.98	48.34	Average	54	Pass
NVNT	ac20	5260	5150	-48.65	-48.12	5.98	55.84	Peak	74	Pass
NVNT	ac20	5260	5150	-56.47	-56.7	5.98	47.63	Average	54	Pass
NVNT	ac20	5320	5350	-34.39	-40.85	5.98	67.70	Peak	74	Pass
NVNT	ac20	5320	5350	-55.89	-52.43	5.98	50.39	Average	54	Pass
NVNT	ac20	5320	5405	-41.1	-49.89	5.98	60.65	Peak	74	Pass
NVNT	ac20	5320	5385.4	-48.78	-48.59	5.98	55.53	Average	74	Pass
NVNT	ac20	5320	5460	-56.96	-56.95	5.98	47.26	Peak	54	Pass
NVNT	ac40	5270	4500	-50.11	-50.16	5.98	54.08	Peak	74	Pass
NVNT	ac40	5270	4500	-59.04	-58.84	5.98	45.28	Average	54	Pass
NVNT	ac40	5270	5059.71	-45.87	-45.63	5.98	58.47	Peak	74	Pass





NVNT	ac40	5270	5081.58	-55.28	-55.93	5.98	48.63	Average	54	Pass
NVNT	ac40	5270	5150	-48.53	-45.63	5.98	57.38	Peak	74	Pass
NVNT	ac40	5270	5150	-55.28	-56.12	5.98	48.54	Average	54	Pass
NVNT	ac40	5310	5350	-47.89	-33.51	5.98	67.85	Peak	74	Pass
NVNT	ac40	5310	5350	-54.29	-49.42	5.98	53.01	Average	54	Pass
NVNT	ac40	5310	5416	-45.41	-43.51	5.98	59.86	Peak	74	Pass
NVNT	ac40	5310	5455.4	-53.86	-49.18	5.98	53.30	Average	54	Pass
NVNT	ac40	5310	5460	-50.02	-47.3	5.98	55.77	Peak	74	Pass
NVNT	ac40	5310	5460	-58.05	-57.89	5.98	46.25	Average	54	Pass
NVNT	ax20	5260	4500	-50.71	-48.34	5.98	54.85	Peak	74	Pass
NVNT	ax20	5260	4500	-59.38	-59.1	5.98	44.98	Average	54	Pass
NVNT	ax20	5260	5088.12	-44.68	-46.67	5.98	58.66	Peak	74	Pass
NVNT	ax20	5260	4874.4	-55.59	-55.84	5.98	48.50	Average	54	Pass
NVNT	ax20	5260	5150	-47.17	-47.45	5.98	56.91	Peak	74	Pass
NVNT	ax20	5260	5150	-56	-56.38	5.98	48.03	Average	54	Pass
NVNT	ax20	5320	5350	-38.25	-41.51	5.98	64.64	Peak	74	Pass
NVNT	ax20	5320	5350	-50.49	-53.3	5.98	52.55	Average	54	Pass
NVNT	ax20	5320	5454	-44.25	-47.05	5.98	58.79	Peak	74	Pass
NVNT	ax20	5320	5397.8	-50.19	-52.01	5.98	53.21	Average	54	Pass
NVNT	ax20	5320	5460	-49.03	-49.67	5.98	54.88	Peak	74	Pass
NVNT	ax20	5320	5460	-57.71	-57.66	5.98	46.53	Average	54	Pass
NVNT	ax40	5270	4500	-50.83	-50.81	5.98	53.40	Peak	74	Pass
NVNT	ax40	5270	4500	-58.4	-59.45	5.98	45.32	Average	54	Pass
NVNT	ax40	5270	5049.18	-45.61	-45.98	5.98	58.43	Peak	74	Pass
NVNT	ax40	5270	4874.22	-55.31	-56.13	5.98	48.52	Average	54	Pass
NVNT	ax40	5270	5150	-47.97	-47.31	5.98	56.59	Peak	74	Pass
NVNT	ax40	5270	5150	-55.6	-56.58	5.98	48.16	Average	54	Pass
NVNT	ax40	5310	5350	-46.88	-34.3	5.98	67.14	Peak	74	Pass
NVNT	ax40	5310	5350	-54.94	-48.63	5.98	53.49	Average	54	Pass
NVNT	ax40	5310	5350.6	-45.82	-31.33	5.98	61.20	Peak	74	Pass
NVNT	ax40	5310	5355.4	-54.03	-48.42	5.98	53.84	Average	54	Pass
NVNT	ax40	5310	5460	-48.9	-49.27	5.98	55.14	Peak	74	Pass
NVNT	ax40	5310	5460	-57.51	-56.92	5.98	47.01	Average	54	Pass





D.5 Frequency Stability


Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5260	Ant0	5260	0	0	25	Pass
NVNT	ac20	5300	Ant0	5300	0	0	25	Pass
NVNT	ac20	5320	Ant0	5320	0	0	25	Pass
NVNT	ac40	5270	Ant0	5269.96	-40000	-7.59	25	Pass
NVNT	ac40	5310	Ant0	5310	0	0	25	Pass
NVNT	ax20	5260	Ant0	5259.98	-20000	-3.8	25	Pass
NVNT	ax20	5300	Ant0	5300	0	0	25	Pass
NVNT	ax20	5320	Ant0	5319.98	-20000	-3.76	25	Pass
NVNT	ax40	5270	Ant0	5269.96	-40000	-7.59	25	Pass
NVNT	ax40	5310	Ant0	5310	0	0	25	Pass








Test Graphs

Freq. Stability NVNT ac20 5260MHz Ant0




Freq. Stability NVNT ac20 5300MHz Ant0








Freq. Stability NVNT ac40 5310MHz Ant0




Freq. Stability NVNT ax20 5260MHz Ant0






Freq. Stability NVNT ax20 5300MHz Ant0




Freq. Stability NVNT ax20 5320MHz Ant0






Freq. Stability NVNT ax40 5270MHz Ant0



Freq. Stability NVNT ax40 5310MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ac20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	ac20	5320	Ant1	5319.98	-20000	-3.76	25	Pass
NVNT	ac40	5270	Ant1	5269.96	-40000	-7.59	25	Pass
NVNT	ac40	5310	Ant1	5309.96	-40000	-7.53	25	Pass
NVNT	ax20	5260	Ant1	5259.98	-20000	-3.8	25	Pass
NVNT	ax20	5300	Ant1	5299.98	-20000	-3.77	25	Pass
NVNT	ax20	5320	Ant1	5319.96	-40000	-7.52	25	Pass
NVNT	ax40	5270	Ant1	5270	0	0	25	Pass
NVNT	ax40	5310	Ant1	5309.96	-40000	-7.53	25	Pass






Test Graphs

Freq. Stability NVNT ac20 5260MHz Ant1




Freq. Stability NVNT ac20 5300MHz Ant1






Freq. Stability NVNT ac20 5320MHz Ant1




Freq. Stability NVNT ac40 5270MHz Ant1






Freq. Stability NVNT ac40 5310MHz Ant1




Freq. Stability NVNT ax20 5260MHz Ant1






Freq. Stability NVNT ax20 5300MHz Ant1




Freq. Stability NVNT ax20 5320MHz Ant1






Freq. Stability NVNT ax40 5270MHz Ant1



Freq. Stability NVNT ax40 5310MHz Ant1





D.6 Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant0	96.94	0.13	0.72
NVNT	a	5300	Ant0	96.87	0.14	0.72
NVNT	a	5320	Ant0	96.94	0.13	0.72
NVNT	n20	5260	Ant0	96.73	0.14	0.77
NVNT	n20	5300	Ant0	96.73	0.14	0.77
NVNT	n20	5320	Ant0	96.73	0.14	0.77
NVNT	n40	5270	Ant0	93.79	0.28	1.54
NVNT	n40	5310	Ant0	93.64	0.29	1.54
NVNT	ac20	5260	Ant0	96.76	0.14	0.76
NVNT	ac20	5300	Ant0	96.76	0.14	0.76
NVNT	ac20	5320	Ant0	96.76	0.14	0.76
NVNT	ac40	5270	Ant0	93.68	0.28	1.53
NVNT	ac40	5310	Ant0	93.68	0.28	1.53
NVNT	ax20	5260	Ant0	96.76	0.14	0.76
NVNT	ax20	5300	Ant0	96.76	0.14	0.76
NVNT	ax20	5320	Ant0	96.76	0.14	0.76
NVNT	ax40	5270	Ant0	93.68	0.28	1.53
NVNT	ax40	5310	Ant0	93.82	0.28	1.53






Test Graphs

Duty Cycle NVNT a 5260MHz Ant0




Duty Cycle NVNT a 5300MHz Ant0






Duty Cycle NVNT a 5320MHz Ant0




Test Graphs

Duty Cycle NVNT n20 5260MHz Ant0




Duty Cycle NVNT n20 5300MHz Ant0








Duty Cycle NVNT n20 5320MHz Ant0




Duty Cycle NVNT n40 5270MHz Ant0






Duty Cycle NVNT n40 5310MHz Ant0




Duty Cycle NVNT ac20 5260MHz Ant0






Duty Cycle NVNT ac20 5300MHz Ant0




Duty Cycle NVNT ac20 5320MHz Ant0






Duty Cycle NVNT ac40 5270MHz Ant0




Duty Cycle NVNT ac40 5310MHz Ant0






Duty Cycle NVNT ax20 5260MHz Ant0




Duty Cycle NVNT ax20 5300MHz Ant0







Duty Cycle NVNT ax20 5320MHz Ant0



Duty Cycle NVNT ax40 5270MHz Ant0






Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5260	Ant1	96.87	0.14	0.72
NVNT	a	5300	Ant1	96.94	0.13	0.72
NVNT	a	5320	Ant1	96.94	0.13	0.72
NVNT	n20	5260	Ant1	96.7	0.15	0.78
NVNT	n20	5300	Ant1	96.7	0.15	0.78
NVNT	n20	5320	Ant1	96.7	0.15	0.78
NVNT	n40	5270	Ant1	93.68	0.28	1.57
NVNT	n40	5310	Ant1	93.54	0.29	1.57
NVNT	ac20	5260	Ant1	96.76	0.14	0.76
NVNT	ac20	5300	Ant1	96.76	0.14	0.76
NVNT	ac20	5320	Ant1	96.76	0.14	0.76
NVNT	ac40	5270	Ant1	93.82	0.28	1.53
NVNT	ac40	5310	Ant1	93.82	0.28	1.53
NVNT	ax20	5260	Ant1	96.76	0.14	0.76
NVNT	ax20	5300	Ant1	96.76	0.14	0.76
NVNT	ax20	5320	Ant1	96.76	0.14	0.76
NVNT	ax40	5270	Ant1	93.68	0.28	1.53
NVNT	ax40	5310	Ant1	93.69	0.28	1.53








Test Graphs



Duty Cycle NVNT a 5260MHz Ant1



Duty Cycle NVNT a 5300MHz Ant1











Duty Cycle NVNT n40 5270MHz Ant1




Duty Cycle NVNT n40 5310MHz Ant1






Duty Cycle NVNT ac20 5260MHz Ant1




Duty Cycle NVNT ac20 5300MHz Ant1






Duty Cycle NVNT ac20 5320MHz Ant1




Duty Cycle NVNT ac40 5270MHz Ant1








Duty Cycle NVNT ac40 5310MHz Ant1




Duty Cycle NVNT ax20 5260MHz Ant1







Duty Cycle NVNT ax40 5270MHz Ant1



Duty Cycle NVNT ax40 5310MHz Ant1

