



NVNT	ax20	5825	5925	-48.62	-48.07	-45.33	5.98	-39.35	Peak	-27	Pass
NVNT	ax20	5825	5925	-56.5	-56.49	-53.48	5.98	-47.50	Average	-27	Pass
NVNT	ax40	5755	5650	-47.37	-50.2	-45.55	5.98	-39.57	Peak	-27	Pass
NVNT	ax40	5755	5650	-57.37	-57.51	-54.43	5.98	-48.45	Average	-27	Pass
NVNT	ax40	5755	5700	-43.85	-45.54	-41.60	5.98	-35.62	Peak	10	Pass
NVNT	ax40	5755	5700	-53.44	-55.19	-51.22	5.98	-45.24	Average	10	Pass
NVNT	ax40	5755	5720	-31.31	-33.57	-29.28	5.98	-23.30	Peak	15.6	Pass
NVNT	ax40	5755	5720	-46.42	-48.98	-44.50	5.98	-38.52	Average	15.6	Pass
NVNT	ax40	5755	5725	-28.66	-32.38	-27.12	5.98	-21.14	Peak	27	Pass
NVNT	ax40	5755	5725	-39.33	-46.06	-38.49	5.98	-32.51	Average	27	Pass
NVNT	ax40	5795	5850	-47.78	-48.01	-44.88	5.98	-38.90	Peak	27	Pass
NVNT	ax40	5795	5850	-56.14	-56.52	-53.32	5.98	-47.34	Average	27	Pass
NVNT	ax40	5795	5855	-46.16	-49.37	-44.46	5.98	-38.48	Peak	15.6	Pass
NVNT	ax40	5795	5855	-56.66	-56.52	-53.58	5.98	-47.60	Average	15.6	Pass
NVNT	ax40	5795	5875	-48.18	-49.42	-45.75	5.98	-39.77	Peak	10	Pass
NVNT	ax40	5795	5875	-58.19	-57.14	-54.62	5.98	-48.64	Average	10	Pass
NVNT	ax40	5795	5925	-49.48	-49.02	-46.23	5.98	-40.25	Peak	-27	Pass
NVNT	ax40	5795	5925	-57.57	-57.77	-54.66	5.98	-48.68	Average	-27	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



G.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	a	5785	Ant0	5785	0	0	25	Pass
NVNT	a	5825	Ant0	5825	0	0	25	Pass
NVNT	n20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	n20	5785	Ant0	5785	0	0	25	Pass
NVNT	n20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	n40	5755	Ant0	5754.96	-40000	-6.95	25	Pass
NVNT	n40	5795	Ant0	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant0	5745	0	0	25	Pass
NVNT	ac20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
NVNT	ac20	5825	Ant0	5825	0	0	25	Pass
NVNT	ac40	5755	Ant0	5755	0	0	25	Pass
NVNT	ac40	5795	Ant0	5795	0	0	25	Pass
NVNT	ax20	5745	Ant0	5744.98	-20000	-3.48	25	Pass
NVNT	ax20	5785	Ant0	5784.98	-20000	-3.46	25	Pass
NVNT	ax20	5825	Ant0	5824.98	-20000	-3.43	25	Pass
NVNT	ax40	5755	Ant0	5755	0	0	25	Pass
NVNT	ax40	5795	Ant0	5795	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5745MHz Ant0




Freq. Stability NVNT a 5785MHz Ant0






Freq. Stability NVNT a 5825MHz Ant0




Freq. Stability NVNT n20 5745MHz Ant0






Freq. Stability NVNT n20 5785MHz Ant0




Freq. Stability NVNT n20 5825MHz Ant0






Freq. Stability NVNT n40 5755MHz Ant0




Freq. Stability NVNT n40 5795MHz Ant0






Freq. Stability NVNT ac20 5745MHz Ant0




Freq. Stability NVNT ac20 5785MHz Ant0






Freq. Stability NVNT ac20 5825MHz Ant0




Freq. Stability NVNT ac40 5755MHz Ant0






Freq. Stability NVNT ac40 5795MHz Ant0






Freq. Stability NVNT ax20 5745MHz Ant0




Freq. Stability NVNT ax20 5785MHz Ant0






Freq. Stability NVNT ax20 5825MHz Ant0




Freq. Stability NVNT ax40 5755MHz Ant0





Freq. Stability NVNT ax40 5795MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	a	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	a	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	a	5825	Ant1	5825	0	0	25	Pass
NVNT	n20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	n20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	n20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	n40	5755	Ant1	5755	0	0	25	Pass
NVNT	n40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ac20	5745	Ant1	5744.98	-20000	-3.48	25	Pass
NVNT	ac20	5785	Ant1	5784.98	-20000	-3.46	25	Pass
NVNT	ac20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ac40	5755	Ant1	5754.96	-40000	-6.95	25	Pass
NVNT	ac40	5795	Ant1	5794.96	-40000	-6.9	25	Pass
NVNT	ax20	5745	Ant1	5745	0	0	25	Pass
NVNT	ax20	5785	Ant1	5784.96	-40000	-6.91	25	Pass
NVNT	ax20	5825	Ant1	5824.98	-20000	-3.43	25	Pass
NVNT	ax40	5755	Ant1	5755.04	40000	6.95	25	Pass
NVNT	ax40	5795	Ant1	5795	0	0	25	Pass




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Freq. Stability NVNT a 5745MHz Ant1




Freq. Stability NVNT a 5785MHz Ant1






Freq. Stability NVNT a 5825MHz Ant1




Freq. Stability NVNT n20 5745MHz Ant1






Freq. Stability NVNT n20 5785MHz Ant1




Freq. Stability NVNT n20 5825MHz Ant1






Freq. Stability NVNT n40 5755MHz Ant1




Freq. Stability NVNT n40 5795MHz Ant1






Freq. Stability NVNT ac20 5745MHz Ant1




Freq. Stability NVNT ac20 5785MHz Ant1






Freq. Stability NVNT ac20 5825MHz Ant1




Freq. Stability NVNT ac40 5755MHz Ant1






Freq. Stability NVNT ac40 5795MHz Ant1






Freq. Stability NVNT ax20 5745MHz Ant1




Freq. Stability NVNT ax20 5785MHz Ant1






Freq. Stability NVNT ax20 5825MHz Ant1




Freq. Stability NVNT ax40 5755MHz Ant1





Freq. Stability NVNT ax40 5795MHz Ant1





G.6 Duty Cycle

Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant0	94.56	0.24	0.91
NVNT	a	5785	Ant0	94.57	0.24	0.91
NVNT	a	5825	Ant0	94.56	0.24	0.91
NVNT	n20	5745	Ant0	97.29	0.12	0.44
NVNT	n20	5785	Ant0	97.29	0.12	0.44
NVNT	n20	5825	Ant0	97.33	0.12	0.44
NVNT	n40	5755	Ant0	97.23	0.12	0.46
NVNT	n40	5795	Ant0	97.18	0.12	0.46
NVNT	ac20	5745	Ant0	97.34	0.12	0.44
NVNT	ac20	5785	Ant0	97.34	0.12	0.44
NVNT	ac20	5825	Ant0	97.34	0.12	0.44
NVNT	ac40	5755	Ant0	97.19	0.12	0.46
NVNT	ac40	5795	Ant0	97.19	0.12	0.46
NVNT	ax20	5745	Ant0	97.34	0.12	0.44
NVNT	ax20	5785	Ant0	97.34	0.12	0.44
NVNT	ax20	5825	Ant0	97.3	0.12	0.44
NVNT	ax40	5755	Ant0	97.19	0.12	0.46
NVNT	ax40	5795	Ant0	97.24	0.12	0.46




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity




Test Graphs

Duty Cycle NVNT a 5745MHz Ant0




Duty Cycle NVNT a 5785MHz Ant0






Duty Cycle NVNT a 5825MHz Ant0




Duty Cycle NVNT n20 5745MHz Ant0






Duty Cycle NVNT n20 5785MHz Ant0




Duty Cycle NVNT n20 5825MHz Ant0






Duty Cycle NVNT n40 5755MHz Ant0




Duty Cycle NVNT n40 5795MHz Ant0






Duty Cycle NVNT ac20 5745MHz Ant0




Duty Cycle NVNT ac20 5785MHz Ant0






Duty Cycle NVNT ac20 5825MHz Ant0




Duty Cycle NVNT ac40 5755MHz Ant0






Duty Cycle NVNT ac40 5795MHz Ant0






Duty Cycle NVNT ax20 5745MHz Ant0




Duty Cycle NVNT ax20 5785MHz Ant0






Duty Cycle NVNT ax20 5825MHz Ant0




Duty Cycle NVNT ax40 5755MHz Ant0





Duty Cycle NVNT ax40 5795MHz Ant0





Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5745	Ant1	94.56	0.24	0.91
NVNT	a	5785	Ant1	94.65	0.24	0.91
NVNT	a	5825	Ant1	94.65	0.24	0.91
NVNT	n20	5745	Ant1	97.29	0.12	0.44
NVNT	n20	5785	Ant1	97.29	0.12	0.44
NVNT	n20	5825	Ant1	97.29	0.12	0.44
NVNT	n40	5755	Ant1	97.23	0.12	0.46
NVNT	n40	5795	Ant1	97.23	0.12	0.46
NVNT	ac20	5745	Ant1	97.34	0.12	0.44
NVNT	ac20	5785	Ant1	97.3	0.12	0.44
NVNT	ac20	5825	Ant1	97.34	0.12	0.44
NVNT	ac40	5755	Ant1	97.19	0.12	0.46
NVNT	ac40	5795	Ant1	97.24	0.12	0.46
NVNT	ax20	5745	Ant1	97.3	0.12	0.44
NVNT	ax20	5785	Ant1	97.34	0.12	0.44
NVNT	ax20	5825	Ant1	97.3	0.12	0.44
NVNT	ax40	5755	Ant1	97.24	0.12	0.46
NVNT	ax40	5795	Ant1	97.19	0.12	0.46




Shenzhen LCS Compliance Testing Laboratory Ltd.
 Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
 Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
 Scan code to check authenticity



Test Graphs

Duty Cycle NVNT a 5745MHz Ant1



Duty Cycle NVNT a 5785MHz Ant1

