



























































Appendix G: Frequency stability**Voltage VS Frequency stability**

Band: I				Test Frequency: 5180.00MHz		
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
T _N	V _L	-8000.00	-8000.00	-1.54440	-1.54440	PASS
T _N	V _N	-8000.00	-8000.00	-1.54440	-1.54440	PASS
T _N	V _H	-8000.00	-8000.00	-1.54440	-1.54440	PASS

Band: II				Test Frequency: 5260.00MHz		
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
T _N	V _L	-9000.00	-9000.00	-1.71103	-1.71103	PASS
T _N	V _N	-9000.00	-9000.00	-1.71103	-1.71103	PASS
T _N	V _H	-9000.00	-9000.00	-1.71103	-1.71103	PASS

Band: IV				Test Frequency: 5745.00MHz		
Temperature (°C)	Voltage (V)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		Result
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
T _N	V _L	-9000.00	-10000.00	-1.56658	-1.74064	PASS
T _N	V _N	-5000.00	-10000.00	-0.87032	-1.74064	PASS
T _N	V _H	-10000.00	-10000.00	-1.74064	-1.74064	PASS

Temperature VS Frequency stability

Band: I				Test Frequency: 5180.00MHz		Result
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
V _N	-20	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	-10	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	0	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	10	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	20	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	30	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	40	-8000.00	-8000.00	-1.54440	-1.54440	PASS
V _N	50	-8000.00	-8000.00	-1.54440	-1.54440	PASS

Band: II				Test Frequency: 5260.00MHz		Result
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
V _N	-20	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	-10	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	0	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	10	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	20	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	30	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	40	-9000.00	-9000.00	-1.71103	-1.71103	PASS
V _N	50	-9000.00	-8000.00	-1.71103	-1.52091	PASS

Band: IV				Test Frequency: 5745.00MHz		Result
Voltage (V)	Temperature (°C)	Frequency Deviation (Hz)		Frequency Deviation (ppm)		
		Antenna 0	Antenna 1	Antenna 0	Antenna 1	
V _N	-20	-10000.00	-11000.00	-1.74064	-1.91471	PASS
V _N	-10	-11000.00	-11000.00	-1.91471	-1.91471	PASS
V _N	0	-11000.00	-11000.00	-1.91471	-1.91471	PASS
V _N	10	-10000.00	-11000.00	-1.74064	-1.91471	PASS
V _N	20	-10000.00	-11000.00	-1.74064	-1.91471	PASS
V _N	30	-10000.00	-11000.00	-1.74064	-1.91471	PASS
V _N	40	-10000.00	-11000.00	-1.74064	-1.91471	PASS
V _N	50	-10000.00	-11000.00	-1.74064	-1.91471	PASS

-----End of Report-----