# Shenzhen Shenlianyu

Electronics Co.,

# Ltd

customer name:
CUSTOMERJOWN
Customer product name: WDZL-6.3UH-JW31-3
Product Name ofCustomer
Our product name (material):
,—————————————————————————————————————
Product Mame of Ours (Material) The A 11 double-slot 43*0.5MM
Outline 8MM
Admission: A PPROVED
Approved: tabulated: Date:
PPROVED Deng Xiang DRAWN Lai
021.3.10


Address: No.3, Industrial Road 1, Songgang Xitou Community, Bao'an District, Shenzhen City


Tel.: 15112322462 Fax: 0755-29909524

### chage record

#### **REVISED RECORD**

PEVISON NO	DATE	REVISE	DESCRIPTION		Change	person
Version	date		scription of the	change	Change	the person
number REV :01						
REV .OI						
REV :02						
NEV .OZ						
ESCRIN	E D	C H ECKED	A P PROVE	D		P ACE
fict		examine and verify	ratify			age number
Lai W	/ei	Deng Xiang	Chen Zhanlia	ing		
		-				






#### **UNIT**: mm

<sup>\*</sup> Dimension without tolerance is approx.

## 3. Coil s Specification

3-1. Connection (Bottom View)





N ote:	Spec .No .

Spe c ifca	tion				CUSTOM N: Custo	_		
Specificat	ion and	content			PARTNUM Manufact material N	urer's		
5. WINDIN	IG DETA	ILS (w	inding	details):				
W dy .NO . winding	S tart Star t out	Fi nish finish	Turns number of turns	Wire Dia Line diameter	Wdg.TyepeSpra The winding method is the dense winding	hin / ng	Wd g . Direction Winding direction	Turns / Laye r layers / rings
	S	F	11TS0	.08*48P varnished wire	Single 1 close ar		Counterd lockwise for 1	
6.ELECTRI	CAL CHA	RACTEF	RISTICS (	Electrical Ch	aracteristic	es):		
	PARAM I	ETERS	RISTICS (		aracteristic	es):	L	IM TI
I Q	PARAM I @100K ance Is @	ETERS Hz		UI		es):	6.4	IM TI ±5% OMax
I Q Inducta	PARAM I @100K ance Is @	ETERS Hz		UI	N IN	es):	6.4 <b>50</b>	±5%
I Q Inducta	PARAM I @100K ance Is @	ETERS Hz		UI	N IN μ h Ω	es):	6.4 <b>50</b>	±5% <b>DMax</b>
I Q Inducta	PARAM I @100K ance Is @	ETERS Hz		UI	N IN μ h Ω	cs):	6.4 <b>50</b>	±5% <b>DMax</b>
Inducta DC	PARAM   @100K ance Is @ @100	ETERS Hz @100KH OKHz	z /1v	UI T	N IN  u h  Ω		6.4 <b>50</b>	9±5% OMax 5-50
I Q Inducta	PARAM   PARAM	ETERS Hz D100KH OKHz	z /1v	PREPAR	N IN  u h  Ω		6.4 <b>50</b>	±5% <b>DMax</b>

	IATERIAL LIST			Custo produ PARTNUM	ict name MBER:	
	materials			mate numb	erial oer	
NO.	Material n ame, Material name	Descript Produc descri	t name		facturer nufacturer	<b>Mat erial</b> material quality
1	silk-covered wire	0.08*48P				
2	No lead tin strip	high temperat	ure			
3	magnetic sheet	43*0.5				
4	High temperature tape	5mm				
AP	PPROVED BY admit	CHECKED BY examine		ARED BY abrication	D ATE date	PAGE page number
			La	ni Wei	2021.3.10	

#### Basic supplier information

#### Issuer's Basic Data supplier basic information

Co mpany Name	Shenzhen Shenlianyu Electronics Co., Ltd
corporate name	
Co mpany	No.3, Industrial Road 1, Xitou Community,
Address	Songgang Street, Baoan District, Shenzhen City
Company address	
Products	
Supplied Product	Shenzhen Shenlianyu Electronics Co., Ltd
supplier	

#### Product de clared Product details

Jowe Part Number	Product D escription
Jowei No	product description
	The A 11 single-coil
	coil

Notes: At least one management should be in the list. And please mark up the major contact wind ow .

Note: In order to promote the material quality management, our company arranges the corresponding window personnel, and negative

#### List of responsible personnel.

Name	Ti tle	O ffi ce Phone	E -mail
surname	profession	Office	E-mail
and	al ranks and titles	telephone	lwr.zhongguo@qq.com
personal		40042545020	
name	<u>documentar</u>	<u>18942515939</u>	
Xiang-ping	<u>y</u>		
zhang			

#### Signee Information Signature data

Signature (withc ompany Seal) signature (please cover the company seal)	
Full Name Full name	Lai Wei
Title professional ranks and titles	manager
Date of issue Date	On September 24,2020

Jway confirmation column
Approve Admitted that the
Not Appr ove, not admission
Ckeck Confirmed by: