

Appendix A

RF Test Data for BT V4.2 (BLE) (Conducted Measurement)

Product Name: BT Mesh Smart Touch Panel Remote Controller(AC)

Trade Mark: N/A


Test Model: ZJ-TRBM-RGBW-A

Environmental Conditions

Temperature:	23.4 ° C
Relative Humidity:	51.8%
ATM Pressure:	100.0 kPa
Test Engineer:	JERRY.Zeng
Supervised by:	Tom.Liu


A.1 Duty Cycle

Test Mode	Test Channel	Ant	Duty Cycle[%]	Verdict
BT LE	2440	Ant1	100	PASS




A.2 Maximum Conducted Peak Output Power

Mode	Channel	Conduct Peak Power[dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.192	30	PASS
BT LE	MCH	-1.765	30	PASS
BT LE	HCH	-2.731	30	PASS




HCH



A.3 Maximum Power Spectral Density

Mode	Channel	PSD [dBm/3KHz]	Limit [dBm/3KHz]	Verdict
BT LE	LCH	-17.352	8	PASS
BT LE	MCH	-16.650	8	PASS
BT LE	HCH	-18.228	8	PASS






A.4 6dB Bandwidth

Mode	Channel	6dB Bandwidth [MHz]	Limit [MHz]	Verdict
BT LE	LCH	0.6998	≥0.5	PASS
BT LE	MCH	0.6939	≥0.5	PASS
BT LE	HCH	0.6955	≥0.5	PASS


Test Graphs			
LCH		Agilent Spectrum Analyzer - Occupied BW RL RF 50 Ω AC SENSE:PULSE ALIGN: AUTO 04:36:29 PM Mar 29, 2019 Center Freq 2.402000000 GHz Center Freq: 2.402000000 GHz Radio Std: None Trig: Free Run AvgHold> 1/1 #IFGain: Low #Atten: 30 dB Radio Device: BTS Ref Offset 8.24 dB Mkr1 2.4019978 GHz Ref 20.00 dBm -3.1241 dBm 10 dB/div Log Center 2.402 GHz Span 3 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms Occupied Bandwidth Total Power 3.99 dBm 1.0520 MHz Transmit Freq Error 6.083 kHz OBW Power 99.00 % x dB Bandwidth 699.8 kHz x dB -6.00 dB MSG STATUS	Frequency Center Freq 2.402000000 GHz CF Step 300.000 kHz Man Freq Offset 0 Hz
		Agilent Spectrum Analyzer - Occupied BW RL RF 50 Ω AC SENSE:PULSE ALIGN: AUTO 04:39:27 PM Mar 29, 2019 Center Freq 2.440000000 GHz Center Freq: 2.440000000 GHz Radio Std: None Trig: Free Run AvgHold> 1/1 #IFGain: Low #Atten: 30 dB Radio Device: BTS Ref Offset 8.24 dB Mkr1 2.439994 GHz Ref 20.00 dBm -2.5394 dBm 10 dB/div Log Center 2.44 GHz Span 3 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.067 ms Occupied Bandwidth Total Power 4.55 dBm 1.0479 MHz Transmit Freq Error 4.571 kHz OBW Power 99.00 % x dB Bandwidth 693.9 kHz x dB -6.00 dB MSG STATUS	Frequency Center Freq 2.440000000 GHz CF Step 300.000 kHz Man Freq Offset 0 Hz
MCH			

HCH




A.5 RF Conducted Spurious Emissions

Mode	Channel	Pref [dBm]	Max. Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-3.118	-43.712	-23.118	PASS
BT LE	MCH	-2.552	-42.852	-22.552	PASS
BT LE	HCH	-3.563	-44.147	-23.563	PASS




BT LE MCH Graphs

Pref/BT LE/MCH




Puw/BT LE/MCH




BT LE HCH Graphs

Pref/BT LE/HCH







Puw/BT LE/HCH



A.6 Band-edge for RF Conducted Emissions


Mode	Channel	Carrier Power[dBm]	Max.Spurious Level [dBm]	Limit [dBm]	Verdict
BT LE	LCH	-2.949	-50.212	-22.95	PASS
BT LE	HCH	-3.480	-49.585	-23.48	PASS

Test Graphs																																																																																																																																																																																																																											
LCH	Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 04:37:07 PM Mar 29, 2019 Center Freq 2.357000000 GHz PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB #Avg Type: RMS Avg/Hold: 10/10 TRACE 1 2 3 4 5 6 TYPE: M W A W A W A W A W DET: P P P P P P Frequency Auto Tune Center Freq 2.357000000 GHz Start Freq 2.310000000 GHz Stop Freq 2.404000000 GHz CF Step 9.400000 MHz Freq Offset 0 Hz 10 dB/div Log Ref Offset 8.24 dB Ref 20.00 dBm Mkr4 2.362 687 GHz -50.212 dBm  Start 2.31000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.40400 GHz Sweep 9.067 ms (8001 pts) <table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>f</td><td></td><td>2.401 768 GHz</td><td>-2.949 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>f</td><td></td><td>2.400 000 GHz</td><td>-50.777 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>f</td><td></td><td>2.390 000 GHz</td><td>-51.208 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>f</td><td></td><td>2.362 687 GHz</td><td>-50.212 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> MSG STATUS <tr><td>HCH</td><td> Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 04:41:53 PM Mar 29, 2019 Center Freq 2.489000000 GHz PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB #Avg Type: RMS Avg/Hold: 10/10 TRACE 1 2 3 4 5 6 TYPE: M W A W A W A W A W DET: P P P P P P Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz 10 dB/div Log Ref Offset 8.24 dB Ref 20.00 dBm Mkr4 2.490 237 50 GHz -49.585 dBm  Start 2.47800 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.50000 GHz Sweep 2.133 ms (8001 pts) <table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>f</td><td></td><td>2.480 249 50 GHz</td><td>-3.480 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-53.123 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-52.162 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>f</td><td></td><td>2.490 237 50 GHz</td><td>-49.585 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> MSG STATUS </td></tr>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.401 768 GHz	-2.949 dBm				2	N	f		2.400 000 GHz	-50.777 dBm				3	N	f		2.390 000 GHz	-51.208 dBm				4	N	f		2.362 687 GHz	-50.212 dBm				5									6									7									8									9									10									11									HCH	Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 04:41:53 PM Mar 29, 2019 Center Freq 2.489000000 GHz PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB #Avg Type: RMS Avg/Hold: 10/10 TRACE 1 2 3 4 5 6 TYPE: M W A W A W A W A W DET: P P P P P P Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz 10 dB/div Log Ref Offset 8.24 dB Ref 20.00 dBm Mkr4 2.490 237 50 GHz -49.585 dBm  Start 2.47800 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.50000 GHz Sweep 2.133 ms (8001 pts) <table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>f</td><td></td><td>2.480 249 50 GHz</td><td>-3.480 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-53.123 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-52.162 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>f</td><td></td><td>2.490 237 50 GHz</td><td>-49.585 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> MSG STATUS	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.480 249 50 GHz	-3.480 dBm				2	N	f		2.483 500 00 GHz	-53.123 dBm				3	N	f		2.500 000 00 GHz	-52.162 dBm				4	N	f		2.490 237 50 GHz	-49.585 dBm				5									6									7									8									9									10									11								
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																																																																																																																																			
1	N	f		2.401 768 GHz	-2.949 dBm																																																																																																																																																																																																																						
2	N	f		2.400 000 GHz	-50.777 dBm																																																																																																																																																																																																																						
3	N	f		2.390 000 GHz	-51.208 dBm																																																																																																																																																																																																																						
4	N	f		2.362 687 GHz	-50.212 dBm																																																																																																																																																																																																																						
5																																																																																																																																																																																																																											
6																																																																																																																																																																																																																											
7																																																																																																																																																																																																																											
8																																																																																																																																																																																																																											
9																																																																																																																																																																																																																											
10																																																																																																																																																																																																																											
11																																																																																																																																																																																																																											
HCH	Agilent Spectrum Analyzer - Swept SA RL RF 50 Ω AC SENSE:PULSE ALIGN:AUTO 04:41:53 PM Mar 29, 2019 Center Freq 2.489000000 GHz PN0: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB #Avg Type: RMS Avg/Hold: 10/10 TRACE 1 2 3 4 5 6 TYPE: M W A W A W A W A W DET: P P P P P P Frequency Auto Tune Center Freq 2.489000000 GHz Start Freq 2.478000000 GHz Stop Freq 2.500000000 GHz CF Step 2.200000 MHz Freq Offset 0 Hz 10 dB/div Log Ref Offset 8.24 dB Ref 20.00 dBm Mkr4 2.490 237 50 GHz -49.585 dBm  Start 2.47800 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.50000 GHz Sweep 2.133 ms (8001 pts) <table><thead><tr><th>MKR</th><th>MODE</th><th>TRC</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>f</td><td></td><td>2.480 249 50 GHz</td><td>-3.480 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>f</td><td></td><td>2.483 500 00 GHz</td><td>-53.123 dBm</td><td></td><td></td><td></td></tr><tr><td>3</td><td>N</td><td>f</td><td></td><td>2.500 000 00 GHz</td><td>-52.162 dBm</td><td></td><td></td><td></td></tr><tr><td>4</td><td>N</td><td>f</td><td></td><td>2.490 237 50 GHz</td><td>-49.585 dBm</td><td></td><td></td><td></td></tr><tr><td>5</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>6</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>7</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>8</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>9</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>10</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>11</td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td></tr></tbody></table> MSG STATUS	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	f		2.480 249 50 GHz	-3.480 dBm				2	N	f		2.483 500 00 GHz	-53.123 dBm				3	N	f		2.500 000 00 GHz	-52.162 dBm				4	N	f		2.490 237 50 GHz	-49.585 dBm				5									6									7									8									9									10									11																																																																																																																						
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																																																																																																																																			
1	N	f		2.480 249 50 GHz	-3.480 dBm																																																																																																																																																																																																																						
2	N	f		2.483 500 00 GHz	-53.123 dBm																																																																																																																																																																																																																						
3	N	f		2.500 000 00 GHz	-52.162 dBm																																																																																																																																																																																																																						
4	N	f		2.490 237 50 GHz	-49.585 dBm																																																																																																																																																																																																																						
5																																																																																																																																																																																																																											
6																																																																																																																																																																																																																											
7																																																																																																																																																																																																																											
8																																																																																																																																																																																																																											
9																																																																																																																																																																																																																											
10																																																																																																																																																																																																																											
11																																																																																																																																																																																																																											


A.7 Restrict-band band-edge measurements

Test Mode	Test Channel	Ant	Freq.	Power [dBm]	Gain	Ground Factor	E [dBuV/m]	Detector	Limit [dBuV/m]	Verdi
BT LE	2402	Ant1	2310.0	-43.24	2.0	0	54.02	PEAK	74	PASS
		Ant1	2310.0	-53.52	2.0	0	43.74	AV	54	PASS
		Ant1	2390.0	-43.61	2.0	0	53.65	PEAK	74	PASS
		Ant1	2390.0	-53.34	2.0	0	43.91	AV	54	PASS
	2480	Ant1	2483.5	-43.08	2.0	0	54.18	PEAK	74	PASS
		Ant1	2483.5	-53.16	2.0	0	44.10	AV	54	PASS
		Ant1	2500.0	-42.65	2.0	0	54.61	PEAK	74	PASS
		Ant1	2500.0	-52.92	2.0	0	44.34	AV	54	PASS


Restrict-band band-edge measurements_BT LE_2402_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2402_Ant1_AV



Restrict-band band-edge measurements_BT LE_2480_Ant1_PEAK



Restrict-band band-edge measurements_BT LE_2480_Ant1_AV

