

APPENDIX REPORT

Project No.	SHT2206102301EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT22061023001	Model No.	Star10 3G
Start test date	2022-07-13	Finish date	2022-07-13
Temperature	25.1℃	Humidity	32%
Test Engineer	Xiaoqin Li	Auditor	Xiaodong Zheo




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	15.01	12.62	≤ 30.00	Pass
	06	14.91	12.44		
	11	15.74	13.24		
802.11g	01	14.67	11.96	≤ 30.00	Pass
	06	14.52	11.74		
	11	15.16	12.40		
802.11n (HT20)	01	15.07	13.40	≤ 30.00	Pass
	06	14.88	13.22		
	11	15.23	13.56		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	1.47	≤8.00	Pass
	06	1.45		
	11	1.89		
802.11g	01	-10.54	≤8.00	Pass
	06	-9.53		
	11	-8.43		
802.11n(HT20)	01	-11.27	≤8.00	Pass
	06	-10.31		
	11	-11.30		

Type:	802.11 b
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 1.78 ms = VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 1.47 dBm 2.4112490 GHz Date: 13 JUL 2022 13:53:54</p>
CH06	 <p>Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 1.78 ms = VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 1.45 dBm 2.4362490 GHz Date: 13 JUL 2022 13:55:59</p>
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 1.78 ms = VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 1.89 dBm 2.4627510 GHz Date: 13 JUL 2022 13:51:54</p>




Type:	802.11 g
CH01	 <p>The spectrum plot for CH01 shows a signal centered at 2.412 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in MHz, with a span of 25.0 MHz. The signal level is measured at -10.54 dBm. The plot includes a peak marker at 2.4176190 GHz. The date is 13 JUL 2022 14:02:45.</p>
CH06	 <p>The spectrum plot for CH06 shows a signal centered at 2.437 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in MHz, with a span of 25.0 MHz. The signal level is measured at -9.53 dBm. The plot includes a peak marker at 2.4394980 GHz. The date is 13 JUL 2022 14:04:52.</p>
CH11	 <p>The spectrum plot for CH11 shows a signal centered at 2.462 GHz. The y-axis represents power in dBm, ranging from -70 to 10. The x-axis represents frequency in MHz, with a span of 25.0 MHz. The signal level is measured at -8.43 dBm. The plot includes a peak marker at 2.4644980 GHz. The date is 13 JUL 2022 14:00:58.</p>

Type:	802.11n(HT20)
CH01	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 279 us [-15 ms] = VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -11.27 dBm 2.408550 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date:13 JUL 2022 14:51:03</p>
CH06	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 279 us [-15 ms] = VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -10.51 dBm 2.4307910 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date:13 JUL 2022 14:53:01</p>
CH11	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB = RBW 30 kHz Att 30 dB SWI 279 us [-15 ms] = VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -11.30 dBm 2.4694920 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date:13 JUL 2022 14:59:16</p>

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.81	≥0.5	Pass
	06	9.15		
	11	9.60		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.38		
802.11n(HT20)	01	17.64	≥0.5	Pass
	06	17.64		
	11	17.64		




Type:	802.11 b																												
CH01	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.4072 GHz</td> <td>-3.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4135 GHz</td> <td>2.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.81 MHz</td> <td>0.24 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 13:53:25</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.4072 GHz	-3.96 dBm			M2	1		2.4135 GHz	2.42 dBm			D3	M1	1	9.81 MHz	0.24 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.4072 GHz	-3.96 dBm																									
M2	1		2.4135 GHz	2.42 dBm																									
D3	M1	1	9.81 MHz	0.24 dB																									
CH06	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43241 GHz</td> <td>-3.73 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4355 GHz</td> <td>3.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.15 MHz</td> <td>0.30 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 13:55:42</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43241 GHz	-3.73 dBm			M2	1		2.4355 GHz	3.00 dBm			D3	M1	1	9.15 MHz	0.30 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.43241 GHz	-3.73 dBm																									
M2	1		2.4355 GHz	3.00 dBm																									
D3	M1	1	9.15 MHz	0.30 dB																									
CH11	<p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45741 GHz</td> <td>-3.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4635 GHz</td> <td>2.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.6 MHz</td> <td>0.57 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 13:51:27</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45741 GHz	-3.71 dBm			M2	1		2.4635 GHz	2.91 dBm			D3	M1	1	9.6 MHz	0.57 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45741 GHz	-3.71 dBm																									
M2	1		2.4635 GHz	2.91 dBm																									
D3	M1	1	9.6 MHz	0.57 dB																									




Type:	802.11 g																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB = RBW 100 kHz Att 30.0 dB SWI 1.04 ms = VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40378 GHz</td> <td>-10.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41449 GHz</td> <td>-4.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.37 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:02:28</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40378 GHz	-10.91 dBm			M2	1		2.41449 GHz	-4.01 dBm			D3	M1	1	16.41 MHz	0.37 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40378 GHz	-10.91 dBm																									
M2	1		2.41449 GHz	-4.01 dBm																									
D3	M1	1	16.41 MHz	0.37 dB																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB = RBW 100 kHz Att 30.0 dB SWI 1.04 ms = VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42878 GHz</td> <td>-10.84 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43949 GHz</td> <td>-3.98 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.37 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:04:05</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42878 GHz	-10.84 dBm			M2	1		2.43949 GHz	-3.98 dBm			D3	M1	1	16.41 MHz	0.37 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42878 GHz	-10.84 dBm																									
M2	1		2.43949 GHz	-3.98 dBm																									
D3	M1	1	16.41 MHz	0.37 dB																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB = RBW 100 kHz Att 30.0 dB SWI 1.04 ms = VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45381 GHz</td> <td>-10.07 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46449 GHz</td> <td>-3.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.38 MHz</td> <td>0.06 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:00:40</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45381 GHz	-10.07 dBm			M2	1		2.46449 GHz	-3.79 dBm			D3	M1	1	16.38 MHz	0.06 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45381 GHz	-10.07 dBm																									
M2	1		2.46449 GHz	-3.79 dBm																									
D3	M1	1	16.38 MHz	0.06 dB																									




Type:	802.11n(HT20)																												
CH01	<p>Ref Level 20.50 dBm Offset 1.00 dB = RBW 100 kHz Att -30.00 SWI 1.04 ms = VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40318 GHz</td> <td>-10.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41449 GHz</td> <td>-4.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>-0.71 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:04:47</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40318 GHz	-10.32 dBm			M2	1		2.41449 GHz	-4.25 dBm			D3	M1	1	17.64 MHz	-0.71 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40318 GHz	-10.32 dBm																									
M2	1		2.41449 GHz	-4.25 dBm																									
D3	M1	1	17.64 MHz	-0.71 dB																									
CH06	<p>Ref Level 20.50 dBm Offset 1.00 dB = RBW 100 kHz Att -30.00 SWI 1.04 ms = VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42818 GHz</td> <td>-10.40 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43949 GHz</td> <td>-4.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>-0.86 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:02:44</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42818 GHz	-10.40 dBm			M2	1		2.43949 GHz	-4.33 dBm			D3	M1	1	17.64 MHz	-0.86 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42818 GHz	-10.40 dBm																									
M2	1		2.43949 GHz	-4.33 dBm																									
D3	M1	1	17.64 MHz	-0.86 dB																									
CH11	<p>Ref Level 20.50 dBm Offset 1.00 dB = RBW 100 kHz Att -30.00 SWI 1.04 ms = VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45318 GHz</td> <td>-10.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4695 GHz</td> <td>-4.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>-0.37 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:08:59</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45318 GHz	-10.75 dBm			M2	1		2.4695 GHz	-4.57 dBm			D3	M1	1	17.64 MHz	-0.37 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45318 GHz	-10.75 dBm																									
M2	1		2.4695 GHz	-4.57 dBm																									
D3	M1	1	17.64 MHz	-0.37 dB																									

Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	12.11	-	Pass
	06	12.11		
	11	12.14		
802.11g	01	17.23	-	Pass
	06	17.26		
	11	17.26		
802.11n(HT20)	01	17.86	-	Pass
	06	17.89		
	11	17.89		


Type:	802.11 b																												
CH01	 <p>Occupied Bandwidth</p> <p>Count 500/500</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 Hz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>MI[1] 4.23 dBm 2.4104720 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.410472 GHz</td> <td>4.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.409461 GHz</td> <td>-7.33 dBm</td> <td>Occ Bw</td> <td>12.107892108 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4180539 GHz</td> <td>-7.35 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 13:53:46</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.410472 GHz	4.23 dBm			T1	1		2.409461 GHz	-7.33 dBm	Occ Bw	12.107892108 MHz	T2	1		2.4180539 GHz	-7.35 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.410472 GHz	4.23 dBm																									
T1	1		2.409461 GHz	-7.33 dBm	Occ Bw	12.107892108 MHz																							
T2	1		2.4180539 GHz	-7.35 dBm																									
CH06	 <p>Occupied Bandwidth</p> <p>Count 500/500</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 Hz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>MI[1] 4.09 dBm 2.4375090 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.437509 GHz</td> <td>4.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4309461 GHz</td> <td>-7.50 dBm</td> <td>Occ Bw</td> <td>12.107892108 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4430539 GHz</td> <td>-7.38 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 13:55:52</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.437509 GHz	4.09 dBm			T1	1		2.4309461 GHz	-7.50 dBm	Occ Bw	12.107892108 MHz	T2	1		2.4430539 GHz	-7.38 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.437509 GHz	4.09 dBm																									
T1	1		2.4309461 GHz	-7.50 dBm	Occ Bw	12.107892108 MHz																							
T2	1		2.4430539 GHz	-7.38 dBm																									
CH11	 <p>Occupied Bandwidth</p> <p>Count 500/500</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 Hz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep</p> <p>MI[1] 4.52 dBm 2.4615200 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.46152 GHz</td> <td>4.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.455976 GHz</td> <td>-7.26 dBm</td> <td>Occ Bw</td> <td>12.137862138 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4681139 GHz</td> <td>-7.89 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 13:51:47</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.46152 GHz	4.52 dBm			T1	1		2.455976 GHz	-7.26 dBm	Occ Bw	12.137862138 MHz	T2	1		2.4681139 GHz	-7.89 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.46152 GHz	4.52 dBm																									
T1	1		2.455976 GHz	-7.26 dBm	Occ Bw	12.137862138 MHz																							
T2	1		2.4681139 GHz	-7.89 dBm																									

Type:	802.11 g																												
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.409093 GHz</td> <td>-1.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4033387 GHz</td> <td>-10.87 dBm</td> <td>Occ Bw</td> <td>17.232767233 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4205714 GHz</td> <td>-10.49 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:02:27</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.409093 GHz	-1.38 dBm			T1	1		2.4033387 GHz	-10.87 dBm	Occ Bw	17.232767233 MHz	T2	1		2.4205714 GHz	-10.49 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.409093 GHz	-1.38 dBm																									
T1	1		2.4033387 GHz	-10.87 dBm	Occ Bw	17.232767233 MHz																							
T2	1		2.4205714 GHz	-10.49 dBm																									
CH06	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.435352 GHz</td> <td>-1.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4283387 GHz</td> <td>-11.26 dBm</td> <td>Occ Bw</td> <td>17.262737263 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4455014 GHz</td> <td>-10.88 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:04:45</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.435352 GHz	-1.77 dBm			T1	1		2.4283387 GHz	-11.26 dBm	Occ Bw	17.262737263 MHz	T2	1		2.4455014 GHz	-10.88 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.435352 GHz	-1.77 dBm																									
T1	1		2.4283387 GHz	-11.26 dBm	Occ Bw	17.262737263 MHz																							
T2	1		2.4455014 GHz	-10.88 dBm																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.465327 GHz</td> <td>-1.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4533686 GHz</td> <td>-10.51 dBm</td> <td>Occ Bw</td> <td>17.262737263 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4706314 GHz</td> <td>-11.15 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:00:50</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.465327 GHz	-1.16 dBm			T1	1		2.4533686 GHz	-10.51 dBm	Occ Bw	17.262737263 MHz	T2	1		2.4706314 GHz	-11.15 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.465327 GHz	-1.16 dBm																									
T1	1		2.4533686 GHz	-10.51 dBm	Occ Bw	17.262737263 MHz																							
T2	1		2.4706314 GHz	-11.15 dBm																									


Type:	802.11n(HT20)																												
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.414997 GHz</td> <td>-1.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.403069 GHz</td> <td>-8.55 dBm</td> <td>Occ Bw</td> <td>17.862137862 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.426931 GHz</td> <td>-9.02 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:05:55</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.414997 GHz	-1.35 dBm			T1	1		2.403069 GHz	-8.55 dBm	Occ Bw	17.862137862 MHz	T2	1		2.426931 GHz	-9.02 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.414997 GHz	-1.35 dBm																									
T1	1		2.403069 GHz	-8.55 dBm	Occ Bw	17.862137862 MHz																							
T2	1		2.426931 GHz	-9.02 dBm																									
CH06	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.442604 GHz</td> <td>-1.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.428069 GHz</td> <td>-9.05 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.445961 GHz</td> <td>-9.37 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:02:53</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.442604 GHz	-1.43 dBm			T1	1		2.428069 GHz	-9.05 dBm	Occ Bw	17.892107892 MHz	T2	1		2.445961 GHz	-9.37 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.442604 GHz	-1.43 dBm																									
T1	1		2.428069 GHz	-9.05 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.445961 GHz	-9.37 dBm																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.465237 GHz</td> <td>-1.47 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.453069 GHz</td> <td>-8.52 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.476991 GHz</td> <td>-8.70 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13 JUL 2022 14:09:08</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.465237 GHz	-1.47 dBm			T1	1		2.453069 GHz	-8.52 dBm	Occ Bw	17.892107892 MHz	T2	1		2.476991 GHz	-8.70 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.465237 GHz	-1.47 dBm																									
T1	1		2.453069 GHz	-8.52 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.476991 GHz	-8.70 dBm																									

Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
11b	2437	8.36	8.40	99.5%	0.1
11g	2437	1.39	1.42	97.9%	0.7
11n20	2437	1.17	1.20	97.5%	0.9





11n20








Date:13.05.2022 14:22:02

Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Bandedge	Type:	802.11 b																																										
<p>CH01</p>	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41344 GHz</td> <td>2.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-43.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-55.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.39904 GHz</td> <td>-40.31 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13.JUL.2022 13:54:05</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41344 GHz	2.33 dBm			M2	1		2.4 GHz	-43.85 dBm			M3	1		2.39 GHz	-55.45 dBm			M4	1		2.31 GHz	-64.69 dBm			M5	1		2.39904 GHz	-40.31 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41344 GHz	2.33 dBm																																									
M2	1		2.4 GHz	-43.85 dBm																																									
M3	1		2.39 GHz	-55.45 dBm																																									
M4	1		2.31 GHz	-64.69 dBm																																									
M5	1		2.39904 GHz	-40.31 dBm																																									
<p>CH11</p>	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.464492 GHz</td> <td>3.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-50.10 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.97 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.486992 GHz</td> <td>-48.98 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 13.JUL.2022 13:52:05</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.464492 GHz	3.26 dBm			M2	1		2.4835 GHz	-50.10 dBm			M3	1		2.5 GHz	-59.97 dBm			M4	1		2.486992 GHz	-48.98 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.464492 GHz	3.26 dBm																																									
M2	1		2.4835 GHz	-50.10 dBm																																									
M3	1		2.5 GHz	-59.97 dBm																																									
M4	1		2.486992 GHz	-48.98 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01			<p>Count 300/300</p> <p>M1[1] -4.42 dBm 2.414450 GHz</p> <p>M2[1] -39.01 dBm 2.400000 GHz</p> <p>M3 2.398816 GHz</p> <p>M4 2.398816 GHz</p> <p>M5 2.398816 GHz</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41445 GHz</td> <td>-4.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-39.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-46.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398816 GHz</td> <td>-35.51 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:02:58</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41445 GHz	-4.42 dBm			M2	1		2.4 GHz	-39.01 dBm			M3	1		2.39 GHz	-46.34 dBm			M4	1		2.31 GHz	-64.15 dBm			M5	1		2.398816 GHz	-35.51 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41445 GHz	-4.42 dBm																																									
M2	1		2.4 GHz	-39.01 dBm																																									
M3	1		2.39 GHz	-46.34 dBm																																									
M4	1		2.31 GHz	-64.15 dBm																																									
M5	1		2.398816 GHz	-35.51 dBm																																									
CH11			<p>Count 300/300</p> <p>M1[1] -3.62 dBm 2.4644920 GHz</p> <p>M2[1] -47.83 dBm 2.4835000 GHz</p> <p>M3 2.484016 GHz</p> <p>M4 2.484016 GHz</p> <p>2.457 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.464492 GHz</td> <td>-3.62 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-47.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-56.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.484016 GHz</td> <td>-44.45 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:01:11</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.464492 GHz	-3.62 dBm			M2	1		2.4835 GHz	-47.83 dBm			M3	1		2.5 GHz	-56.90 dBm			M4	1		2.484016 GHz	-44.45 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.464492 GHz	-3.62 dBm																																									
M2	1		2.4835 GHz	-47.83 dBm																																									
M3	1		2.5 GHz	-56.90 dBm																																									
M4	1		2.484016 GHz	-44.45 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01		 <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1" data-bbox="683 607 1334 705"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40572 GHz</td> <td>-4.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.74 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-48.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-39.53 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:51:14</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40572 GHz	-4.45 dBm			M2	1		2.4 GHz	-38.74 dBm			M3	1		2.39 GHz	-48.12 dBm			M4	1		2.31 GHz	-62.81 dBm			M5	1		2.399936 GHz	-39.53 dBm			
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40572 GHz	-4.45 dBm																																									
M2	1		2.4 GHz	-38.74 dBm																																									
M3	1		2.39 GHz	-48.12 dBm																																									
M4	1		2.31 GHz	-62.81 dBm																																									
M5	1		2.399936 GHz	-39.53 dBm																																									
CH11		 <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1" data-bbox="683 1149 1334 1234"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-4.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-48.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-57.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.485744 GHz</td> <td>-45.13 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date:13.JUL.2022 14:59:28</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-4.24 dBm			M2	1		2.4835 GHz	-48.18 dBm			M3	1		2.5 GHz	-57.43 dBm			M4	1		2.485744 GHz	-45.13 dBm										
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-4.24 dBm																																									
M2	1		2.4835 GHz	-48.18 dBm																																									
M3	1		2.5 GHz	-57.43 dBm																																									
M4	1		2.485744 GHz	-45.13 dBm																																									

Test Item:	Spurious Emissions	Type:	802.11 b
<p>CH01 Reference level</p>	 <p>Date: 13 JUL 2022 13:54:12</p>		
<p>CH01 30MHz~1000MHz</p>	 <p>Date: 13 JUL 2022 13:54:21</p>		
<p>CH01 1GHz~26GHz</p>	 <p>Date: 13 JUL 2022 13:54:49</p>		


CH06
Reference level




CH06
30MHz~1000MHz



CH06
1GHz~26GHz




CH11
Reference level




Date:13.JUL.2022 13:52:43

CH11
30MHz~1000MHz






Date:13.JUL.2022 13:52:30


CH11
1GHz~26GHz



Date:13.JUL.2022 13:52:47


Test Item:	Spurious Emissions	Type:	802.11 g
<p>CH01 Reference level</p>	 <p>Date:13.JUL.2022 14:03:08</p>		
<p>CH01 30MHz~1000MHz</p>	 <p>Date:13.JUL.2022 14:03:25</p>		
<p>CH01 1GHz~26GHz</p>	 <p>Date:13.JUL.2022 14:03:43</p>		

CH06
Reference level




Date:13.JUL.2022 14:05:08

CH06
30MHz~1000MHz




Date:13.JUL.2022 14:05:25

CH06
1GHz~26GHz




Date:13.JUL.2022 14:05:43


CH11
Reference level






CH11
30MHz~1000MHz




CH11
1GHz~26GHz




Test Item:	Spurious Emissions	Type:	802.11 n(HT20)
<p>CH01 Reference level</p>	 <p>Date:13.JUL.2022 14:11:22</p>		
<p>CH01 30MHz~1000MHz</p>	 <p>Date:13.JUL.2022 14:11:40</p>		
<p>CH01 1GHz~26GHz</p>	 <p>Date:13.JUL.2022 14:11:58</p>		


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level



CH11
30MHz~1000MHz



CH11
1GHz~26GHz



-----End of Report-----