

APPENDIX REPORT

Project No.	SHT2111009101EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21110091003	Model No.	R4
Start test date	2021-11-10	Finish date	2021-11-11
Temperature	24.3℃	Humidity	26%
Test Engineer	Weiyang Xiang	Auditor	Xiaodong Zhu




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Conducted Peak Output Power




Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	14.69	12.28	≤ 30.00	Pass
	06	14.96	12.53		
	11	14.86	12.43		
802.11g	01	15.12	13.02	≤ 30.00	Pass
	06	14.71	12.75		
	11	15.10	13.00		
802.11n (HT20)	01	15.13	13.00	≤ 30.00	Pass
	06	15.42	13.18		
	11	15.11	13.01		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	3.49	≤8.00	Pass
	06	3.57		
	11	3.63		
802.11g	01	-10.45	≤8.00	Pass
	06	-9.24		
	11	-9.42		
802.11n(HT20)	01	-8.47	≤8.00	Pass
	06	-8.36		
	11	-8.58		

Type:		802.11 b
CH01	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MI[1] 3.49 dBm 2.4109930 GHz CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 10 NOV 2021 20:34:22</p>	
CH06	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MI[1] 3.57 dBm 2.4379910 GHz CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 10 NOV 2021 20:37:00</p>	
CH11	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MI[1] 3.63 dBm 2.4629910 GHz CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 10 NOV 2021 20:38:55</p>	

Type:	802.11 g
CH01	<p>Date: 10 NOV 2021 20:48:31</p>
CH06	<p>Date: 10 NOV 2021 20:52:52</p>
CH11	<p>Date: 10 NOV 2021 20:56:26</p>

Type:		802.11n(HT20)
CH01	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 279 us (~15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -8.47 dBm 2.4107260 GHz 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 10 NOV 2021 21:03:34</p>	
CH06	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 279 us (~15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -8.36 dBm 2.4357260 GHz 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 10 NOV 2021 21:07:47</p>	
CH11	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 279 us (~15 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -8.58 dBm 2.4607260 GHz 1 Frequency Sweep 10 dBm 0 dBm -10 dBm -20 dBm -30 dBm -40 dBm -50 dBm -60 dBm -70 dBm CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 10 NOV 2021 21:11:25</p>	

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.15	≥0.5	Pass
	06	9.15		
	11	9.15		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.41		
802.11n(HT20)	01	17.67	≥0.5	Pass
	06	17.67		
	11	17.67		


Type:	802.11 b																												
CH01	<p>MultiView Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40741 GHz</td> <td>-4.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41098 GHz</td> <td>3.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.15 MHz</td> <td>0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:33:11</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40741 GHz	-4.29 dBm			M2	1		2.41098 GHz	3.38 dBm			D3	M1	1	9.15 MHz	0.01 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40741 GHz	-4.29 dBm																									
M2	1		2.41098 GHz	3.38 dBm																									
D3	M1	1	9.15 MHz	0.01 dB																									
CH06	<p>MultiView Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43241 GHz</td> <td>-4.06 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43799 GHz</td> <td>3.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.15 MHz</td> <td>0.01 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:35:55</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43241 GHz	-4.06 dBm			M2	1		2.43799 GHz	3.56 dBm			D3	M1	1	9.15 MHz	0.01 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.43241 GHz	-4.06 dBm																									
M2	1		2.43799 GHz	3.56 dBm																									
D3	M1	1	9.15 MHz	0.01 dB																									
CH11	<p>MultiView Spectrum Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500 1 Frequency Sweep 2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45741 GHz</td> <td>-4.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46299 GHz</td> <td>3.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>9.15 MHz</td> <td>-0.07 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:38:08</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45741 GHz	-4.03 dBm			M2	1		2.46299 GHz	3.79 dBm			D3	M1	1	9.15 MHz	-0.07 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45741 GHz	-4.03 dBm																									
M2	1		2.46299 GHz	3.79 dBm																									
D3	M1	1	9.15 MHz	-0.07 dB																									

Type:	802.11 g																												
CH01	<p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40378 GHz</td> <td>-10.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41071 GHz</td> <td>-3.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.75 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:46:25</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40378 GHz	-10.88 dBm			M2	1		2.41071 GHz	-3.95 dBm			D3	M1	1	16.41 MHz	0.75 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40378 GHz	-10.88 dBm																									
M2	1		2.41071 GHz	-3.95 dBm																									
D3	M1	1	16.41 MHz	0.75 dB																									
CH06	<p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42878 GHz</td> <td>-11.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43826 GHz</td> <td>-4.42 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.57 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:50:28</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42878 GHz	-11.33 dBm			M2	1		2.43826 GHz	-4.42 dBm			D3	M1	1	16.41 MHz	0.57 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42878 GHz	-11.33 dBm																									
M2	1		2.43826 GHz	-4.42 dBm																									
D3	M1	1	16.41 MHz	0.57 dB																									
CH11	<p>Ref Level 20.50 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45378 GHz</td> <td>-10.52 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46323 GHz</td> <td>-3.89 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.24 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:54:19</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45378 GHz	-10.52 dBm			M2	1		2.46323 GHz	-3.89 dBm			D3	M1	1	16.41 MHz	0.24 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45378 GHz	-10.52 dBm																									
M2	1		2.46323 GHz	-3.89 dBm																									
D3	M1	1	16.41 MHz	0.24 dB																									

Type:


802.11n(HT20)

CH01




Date: 10 NOV 2021 21:01:24

CH06



Date: 10 NOV 2021 21:05:37

CH11






Date: 10 NOV 2021 21:09:22

Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	12.23	-	Pass
	06	12.26		
	11	12.26		
802.11g	01	16.99	-	Pass
	06	17.02		
	11	16.99		
802.11n(HT20)	01	17.89	-	Pass
	06	17.89		
	11	17.92		


Type:	802.11 b																												
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth MI[1] 3.69 dBm 2.411491 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.411491 GHz</td> <td>3.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4038861 GHz</td> <td>-8.57 dBm</td> <td>Occ Bw</td> <td>12.227772228 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4181139 GHz</td> <td>-8.72 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:33:20</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.411491 GHz	3.69 dBm			T1	1		2.4038861 GHz	-8.57 dBm	Occ Bw	12.227772228 MHz	T2	1		2.4181139 GHz	-8.72 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.411491 GHz	3.69 dBm																									
T1	1		2.4038861 GHz	-8.57 dBm	Occ Bw	12.227772228 MHz																							
T2	1		2.4181139 GHz	-8.72 dBm																									
CH06	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth MI[1] 3.76 dBm 2.436491 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.436491 GHz</td> <td>3.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4308861 GHz</td> <td>-8.49 dBm</td> <td>Occ Bw</td> <td>12.257742258 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4421439 GHz</td> <td>-9.32 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:36:04</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.436491 GHz	3.76 dBm			T1	1		2.4308861 GHz	-8.49 dBm	Occ Bw	12.257742258 MHz	T2	1		2.4421439 GHz	-9.32 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.436491 GHz	3.76 dBm																									
T1	1		2.4308861 GHz	-8.49 dBm	Occ Bw	12.257742258 MHz																							
T2	1		2.4421439 GHz	-9.32 dBm																									
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth MI[1] 3.88 dBm 2.461491 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461491 GHz</td> <td>3.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4538861 GHz</td> <td>-8.38 dBm</td> <td>Occ Bw</td> <td>12.257742258 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4691439 GHz</td> <td>-9.16 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:38:56</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461491 GHz	3.88 dBm			T1	1		2.4538861 GHz	-8.38 dBm	Occ Bw	12.257742258 MHz	T2	1		2.4691439 GHz	-9.16 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.461491 GHz	3.88 dBm																									
T1	1		2.4538861 GHz	-8.38 dBm	Occ Bw	12.257742258 MHz																							
T2	1		2.4691439 GHz	-9.16 dBm																									

Type:	802.11 g																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] -0.80 dBm 2.4103820 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.410382 GHz</td> <td>-0.80 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4034885 GHz</td> <td>-9.04 dBm</td> <td>Occ Bw</td> <td>16.993006993 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4204815 GHz</td> <td>-8.54 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:46:34</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.410382 GHz	-0.80 dBm			T1	1		2.4034885 GHz	-9.04 dBm	Occ Bw	16.993006993 MHz	T2	1		2.4204815 GHz	-8.54 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.410382 GHz	-0.80 dBm																									
T1	1		2.4034885 GHz	-9.04 dBm	Occ Bw	16.993006993 MHz																							
T2	1		2.4204815 GHz	-8.54 dBm																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] -1.33 dBm 2.4399370 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.439937 GHz</td> <td>-1.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4284385 GHz</td> <td>-10.54 dBm</td> <td>Occ Bw</td> <td>17.022977023 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4454815 GHz</td> <td>-9.15 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:50:37</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.439937 GHz	-1.33 dBm			T1	1		2.4284385 GHz	-10.54 dBm	Occ Bw	17.022977023 MHz	T2	1		2.4454815 GHz	-9.15 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.439937 GHz	-1.33 dBm																									
T1	1		2.4284385 GHz	-10.54 dBm	Occ Bw	17.022977023 MHz																							
T2	1		2.4454815 GHz	-9.15 dBm																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] -0.75 dBm 2.4604420 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460442 GHz</td> <td>-0.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4534885 GHz</td> <td>-9.17 dBm</td> <td>Occ Bw</td> <td>16.993006993 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4704815 GHz</td> <td>-8.85 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:54:28</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460442 GHz	-0.75 dBm			T1	1		2.4534885 GHz	-9.17 dBm	Occ Bw	16.993006993 MHz	T2	1		2.4704815 GHz	-8.85 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.460442 GHz	-0.75 dBm																									
T1	1		2.4534885 GHz	-9.17 dBm	Occ Bw	16.993006993 MHz																							
T2	1		2.4704815 GHz	-8.85 dBm																									


Type:	802.11n(HT20)																												
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] -0.75 dBm 2.412929 GHz</p> <p>CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.412929 GHz</td> <td>-0.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.403039 GHz</td> <td>-7.65 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.420931 GHz</td> <td>-8.44 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 21:01:32</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.412929 GHz	-0.75 dBm			T1	1		2.403039 GHz	-7.65 dBm	Occ Bw	17.892107892 MHz	T2	1		2.420931 GHz	-8.44 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.412929 GHz	-0.75 dBm																									
T1	1		2.403039 GHz	-7.65 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.420931 GHz	-8.44 dBm																									
CH06	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] -0.50 dBm 2.434273 GHz</p> <p>CF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.434273 GHz</td> <td>-0.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4280689 GHz</td> <td>-7.69 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.445961 GHz</td> <td>-7.31 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 21:05:45</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.434273 GHz	-0.50 dBm			T1	1		2.4280689 GHz	-7.69 dBm	Occ Bw	17.892107892 MHz	T2	1		2.445961 GHz	-7.31 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.434273 GHz	-0.50 dBm																									
T1	1		2.4280689 GHz	-7.69 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.445961 GHz	-7.31 dBm																									
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth M1[1] -1.08 dBm 2.461131 GHz</p> <p>CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461131 GHz</td> <td>-1.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.453039 GHz</td> <td>-7.94 dBm</td> <td>Occ Bw</td> <td>17.922077922 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.470961 GHz</td> <td>-8.27 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 21:09:21</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461131 GHz	-1.08 dBm			T1	1		2.453039 GHz	-7.94 dBm	Occ Bw	17.922077922 MHz	T2	1		2.470961 GHz	-8.27 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.461131 GHz	-1.08 dBm																									
T1	1		2.453039 GHz	-7.94 dBm	Occ Bw	17.922077922 MHz																							
T2	1		2.470961 GHz	-8.27 dBm																									

Appendix E: Duty Cycle

Modulation Type	Test Frequency (MHz)	T _{on} time for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on} time (kHz)
11b	2437	8.37	8.40	99.6%	0.1
11g	2437	1.39	1.42	97.9%	0.7
11n20	2437	1.29	1.33	97.0%	0.8





11n20





Date: 10 NOV 2021 21:05:27

Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Count 300/300 Att -30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep</p> <p>1 Frequency Sweep</p> <p>M1[1] 3.44 dBm 2.410980 GHz M2[1] -52.78 dBm 2.400000 GHz</p> <p>M1 -16.560 dBm</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41098 GHz</td> <td>3.44 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-52.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-61.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.397024 GHz</td> <td>-44.98 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/10/2021 20:24:29</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41098 GHz	3.44 dBm			M2	1		2.4 GHz	-52.78 dBm			M3	1		2.39 GHz	-61.05 dBm			M4	1		2.31 GHz	-63.90 dBm			M5	1		2.397024 GHz	-44.98 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41098 GHz	3.44 dBm																																									
M2	1		2.4 GHz	-52.78 dBm																																									
M3	1		2.39 GHz	-61.05 dBm																																									
M4	1		2.31 GHz	-63.90 dBm																																									
M5	1		2.397024 GHz	-44.98 dBm																																									
CH11	<p>MultiView Spectrum</p> <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Count 300/300 Att -30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep</p> <p>1 Frequency Sweep</p> <p>M1[1] 3.71 dBm 2.451471 GHz M2[1] -60.49 dBm 2.4835000 GHz</p> <p>M1 -16.200 dBm</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.451471 GHz</td> <td>3.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-60.49 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-61.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483632 GHz</td> <td>-58.58 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10/10/2021 20:29:07</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.451471 GHz	3.71 dBm			M2	1		2.4835 GHz	-60.49 dBm			M3	1		2.5 GHz	-61.18 dBm			M4	1		2.483632 GHz	-58.58 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.451471 GHz	3.71 dBm																																									
M2	1		2.4835 GHz	-60.49 dBm																																									
M3	1		2.5 GHz	-61.18 dBm																																									
M4	1		2.483632 GHz	-58.58 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41691 GHz</td> <td>-4.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-46.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-55.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-65.15 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399712 GHz</td> <td>-47.17 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:48:55</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41691 GHz	-4.01 dBm			M2	1		2.4 GHz	-46.81 dBm			M3	1		2.39 GHz	-55.82 dBm			M4	1		2.31 GHz	-65.15 dBm			M5	1		2.399712 GHz	-47.17 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41691 GHz	-4.01 dBm																																									
M2	1		2.4 GHz	-46.81 dBm																																									
M3	1		2.39 GHz	-55.82 dBm																																									
M4	1		2.31 GHz	-65.15 dBm																																									
M5	1		2.399712 GHz	-47.17 dBm																																									
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-3.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-53.88 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-56.59 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.48824 GHz</td> <td>-50.22 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 20:56:42</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-3.77 dBm			M2	1		2.4835 GHz	-53.88 dBm			M3	1		2.5 GHz	-56.59 dBm			M4	1		2.48824 GHz	-50.22 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-3.77 dBm																																									
M2	1		2.4835 GHz	-53.88 dBm																																									
M3	1		2.5 GHz	-56.59 dBm																																									
M4	1		2.48824 GHz	-50.22 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41691 GHz</td> <td>-4.01 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-48.09 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-54.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398816 GHz</td> <td>-47.06 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 21:03:53</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41691 GHz	-4.01 dBm			M2	1		2.4 GHz	-48.09 dBm			M3	1		2.39 GHz	-54.13 dBm			M4	1		2.31 GHz	-62.66 dBm			M5	1		2.398816 GHz	-47.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41691 GHz	-4.01 dBm																																									
M2	1		2.4 GHz	-48.09 dBm																																									
M3	1		2.39 GHz	-54.13 dBm																																									
M4	1		2.31 GHz	-62.66 dBm																																									
M5	1		2.398816 GHz	-47.06 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-3.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-52.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-57.12 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.48824 GHz</td> <td>-50.01 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 10 NOV 2021 21:11:38</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-3.78 dBm			M2	1		2.4835 GHz	-52.55 dBm			M3	1		2.5 GHz	-57.12 dBm			M4	1		2.48824 GHz	-50.01 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-3.78 dBm																																									
M2	1		2.4835 GHz	-52.55 dBm																																									
M3	1		2.5 GHz	-57.12 dBm																																									
M4	1		2.48824 GHz	-50.01 dBm																																									