

APPENDIX REPORT

Project No.	SHT2103073009EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT21030730046	Model No.	X55
Start test date	2021-04-27	Finish date	2021-04-27
Temperature	24.8°C	Humidity	32%
Test Engineer	Hailey Chen	Auditor	Xiaodong Zhu




Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS

Appendix A: Conducted Peak Output Power

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	16.01	13.58	≤ 30.00	Pass
	06	14.96	12.51		
	11	12.55	10.12		
802.11g	01	15.97	13.22	≤ 30.00	Pass
	06	14.85	11.94		
	11	12.62	9.79		
802.11n (HT20)	01	16.07	14.22	≤ 30.00	Pass
	06	14.94	13.06		
	11	12.97	11.05		

Appendix B: Power Spectral Density

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	1.96	≤8.00	Pass
	06	0.81		
	11	-1.06		
802.11g	01	-8.44	≤8.00	Pass
	06	-9.97		
	11	-11.88		
802.11n(HT20)	01	-9.66	≤8.00	Pass
	06	-11.56		
	11	-12.19		


Type:		802.11 b
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 1.96 dBm 2.4112330 GHz CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 27 APR 2021 15:38:39</p>	
CH06	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] 0.81 dBm 2.4362330 GHz CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 27 APR 2021 15:40:25</p>	
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI[1] -1.06 dBm 2.4612330 GHz CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz Date: 27 APR 2021 15:42:21</p>	


Type:	802.11 g	
CH01		
CH06		
CH11		




Type:	802.11n(HT20)
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (~1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] 9.66 dBm 2.4194930 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 27 APR 2021 15:01:41</p>
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (~1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -11.56 dBm 2.4357260 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 27 APR 2021 15:06:23</p>
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (~1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 MI[1] -12.19 dBm 2.4557310 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 27 APR 2021 15:08:22</p>

Appendix C: 6dB bandwidth

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.84	≥0.5	Pass
	06	9.63		
	11	9.84		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.41		
802.11n(HT20)	01	17.52	≥0.5	Pass
	06	17.64		
	11	17.64		











Type:	802.11n(HT20)																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40315 GHz</td> <td>-10.77 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.40573 GHz</td> <td>-3.71 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.52 MHz</td> <td>0.18 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:01:20</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40315 GHz	-10.77 dBm			M2	1		2.40573 GHz	-3.71 dBm			D3	M1	1	17.52 MHz	0.18 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40315 GHz	-10.77 dBm																									
M2	1		2.40573 GHz	-3.71 dBm																									
D3	M1	1	17.52 MHz	0.18 dB																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42815 GHz</td> <td>-11.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43199 GHz</td> <td>-5.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>0.20 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:06:03</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42815 GHz	-11.78 dBm			M2	1		2.43199 GHz	-5.23 dBm			D3	M1	1	17.64 MHz	0.20 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42815 GHz	-11.78 dBm																									
M2	1		2.43199 GHz	-5.23 dBm																									
D3	M1	1	17.64 MHz	0.20 dB																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45315 GHz</td> <td>-13.35 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.45573 GHz</td> <td>-6.57 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>0.29 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:08:22</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45315 GHz	-13.35 dBm			M2	1		2.45573 GHz	-6.57 dBm			D3	M1	1	17.64 MHz	0.29 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45315 GHz	-13.35 dBm																									
M2	1		2.45573 GHz	-6.57 dBm																									
D3	M1	1	17.64 MHz	0.29 dB																									

Appendix D: 99% Occupied Bandwidth

Type	Channel	99% Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	12.35	-	Pass
	06	12.20		
	11	12.17		
802.11g	01	17.26	-	Pass
	06	17.29		
	11	17.32		
802.11n(HT20)	01	17.86	-	Pass
	06	17.89		
	11	17.92		



Type:	802.11 b																												
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.410501 GHz</td> <td>4.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4057962 GHz</td> <td>-9.08 dBm</td> <td>Occ Bw</td> <td>12.347652348 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4181439 GHz</td> <td>-8.47 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR. 2021 15:38:27</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.410501 GHz	4.51 dBm			T1	1		2.4057962 GHz	-9.08 dBm	Occ Bw	12.347652348 MHz	T2	1		2.4181439 GHz	-8.47 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.410501 GHz	4.51 dBm																									
T1	1		2.4057962 GHz	-9.08 dBm	Occ Bw	12.347652348 MHz																							
T2	1		2.4181439 GHz	-8.47 dBm																									
CH06	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.435501 GHz</td> <td>3.24 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4308561 GHz</td> <td>-9.17 dBm</td> <td>Occ Bw</td> <td>12.197802198 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4402539 GHz</td> <td>-8.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR. 2021 15:40:13</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.435501 GHz	3.24 dBm			T1	1		2.4308561 GHz	-9.17 dBm	Occ Bw	12.197802198 MHz	T2	1		2.4402539 GHz	-8.28 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.435501 GHz	3.24 dBm																									
T1	1		2.4308561 GHz	-9.17 dBm	Occ Bw	12.197802198 MHz																							
T2	1		2.4402539 GHz	-8.28 dBm																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460501 GHz</td> <td>1.36 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4558861 GHz</td> <td>-10.57 dBm</td> <td>Occ Bw</td> <td>12.167832168 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4652539 GHz</td> <td>-10.29 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR. 2021 15:42:09</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460501 GHz	1.36 dBm			T1	1		2.4558861 GHz	-10.57 dBm	Occ Bw	12.167832168 MHz	T2	1		2.4652539 GHz	-10.29 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.460501 GHz	1.36 dBm																									
T1	1		2.4558861 GHz	-10.57 dBm	Occ Bw	12.167832168 MHz																							
T2	1		2.4652539 GHz	-10.29 dBm																									

Type:	802.11 g																												
CH01	<p>802.11 g</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth: 17.26273263 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.406126 GHz</td> <td>-0.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4032787 GHz</td> <td>-10.26 dBm</td> <td>Occ Bw</td> <td>17.26273263 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4055415 GHz</td> <td>-9.68 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:32:42</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.406126 GHz	-0.27 dBm			T1	1		2.4032787 GHz	-10.26 dBm	Occ Bw	17.26273263 MHz	T2	1		2.4055415 GHz	-9.68 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.406126 GHz	-0.27 dBm																									
T1	1		2.4032787 GHz	-10.26 dBm	Occ Bw	17.26273263 MHz																							
T2	1		2.4055415 GHz	-9.68 dBm																									
CH06	<p>802.11 g</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth: 17.292707293 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.434183 GHz</td> <td>-1.85 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4282488 GHz</td> <td>-12.30 dBm</td> <td>Occ Bw</td> <td>17.292707293 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4455415 GHz</td> <td>-10.96 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:04:39</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.434183 GHz	-1.85 dBm			T1	1		2.4282488 GHz	-12.30 dBm	Occ Bw	17.292707293 MHz	T2	1		2.4455415 GHz	-10.96 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.434183 GHz	-1.85 dBm																									
T1	1		2.4282488 GHz	-12.30 dBm	Occ Bw	17.292707293 MHz																							
T2	1		2.4455415 GHz	-10.96 dBm																									
CH11	<p>802.11 g</p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>Occupied Bandwidth: 17.322677323 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460352 GHz</td> <td>-3.81 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4532488 GHz</td> <td>-13.81 dBm</td> <td>Occ Bw</td> <td>17.322677323 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4705714 GHz</td> <td>-13.37 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:06:55</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460352 GHz	-3.81 dBm			T1	1		2.4532488 GHz	-13.81 dBm	Occ Bw	17.322677323 MHz	T2	1		2.4705714 GHz	-13.37 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.460352 GHz	-3.81 dBm																									
T1	1		2.4532488 GHz	-13.81 dBm	Occ Bw	17.322677323 MHz																							
T2	1		2.4705714 GHz	-13.37 dBm																									


Type:	802.11n(HT20)																												
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.405257 GHz</td> <td>-0.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.403039 GHz</td> <td>-8.49 dBm</td> <td>Occ Bw</td> <td>17.862137862 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4209011 GHz</td> <td>-8.52 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:01:29</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.405257 GHz	-0.75 dBm			T1	1		2.403039 GHz	-8.49 dBm	Occ Bw	17.862137862 MHz	T2	1		2.4209011 GHz	-8.52 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.405257 GHz	-0.75 dBm																									
T1	1		2.403039 GHz	-8.49 dBm	Occ Bw	17.862137862 MHz																							
T2	1		2.4209011 GHz	-8.52 dBm																									
CH06	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.430227 GHz</td> <td>-1.96 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.428009 GHz</td> <td>-8.67 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4459011 GHz</td> <td>-10.18 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:06:11</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.430227 GHz	-1.96 dBm			T1	1		2.428009 GHz	-8.67 dBm	Occ Bw	17.892107892 MHz	T2	1		2.4459011 GHz	-10.18 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.430227 GHz	-1.96 dBm																									
T1	1		2.428009 GHz	-8.67 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.4459011 GHz	-10.18 dBm																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.455257 GHz</td> <td>-3.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.453039 GHz</td> <td>-11.44 dBm</td> <td>Occ Bw</td> <td>17.922077922 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.4709011 GHz</td> <td>-11.34 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:08:20</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.455257 GHz	-3.45 dBm			T1	1		2.453039 GHz	-11.44 dBm	Occ Bw	17.922077922 MHz	T2	1		2.4709011 GHz	-11.34 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.455257 GHz	-3.45 dBm																									
T1	1		2.453039 GHz	-11.44 dBm	Occ Bw	17.922077922 MHz																							
T2	1		2.4709011 GHz	-11.34 dBm																									

Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T _{on time} for single burst (ms)	T _{period} (ms)	Duty cycle	1/T _{on time} (kHz)
11b	2437	8.36	8.41	99.4%	0.1
11g	2437	1.39	1.42	97.9%	0.7
11n20	2437	1.17	1.20	97.5%	0.9







11n20






Appendix F: Band edge and Spurious Emissions (conducted)


Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41042 GHz</td> <td>2.82 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-39.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-51.79 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398928 GHz</td> <td>-34.77 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:38:49</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41042 GHz	2.82 dBm			M2	1		2.4 GHz	-39.53 dBm			M3	1		2.39 GHz	-51.79 dBm			M4	1		2.31 GHz	-64.05 dBm			M5	1		2.398928 GHz	-34.77 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41042 GHz	2.82 dBm																																									
M2	1		2.4 GHz	-39.53 dBm																																									
M3	1		2.39 GHz	-51.79 dBm																																									
M4	1		2.31 GHz	-64.05 dBm																																									
M5	1		2.398928 GHz	-34.77 dBm																																									
CH11	 <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.460464 GHz</td> <td>-0.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4833 GHz</td> <td>-56.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-62.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483536 GHz</td> <td>-56.28 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:42:31</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.460464 GHz	-0.14 dBm			M2	1		2.4833 GHz	-56.03 dBm			M3	1		2.5 GHz	-62.65 dBm			M4	1		2.483536 GHz	-56.28 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.460464 GHz	-0.14 dBm																																									
M2	1		2.4833 GHz	-56.03 dBm																																									
M3	1		2.5 GHz	-62.65 dBm																																									
M4	1		2.483536 GHz	-56.28 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep M1[1] 3.29 dBm M2[1] 2.405720 GHz M2[1] -36.78 dBm M2[1] 2.400000 GHz</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40572 GHz</td> <td>-3.29 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-36.78 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-47.14 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.398928 GHz</td> <td>-33.95 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:33:04</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40572 GHz	-3.29 dBm			M2	1		2.4 GHz	-36.78 dBm			M3	1		2.39 GHz	-47.14 dBm			M4	1		2.31 GHz	-63.25 dBm			M5	1		2.398928 GHz	-33.95 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40572 GHz	-3.29 dBm																																									
M2	1		2.4 GHz	-36.78 dBm																																									
M3	1		2.39 GHz	-47.14 dBm																																									
M4	1		2.31 GHz	-63.25 dBm																																									
M5	1		2.398928 GHz	-33.95 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep M1[1] 6.33 dBm M2[1] 2.4557160 GHz M2[1] -51.69 dBm M2[1] 2.4835000 GHz</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.455716 GHz</td> <td>-6.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-51.69 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.48368 GHz</td> <td>-48.02 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:06:06</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.455716 GHz	-6.33 dBm			M2	1		2.4835 GHz	-51.69 dBm			M3	1		2.5 GHz	-60.76 dBm			M4	1		2.48368 GHz	-48.02 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.455716 GHz	-6.33 dBm																																									
M2	1		2.4835 GHz	-51.69 dBm																																									
M3	1		2.5 GHz	-60.76 dBm																																									
M4	1		2.48368 GHz	-48.02 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep M1[1] 3.95 dBm M2[1] 2.40695 GHz M2[1] -38.25 dBm M2[1] 2.40000 GHz</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40695 GHz</td> <td>-3.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-38.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-46.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-64.00 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.39792 GHz</td> <td>-38.40 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:01:50</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40695 GHz	-3.95 dBm			M2	1		2.4 GHz	-38.25 dBm			M3	1		2.39 GHz	-46.43 dBm			M4	1		2.31 GHz	-64.00 dBm			M5	1		2.39792 GHz	-38.40 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.40695 GHz	-3.95 dBm																																									
M2	1		2.4 GHz	-38.25 dBm																																									
M3	1		2.39 GHz	-46.43 dBm																																									
M4	1		2.31 GHz	-64.00 dBm																																									
M5	1		2.39792 GHz	-38.40 dBm																																									
CH11	 <p>Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep M1[1] 6.65 dBm M2[1] 2.4557160 GHz M2[1] -50.53 dBm M2[1] 2.4835000 GHz</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.455716 GHz</td> <td>-6.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-50.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.75 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483824 GHz</td> <td>-47.81 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 27 APR 2021 15:08:41</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.455716 GHz	-6.65 dBm			M2	1		2.4835 GHz	-50.53 dBm			M3	1		2.5 GHz	-59.75 dBm			M4	1		2.483824 GHz	-47.81 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.455716 GHz	-6.65 dBm																																									
M2	1		2.4835 GHz	-50.53 dBm																																									
M3	1		2.5 GHz	-59.75 dBm																																									
M4	1		2.483824 GHz	-47.81 dBm																																									


Test Item:	SE	Type:	802.11 b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06
Reference level




Date: 27 APR, 2021 15:41:44

CH06
30MHz~1000MHz









Date: 27 APR, 2021 15:41:20

CH06
1GHz~26GHz




Date: 27 APR, 2021 15:41:36


<p>CH11 Reference level</p>	 <p>MultiView Spectrum Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 1 Frequency Sweep MI[1] 1.04 dBm 2.4614910 GHz CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 27 APR, 2021 15:43:23</p>
<p>CH11 30MHz~1000MHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep MI[1] -60.53 dBm 577.2070 MHz MI -18.960 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 27 APR, 2021 15:43:28</p>
<p>CH11 1GHz~26GHz</p>	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 1 Frequency Sweep MI[1] -47.54 dBm 4.923333 GHz MI -18.960 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 27 APR, 2021 15:43:54</p>

Test Item:	SE	Type:	802.11 g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz



CH06
1GHz~26GHz




CH11
Reference level




Date: 27 APR 2021 15:06:24

CH11
30MHz~1000MHz






Date: 27 APR 2021 15:07:10


CH11
1GHz~26GHz




Date: 27 APR 2021 15:07:26

Test Item:	SE	Type:	802.11 n(HT20)
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			


CH06
Reference level




CH06
30MHz~1000MHz




CH06
1GHz~26GHz




CH11
Reference level



CH11
30MHz~1000MHz



CH11
1GHz~26GHz



-----End of Report-----