

Project No.	SHT2306097102EW		
Test sample No.	YPHT23060971001_01	Model No.	Fenix9 3G
Start test date	2023/7/10	Finish date	2023/7/14
Temperature	22.7°C	Humidity	58%
Test Engineer	Xiaodong Zhao	Auditor	<i>Hans HU</i>

Appendix clause	Test Item	Result
A	Conducted Power Measurement Results	PASS
B	SAR Measurement Results	PASS
C	Simultaneous Transmission analysis	PASS

Appendix A:Conducted Power Measurement Results-GSM

GSM850		Burst Average Power (dBm)			Tune-up limit (dBm)	Division Factors	Frame-Average Power (dBm)			Tune-up limit (dBm)
		CH128	CH190	CH251			CH128	CH190	CH251	
		824.2MHz	836.6MHz	848.8MHz			824.2MHz	836.6MHz	848.8MHz	
GSM		33.17	33.10	33.11	33.50	-9.03	24.14	24.07	24.08	24.47
GPRS (GMSK)	1Tx slot	33.68	33.45	33.46	34.00	-9.03	24.65	24.42	24.43	24.97
	2Tx slots	32.93	32.07	32.83	33.00	-6.02	26.91	26.05	26.81	26.98
	3Tx slots	31.37	31.14	31.28	31.50	-4.26	27.11	26.88	27.02	27.24
	4Tx slots	29.70	29.64	29.62	30.00	-3.01	26.69	26.63	26.61	26.99

GSM1900		Burst Average Power (dBm)			Tune-up limit (dBm)	Division Factors	Frame-Average Power (dBm)			Tune-up limit (dBm)
		CH512	CH661	CH810			CH512	CH661	CH810	
		1850.2MHz	1880MHz	1909.8MHz			1850.2MHz	1880.0MHz	1909.8MHz	
GSM		29.57	29.85	30.47	30.50	-9.03	20.54	20.82	21.44	21.47
GPRS (GMSK)	1Tx slot	29.66	29.75	30.39	30.50	-9.03	20.63	20.72	21.36	21.47
	2Tx slots	27.77	27.96	28.55	29.00	-6.02	21.75	21.94	22.53	22.98
	3Tx slots	26.23	26.25	26.97	27.00	-4.26	21.97	21.99	22.71	22.74
	4Tx slots	24.31	24.50	25.08	25.50	-3.01	21.30	21.49	22.07	22.49

Appendix A:Conducted Power Measurement Results-WCDMA

WCDMA Band II		Conducted Power (dBm)			Tune-up limit (dBm)
		CH9262	CH9400	CH9538	
		1852.4MHz	1880MHz	1907.6MHz	
AMR 12.2K		23.63	23.58	24.06	24.50
RMC 12.2K		23.67	23.62	24.10	24.50
HSDPA	Subtest-1	22.68	22.54	22.22	23.00
	Subtest-2	22.36	22.16	21.78	22.50
	Subtest-3	22.08	21.84	21.53	22.50
	Subtest-4	21.92	21.75	21.33	22.00
HSUPA	Subtest-1	20.02	20.59	20.28	21.00
	Subtest-2	20.16	20.76	20.48	21.00
	Subtest-3	19.85	20.45	20.10	20.50
	Subtest-4	20.22	20.35	20.54	21.00
	Subtest-5	23.13	23.03	22.85	23.50

WCDMA Band V		Conducted Power (dBm)			Tune-up limit (dBm)
		CH4132	CH4183	CH4233	
		826.4MHz	836.6MHz	846.6MHz	
AMR 12.2K		23.15	23.49	23.43	23.50
RMC 12.2K		23.18	23.53	23.47	24.00
HSDPA	Subtest-1	23.09	22.92	22.89	23.50
	Subtest-2	23.36	23.24	23.20	23.50
	Subtest-3	22.67	21.61	22.34	23.00
	Subtest-4	22.70	21.55	22.33	23.00
HSUPA	Subtest-1	20.65	20.34	20.27	21.00
	Subtest-2	20.85	20.50	20.42	21.00
	Subtest-3	21.05	20.76	20.64	21.50
	Subtest-4	20.93	20.60	20.55	21.00
	Subtest-5	22.29	22.24	22.17	22.50

Appendix A:Conducted Power Measurement Results-WIFI/Bluetooth

WIFI 2.4G					
Mode	Channel	Frequency (MHz)	Peak Power (dBm)	Average Power (dBm)	Tune-up limit (dBm)
802.11b	1	2412	17.08	14.86	15.00
	6	2437	16.91	14.67	15.00
	11	2462	16.61	14.42	15.00
802.11g	1	2412	17.64	14.76	15.00
	6	2437	17.63	14.76	15.00
	11	2462	17.62	14.60	15.00
802.11n (HT20)	1	2412	17.25	14.92	15.00
	6	2437	17.21	14.84	15.00
	11	2462	17.10	14.40	15.00

Bluetooth						
Mode		Channel	Frequency (MHz)	Peak Power (dBm)	Average Power (dBm)	Tune-up limit (dBm)
EDR	GFSK	0	2402	6.78	6.74	7.00
		39	2441	7.11	7.06	7.50
		78	2480	6.76	6.70	7.00
	$\pi/4$ QPSK	0	2402	7.13	6.98	7.00
		39	2441	7.92	7.46	7.50
		78	2480	7.52	7.11	7.50
	8DPSK	0	2402	7.53	7.12	7.50
		39	2441	8.27	7.82	8.00
		78	2480	7.91	7.63	8.00

Appendix B:SAR Measurement Results-Head

GSM850										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
GPRS 3Tx slots	Left Cheek	128	824.2	31.37	31.50	1.030	-0.16	0.024	0.025	-
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
	Left-Tilt	128	824.2	31.37	31.50	1.030	-0.15	0.011	0.011	-
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
	Right Cheek	128	824.2	31.37	31.50	1.030	-0.01	0.027	0.028	1
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
	Right-Tilt	128	824.2	31.37	31.50	1.030	-0.14	0.017	0.018	-
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-

GSM1900										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
GPRS 3Tx slots	Left Cheek	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	-0.09	0.025	0.025	-
	Left-Tilt	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	-0.03	0.017	0.017	-
	Right Cheek	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	-0.13	0.034	0.034	2
	Right-Tilt	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	-0.18	0.021	0.021	-

WCDMA Band II										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
RMC 12.2Kbps	Left Cheek	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	0.15	0.178	0.195	-
	Left-Tilt	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	-0.12	0.110	0.121	-
	Right Cheek	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	-0.13	0.206	0.226	3
	Right-Tilt	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	0.07	0.144	0.158	-

WCDMA Band V										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
RMC 12.2Kbps	Left Cheek	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	0.12	0.061	0.068	-
		4233	846.6	23.47	24.00	1.130	-	-	-	-
	Left-Tilt	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	-0.18	0.038	0.042	-
		4233	846.6	23.47	24.00	1.130	-	-	-	-
	Right Cheek	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	-0.17	0.077	0.086	4
		4233	846.6	23.47	24.00	1.130	-	-	-	-
	Right-Tilt	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	-0.06	0.049	0.055	-
		4233	846.6	23.47	24.00	1.130	-	-	-	-

WIFI 2.4G												
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Duty Cycle	Duty Cycle Scaling Factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz							(W/kg)	(W/kg)	
802.11b	Left Cheek	1	2412	14.86	15.00	1.033	99.50%	1.005	-0.15	0.508	0.527	5
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-
	Left-Tilt	1	2412	14.86	15.00	1.033	99.50%	1.005	0.14	0.447	0.464	-
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-
	Right Cheek	1	2412	14.86	15.00	1.033	99.50%	1.005	-0.12	0.463	0.481	-
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-
	Right-Tilt	1	2412	14.86	15.00	1.033	99.50%	1.005	0.03	0.411	0.427	-
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-

Bluetooth												
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Duty Cycle	Duty Cycle Scaling Factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz							(W/kg)	(W/kg)	
EDR 8DPSK	Left Cheek	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	-0.10	0.071	0.097	6
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-
	Left-Tilt	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	-0.18	0.050	0.068	-
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-
	Right Cheek	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	0.11	0.063	0.086	-
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-
	Right-Tilt	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	0.04	0.042	0.057	-
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-

Appendix B:SAR Measurement Results-Body

GSM850										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
GPRS 3Tx slots	Front	128	824.2	31.37	31.50	1.030	-0.17	0.411	0.423	-
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
	Rear	128	824.2	31.37	31.50	1.030	-0.14	0.432	0.445	7
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
	Left	128	824.2	31.37	31.50	1.030	-0.08	0.045	0.046	-
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
	Right	128	824.2	31.37	31.50	1.030	0.07	0.347	0.358	-
		190	836.6	31.14	31.50	1.086	-	-	-	-
		251	848.8	31.28	31.50	1.052	-	-	-	-
Bottom	128	824.2	31.37	31.50	1.030	-0.10	0.356	0.367	-	
	190	836.6	31.14	31.50	1.086	-	-	-	-	
	251	848.8	31.28	31.50	1.052	-	-	-	-	

GSM1900										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
GPRS 3Tx slots	Front	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	0.08	0.341	0.343	-
	Rear	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	-0.15	0.358	0.360	8
	Right	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	-0.11	0.323	0.325	-
	Bottom	512	1850.2	26.23	27.00	1.194	-	-	-	-
		661	1880.0	26.25	27.00	1.189	-	-	-	-
		810	1909.8	26.97	27.00	1.007	0.09	0.307	0.309	-

WCDMA Band II										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
RMC 12.2Kbps	Front	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	0.07	0.675	0.740	-
	Rear	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	0.01	0.728	0.798	9
	Left	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	-0.11	0.048	0.053	-
	Right	9262	1852.4	23.67	24.50	1.211	-	-	-	-
		9400	1880.0	23.62	24.50	1.225	-	-	-	-
		9538	1907.6	24.10	24.50	1.096	0.06	0.523	0.573	-
Bottom	9262	1852.4	23.67	24.50	1.211	-	-	-	-	
	9400	1880.0	23.62	24.50	1.225	-	-	-	-	
	9538	1907.6	24.10	24.50	1.096	-0.14	0.511	0.560	-	

WCDMA Band V										
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz					(W/kg)	(W/kg)	
RMC 12.2Kbps	Front	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	-0.18	0.698	0.778	-
		4233	846.6	23.47	24.00	1.130	-	-	-	-
	Rear	4132	826.4	23.18	24.00	1.208	0.12	0.715	0.864	-
		4183	836.6	23.53	24.00	1.114	-0.07	0.821	0.915	10
		4233	846.6	23.47	24.00	1.130	0.08	0.762	0.861	-
	Right	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	-0.06	0.591	0.659	-
		4233	846.6	23.47	24.00	1.130	-	-	-	-
	Bottom	4132	826.4	23.18	24.00	1.208	-	-	-	-
		4183	836.6	23.53	24.00	1.114	0.14	0.577	0.643	-
		4233	846.6	23.47	24.00	1.130	-	-	-	-

WIFI 2.4G												
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Duty Cycle	Duty Cycle Scaling Factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz							(W/kg)	(W/kg)	
802.11b	Front	1	2412	14.86	15.00	1.033	99.50%	1.005	-0.17	0.345	0.358	-
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-
	Rear	1	2412	14.86	15.00	1.033	99.50%	1.005	-0.07	0.404	0.419	11
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-
	Right	1	2412	14.86	15.00	1.033	99.50%	1.005	-0.18	0.211	0.219	-
		6	2437	14.67	15.00	1.079	99.50%	1.005	-	-	-	-
		11	2462	14.42	15.00	1.143	99.50%	1.005	-	-	-	-

Bluetooth												
Mode	Test Position	Frequency		Conducted Power (dBm)	Tune-up limit (dBm)	Tune-up scaling factor	Duty Cycle	Duty Cycle Scaling Factor	Power Drift(dB)	Measured SAR(1g)	Report SAR(1g)	Plot No.
		CH	MHz							(W/kg)	(W/kg)	
EDR 8DPSK	Front	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	0.12	0.044	0.060	-
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-
	Rear	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	-0.09	0.069	0.094	12
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-
	Right	0	2402	7.12	7.50	1.091	76.68%	1.304	-	-	-	-
		39	2441	7.82	8.00	1.042	76.68%	1.304	-0.08	0.031	0.042	-
		78	2480	7.63	8.00	1.089	76.68%	1.304	-	-	-	-

Appendix C: Simultaneous Transmission analysis-Head

WWAN + WLAN					
WWAN Band		Exposure Position	Max SAR (W/kg)		Summed SAR (W/kg)
			WWAN	WLAN	
GSM	GSM850	Left Cheek	0.025	0.527	0.552
		Left-Tilt	0.011	0.464	0.475
		Right Cheek	0.028	0.481	0.509
		Right-Tilt	0.018	0.427	0.445
	GSM1900	Left Cheek	0.025	0.527	0.552
		Left-Tilt	0.017	0.464	0.481
		Right Cheek	0.034	0.481	0.515
		Right-Tilt	0.021	0.427	0.448
WCDMA	Band II	Left Cheek	0.195	0.527	0.722
		Left-Tilt	0.121	0.464	0.585
		Right Cheek	0.226	0.481	0.707
		Right-Tilt	0.158	0.427	0.585
	Band V	Left Cheek	0.068	0.527	0.595
		Left-Tilt	0.042	0.464	0.506
		Right Cheek	0.086	0.481	0.567
		Right-Tilt	0.055	0.427	0.482

WWAN + BT					
WWAN Band		Exposure Position	Max SAR (W/kg)		Summed SAR (W/kg)
			WWAN	BT	
GSM	GSM850	Left Cheek	0.025	0.097	0.122
		Left-Tilt	0.011	0.068	0.079
		Right Cheek	0.028	0.086	0.114
		Right-Tilt	0.018	0.057	0.075
	GSM1900	Left Cheek	0.025	0.097	0.122
		Left-Tilt	0.017	0.068	0.085
		Right Cheek	0.034	0.086	0.120
		Right-Tilt	0.021	0.057	0.078
WCDMA	Band II	Left Cheek	0.195	0.097	0.292
		Left-Tilt	0.121	0.068	0.189
		Right Cheek	0.226	0.086	0.312
		Right-Tilt	0.158	0.057	0.215
	Band V	Left Cheek	0.068	0.097	0.165
		Left-Tilt	0.042	0.068	0.110
		Right Cheek	0.086	0.086	0.172
		Right-Tilt	0.055	0.057	0.112

Appendix C: Simultaneous Transmission analysis-Body

WWAN + WLAN					
WWAN Band		Exposure Position	Max SAR (W/kg)		Summed SAR
			WWAN	WLAN	(W/kg)
GSM	GSM850	Front	0.423	0.358	0.781
		Rear	0.445	0.419	0.864
		Left side	0.046	-	0.046
		Right side	0.358	0.219	0.577
		Top side	-	-	-
		Bottom side	0.367	-	0.367
	GSM1900	Front	0.343	0.358	0.701
		Rear	0.360	0.419	0.779
		Left side	-	-	-
		Right side	0.325	0.219	0.544
		Top side	-	-	-
		Bottom side	0.309	-	0.309
WCDMA	Band II	Front	0.740	0.358	1.098
		Rear	0.798	0.419	1.217
		Left side	0.053	-	0.053
		Right side	0.573	0.219	0.792
		Top side	-	-	-
		Bottom side	0.560	-	0.560
	Band V	Front	0.778	0.358	1.136
		Rear	0.915	0.419	1.334
		Left side	-	-	-
		Right side	0.659	0.219	0.878
		Top side	-	-	-
		Bottom side	0.643	-	0.643

WWAN + BT					
WWAN Band		Exposure Position	Max SAR (W/kg)		Summed SAR
			WWAN	BT	(W/kg)
GSM	GSM850	Front	0.423	0.060	0.483
		Rear	0.445	0.094	0.539
		Left side	0.046	-	0.046
		Right side	0.358	0.042	0.400
		Top side	-	-	-
		Bottom side	0.367	-	0.367
	GSM1900	Front	0.343	0.060	0.403
		Rear	0.360	0.094	0.454
		Left side	-	-	-
		Right side	0.325	0.042	0.367
		Top side	-	-	-
		Bottom side	0.309	-	0.309
WCDMA	Band II	Front	0.740	0.060	0.800
		Rear	0.798	0.094	0.892
		Left side	0.053	-	0.053
		Right side	0.573	0.042	0.616
		Top side	-	-	-
		Bottom side	0.560	-	0.560
	Band V	Front	0.778	0.060	0.838
		Rear	0.915	0.094	1.009
		Left side	-	-	-
		Right side	0.659	0.042	0.701
		Top side	-	-	-
		Bottom side	0.643	-	0.643