

# APPENDIX REPORT

Project No.	SHT2210025201EW	Radio Specification	WIFI 2.4G
Test sample No.	YPHT2210025002	Model No.	G60 Pro
Start test date	2022-10-21	Finish date	2022-10-24
Temperature	25.6°C	Humidity	31%
Test Engineer	Xiaoxiao Li	Auditor	Xiaodong Zhu

Appendix clause	Test item	Result
A	Conducted Peak Output Power	PASS
B	Power Spectral Density	PASS
C	6 dB Bandwidth	PASS
D	99% Occupied Bandwidth	PASS
E	Duty Cycle	PASS
F	Band edge and Spurious Emissions (conducted)	PASS




**Appendix A: Conducted Peak Output Power**

Type	Channel	Peak Output power (dBm)	Average Output power (dBm)	Limit (dBm)	Result
802.11b	01	14.67	12.24	≤ 30.00	Pass
	06	15.21	12.74		
	11	14.87	12.12		
802.11g	01	14.64	11.56	≤ 30.00	Pass
	06	14.81	11.83		
	11	14.73	11.78		
802.11n (HT20)	01	14.63	11.42	≤ 30.00	Pass
	06	14.76	11.96		
	11	14.68	11.45		
802.11n(HT40)	03	14.82	11.64	≤ 30.00	Pass
	06	15.04	12.05		
	09	15.06	12.16		

**Appendix B: Power Spectral Density**

Type	Channel	Power Spectral Density (dBm/30KHz)	Limit (dBm/3KHz)	Result
802.11b	01	1.07	≤8.00	Pass
	06	1.49		
	11	1.74		
802.11g	01	-10.08	≤8.00	Pass
	06	-9.33		
	11	-11.72		
802.11n(HT20)	01	-9.60	≤8.00	Pass
	06	-8.91		
	11	-9.27		
802.11n(HT40)	03	-12.80	≤8.00	Pass
	06	-13.58		
	09	-13.39		

Type:	802.11 b
CH01	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI(1) 1.07 dBm 2.4129910 GHz</p> <p>CF 2.412 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 21 Oct 2022 13:43:23</p>
CH06	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI(1) 1.49 dBm 2.4389820 GHz</p> <p>CF 2.437 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 21 Oct 2022 13:45:16</p>
CH11	<p>Ref Level 20.00 dBm Offset 1.00 dB RBW 30 kHz Att 30 dB SWI 1.78 ms VBW 100 kHz Mode Auto Sweep Count 100/100 MI(1) 1.74 dBm 2.4609930 GHz</p> <p>CF 2.462 GHz 1001 pts 1.6 MHz/ Span 16.0 MHz</p> <p>Date: 21 Oct 2022 13:46:08</p>

Type:	802.11 g
CH01	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -10.08 dBm 2.4113760 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 21 Oct 2022 13:48:18</p>
CH06	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -9.33 dBm 2.4444930 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 21 Oct 2022 13:50:10</p>
CH11	 <p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -11.72 dBm 2.4593020 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 21 Oct 2022 13:51:53</p>


Type:	802.11n(HT20)
CH01	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -9.60 dBm 2.4107260 GHz CF 2.412 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 21 Oct 2022 13:53:44</p>
CH06	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -8.91 dBm 2.4357260 GHz CF 2.437 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 21 Oct 2022 13:55:33</p>
CH11	<p>MultiView Spectrum Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz Att 30 dB SWI 279 us (-1.5 ms) VBW 100 kHz Mode Auto FFT Count 100/100 1 Frequency Sweep MI[1] -9.27 dBm 2.4607260 GHz CF 2.462 GHz 1001 pts 2.5 MHz/ Span 25.0 MHz Date: 21 Oct 2022 13:56:53</p>




Type:	802.11n(HT40)
CH03	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -12.80 dBm            2.4282640 GHz            CF 2.422 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz            Date: 21 Oct 2022 13:58:23         </p>
CH06	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -13.58 dBm            2.4494730 GHz            CF 2.437 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz            Date: 21 Oct 2022 14:02:41         </p>
CH09	<p> <b>Spectrum</b>            Ref Level 20.00 dBm Offset 1.00 dB BW 30 kHz            Att 30 dB SWI 558 us (~27 ms) VBW 100 kHz Mode Auto FFT            Count 100/100            1 Frequency Sweep            MI[1] -13.39 dBm            2.4545270 GHz            CF 2.452 GHz 1001 pts 5.5 MHz/ Span 55.0 MHz            Date: 21 Oct 2022 14:04:07         </p>

**Appendix C: 6dB bandwidth**

Type	Channel	6dB Bandwidth (MHz)	Limit (MHz)	Result
802.11b	01	9.63	≥0.5	Pass
	06	9.60		
	11	9.12		
802.11g	01	16.41	≥0.5	Pass
	06	16.41		
	11	16.41		
802.11n(HT20)	01	17.64	≥0.5	Pass
	06	17.64		
	11	17.67		
802.11n(HT40)	03	35.76	≥0.5	Pass
	06	35.82		
	09	36.18		





Type:	802.11 g																												
CH01	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40378 GHz</td> <td>-11.02 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41326 GHz</td> <td>-4.08 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.86 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:48:03</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40378 GHz	-11.02 dBm			M2	1		2.41326 GHz	-4.08 dBm			D3	M1	1	16.41 MHz	0.86 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40378 GHz	-11.02 dBm																									
M2	1		2.41326 GHz	-4.08 dBm																									
D3	M1	1	16.41 MHz	0.86 dB																									
CH06	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42878 GHz</td> <td>-11.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4445 GHz</td> <td>-4.04 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.82 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:49:55</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42878 GHz	-11.38 dBm			M2	1		2.4445 GHz	-4.04 dBm			D3	M1	1	16.41 MHz	0.82 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42878 GHz	-11.38 dBm																									
M2	1		2.4445 GHz	-4.04 dBm																									
D3	M1	1	16.41 MHz	0.82 dB																									
CH11	 <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45378 GHz</td> <td>-11.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46074 GHz</td> <td>-4.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>16.41 MHz</td> <td>0.46 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:51:38</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45378 GHz	-11.32 dBm			M2	1		2.46074 GHz	-4.64 dBm			D3	M1	1	16.41 MHz	0.46 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45378 GHz	-11.32 dBm																									
M2	1		2.46074 GHz	-4.64 dBm																									
D3	M1	1	16.41 MHz	0.46 dB																									

Type:	802.11n(HT20)																												
CH01	<p><b>Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40318 GHz</td> <td>-10.23 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.41698 GHz</td> <td>-3.94 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>-0.58 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:53:00</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40318 GHz	-10.23 dBm			M2	1		2.41698 GHz	-3.94 dBm			D3	M1	1	17.64 MHz	-0.58 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40318 GHz	-10.23 dBm																									
M2	1		2.41698 GHz	-3.94 dBm																									
D3	M1	1	17.64 MHz	-0.58 dB																									
CH06	<p><b>Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.42818 GHz</td> <td>-10.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.44198 GHz</td> <td>-4.32 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.64 MHz</td> <td>-0.57 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:55:19</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.42818 GHz	-10.55 dBm			M2	1		2.44198 GHz	-4.32 dBm			D3	M1	1	17.64 MHz	-0.57 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.42818 GHz	-10.55 dBm																									
M2	1		2.44198 GHz	-4.32 dBm																									
D3	M1	1	17.64 MHz	-0.57 dB																									
CH11	<p><b>Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.45315 GHz</td> <td>-12.13 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46698 GHz</td> <td>-4.38 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>17.67 MHz</td> <td>0.92 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:56:09</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.45315 GHz	-12.13 dBm			M2	1		2.46698 GHz	-4.38 dBm			D3	M1	1	17.67 MHz	0.92 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.45315 GHz	-12.13 dBm																									
M2	1		2.46698 GHz	-4.38 dBm																									
D3	M1	1	17.67 MHz	0.92 dB																									


Type:	802.11n(HT40)																												
CH03	<p><b>Spectrum</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz          Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.40442 GHz</td> <td>-12.92 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.43952 GHz</td> <td>-6.61 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.76 MHz</td> <td>-0.69 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:58:09</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.40442 GHz	-12.92 dBm			M2	1		2.43952 GHz	-6.61 dBm			D3	M1	1	35.76 MHz	-0.69 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.40442 GHz	-12.92 dBm																									
M2	1		2.43952 GHz	-6.61 dBm																									
D3	M1	1	35.76 MHz	-0.69 dB																									
CH06	<p><b>Spectrum</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz          Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41936 GHz</td> <td>-14.34 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.45452 GHz</td> <td>-6.53 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>35.82 MHz</td> <td>0.96 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 14:02:20</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41936 GHz	-14.34 dBm			M2	1		2.45452 GHz	-6.53 dBm			D3	M1	1	35.82 MHz	0.96 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.41936 GHz	-14.34 dBm																									
M2	1		2.45452 GHz	-6.53 dBm																									
D3	M1	1	35.82 MHz	0.96 dB																									
CH09	<p><b>Spectrum</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB RBW 100 kHz          Att 30 dB SWI 1.07 ms VBW 300 kHz Mode Auto Sweep Count 500/500</p> <p>1 Frequency Sweep</p> <p>2 Marker Table</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.434 GHz</td> <td>-14.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.46952 GHz</td> <td>-7.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>D3</td> <td>M1</td> <td>1</td> <td>36.18 MHz</td> <td>0.71 dB</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 14:03:53</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.434 GHz	-14.27 dBm			M2	1		2.46952 GHz	-7.18 dBm			D3	M1	1	36.18 MHz	0.71 dB		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.434 GHz	-14.27 dBm																									
M2	1		2.46952 GHz	-7.18 dBm																									
D3	M1	1	36.18 MHz	0.71 dB																									

**Appendix D: 99% Occupied Bandwidth**

Type	Channel	99% Bandwidth (MHz)	Limit (kHz)	Result
802.11b	01	12.23	-	Pass
	06	12.23		
	11	12.23		
802.11g	01	16.99	-	Pass
	06	17.02		
	11	17.02		
802.11n(HT20)	01	17.89	-	Pass
	06	17.89		
	11	17.86		
802.11n(HT40)	03	36.32	-	Pass
	06	36.26		
	09	36.26		


**Type:** **802.11 b**

CH01




Date: 21 Oct 2022 13:43:17

CH06







Date: 21 Oct 2022 13:45:09

CH11




Date: 21 Oct 2022 13:46:02





Type:	802.11n(HT20)																												
CH01	 <p><b>1 Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 1.20 dBm 2.417365 GHz</p> <p>GF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.417365 GHz</td> <td>-1.20 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4030689 GHz</td> <td>-8.59 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.429961 GHz</td> <td>-8.19 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:53:08</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.417365 GHz	-1.20 dBm			T1	1		2.4030689 GHz	-8.59 dBm	Occ Bw	17.892107892 MHz	T2	1		2.429961 GHz	-8.19 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.417365 GHz	-1.20 dBm																									
T1	1		2.4030689 GHz	-8.59 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.429961 GHz	-8.19 dBm																									
CH06	 <p><b>1 Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 1.33 dBm 2.435382 GHz</p> <p>GF 2.437 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.435382 GHz</td> <td>-1.33 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4280689 GHz</td> <td>-8.09 dBm</td> <td>Occ Bw</td> <td>17.892107892 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.445961 GHz</td> <td>-8.44 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:55:27</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.435382 GHz	-1.33 dBm			T1	1		2.4280689 GHz	-8.09 dBm	Occ Bw	17.892107892 MHz	T2	1		2.445961 GHz	-8.44 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.435382 GHz	-1.33 dBm																									
T1	1		2.4280689 GHz	-8.09 dBm	Occ Bw	17.892107892 MHz																							
T2	1		2.445961 GHz	-8.44 dBm																									
CH11	 <p><b>1 Occupied Bandwidth</b></p> <p>Ref Level 20.50 dBm Offset 1.00 dB BW 300 kHz Att 30 dB SWI 1.01 ms VBW 1 MHz Mode Auto Sweep Count 500/500</p> <p>M1[1] 1.51 dBm 2.461011 GHz</p> <p>GF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.461011 GHz</td> <td>-1.51 dBm</td> <td></td> <td></td> </tr> <tr> <td>T1</td> <td>1</td> <td></td> <td>2.4530689 GHz</td> <td>-8.46 dBm</td> <td>Occ Bw</td> <td>17.862137862 MHz</td> </tr> <tr> <td>T2</td> <td>1</td> <td></td> <td>2.470961 GHz</td> <td>-8.86 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:56:47</p>	Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.461011 GHz	-1.51 dBm			T1	1		2.4530689 GHz	-8.46 dBm	Occ Bw	17.862137862 MHz	T2	1		2.470961 GHz	-8.86 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																							
M1	1		2.461011 GHz	-1.51 dBm																									
T1	1		2.4530689 GHz	-8.46 dBm	Occ Bw	17.862137862 MHz																							
T2	1		2.470961 GHz	-8.86 dBm																									








### Appendix E: Duty Cycle



Modulation Type	Test Frequency (MHz)	T <sub>on time</sub> for single burst (ms)	T <sub>period</sub> (ms)	Duty cycle	1/T <sub>on time</sub> (kHz)
11b	2437	8.36	8.40	99.5%	0.1
11g	2437	1.39	1.42	97.9%	0.7
11n20	2437	1.29	1.33	97.0%	0.8
11n40	2437	0.62	0.66	93.9%	1.6












### Appendix F: Band edge and Spurious Emissions (conducted)

Test Item:	Bandedge	Type:	802.11 b																																										
CH01	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41299 GHz</td> <td>3.16 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-52.56 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-59.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.55 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-52.36 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.OCT.2022 13:43:03</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41299 GHz	3.16 dBm			M2	1		2.4 GHz	-52.56 dBm			M3	1		2.39 GHz	-59.66 dBm			M4	1		2.31 GHz	-62.55 dBm			M5	1		2.399936 GHz	-52.36 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41299 GHz	3.16 dBm																																									
M2	1		2.4 GHz	-52.56 dBm																																									
M3	1		2.39 GHz	-59.66 dBm																																									
M4	1		2.31 GHz	-62.55 dBm																																									
M5	1		2.399936 GHz	-52.36 dBm																																									
CH11	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.453005 GHz</td> <td>2.90 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-60.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.18 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483968 GHz</td> <td>-57.49 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21.OCT.2022 13:46:48</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.453005 GHz	2.90 dBm			M2	1		2.4835 GHz	-60.27 dBm			M3	1		2.5 GHz	-60.18 dBm			M4	1		2.483968 GHz	-57.49 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.453005 GHz	2.90 dBm																																									
M2	1		2.4835 GHz	-60.27 dBm																																									
M3	1		2.5 GHz	-60.18 dBm																																									
M4	1		2.483968 GHz	-57.49 dBm																																									

Test Item:	Bandedge	Type:	802.11 g																																										
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41691 GHz</td> <td>-4.31 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-52.66 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-58.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-62.45 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.397248 GHz</td> <td>-51.43 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:48:28</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41691 GHz	-4.31 dBm			M2	1		2.4 GHz	-52.66 dBm			M3	1		2.39 GHz	-58.95 dBm			M4	1		2.31 GHz	-62.45 dBm			M5	1		2.397248 GHz	-51.43 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41691 GHz	-4.31 dBm																																									
M2	1		2.4 GHz	-52.66 dBm																																									
M3	1		2.39 GHz	-58.95 dBm																																									
M4	1		2.31 GHz	-62.45 dBm																																									
M5	1		2.397248 GHz	-51.43 dBm																																									
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-4.64 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-57.50 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.489468 GHz</td> <td>-54.65 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:52:03</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-4.64 dBm			M2	1		2.4835 GHz	-57.50 dBm			M3	1		2.5 GHz	-59.05 dBm			M4	1		2.489468 GHz	-54.65 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-4.64 dBm																																									
M2	1		2.4835 GHz	-57.50 dBm																																									
M3	1		2.5 GHz	-59.05 dBm																																									
M4	1		2.489468 GHz	-54.65 dBm																																									


Test Item:	Bandedge	Type:	802.11 n(HT20)																																										
CH01	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.12 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.31 GHz 1001 pts 11.2 MHz/ 2.422 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.41322 GHz</td> <td>-4.41 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-50.83 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-57.05 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-63.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.399936 GHz</td> <td>-49.06 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:53:54</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.41322 GHz	-4.41 dBm			M2	1		2.4 GHz	-50.83 dBm			M3	1		2.39 GHz	-57.05 dBm			M4	1		2.31 GHz	-63.65 dBm			M5	1		2.399936 GHz	-49.06 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.41322 GHz	-4.41 dBm																																									
M2	1		2.4 GHz	-50.83 dBm																																									
M3	1		2.39 GHz	-57.05 dBm																																									
M4	1		2.31 GHz	-63.65 dBm																																									
M5	1		2.399936 GHz	-49.06 dBm																																									
CH11	 <p>Ref Level 20.00 dBm Offset 1.00 dB RBW 100 kHz Att 30 dB SWI 1.03 ms VBW 300 kHz Mode Auto Sweep Count 300/300</p> <p>1 Frequency Sweep</p> <p>2.452 GHz 1001 pts 4.8 MHz/ 2.5 GHz</p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.466985 GHz</td> <td>-4.54 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-56.65 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-59.91 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.48512 GHz</td> <td>-55.37 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:57:53</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.466985 GHz	-4.54 dBm			M2	1		2.4835 GHz	-56.65 dBm			M3	1		2.5 GHz	-59.91 dBm			M4	1		2.48512 GHz	-55.37 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.466985 GHz	-4.54 dBm																																									
M2	1		2.4835 GHz	-56.65 dBm																																									
M3	1		2.5 GHz	-59.91 dBm																																									
M4	1		2.48512 GHz	-55.37 dBm																																									

Test Item:	Bandedge	Type:	802.11 n(HT40)																																										
CH03	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.43943 GHz</td> <td>-6.43 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4 GHz</td> <td>-53.27 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.39 GHz</td> <td>-54.95 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.31 GHz</td> <td>-61.76 dBm</td> <td></td> <td></td> </tr> <tr> <td>M5</td> <td>1</td> <td></td> <td>2.396196 GHz</td> <td>-52.16 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 13:58:33</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.43943 GHz	-6.43 dBm			M2	1		2.4 GHz	-53.27 dBm			M3	1		2.39 GHz	-54.95 dBm			M4	1		2.31 GHz	-61.76 dBm			M5	1		2.396196 GHz	-52.16 dBm		
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.43943 GHz	-6.43 dBm																																									
M2	1		2.4 GHz	-53.27 dBm																																									
M3	1		2.39 GHz	-54.95 dBm																																									
M4	1		2.31 GHz	-61.76 dBm																																									
M5	1		2.396196 GHz	-52.16 dBm																																									
CH09	 <p><b>2 Marker Table</b></p> <table border="1"> <thead> <tr> <th>Type</th> <th>Ref</th> <th>Trc</th> <th>X-Value</th> <th>Y-Value</th> <th>Function</th> <th>Function Result</th> </tr> </thead> <tbody> <tr> <td>M1</td> <td>1</td> <td></td> <td>2.456965 GHz</td> <td>-7.03 dBm</td> <td></td> <td></td> </tr> <tr> <td>M2</td> <td>1</td> <td></td> <td>2.4835 GHz</td> <td>-55.26 dBm</td> <td></td> <td></td> </tr> <tr> <td>M3</td> <td>1</td> <td></td> <td>2.5 GHz</td> <td>-60.25 dBm</td> <td></td> <td></td> </tr> <tr> <td>M4</td> <td>1</td> <td></td> <td>2.483884 GHz</td> <td>-48.56 dBm</td> <td></td> <td></td> </tr> </tbody> </table> <p>Date: 21 Oct 2022 14:04:17</p>			Type	Ref	Trc	X-Value	Y-Value	Function	Function Result	M1	1		2.456965 GHz	-7.03 dBm			M2	1		2.4835 GHz	-55.26 dBm			M3	1		2.5 GHz	-60.25 dBm			M4	1		2.483884 GHz	-48.56 dBm									
Type	Ref	Trc	X-Value	Y-Value	Function	Function Result																																							
M1	1		2.456965 GHz	-7.03 dBm																																									
M2	1		2.4835 GHz	-55.26 dBm																																									
M3	1		2.5 GHz	-60.25 dBm																																									
M4	1		2.483884 GHz	-48.56 dBm																																									


Test Item:	SE	Type:	802.11b
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			




CH06  
Reference level




CH06  
30MHz~1000MHz




CH06  
1GHz~26GHz




CH11  
Reference level






CH11  
30MHz~1000MHz




CH11  
1GHz~26GHz




Test Item:	SE	Type:	802.11g
<p>CH01 Reference level</p>			
<p>CH01 30MHz~1000MHz</p>			
<p>CH01 1GHz~26GHz</p>			

CH06  
Reference level




Date: 21.OCT.2022 13:50:16

CH06  
30MHz~1000MHz



Date: 21.OCT.2022 13:50:23

CH06  
1GHz~26GHz




Date: 21.OCT.2022 13:50:49

<p>CH11 Reference level</p>	<p>MultiView Spectrum          Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Count 100/100          Att 30 dB SWT 1.04 ms VBW 300 kHz Mode Auto Sweep          1 Frequency Sweep          M1[1] -46.7 dBm          2.4632590 GHz          CF 2.462 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz          Date: 21.OCT.2022 13:52:10</p>
<p>CH11 30MHz~1000MHz</p>	<p>MultiView Spectrum          Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Count 10/10          Att 30 dB SWT 30.1 ms VBW 300 kHz Mode Auto Sweep          1 Frequency Sweep          M1[1] -60.22 dBm          428.7050 MHz          H1 -24.670 dBm          30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz          Date: 21.OCT.2022 13:52:26</p>
<p>CH11 1GHz~26GHz</p>	<p>MultiView Spectrum          Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Count 10/10          Att 30 dB SWT 250 ms VBW 300 kHz Mode Auto Sweep          1 Frequency Sweep          M1[1] -51.98 dBm          25.940833 GHz          H1 -24.670 dBm          1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz          Date: 21.OCT.2022 13:52:42</p>


Test Item:	SE	Type:	802.11n(HT20)
<p>CH01 Reference level</p>			<p>Ref Level 30.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 1.04 ms VBW 300 kHz Mode Auto Sweep Count 100/100 M1[1] -4.28 dBm 2.4169750 GHz CF 2.412 GHz 1001 pts 3.0 MHz/ Span 30.0 MHz Date: 21.OCT.2022 13:54:01</p>
<p>CH01 30MHz~1000MHz</p>			<p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 30.1 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -61.12 dBm 553.7660 MHz -24.200 dBm 30.0 MHz 30001 pts 97.0 MHz/ 1.0 GHz Date: 21.OCT.2022 13:54:17</p>
<p>CH01 1GHz~26GHz</p>			<p>Ref Level 20.00 dBm Offset 1.00 dB BW 100 kHz Att 30 dB SWI 250 ms VBW 300 kHz Mode Auto Sweep Count 10/10 M1[1] -52.26 dBm 25.960833 GHz -24.200 dBm 1.0 GHz 30001 pts 2.5 GHz/ 26.0 GHz Date: 21.OCT.2022 13:54:33</p>

CH06  
Reference level




Date: 21.OCT.2022 13:55:40

CH06  
30MHz~1000MHz




Date: 21.OCT.2022 13:55:56

CH06  
1GHz~26GHz




Date: 21.OCT.2022 13:56:12


CH11  
Reference level






CH11  
30MHz~1000MHz



CH11  
1GHz~26GHz






Test Item:	SE	Type:	802.11n(HT40)
<p>CH03 Reference level</p>			
<p>CH03 30MHz~1000MHz</p>			
<p>CH03 1GHz~26GHz</p>			


<p>CH06 Reference level</p>	
<p>CH06 30MHz~1000MHz</p>	
<p>CH06 1GHz~26GHz</p>	

CH09  
Reference level




Date: 21.OCT.2022 14:54:24

CH09  
30MHz~1000MHz



Date: 21.OCT.2022 14:54:40

CH09  
1GHz~26GHz



Date: 21.OCT.2022 14:54:56

-----End of Report-----