


Report Number :TERF2402000329ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1900 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.02	-68.67	-66.82	-0.76	-1.09	-13.00	-55.67
153.19	-65.68	-62.98	-1.34	-1.37	-13.00	-52.68
219.15	-69.62	-72.96	4.98	-1.64	-13.00	-56.62
320.03	-71.36	-73.88	4.48	-1.96	-13.00	-58.36
363.68	-70.58	-73.14	4.65	-2.10	-13.00	-57.58
483.96	-69.81	-71.71	4.29	-2.40	-13.00	-56.81
3800.00	-50.37	-55.93	12.30	-6.74	-13.00	-37.37
5700.00	-50.86	-55.78	13.30	-8.38	-13.00	-37.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1900 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
123.12	-64.71	-61.97	-1.51	-1.23	-13.00	-51.71
166.77	-70.99	-69.35	-0.20	-1.43	-13.00	-57.99
275.41	-74.53	-77.06	4.36	-1.82	-13.00	-61.53
362.71	-70.71	-73.29	4.67	-2.09	-13.00	-57.71
391.81	-70.84	-72.88	4.20	-2.16	-13.00	-57.84
492.69	-70.40	-72.30	4.33	-2.43	-13.00	-57.40
3800.00	-46.45	-52.01	12.30	-6.74	-13.00	-33.45
5700.00	-48.98	-53.90	13.30	-8.38	-13.00	-35.98


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.99	-68.60	-66.73	-0.77	-1.10	-13.00	-55.60
144.46	-65.83	-62.88	-1.62	-1.33	-13.00	-52.83
204.60	-69.81	-72.75	4.50	-1.56	-13.00	-56.81
319.06	-71.17	-73.69	4.47	-1.96	-13.00	-58.17
361.74	-70.78	-73.38	4.68	-2.08	-13.00	-57.78
495.60	-68.84	-70.78	4.37	-2.43	-13.00	-55.84
3440.00	-47.32	-53.43	12.52	-6.41	-13.00	-34.32
5160.00	-47.99	-52.49	12.46	-7.96	-13.00	-34.99


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
125.06	-64.67	-61.86	-1.58	-1.23	-13.00	-51.67
177.44	-74.09	-73.92	1.31	-1.47	-13.00	-61.09
313.24	-74.36	-76.86	4.44	-1.94	-13.00	-61.36
375.32	-70.82	-73.06	4.35	-2.12	-13.00	-57.82
431.58	-70.53	-72.38	4.12	-2.27	-13.00	-57.53
542.16	-69.74	-71.67	4.46	-2.53	-13.00	-56.74
3440.00	-46.67	-52.79	12.52	-6.41	-13.00	-33.67
5160.00	-51.37	-55.87	12.46	-7.96	-13.00	-38.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
97.90	-69.36	-67.23	-1.01	-1.12	-13.00	-56.36
145.43	-65.57	-62.63	-1.61	-1.33	-13.00	-52.57
209.45	-70.34	-73.72	4.97	-1.59	-13.00	-57.34
286.08	-71.64	-73.98	4.19	-1.85	-13.00	-58.64
363.68	-70.64	-73.19	4.65	-2.10	-13.00	-57.64
412.18	-70.65	-72.58	4.14	-2.21	-13.00	-57.65
3465.00	-51.30	-57.30	12.44	-6.44	-13.00	-38.30
5197.50	-50.73	-55.43	12.69	-7.98	-13.00	-37.73


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1732.5 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
99.84	-68.94	-66.69	-1.12	-1.14	-13.00	-55.94
128.94	-64.91	-62.04	-1.61	-1.26	-13.00	-51.91
163.86	-69.85	-67.89	-0.54	-1.42	-13.00	-56.85
309.36	-73.43	-75.91	4.40	-1.93	-13.00	-60.43
355.92	-70.16	-72.79	4.69	-2.06	-13.00	-57.16
497.54	-70.88	-72.80	4.36	-2.44	-13.00	-57.88
3465.00	-50.38	-56.38	12.44	-6.44	-13.00	-37.38
5197.50	-50.41	-55.12	12.69	-7.98	-13.00	-37.41


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
89.17	-70.01	-68.43	-0.53	-1.05	-13.00	-57.01
148.34	-66.07	-63.16	-1.56	-1.35	-13.00	-53.07
224.97	-70.43	-73.39	4.62	-1.66	-13.00	-57.43
306.45	-71.99	-74.45	4.38	-1.92	-13.00	-58.99
363.68	-70.24	-72.80	4.65	-2.10	-13.00	-57.24
457.77	-70.49	-72.19	4.04	-2.34	-13.00	-57.49
3490.00	-46.27	-52.15	12.34	-6.46	-13.00	-33.27
5235.00	-49.83	-54.82	12.98	-7.99	-13.00	-36.83


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
113.42	-65.90	-63.04	-1.67	-1.20	-13.00	-52.90
149.31	-67.54	-64.68	-1.50	-1.36	-13.00	-54.54
259.89	-74.14	-76.76	4.38	-1.76	-13.00	-61.14
353.98	-70.48	-73.09	4.68	-2.06	-13.00	-57.48
415.09	-70.65	-72.57	4.14	-2.22	-13.00	-57.65
541.19	-69.72	-71.63	4.45	-2.53	-13.00	-56.72
3490.00	-47.68	-53.56	12.34	-6.46	-13.00	-34.68
5235.00	-50.93	-55.92	12.98	-7.99	-13.00	-37.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.99	-69.09	-67.22	-0.77	-1.10	-13.00	-56.09
142.52	-65.50	-62.44	-1.74	-1.32	-13.00	-52.50
213.33	-70.20	-73.75	5.16	-1.61	-13.00	-57.20
272.50	-70.52	-73.09	4.39	-1.82	-13.00	-57.52
366.59	-70.53	-72.99	4.57	-2.11	-13.00	-57.53
432.55	-69.55	-71.37	4.10	-2.27	-13.00	-56.55
1408.00	-54.00	-57.71	7.70	-3.99	-13.00	-41.00
2112.00	-58.60	-63.46	9.80	-4.95	-13.00	-45.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :704 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
128.94	-64.15	-61.28	-1.61	-1.26	-13.00	-51.15
173.56	-72.21	-71.48	0.72	-1.46	-13.00	-59.21
257.95	-74.40	-77.04	4.39	-1.76	-13.00	-61.40
333.61	-73.28	-75.75	4.47	-2.00	-13.00	-60.28
418.00	-69.70	-71.55	4.08	-2.23	-13.00	-56.70
494.63	-69.46	-71.39	4.36	-2.43	-13.00	-56.46
1408.00	-54.41	-58.12	7.70	-3.99	-13.00	-41.41
2112.00	-54.12	-58.97	9.80	-4.95	-13.00	-41.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
92.08	-69.19	-67.46	-0.66	-1.07	-13.00	-56.19
156.10	-65.70	-63.07	-1.25	-1.38	-13.00	-52.70
211.39	-70.30	-73.78	5.08	-1.60	-13.00	-57.30
306.45	-71.10	-73.57	4.38	-1.92	-13.00	-58.10
365.62	-70.99	-73.49	4.61	-2.11	-13.00	-57.99
469.41	-69.57	-71.50	4.30	-2.37	-13.00	-56.57
1415.00	-53.29	-56.99	7.70	-4.00	-13.00	-40.29
2122.50	-53.29	-58.16	9.83	-4.96	-13.00	-40.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
122.15	-64.30	-61.49	-1.58	-1.23	-13.00	-51.30
151.25	-67.60	-64.71	-1.53	-1.36	-13.00	-54.60
253.10	-74.65	-77.29	4.38	-1.75	-13.00	-61.65
348.16	-72.25	-74.86	4.65	-2.04	-13.00	-59.25
417.03	-70.69	-72.56	4.10	-2.23	-13.00	-57.69
482.02	-70.21	-72.11	4.30	-2.40	-13.00	-57.21
1415.00	-53.35	-57.05	7.70	-4.00	-13.00	-40.35
2122.50	-54.56	-59.42	9.83	-4.96	-13.00	-41.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.02	-68.36	-66.51	-0.76	-1.09	-13.00	-55.36
155.13	-65.61	-62.85	-1.39	-1.37	-13.00	-52.61
217.21	-69.87	-73.33	5.10	-1.63	-13.00	-56.87
335.55	-71.81	-74.28	4.48	-2.01	-13.00	-58.81
355.92	-70.61	-73.23	4.69	-2.06	-13.00	-57.61
488.81	-68.62	-70.49	4.28	-2.42	-13.00	-55.62
1422.00	-55.49	-59.20	7.72	-4.01	-13.00	-42.49
2133.00	-56.85	-61.74	9.87	-4.98	-13.00	-43.85


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :711 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
119.24	-64.30	-61.46	-1.62	-1.23	-13.00	-51.30
168.71	-69.87	-68.50	0.07	-1.44	-13.00	-56.87
259.89	-74.90	-77.52	4.38	-1.76	-13.00	-61.90
367.56	-70.95	-73.38	4.53	-2.11	-13.00	-57.95
422.85	-70.41	-72.22	4.05	-2.24	-13.00	-57.41
501.42	-69.38	-71.26	4.33	-2.45	-13.00	-56.38
1422.00	-53.39	-57.10	7.72	-4.01	-13.00	-40.39
2133.00	-56.96	-61.86	9.87	-4.98	-13.00	-43.96


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
96.93	-68.05	-65.87	-1.07	-1.12	-13.00	-55.05
156.10	-65.69	-63.06	-1.25	-1.38	-13.00	-52.69
221.09	-69.31	-72.52	4.86	-1.64	-13.00	-56.31
321.97	-70.85	-73.38	4.50	-1.96	-13.00	-57.85
363.68	-70.63	-73.19	4.65	-2.10	-13.00	-57.63
526.64	-68.04	-69.78	4.24	-2.50	-13.00	-55.04
3440.00	-48.28	-54.39	12.52	-6.41	-13.00	-35.28
5160.00	-46.60	-51.09	12.46	-7.96	-13.00	-33.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
125.06	-63.43	-60.61	-1.58	-1.23	-13.00	-50.43
149.31	-67.55	-64.69	-1.50	-1.36	-13.00	-54.55
245.34	-76.37	-78.81	4.17	-1.73	-13.00	-63.37
341.37	-72.81	-75.34	4.55	-2.02	-13.00	-59.81
364.65	-70.65	-73.18	4.64	-2.11	-13.00	-57.65
466.50	-70.57	-72.40	4.19	-2.36	-13.00	-57.57
3440.00	-53.03	-59.14	12.52	-6.41	-13.00	-40.03
5160.00	-50.37	-54.87	12.46	-7.96	-13.00	-37.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
89.17	-67.59	-66.01	-0.53	-1.05	-13.00	-54.59
147.37	-65.83	-62.77	-1.71	-1.34	-13.00	-52.83
210.42	-69.86	-73.30	5.04	-1.59	-13.00	-56.86
318.09	-71.59	-74.10	4.47	-1.95	-13.00	-58.59
362.71	-70.94	-73.52	4.67	-2.09	-13.00	-57.94
484.93	-69.01	-70.90	4.29	-2.40	-13.00	-56.01
3490.00	-43.25	-49.13	12.34	-6.46	-13.00	-30.25
5235.00	-50.25	-55.23	12.98	-7.99	-13.00	-37.25


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
124.09	-64.85	-62.16	-1.46	-1.23	-13.00	-51.85
158.04	-68.47	-65.92	-1.15	-1.39	-13.00	-55.47
257.95	-73.97	-76.61	4.39	-1.76	-13.00	-60.97
355.92	-71.11	-73.73	4.69	-2.06	-13.00	-58.11
416.06	-69.81	-71.70	4.12	-2.22	-13.00	-56.81
474.26	-70.02	-71.96	4.31	-2.38	-13.00	-57.02
3490.00	-43.74	-49.62	12.34	-6.46	-13.00	-30.74
5235.00	-49.88	-54.87	12.98	-7.99	-13.00	-36.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1770 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
92.08	-68.39	-66.66	-0.66	-1.07	-13.00	-55.39
143.49	-65.24	-62.24	-1.68	-1.32	-13.00	-52.24
218.18	-70.09	-73.50	5.04	-1.63	-13.00	-57.09
258.92	-71.32	-73.95	4.39	-1.76	-13.00	-58.32
320.03	-71.53	-74.05	4.48	-1.96	-13.00	-58.53
413.15	-70.57	-72.49	4.14	-2.22	-13.00	-57.57
3540.00	-47.26	-53.06	12.30	-6.50	-13.00	-34.26
5310.00	-50.00	-55.15	13.20	-8.06	-13.00	-37.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1770 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
125.06	-63.90	-61.09	-1.58	-1.23	-13.00	-50.90
168.71	-70.55	-69.18	0.07	-1.44	-13.00	-57.55
250.19	-75.08	-77.68	4.34	-1.74	-13.00	-62.08
344.28	-72.10	-74.70	4.62	-2.03	-13.00	-59.10
420.91	-70.37	-72.17	4.04	-2.24	-13.00	-57.37
485.90	-70.66	-72.55	4.29	-2.40	-13.00	-57.66
3540.00	-48.27	-54.07	12.30	-6.50	-13.00	-35.27
5310.00	-52.02	-57.16	13.20	-8.06	-13.00	-39.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :673 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
94.02	-68.58	-66.73	-0.76	-1.09	-13.00	-55.58
145.43	-66.07	-63.13	-1.61	-1.33	-13.00	-53.07
213.33	-70.19	-73.74	5.16	-1.61	-13.00	-57.19
257.95	-70.86	-73.50	4.39	-1.76	-13.00	-57.86
355.92	-71.24	-73.87	4.69	-2.06	-13.00	-58.24
386.96	-70.76	-72.87	4.25	-2.14	-13.00	-57.76
1346.00	-58.49	-62.15	7.56	-3.89	-13.00	-45.49
2019.00	-58.39	-63.79	10.22	-4.82	-13.00	-45.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :673 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
119.24	-65.06	-62.22	-1.62	-1.23	-13.00	-52.06
154.16	-67.07	-64.32	-1.38	-1.37	-13.00	-54.07
256.01	-75.29	-77.94	4.40	-1.75	-13.00	-62.29
351.07	-72.27	-74.88	4.66	-2.05	-13.00	-59.27
414.12	-70.71	-72.64	4.14	-2.22	-13.00	-57.71
500.45	-69.97	-71.87	4.35	-2.45	-13.00	-56.97
1346.00	-58.30	-61.96	7.56	-3.89	-13.00	-45.30
2019.00	-58.88	-64.28	10.22	-4.82	-13.00	-45.88


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
91.11	-68.95	-67.43	-0.46	-1.06	-13.00	-55.95
154.16	-65.67	-62.93	-1.38	-1.37	-13.00	-52.67
222.06	-69.67	-72.82	4.80	-1.65	-13.00	-56.67
329.73	-71.25	-73.73	4.45	-1.98	-13.00	-58.25
411.21	-69.94	-71.87	4.14	-2.21	-13.00	-56.94
482.02	-69.31	-71.21	4.30	-2.40	-13.00	-56.31
1361.00	-57.14	-60.93	7.71	-3.92	-13.00	-44.14
2041.50	-57.33	-62.79	10.30	-4.85	-13.00	-44.33


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :680.5 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
121.18	-64.96	-62.16	-1.57	-1.23	-13.00	-51.96
155.13	-67.81	-65.05	-1.39	-1.37	-13.00	-54.81
253.10	-75.32	-77.95	4.38	-1.75	-13.00	-62.32
353.98	-70.12	-72.74	4.68	-2.06	-13.00	-57.12
420.91	-70.78	-72.59	4.04	-2.24	-13.00	-57.78
515.97	-70.05	-72.00	4.42	-2.47	-13.00	-57.05
1361.00	-58.14	-61.93	7.71	-3.92	-13.00	-45.14
2041.50	-58.32	-63.78	10.30	-4.85	-13.00	-45.32


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :688 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
92.08	-69.11	-67.38	-0.66	-1.07	-13.00	-56.11
156.10	-65.20	-62.57	-1.25	-1.38	-13.00	-52.20
213.33	-69.79	-73.34	5.16	-1.61	-13.00	-56.79
260.86	-70.26	-72.86	4.37	-1.77	-13.00	-57.26
353.98	-70.87	-73.49	4.68	-2.06	-13.00	-57.87
418.00	-70.15	-72.00	4.08	-2.23	-13.00	-57.15
1376.00	-58.30	-62.16	7.80	-3.94	-13.00	-45.30
2064.00	-57.79	-63.07	10.16	-4.88	-13.00	-44.79


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :688 MHz

Test Site :SAC 1
 Test Date :2024-03-28
 Temp./Humi. :23.3°C/52%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
124.09	-64.37	-61.67	-1.46	-1.23	-13.00	-51.37
150.28	-67.22	-64.28	-1.58	-1.36	-13.00	-54.22
260.86	-75.63	-78.23	4.37	-1.77	-13.00	-62.63
348.16	-71.29	-73.90	4.65	-2.04	-13.00	-58.29
407.33	-70.33	-72.32	4.19	-2.20	-13.00	-57.33
496.57	-70.39	-72.32	4.37	-2.44	-13.00	-57.39
1376.00	-56.97	-60.83	7.80	-3.94	-13.00	-43.97
2064.00	-58.70	-63.98	10.16	-4.88	-13.00	-45.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

2nd Source

Report Number :TERF2402000329ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1860 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
3720.000	-37.31	-43.20	12.56	-6.68	-13.00	-24.31
5580.000	-51.18	-56.24	13.32	-8.25	-13.00	-38.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B2
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1860 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
3720.000	-40.99	-46.87	12.56	-6.68	-13.00	-27.99
5580.000	-50.37	-55.44	13.32	-8.25	-13.00	-37.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
3440.000	-37.21	-43.32	12.52	-6.41	-13.00	-24.21
5160.000	-51.35	-55.85	12.46	-7.96	-13.00	-38.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B4
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1720 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
3440.000	-36.40	-42.52	12.52	-6.41	-13.00	-23.40
5160.000	-50.17	-54.66	12.46	-7.96	-13.00	-37.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
1415.000	-42.70	-46.40	7.70	-4.00	-13.00	-29.70
2122.500	-45.94	-50.81	9.83	-4.96	-13.00	-32.94
2830.000	-45.10	-50.21	10.90	-5.79	-13.00	-32.10
3537.500	-47.52	-53.32	12.30	-6.50	-13.00	-34.52
4245.000	-46.20	-51.66	12.61	-7.15	-13.00	-33.20
4952.500	-42.16	-47.00	12.60	-7.76	-13.00	-29.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B12
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :707.5 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
1415.000	-48.77	-52.47	7.70	-4.00	-13.00	-35.77
2122.500	-48.73	-53.60	9.83	-4.96	-13.00	-35.73
2830.000	-51.34	-56.46	10.90	-5.79	-13.00	-38.34
3537.500	-46.25	-52.05	12.30	-6.50	-13.00	-33.25
4245.000	-48.92	-54.39	12.61	-7.15	-13.00	-35.92
4952.500	-48.04	-52.88	12.60	-7.76	-13.00	-35.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
3490.000	-35.01	-40.89	12.34	-6.46	-13.00	-22.01
5235.000	-43.39	-48.38	12.98	-7.99	-13.00	-30.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B66
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
3490.000	-35.67	-41.55	12.34	-6.46	-13.00	-22.67
5235.000	-46.48	-51.47	12.98	-7.99	-13.00	-33.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :680.5 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Vertical
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
1361.000	-40.24	-44.03	7.71	-3.92	-13.00	-27.24
2041.500	-44.20	-49.65	10.30	-4.85	-13.00	-31.20
2722.000	-46.90	-52.03	10.80	-5.67	-13.00	-33.90
3402.500	-45.75	-51.98	12.59	-6.36	-13.00	-32.75
4083.000	-45.03	-50.66	12.63	-7.00	-13.00	-32.03
4763.500	-45.02	-49.82	12.43	-7.63	-13.00	-32.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2402000329ER
 Operation Mode :LTE B71
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :680.5 MHz

Test Site :SAC 3
 Test Date :2024-04-17
 Temp./Humi. :26.5°C/62%
 Antenna Pol. :Horizontal
 Engineer :Cooper Hsu



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit @3m dBm	Margin dB
1361.000	-46.29	-50.08	7.71	-3.92	-13.00	-33.29
2041.500	-55.18	-60.63	10.30	-4.85	-13.00	-42.18
2722.000	-53.51	-58.63	10.80	-5.67	-13.00	-40.51
3402.500	-42.63	-48.87	12.59	-6.36	-13.00	-29.63
4083.000	-48.81	-54.44	12.63	-7.00	-13.00	-35.81
4763.500	-47.05	-51.84	12.43	-7.63	-13.00	-34.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY STABILITY MEASUREMENT

Note: The battery is rated 3.87V dc.

Reference Freq.:		LTE B2 Mid Channel		1880.0000	MHz	10M QPSK CH 18900
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
Freq. ERROR vs. VOLTAGE						
4.4505	20	1879.999999	-0.0007	+/- 2.5 ppm		
3.87	20	1879.999996	-0.0019			
3.2895	20	1879.999997	-0.0016			
2.9 (End Point)	20	1879.999999	-0.0005			
Freq. ERROR vs. Temp.						
3.87	-30	1879.999996	-0.0021	+/- 2.5 ppm		
3.87	-20	1880.000001	0.0006			
3.87	-10	1879.999999	-0.0008			
3.87	0	1880.000005	0.0026			
3.87	10	1880.000000	0.0001			
3.87	20	1880.000003	0.0017			
3.87	30	1880.000001	0.0005			
3.87	40	1880.000003	0.0013			
3.87	50	1880.000003	0.0018			
Reference Freq.:		LTE B4 Mid Channel		1732.5000	MHz	10M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit		
Freq. ERROR vs. VOLTAGE						
4.4505	20	1732.500000	-0.0001	+/- 2.5 ppm		
3.87	20	1732.500002	0.0014			
3.2895	20	1732.500001	0.0008			
2.9 (End Point)	20	1732.500004	0.0021			
Freq. ERROR vs. Temp.						
3.87	-30	1732.500002	0.0014	+/- 2.5 ppm		
3.87	-20	1732.500005	0.0031			
3.87	-10	1732.500004	0.0023			
3.87	0	1732.500007	0.0043			
3.87	10	1732.500003	0.0017			
3.87	20	1732.500000	-0.0002			
3.87	30	1732.500004	0.0023			
3.87	40	1732.500007	0.0040			
3.87	50	1732.499999	-0.0004			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B12 Mid Channel		707.5000	MHz 10M QPSK CH 23095
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4505	20	707.500002	0.0021	+/- 2.5 ppm	
3.87	20	707.500001	0.0011		
3.2895	20	707.499998	-0.0023		
2.9 (End Point)	20	707.500001	0.0010		
Freq. ERROR vs. Temp.					
3.87	-30	707.499998	-0.0031	+/- 2.5 ppm	
3.87	-20	707.499998	-0.0030		
3.87	-10	707.499999	-0.0018		
3.87	0	707.499996	-0.0060		
3.87	10	707.500002	0.0030		
3.87	20	707.500005	0.0076		
3.87	30	707.500002	0.0022		
3.87	40	707.500002	0.0034		
3.87	50	707.500001	0.0011		
Freq. ERROR vs. Temp.					
Reference Freq.:		LTE B66 Mid Channel		1745.0000	MHz 10M QPSK CH 132322
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4505	20	1745.000003	0.0015	+/- 2.5 ppm	
3.87	20	1745.000005	0.0027		
3.2895	20	1745.000004	0.0021		
2.9 (End Point)	20	1744.999999	-0.0006		
Freq. ERROR vs. Temp.					
3.87	-30	1744.999997	-0.0016	+/- 2.5 ppm	
3.87	-20	1744.999998	-0.0010		
3.87	-10	1745.000007	0.0043		
3.87	0	1745.000007	0.0040		
3.87	10	1745.000007	0.0042		
3.87	20	1744.999998	-0.0012		
3.87	30	1745.000005	0.0031		
3.87	40	1745.000003	0.0019		
3.87	50	1745.000007	0.0037		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Reference Freq.:		LTE B71 Mid Channel		680.5000	MHz 10M QPSK CH 133297
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	(ppm)	Limit	
Freq. ERROR vs. VOLTAGE					
4.4505	20	680.500001	0.0016	+/- 2.5 ppm	
3.87	20	680.499998	-0.0026		
3.2895	20	680.500001	0.0012		
2.9 (End Point)	20	680.499999	-0.0018		
Freq. ERROR vs. Temp.					
3.87	-30	680.500005	0.0068	+/- 2.5 ppm	
3.87	-20	680.500005	0.0073		
3.87	-10	680.500001	0.0017		
3.87	0	680.500001	0.0020		
3.87	10	680.500003	0.0047		
3.87	20	680.499997	-0.0044		
3.87	30	680.500006	0.0082		
3.87	40	680.500001	0.0015		
3.87	50	680.499999	-0.0019		

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7 PEAK TO AVERAGE RATIO

LTE BAND 2							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1850.7	18607	6.33	13	1851.5	18615	6.41	13
1880.0	18900	6.25	13	1880.0	18900	6.47	13
1909.3	19193	6.47	13	1908.5	19185	6.71	13

LTE BAND 2							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1852.5	18625	6.39	13	1855.0	18650	6.21	13
1880.0	18900	6.33	13	1880.0	18900	6.51	13
1907.5	19175	6.47	13	1905.0	19150	6.56	13

LTE BAND 2							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1857.5	18675	6.07	13	1860.0	18700	6.66	13
1880.0	18900	6.12	13	1880.0	18900	6.50	13
1902.5	19125	6.24	13	1900.0	19100	6.68	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 4							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	19957	6.32	13	1711.5	19965	6.52	13
1732.5	20175	6.39	13	1732.5	20175	6.57	13
1754.3	20393	6.59	13	1753.5	20385	6.47	13

LTE BAND 4							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	19975	6.29	13	1715.0	20000	6.37	13
1732.5	20175	6.27	13	1732.5	20175	6.39	13
1752.5	20375	6.20	13	1750.0	20350	6.23	13

LTE BAND 4							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	20025	6.23	13	1720.0	20050	6.61	13
1732.5	20175	6.14	13	1732.5	20175	6.47	13
1747.5	20325	5.94	13	1745.0	20300	6.53	13

LTE BAND 12							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
699.7	23017	5.54	13	700.5	23025	5.79	13
707.5	23095	5.71	13	707.5	23095	5.96	13
715.3	23173	5.06	13	714.5	23165	5.46	13

LTE BAND 12							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
701.5	23035	5.58	13	704.0	23060	5.95	13
707.5	23095	6.05	13	707.5	23095	6.00	13
713.5	23155	5.44	13	711.0	23130	5.84	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

LTE BAND 66							
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1710.7	131979	5.84	13	1711.5	131987	5.89	13
1745.0	132322	5.67	13	1745.0	132322	5.85	13
1779.3	132665	6.27	13	1778.5	132657	6.34	13

LTE BAND 66							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1712.5	131997	5.94	13	1715.0	132022	6.12	13
1745.0	132322	5.89	13	1745.0	132322	5.92	13
1777.5	132647	6.12	13	1775.0	132622	6.19	13

LTE BAND 66							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
1717.5	132047	6.16	13	1720.0	132072	6.87	13
1745.0	132322	6.19	13	1745.0	132322	6.78	13
1772.5	132597	6.18	13	1770.0	132572	6.91	13

LTE BAND 71							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
665.5	133147	6.29	13	668.0	133172	6.38	13
680.5	133297	6.66	13	680.5	133297	6.49	13
695.5	133447	6.47	13	693.0	133422	6.56	13


LTE BAND 71							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		16QAM	Limit			16QAM	Limit
670.5	133197	6.23	13	673.0	133222	6.62	13
680.5	133297	6.42	13	680.5	133297	6.65	13
690.5	133397	6.54	13	688.0	133372	6.51	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_1.4MHz_16QAM_RB6_0_CH18607




Band2_3MHz_16QAM_RB15_0_CH18615




Band2_1.4MHz_16QAM_RB6_0_CH18900




Band2_3MHz_16QAM_RB15_0_CH18900



Band2_1.4MHz_16QAM_RB6_0_CH19193



Band2_3MHz_16QAM_RB15_0_CH19185




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_5MHz_16QAM_RB25_0_CH18625



Band2_10MHz_16QAM_RB50_0_CH18650




Band2_5MHz_16QAM_RB25_0_CH18900




Band2_10MHz_16QAM_RB50_0_CH18900



Band2_5MHz_16QAM_RB25_0_CH19175



Band2_10MHz_16QAM_RB50_0_CH19150




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2_15MHz_16QAM_RB75_0_CH18675




Band2_20MHz_16QAM_RB100_0_CH18700




Band2_15MHz_16QAM_RB75_0_CH18900




Band2_20MHz_16QAM_RB100_0_CH18900



Band2_15MHz_16QAM_RB75_0_CH19125



Band2_20MHz_16QAM_RB100_0_CH19100




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_1.4MHz_16QAM_RB6_0_CH19957




Band4_3MHz_16QAM_RB15_0_CH19965




Band4_1.4MHz_16QAM_RB6_0_CH20175




Band4_3MHz_16QAM_RB15_0_CH20175



Band4_1.4MHz_16QAM_RB6_0_CH20393



Band4_3MHz_16QAM_RB15_0_CH20385




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_5MHz_16QAM_RB25_0_CH19975




Band4_10MHz_16QAM_RB50_0_CH20000




Band4_5MHz_16QAM_RB25_0_CH20175




Band4_10MHz_16QAM_RB50_0_CH20175



Band4_5MHz_16QAM_RB25_0_CH20375



Band4_10MHz_16QAM_RB50_0_CH20350




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band4_15MHz_16QAM_RB75_0_CH20025




Band4_20MHz_16QAM_RB100_0_CH20050




Band4_15MHz_16QAM_RB75_0_CH20175




Band4_20MHz_16QAM_RB100_0_CH20175



Band4_15MHz_16QAM_RB75_0_CH20325



Band4_20MHz_16QAM_RB100_0_CH20300




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_1.4MHz_16QAM_RB6_0_CH23017




Band12_3MHz_16QAM_RB15_0_CH23025




Band12_1.4MHz_16QAM_RB6_0_CH23095




Band12_3MHz_16QAM_RB15_0_CH23095



Band12_1.4MHz_16QAM_RB6_0_CH23173



Band12_3MHz_16QAM_RB15_0_CH23165




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band12_5MHz_16QAM_RB25_0_CH23035




Band12_10MHz_16QAM_RB50_0_CH23060




Band12_5MHz_16QAM_RB25_0_CH23095




Band12_10MHz_16QAM_RB50_0_CH23095



Band12_5MHz_16QAM_RB25_0_CH23155



Band12_10MHz_16QAM_RB50_0_CH23130




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_1.4MHz_16QAM_RB6_0_CH131979




Band66_3MHz_16QAM_RB15_0_CH131987




Band66_1.4MHz_16QAM_RB6_0_CH132322




Band66_3MHz_16QAM_RB15_0_CH132322



Band66_1.4MHz_16QAM_RB6_0_CH132665



Band66_3MHz_16QAM_RB15_0_CH132657




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_5MHz_16QAM_RB25_0_CH131997




Band66_10MHz_16QAM_RB50_0_CH132022




Band66_5MHz_16QAM_RB25_0_CH132322




Band66_10MHz_16QAM_RB50_0_CH132322



Band66_5MHz_16QAM_RB25_0_CH132647



Band66_10MHz_16QAM_RB50_0_CH132622




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band66_15MHz_16QAM_RB75_0_CH132047




Band66_20MHz_16QAM_RB100_0_CH132072




Band66_15MHz_16QAM_RB75_0_CH132322



Band66_20MHz_16QAM_RB100_0_CH132322



Band66_15MHz_16QAM_RB75_0_CH132597



Band66_20MHz_16QAM_RB100_0_CH132572



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.