



Model: PA300-E: External antenna

Mode 2: IEEE 802.11b Continuous TX mode_ANT-0

2412






2437






2462





Mode 3: IEEE 802.11g Continuous TX mode_ANT-0	
2412	
2437	
2462	



Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-0	
2412	 <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.412 953 4 GHz -10.359 dBm</p> <p>Center 2.41200 GHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 2.394 s (1001 pts)</p> <p>Span 22.70 MHz</p>
2437	 <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.438 452 8 GHz -12.983 dBm</p> <p>Center 2.43700 GHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 2.394 s (1001 pts)</p> <p>Span 22.70 MHz</p>
2462	 <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.464 451 6 GHz -9.302 dBm</p> <p>Center 2.46200 GHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 2.394 s (1001 pts)</p> <p>Span 22.70 MHz</p>



Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-0	
2422	<p>Agilent Spectrum Analyzer - Swept SA Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.429 112 0 GHz -5.600 dBm Center 2.42200 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 50.76 MHz Sweep 5.356 s (1001 pts)</p>
2437	<p>Agilent Spectrum Analyzer - Swept SA Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.434 46 GHz -3.956 dBm Center 2.43700 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 50.84 MHz Sweep 5.361 s (1001 pts)</p>
2452	<p>Agilent Spectrum Analyzer - Swept SA Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.459 47 GHz -4.893 dBm Center 2.45200 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 50.84 MHz Sweep 5.361 s (1001 pts)</p>



Mode 2: IEEE 802.11b Continuous TX mode_ANT-1								
2412	<p>Agilent Spectrum Analyzer - Swept SA 12:23:25 PM Jun 01, 2019 PNO: Fast IF Gain: Low Trig: Free Run Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 1/1 Mkr1 2.412 964 GHz 0.116 dBm Ref Offset: 12 dB Ref: 30.00 dBm 10 dB/div LOG Center 2.412000 GHz Span 14.36 MHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 1.517 s (1001 pts) File <BBB.png> saved</p> <table border="1"><tr><td>Frequency</td></tr><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.41200000 GHz</td></tr><tr><td>Start Freq 2.404805000 GHz</td></tr><tr><td>Stop Freq 2.419195000 GHz</td></tr><tr><td>CF Step 1.439000 MHz Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></table>	Frequency	Auto Tune	Center Freq 2.41200000 GHz	Start Freq 2.404805000 GHz	Stop Freq 2.419195000 GHz	CF Step 1.439000 MHz Man	Freq Offset 0 Hz
Frequency								
Auto Tune								
Center Freq 2.41200000 GHz								
Start Freq 2.404805000 GHz								
Stop Freq 2.419195000 GHz								
CF Step 1.439000 MHz Man								
Freq Offset 0 Hz								
2437	<p>Agilent Spectrum Analyzer - Swept SA 12:24:31 PM Jun 01, 2019 PNO: Fast IF Gain: Low Trig: Free Run Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 1/1 Mkr1 2.435 456 GHz -8.267 dBm Ref Offset: 12 dB Ref: 30.00 dBm 10 dB/div LOG Center 2.437000 GHz Span 14.43 MHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 1.522 s (1001 pts) File <BBB.png> saved</p> <table border="1"><tr><td>Frequency</td></tr><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.43700000 GHz</td></tr><tr><td>Start Freq 2.429785000 GHz</td></tr><tr><td>Stop Freq 2.444215000 GHz</td></tr><tr><td>CF Step 1.443000 MHz Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></table>	Frequency	Auto Tune	Center Freq 2.43700000 GHz	Start Freq 2.429785000 GHz	Stop Freq 2.444215000 GHz	CF Step 1.443000 MHz Man	Freq Offset 0 Hz
Frequency								
Auto Tune								
Center Freq 2.43700000 GHz								
Start Freq 2.429785000 GHz								
Stop Freq 2.444215000 GHz								
CF Step 1.443000 MHz Man								
Freq Offset 0 Hz								
2462	<p>Agilent Spectrum Analyzer - Swept SA 12:25:10 PM Jun 01, 2019 PNO: Fast IF Gain: Low Trig: Free Run Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 1/1 Mkr1 2.460 942 GHz 0.453 dBm Ref Offset: 12 dB Ref: 30.00 dBm 10 dB/div LOG Center 2.462000 GHz Span 15.12 MHz #Res BW 3.0 kHz #VBW 10 kHz Sweep 1.594 s (1001 pts) File <BBB.png> saved</p> <table border="1"><tr><td>Frequency</td></tr><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.46200000 GHz</td></tr><tr><td>Start Freq 2.454440000 GHz</td></tr><tr><td>Stop Freq 2.469560000 GHz</td></tr><tr><td>CF Step 1.512000 MHz Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></table>	Frequency	Auto Tune	Center Freq 2.46200000 GHz	Start Freq 2.454440000 GHz	Stop Freq 2.469560000 GHz	CF Step 1.512000 MHz Man	Freq Offset 0 Hz
Frequency								
Auto Tune								
Center Freq 2.46200000 GHz								
Start Freq 2.454440000 GHz								
Stop Freq 2.469560000 GHz								
CF Step 1.512000 MHz Man								
Freq Offset 0 Hz								






Mode 3: IEEE 802.11g Continuous TX mode_ANT-1	
2412	
2437	
2462	



Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-1	
2412	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.413 247 GHz -10.522 dBm</p> <p>Center 2.41200 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 22.68 MHz Sweep 2.391 s (1001 pts)</p>
2437	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.436 001 GHz -13.119 dBm</p> <p>Center 2.43700 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 22.74 MHz Sweep 2.395 s (1001 pts)</p>
2462	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.465 760 GHz -9.788 dBm</p> <p>Center 2.46200 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 22.65 MHz Sweep 2.388 s (1001 pts)</p>



Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-1	
2422	 <p>Agilent Spectrum Analyzer - Sweep 5A</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.426 98 GHz -5.578 dBm</p> <p>Center 2.42200 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 50.81 MHz Sweep 5.357 s (1001 pts)</p> <p>Frequency</p> <ul style="list-style-type: none">Auto TuneCenter Freq 2.42200000 GHzStart Freq 2.396895000 GHzStop Freq 2.447405000 GHzCF Step 5.081000 MHzFreq Offset 0 Hz
2437	 <p>Agilent Spectrum Analyzer - Sweep 5A</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.431 32 GHz -3.730 dBm</p> <p>Center 2.43700 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 50.72 MHz Sweep 5.348 s (1001 pts)</p> <p>Frequency</p> <ul style="list-style-type: none">Auto TuneCenter Freq 2.43700000 GHzStart Freq 2.411840000 GHzStop Freq 2.462380000 GHzCF Step 5.072000 MHzFreq Offset 0 Hz
2452	 <p>Agilent Spectrum Analyzer - Sweep 5A</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.460 70 GHz -4.600 dBm</p> <p>Center 2.45200 GHz #Res BW 3.0 kHz #VBW 10 kHz Span 48.90 MHz Sweep 5.156 s (1001 pts)</p> <p>Frequency</p> <ul style="list-style-type: none">Auto TuneCenter Freq 2.46200000 GHzStart Freq 2.427850000 GHzStop Freq 2.476450000 GHzCF Step 4.890000 MHzFreq Offset 0 Hz

Out of Band Conducted Emissions Measurement

Model: PA300: built-in antenna

Reference level

Mode 2: IEEE 802.11b Continuous TX mode_ANT-0

<p>2412</p>	
<p>2437</p>	
<p>2462</p>	



Mode 3: IEEE 802.11g Continuous TX mode_ANT-0	
2412	<p>Agilent Spectrum Analyzer - Swept SA PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 1/1 Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.413 225.8 GHz 13.490 dBm Center 2.412000 GHz Span 22.70 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts) File <BBB.png> saved</p>
2437	<p>Agilent Spectrum Analyzer - Swept SA PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 1/1 Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.438 247 GHz 13.570 dBm Center 2.437000 GHz Span 22.68 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts) File <BBB.png> saved</p>
2462	<p>Agilent Spectrum Analyzer - Swept SA PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg Hold: 1/1 Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.463 225.8 GHz 14.849 dBm Center 2.462000 GHz Span 22.70 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts) File <BBB.png> saved</p>






Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-0								
2412	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.413 225 GHz 13.649 dBm</p> <p>Center 2.412000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts)</p> <table border="1"><thead><tr><th>Frequency</th></tr></thead><tbody><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.412000000 GHz</td></tr><tr><td>Start Freq 2.400600000 GHz</td></tr><tr><td>Stop Freq 2.423340000 GHz</td></tr><tr><td>CF Step 2.289000 MHz Auto Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></tbody></table>	Frequency	Auto Tune	Center Freq 2.412000000 GHz	Start Freq 2.400600000 GHz	Stop Freq 2.423340000 GHz	CF Step 2.289000 MHz Auto Man	Freq Offset 0 Hz
Frequency								
Auto Tune								
Center Freq 2.412000000 GHz								
Start Freq 2.400600000 GHz								
Stop Freq 2.423340000 GHz								
CF Step 2.289000 MHz Auto Man								
Freq Offset 0 Hz								
2437	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.438 226 GHz 13.443 dBm</p> <p>Center 2.437000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts)</p> <table border="1"><thead><tr><th>Frequency</th></tr></thead><tbody><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.437000000 GHz</td></tr><tr><td>Start Freq 2.425645000 GHz</td></tr><tr><td>Stop Freq 2.448355000 GHz</td></tr><tr><td>CF Step 2.271000 MHz Auto Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></tbody></table>	Frequency	Auto Tune	Center Freq 2.437000000 GHz	Start Freq 2.425645000 GHz	Stop Freq 2.448355000 GHz	CF Step 2.271000 MHz Auto Man	Freq Offset 0 Hz
Frequency								
Auto Tune								
Center Freq 2.437000000 GHz								
Start Freq 2.425645000 GHz								
Stop Freq 2.448355000 GHz								
CF Step 2.271000 MHz Auto Man								
Freq Offset 0 Hz								
2462	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.463 248.5 GHz 14.894 dBm</p> <p>Center 2.462000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts)</p> <table border="1"><thead><tr><th>Frequency</th></tr></thead><tbody><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.462000000 GHz</td></tr><tr><td>Start Freq 2.450600000 GHz</td></tr><tr><td>Stop Freq 2.473350000 GHz</td></tr><tr><td>CF Step 2.270000 MHz Auto Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></tbody></table>	Frequency	Auto Tune	Center Freq 2.462000000 GHz	Start Freq 2.450600000 GHz	Stop Freq 2.473350000 GHz	CF Step 2.270000 MHz Auto Man	Freq Offset 0 Hz
Frequency								
Auto Tune								
Center Freq 2.462000000 GHz								
Start Freq 2.450600000 GHz								
Stop Freq 2.473350000 GHz								
CF Step 2.270000 MHz Auto Man								
Freq Offset 0 Hz								



Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-0	
2422	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.426 93 GHz 8.677 dBm</p> <p>Center 2.42200 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 4.867 ms (1001 pts)</p> <p>Span 50.82 MHz</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.42200000 GHz</p> <p>Start Freq 2.396590000 GHz</p> <p>Stop Freq 2.447410000 GHz</p> <p>CF Step 5.082000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>
2437	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.448 22 GHz 10.398 dBm</p> <p>Center 2.43700 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 4.867 ms (1001 pts)</p> <p>Span 50.76 MHz</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.43700000 GHz</p> <p>Start Freq 2.411620000 GHz</p> <p>Stop Freq 2.462380000 GHz</p> <p>CF Step 5.076000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>
2452	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.456 93 GHz 8.445 dBm</p> <p>Center 2.45200 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 4.867 ms (1001 pts)</p> <p>Span 50.84 MHz</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.45200000 GHz</p> <p>Start Freq 2.426580000 GHz</p> <p>Stop Freq 2.477420000 GHz</p> <p>CF Step 5.084000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>



Mode 2: IEEE 802.11b Continuous TX mode_ANT-1	
2412	 <p>Agilent Spectrum Analyzer - Sweep 5A</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.412 962 GHz 13.445 dBm</p> <p>Center 2.412000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.467 ms (1001 pts)</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.41200000 GHz</p> <p>Start Freq 2.404485000 GHz</p> <p>Stop Freq 2.419515000 GHz</p> <p>CF Step 1.503000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>
2437	 <p>Agilent Spectrum Analyzer - Sweep 5A</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.437 951 GHz 12.105 dBm</p> <p>Center 2.437000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.467 ms (1001 pts)</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.43700000 GHz</p> <p>Start Freq 2.429455000 GHz</p> <p>Stop Freq 2.444545000 GHz</p> <p>CF Step 1.509000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>
2462	 <p>Agilent Spectrum Analyzer - Sweep 5A</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr1 2.461 452.8 GHz 14.548 dBm</p> <p>Center 2.462000 GHz #Res BW 100 kHz #VBW 300 kHz Sweep 1.400 ms (1001 pts)</p> <p>Frequency</p> <p>Auto Tune</p> <p>Center Freq 2.46200000 GHz</p> <p>Start Freq 2.454800000 GHz</p> <p>Stop Freq 2.469200000 GHz</p> <p>CF Step 1.440000 MHz Auto Man</p> <p>Freq Offset 0 Hz</p>



Mode 3: IEEE 802.11g Continuous TX mode_ANT-1									
2412	<p>Agilent Spectrum Analyzer - Swept SA PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 1/1 Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.413 225 GHz 13.602 dBm Center 2.412000 GHz Span 22.65 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts) File <BBB.png> saved</p> <table border="1"><thead><tr><th>Frequency</th></tr></thead><tbody><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.41200000 GHz</td></tr><tr><td>Start Freq 2.40060000 GHz</td></tr><tr><td>Stop Freq 2.42334000 GHz</td></tr><tr><td>CF Step 2.289000 MHz</td></tr><tr><td>Auto Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></tbody></table>	Frequency	Auto Tune	Center Freq 2.41200000 GHz	Start Freq 2.40060000 GHz	Stop Freq 2.42334000 GHz	CF Step 2.289000 MHz	Auto Man	Freq Offset 0 Hz
Frequency									
Auto Tune									
Center Freq 2.41200000 GHz									
Start Freq 2.40060000 GHz									
Stop Freq 2.42334000 GHz									
CF Step 2.289000 MHz									
Auto Man									
Freq Offset 0 Hz									
2437	<p>Agilent Spectrum Analyzer - Swept SA PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 1/1 Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.438 223 GHz 13.600 dBm Center 2.437000 GHz Span 22.65 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts) File <BBB.png> saved</p> <table border="1"><thead><tr><th>Frequency</th></tr></thead><tbody><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.43700000 GHz</td></tr><tr><td>Start Freq 2.42567500 GHz</td></tr><tr><td>Stop Freq 2.44832500 GHz</td></tr><tr><td>CF Step 2.285000 MHz</td></tr><tr><td>Auto Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></tbody></table>	Frequency	Auto Tune	Center Freq 2.43700000 GHz	Start Freq 2.42567500 GHz	Stop Freq 2.44832500 GHz	CF Step 2.285000 MHz	Auto Man	Freq Offset 0 Hz
Frequency									
Auto Tune									
Center Freq 2.43700000 GHz									
Start Freq 2.42567500 GHz									
Stop Freq 2.44832500 GHz									
CF Step 2.285000 MHz									
Auto Man									
Freq Offset 0 Hz									
2462	<p>Agilent Spectrum Analyzer - Swept SA PNO: Fast IF Gain: Low Trig: Free Run #Atten: 30 dB Avg Type: Log-Pwr Avg/Hold: 1/1 Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.463 223 GHz 14.094 dBm Center 2.462000 GHz Span 22.65 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.200 ms (1001 pts) File <BBB.png> saved</p> <table border="1"><thead><tr><th>Frequency</th></tr></thead><tbody><tr><td>Auto Tune</td></tr><tr><td>Center Freq 2.46200000 GHz</td></tr><tr><td>Start Freq 2.45067500 GHz</td></tr><tr><td>Stop Freq 2.47332500 GHz</td></tr><tr><td>CF Step 2.285000 MHz</td></tr><tr><td>Auto Man</td></tr><tr><td>Freq Offset 0 Hz</td></tr></tbody></table>	Frequency	Auto Tune	Center Freq 2.46200000 GHz	Start Freq 2.45067500 GHz	Stop Freq 2.47332500 GHz	CF Step 2.285000 MHz	Auto Man	Freq Offset 0 Hz
Frequency									
Auto Tune									
Center Freq 2.46200000 GHz									
Start Freq 2.45067500 GHz									
Stop Freq 2.47332500 GHz									
CF Step 2.285000 MHz									
Auto Man									
Freq Offset 0 Hz									



Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-1	
2412	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.415 722 8 GHz 13.439 dBm</p> <p>Center 2.412000 GHz #Res BW 100 kHz #VBW 300 kHz Span 22.70 MHz Sweep 2.200 ms (1001 pts)</p>
2437	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.440 724 GHz 13.199 dBm</p> <p>Center 2.437000 GHz #Res BW 100 kHz #VBW 300 kHz Span 22.74 MHz Sweep 2.200 ms (1001 pts)</p>
2462	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr1 2.465 724 GHz 13.753 dBm</p> <p>Center 2.462000 GHz #Res BW 100 kHz #VBW 300 kHz Span 22.74 MHz Sweep 2.200 ms (1001 pts)</p>



Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-1	
2422	
2437	
2452	




Out of Band Conducted Spurious Emission

Mode 2: IEEE 802.11b Continuous TX mode ANT-0																												
2412	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.8130 GHz</td> <td>13.743 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.8145 GHz</td> <td>-24.503 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.8130 GHz	13.743 dBm				2	N	1	f	24.8145 GHz	-24.503 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.8130 GHz	13.743 dBm																							
2	N	1	f	24.8145 GHz	-24.503 dBm																							
2437	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.4394 GHz</td> <td>12.311 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.7133 GHz</td> <td>-23.814 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.4394 GHz	12.311 dBm				2	N	1	f	24.7133 GHz	-23.814 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.4394 GHz	12.311 dBm																							
2	N	1	f	24.7133 GHz	-23.814 dBm																							
2462	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.4633 GHz</td> <td>12.888 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.7444 GHz</td> <td>-24.639 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.4633 GHz	12.888 dBm				2	N	1	f	24.7444 GHz	-24.639 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.4633 GHz	12.888 dBm																							
2	N	1	f	24.7444 GHz	-24.639 dBm																							



Mode 3: IEEE 802.11g Continuous TX mode_ANT-0																												
2412	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr2 24.787 4 GHz -24.432 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCN</th> <th>F</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.787 4 GHz</td> <td>12.780 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.787 4 GHz</td> <td>-24.432 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCN	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.787 4 GHz	12.780 dBm				2	N	1	f	24.787 4 GHz	-24.432 dBm			
MKR	MODE	TRIG	SCN	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.787 4 GHz	12.780 dBm																							
2	N	1	f	24.787 4 GHz	-24.432 dBm																							
2437	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr2 24.823 1 GHz -24.435 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCN</th> <th>F</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.823 1 GHz</td> <td>12.706 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.823 1 GHz</td> <td>-24.435 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCN	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.823 1 GHz	12.706 dBm				2	N	1	f	24.823 1 GHz	-24.435 dBm			
MKR	MODE	TRIG	SCN	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.823 1 GHz	12.706 dBm																							
2	N	1	f	24.823 1 GHz	-24.435 dBm																							
2462	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr2 26.020 9 GHz -23.441 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCN</th> <th>F</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>26.020 9 GHz</td> <td>12.969 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>26.020 9 GHz</td> <td>-23.441 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCN	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	26.020 9 GHz	12.969 dBm				2	N	1	f	26.020 9 GHz	-23.441 dBm			
MKR	MODE	TRIG	SCN	F	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	26.020 9 GHz	12.969 dBm																							
2	N	1	f	26.020 9 GHz	-23.441 dBm																							



Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-0																												
2412	 <p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr2 24.816 5 GHz -24.816 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts)</p> <table border="1"><thead><tr><th>MKR</th><th>MODE</th><th>TRIG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>24.169 GHz</td><td>12.641 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.816 5 GHz</td><td>-24.816 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.169 GHz	12.641 dBm				2	N	1	f	24.816 5 GHz	-24.816 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.169 GHz	12.641 dBm																							
2	N	1	f	24.816 5 GHz	-24.816 dBm																							
2437	 <p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr2 24.757 6 GHz -24.779 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts)</p> <table border="1"><thead><tr><th>MKR</th><th>MODE</th><th>TRIG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>24.335 GHz</td><td>12.652 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>24.757 6 GHz</td><td>-24.779 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.335 GHz	12.652 dBm				2	N	1	f	24.757 6 GHz	-24.779 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.335 GHz	12.652 dBm																							
2	N	1	f	24.757 6 GHz	-24.779 dBm																							
2462	 <p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 30.00 dBm</p> <p>Mkr2 25.961 0 GHz -23.823 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts)</p> <table border="1"><thead><tr><th>MKR</th><th>MODE</th><th>TRIG</th><th>SCL</th><th>X</th><th>Y</th><th>FUNCTION</th><th>FUNCTION WIDTH</th><th>FUNCTION VALUE</th></tr></thead><tbody><tr><td>1</td><td>N</td><td>1</td><td>f</td><td>24.659 3 GHz</td><td>13.229 dBm</td><td></td><td></td><td></td></tr><tr><td>2</td><td>N</td><td>1</td><td>f</td><td>25.961 0 GHz</td><td>-23.823 dBm</td><td></td><td></td><td></td></tr></tbody></table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.659 3 GHz	13.229 dBm				2	N	1	f	25.961 0 GHz	-23.823 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.659 3 GHz	13.229 dBm																							
2	N	1	f	25.961 0 GHz	-23.823 dBm																							






Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-0																												
2422	<p>Ref Offset 12 dB Ref 20.00 dBm Mkr2 24.821 1 GHz -34.472 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts) Stop 26.50 GHz</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.416 9 GHz</td> <td>8.054 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.821 1 GHz</td> <td>-34.472 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.416 9 GHz	8.054 dBm				2	N	1	f	24.821 1 GHz	-34.472 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	2.416 9 GHz	8.054 dBm																							
2	N	1	f	24.821 1 GHz	-34.472 dBm																							
2437	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr2 24.741 7 GHz -24.770 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts) Stop 26.50 GHz</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.442 1 GHz</td> <td>10.183 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.741 7 GHz</td> <td>-24.770 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.442 1 GHz	10.183 dBm				2	N	1	f	24.741 7 GHz	-24.770 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	2.442 1 GHz	10.183 dBm																							
2	N	1	f	24.741 7 GHz	-24.770 dBm																							
2452	<p>Ref Offset 12 dB Ref 20.00 dBm Mkr2 24.776 1 GHz -34.797 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts) Stop 26.50 GHz</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.448 0 GHz</td> <td>7.658 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.776 1 GHz</td> <td>-34.797 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.448 0 GHz	7.658 dBm				2	N	1	f	24.776 1 GHz	-34.797 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	2.448 0 GHz	7.658 dBm																							
2	N	1	f	24.776 1 GHz	-34.797 dBm																							

Mode 2: IEEE 802.11b Continuous TX mode ANT-1																												
2412	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.7669 GHz</td> <td>-24.017 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.7669 GHz</td> <td>-24.017 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.7669 GHz	-24.017 dBm				2	N	1	f	24.7669 GHz	-24.017 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.7669 GHz	-24.017 dBm																							
2	N	1	f	24.7669 GHz	-24.017 dBm																							
2437	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.7973 GHz</td> <td>-24.436 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.7973 GHz</td> <td>-24.436 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.7973 GHz	-24.436 dBm				2	N	1	f	24.7973 GHz	-24.436 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.7973 GHz	-24.436 dBm																							
2	N	1	f	24.7973 GHz	-24.436 dBm																							
2462	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRC</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>24.8542 GHz</td> <td>-23.446 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.8542 GHz</td> <td>-23.446 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	24.8542 GHz	-23.446 dBm				2	N	1	f	24.8542 GHz	-23.446 dBm			
MKR	MODE	TRC	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	24.8542 GHz	-23.446 dBm																							
2	N	1	f	24.8542 GHz	-23.446 dBm																							






Mode 3: IEEE 802.11g Continuous TX mode_ANT-1






Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-1



Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-1																												
2422	<p>Ref Offset 12 dB Ref 20.00 dBm Mkr2 24.756 3 GHz -34.683 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts) Stop 26.50 GHz</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.425 5 GHz</td> <td>7.519 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.756 3 GHz</td> <td>-34.683 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.425 5 GHz	7.519 dBm				2	N	1	f	24.756 3 GHz	-34.683 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	2.425 5 GHz	7.519 dBm																							
2	N	1	f	24.756 3 GHz	-34.683 dBm																							
2437	<p>Ref Offset 12 dB Ref 30.00 dBm Mkr2 24.804 6 GHz -24.276 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts) Stop 26.50 GHz</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.445 4 GHz</td> <td>8.987 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.804 6 GHz</td> <td>-24.276 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.445 4 GHz	8.987 dBm				2	N	1	f	24.804 6 GHz	-24.276 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	2.445 4 GHz	8.987 dBm																							
2	N	1	f	24.804 6 GHz	-24.276 dBm																							
2452	<p>Ref Offset 12 dB Ref 20.00 dBm Mkr2 24.727 2 GHz -34.083 dBm</p> <p>Start 30 MHz #Res BW 100 kHz #VBW 300 kHz Sweep 2.531 s (40001 pts) Stop 26.50 GHz</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>X</th> <th>Y</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.463 3 GHz</td> <td>7.596 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>24.727 2 GHz</td> <td>-34.083 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.463 3 GHz	7.596 dBm				2	N	1	f	24.727 2 GHz	-34.083 dBm			
MKR	MODE	TRIG	SCL	X	Y	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																				
1	N	1	f	2.463 3 GHz	7.596 dBm																							
2	N	1	f	24.727 2 GHz	-34.083 dBm																							


Conducted Band Edge

Mode 2: IEEE 802.11b Continuous TX mode_ANT-0																																					
2412	 <table border="1"> <thead> <tr> <th>MkR</th> <th>MODE</th> <th>TRIG</th> <th>SL</th> <th>F</th> <th>P</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.411520 GHz</td> <td>-13.902 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>2.400000 GHz</td> <td>-42.424 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>2.396940 GHz</td> <td>-25.555 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MkR	MODE	TRIG	SL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.411520 GHz	-13.902 dBm				2	N	1	f	2.400000 GHz	-42.424 dBm				3	N	1	f	2.396940 GHz	-25.555 dBm			
MkR	MODE	TRIG	SL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																													
1	N	1	f	2.411520 GHz	-13.902 dBm																																
2	N	1	f	2.400000 GHz	-42.424 dBm																																
3	N	1	f	2.396940 GHz	-25.555 dBm																																
2462	 <table border="1"> <thead> <tr> <th>MkR</th> <th>MODE</th> <th>TRIG</th> <th>SL</th> <th>F</th> <th>P</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.462940 GHz</td> <td>-14.867 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>2.483600 GHz</td> <td>-38.296 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>2.487915 GHz</td> <td>-36.873 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MkR	MODE	TRIG	SL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.462940 GHz	-14.867 dBm				2	N	1	f	2.483600 GHz	-38.296 dBm				3	N	1	f	2.487915 GHz	-36.873 dBm			
MkR	MODE	TRIG	SL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																													
1	N	1	f	2.462940 GHz	-14.867 dBm																																
2	N	1	f	2.483600 GHz	-38.296 dBm																																
3	N	1	f	2.487915 GHz	-36.873 dBm																																

Mode 3: IEEE 802.11g Continuous TX mode_ANT-0													
2412	<table border="1"> <thead> <tr> <th>Mkr</th> <th>Freq (GHz)</th> <th>Power (dBm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.413275</td> <td>13.906</td> </tr> <tr> <td>2</td> <td>2.400000</td> <td>-20.650</td> </tr> <tr> <td>3</td> <td>2.399730</td> <td>-19.816</td> </tr> </tbody> </table>	Mkr	Freq (GHz)	Power (dBm)	1	2.413275	13.906	2	2.400000	-20.650	3	2.399730	-19.816
Mkr	Freq (GHz)	Power (dBm)											
1	2.413275	13.906											
2	2.400000	-20.650											
3	2.399730	-19.816											
2462	<table border="1"> <thead> <tr> <th>Mkr</th> <th>Freq (GHz)</th> <th>Power (dBm)</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>2.483210</td> <td>14.969</td> </tr> <tr> <td>2</td> <td>2.483600</td> <td>-31.833</td> </tr> <tr> <td>3</td> <td>2.483635</td> <td>-31.546</td> </tr> </tbody> </table>	Mkr	Freq (GHz)	Power (dBm)	1	2.483210	14.969	2	2.483600	-31.833	3	2.483635	-31.546
Mkr	Freq (GHz)	Power (dBm)											
1	2.483210	14.969											
2	2.483600	-31.833											
3	2.483635	-31.546											

Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-0

2412




2462




Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-0																																					
2422	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>FREQ</th> <th>POWER</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.433255 GHz</td> <td>7.963 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>2.400000 GHz</td> <td>-22.396 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>2.399730 GHz</td> <td>-22.304 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	FREQ	POWER	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.433255 GHz	7.963 dBm				2	N	1	f	2.400000 GHz	-22.396 dBm				3	N	1	f	2.399730 GHz	-22.304 dBm			
MKR	MODE	TRIG	SCL	FREQ	POWER	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																													
1	N	1	f	2.433255 GHz	7.963 dBm																																
2	N	1	f	2.400000 GHz	-22.396 dBm																																
3	N	1	f	2.399730 GHz	-22.304 dBm																																
2452	<table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SCL</th> <th>FREQ</th> <th>POWER</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.457000 GHz</td> <td>8.137 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>2.483500 GHz</td> <td>-32.130 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>2.485755 GHz</td> <td>-26.675 dBm</td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SCL	FREQ	POWER	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.457000 GHz	8.137 dBm				2	N	1	f	2.483500 GHz	-32.130 dBm				3	N	1	f	2.485755 GHz	-26.675 dBm			
MKR	MODE	TRIG	SCL	FREQ	POWER	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																													
1	N	1	f	2.457000 GHz	8.137 dBm																																
2	N	1	f	2.483500 GHz	-32.130 dBm																																
3	N	1	f	2.485755 GHz	-26.675 dBm																																

Mode 2: IEEE 802.11b Continuous TX mode_ANT-1

2412




2462



Mode 3: IEEE 802.11g Continuous TX mode_ANT-1

2412




2462




Mode 4: IEEE 802.11n 2.4 GHz 20 MHz Continuous TX mode_ANT-1

2412



2462



Mode 5: IEEE 802.11n 2.4 GHz 40 MHz Continuous TX mode_ANT-1																																																																																																													
2422	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 20.00 dBm</p> <p>Mkr2 2.400 000 GHz -23.346 dBm</p> <p>Start 2.310000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.445000 GHz Sweep 12.93 ms (1001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SQL</th> <th>F</th> <th>P</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.433 255 GHz</td> <td>7.758 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>2.400 000 GHz</td> <td>-23.346 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SQL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.433 255 GHz	7.758 dBm				2	N	1	f	2.400 000 GHz	-23.346 dBm				3									4									5									6									7									8									9									10									11								
MKR	MODE	TRIG	SQL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																					
1	N	1	f	2.433 255 GHz	7.758 dBm																																																																																																								
2	N	1	f	2.400 000 GHz	-23.346 dBm																																																																																																								
3																																																																																																													
4																																																																																																													
5																																																																																																													
6																																																																																																													
7																																																																																																													
8																																																																																																													
9																																																																																																													
10																																																																																																													
11																																																																																																													
2452	<p>Agilent Spectrum Analyzer - Swept SA</p> <p>Ref Offset 12 dB Ref 20.00 dBm</p> <p>Mkr3 2.484 405 GHz -25.461 dBm</p> <p>Start 2.430000 GHz #Res BW 100 kHz #VBW 300 kHz Stop 2.565000 GHz Sweep 12.93 ms (1001 pts)</p> <table border="1"> <thead> <tr> <th>MKR</th> <th>MODE</th> <th>TRIG</th> <th>SQL</th> <th>F</th> <th>P</th> <th>FUNCTION</th> <th>FUNCTION WIDTH</th> <th>FUNCTION VALUE</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>N</td> <td>1</td> <td>f</td> <td>2.483 210 GHz</td> <td>7.788 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>2</td> <td>N</td> <td>1</td> <td>f</td> <td>2.483 600 GHz</td> <td>-31.834 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>3</td> <td>N</td> <td>1</td> <td>f</td> <td>2.484 405 GHz</td> <td>-25.461 dBm</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>7</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> <tr> <td>11</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> </tr> </tbody> </table>	MKR	MODE	TRIG	SQL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE	1	N	1	f	2.483 210 GHz	7.788 dBm				2	N	1	f	2.483 600 GHz	-31.834 dBm				3	N	1	f	2.484 405 GHz	-25.461 dBm				4									5									6									7									8									9									10									11								
MKR	MODE	TRIG	SQL	F	P	FUNCTION	FUNCTION WIDTH	FUNCTION VALUE																																																																																																					
1	N	1	f	2.483 210 GHz	7.788 dBm																																																																																																								
2	N	1	f	2.483 600 GHz	-31.834 dBm																																																																																																								
3	N	1	f	2.484 405 GHz	-25.461 dBm																																																																																																								
4																																																																																																													
5																																																																																																													
6																																																																																																													
7																																																																																																													
8																																																																																																													
9																																																																																																													
10																																																																																																													
11																																																																																																													