



## Appendix B

### RF Test Data for BT LE(Conducted Measurement)

Product Name: Rugged Tablet PC

Test Model: TABIC3

#### Environmental Conditions

|                    |            |
|--------------------|------------|
| Temperature:       | 23.8° C    |
| Relative Humidity: | 52.1%      |
| ATM Pressure:      | 100.0 kPa  |
| Test Engineer:     | Paddi Chen |
| Supervised by:     | Nick Peng  |



Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity



## B.1 -6dB Bandwidth

| Condition | Mode   | Frequency (MHz) | Antenna | -6 dB Bandwidth (MHz) | Limit -6 dB Bandwidth (MHz) | Verdict |
|-----------|--------|-----------------|---------|-----------------------|-----------------------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | 0.661                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 1M | 2440            | Ant1    | 0.65                  | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 0.655                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 1.135                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 2M | 2440            | Ant1    | 1.155                 | $\geq 0.5$                  | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 1.214                 | $\geq 0.5$                  | Pass    |






## Test Graphs

-6dB Bandwidth NVNT BLE 1M 2402MHz Ant1



-6dB Bandwidth NVNT BLE 1M 2440MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-6dB Bandwidth NVNT BLE 1M 2480MHz Ant1



-6dB Bandwidth NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





-6dB Bandwidth NVNT BLE 2M 2440MHz Ant1



-6dB Bandwidth NVNT BLE 2M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.2 Maximum Conducted Output Power


| Condition | Mode   | Frequency (MHz) | Antenna | Conducted Power (dBm) | Limit (dBm) | Verdict |
|-----------|--------|-----------------|---------|-----------------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | 0.49                  | 30          | Pass    |
| NVNT      | BLE 1M | 2440            | Ant1    | 0.19                  | 30          | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | -0.55                 | 30          | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 0.7                   | 30          | Pass    |
| NVNT      | BLE 2M | 2440            | Ant1    | 0.31                  | 30          | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | -0.5                  | 30          | Pass    |






## Test Graphs

Power NVNT BLE 1M 2402MHz Ant1



Power NVNT BLE 1M 2440MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Power NVNT BLE 1M 2480MHz Ant1




## Power NVNT BLE 2M 2402MHz Ant1








## Power NVNT BLE 2M 2440MHz Ant1



## Power NVNT BLE 2M 2480MHz Ant1





### B.3 Maximum Power Spectral Density Level

| Condition | Mode   | Frequency (MHz) | Antenna | Conducted PSD (dBm/3kHz) | Limit (dBm/3kHz) | Verdict |
|-----------|--------|-----------------|---------|--------------------------|------------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | -16.01                   | 8                | Pass    |
| NVNT      | BLE 1M | 2440            | Ant1    | -16.45                   | 8                | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | -17.22                   | 8                | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | -19.08                   | 8                | Pass    |
| NVNT      | BLE 2M | 2440            | Ant1    | -19.55                   | 8                | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | -20.58                   | 8                | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity




## Test Graphs

PSD NVNT BLE 1M 2402MHz Ant1



PSD NVNT BLE 1M 2440MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## PSD NVNT BLE 1M 2480MHz Ant1



## PSD NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## PSD NVNT BLE 2M 2440MHz Ant1



## PSD NVNT BLE 2M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.4 Band Edge


| Condition | Mode   | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | -57.47          | -20         | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | -56.14          | -20         | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | -44.97          | -20         | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | -54.84          | -20         | Pass    |






## Test Graphs

## Band Edge NVNT BLE 1M 2402MHz Ant1 Ref



## Band Edge NVNT BLE 1M 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT BLE 1M 2480MHz Ant1 Ref



## Band Edge NVNT BLE 1M 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Band Edge NVNT BLE 2M 2402MHz Ant1 Ref



## Band Edge NVNT BLE 2M 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Band Edge NVNT BLE 2M 2480MHz Ant1 Ref



## Band Edge NVNT BLE 2M 2480MHz Ant1 Emission





B.5 Conducted RF Spurious Emission

| Condition | Mode   | Frequency (MHz) | Antenna | Max Value (dBc) | Limit (dBc) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | -55.79          | -20         | Pass    |
| NVNT      | BLE 1M | 2440            | Ant1    | -55.56          | -20         | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | -54.18          | -20         | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | -55.31          | -20         | Pass    |
| NVNT      | BLE 2M | 2440            | Ant1    | -53.8           | -20         | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | -54.89          | -20         | Pass    |




Shenzhen LCS Compliance Testing Laboratory Ltd.  
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China  
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com  
Scan code to check authenticity






## Test Graphs

Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Ref



Tx. Spurious NVNT BLE 1M 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Ref



Tx. Spurious NVNT BLE 1M 2440MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 1M 2480MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Ref



Tx. Spurious NVNT BLE 2M 2402MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Ref



Tx. Spurious NVNT BLE 2M 2440MHz Ant1 Emission



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Ref



Tx. Spurious NVNT BLE 2M 2480MHz Ant1 Emission



| MARK | MODE | TRC | SCL | X            | Y           | FUNCTION | FUNCTION WIDTH | FUNCTION VALUE |
|------|------|-----|-----|--------------|-------------|----------|----------------|----------------|
| 1    | N    |     | f   | 2.480 2 GHz  | -5.606 dBm  |          |                |                |
| 2    | N    |     | f   | 25.798 5 GHz | -55.923 dBm |          |                |                |
| 3    | N    |     | f   | 4.958 7 GHz  | -65.405 dBm |          |                |                |
| 4    | N    |     | f   | 7.417 8 GHz  | -65.385 dBm |          |                |                |
| 5    | N    |     | f   | 10.092 1 GHz | -66.072 dBm |          |                |                |
| 6    |      |     |     |              |             |          |                |                |
| 7    |      |     |     |              |             |          |                |                |
| 8    |      |     |     |              |             |          |                |                |
| 9    |      |     |     |              |             |          |                |                |
| 10   |      |     |     |              |             |          |                |                |
| 11   |      |     |     |              |             |          |                |                |



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



B.6 Duty Cycle


| Condition | Mode   | Frequency (MHz) | Antenna | Duty Cycle (%) | Correction Factor (dB) | 1/T (kHz) |
|-----------|--------|-----------------|---------|----------------|------------------------|-----------|
| NVNT      | BLE 1M | 2402            | Ant1    | 87.39          | 0.59                   | 0.61      |
| NVNT      | BLE 1M | 2440            | Ant1    | 87.39          | 0.59                   | 0.61      |
| NVNT      | BLE 1M | 2480            | Ant1    | 87.39          | 0.59                   | 0.61      |
| NVNT      | BLE 2M | 2402            | Ant1    | 65.93          | 1.81                   | 1.21      |
| NVNT      | BLE 2M | 2440            | Ant1    | 65.93          | 1.81                   | 1.21      |
| NVNT      | BLE 2M | 2480            | Ant1    | 65.97          | 1.81                   | 1.21      |






## Test Graphs

## Duty Cycle NVNT BLE 1M 2402MHz Ant1



## Duty Cycle NVNT BLE 1M 2440MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Duty Cycle NVNT BLE 1M 2480MHz Ant1



## Duty Cycle NVNT BLE 2M 2402MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Duty Cycle NVNT BLE 2M 2440MHz Ant1



## Duty Cycle NVNT BLE 2M 2480MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



## B.7 Restrict Band


| Condition | Mode   | Frequency (MHz) | Antenna | Spur Freq (MHz) | Power (dBm) | Gain (dBi) | Duty Factor (dB) | E (dBuV/m) | Detector | Limit (dBuV/m) | Verdict |
|-----------|--------|-----------------|---------|-----------------|-------------|------------|------------------|------------|----------|----------------|---------|
| NVNT      | BLE 1M | 2402            | Ant1    | 2310            | -49.04      | 2.67       | -                | 48.89      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant1    | 2310            | -59.32      | 2.67       | 0.59             | 38.61      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant1    | 2336.976        | -47.75      | 2.67       | -                | 50.18      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant1    | 2359.344        | -57.86      | 2.67       | 0.59             | 40.07      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant1    | 2390            | -50.15      | 2.67       | -                | 47.78      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2402            | Ant1    | 2390            | -58.22      | 2.67       | 0.59             | 39.71      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 2483.5          | -48.19      | 2.67       | -                | 49.74      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 2483.5          | -58.05      | 2.67       | 0.59             | 39.88      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 2485.024        | -45.43      | 2.67       | -                | 52.50      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 2485            | -56.94      | 2.67       | 0.59             | 40.99      | Average  | 54             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 2500            | -49.47      | 2.67       | -                | 48.46      | Peak     | 74             | Pass    |
| NVNT      | BLE 1M | 2480            | Ant1    | 2500            | -58.18      | 2.67       | 0.59             | 39.75      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 2310            | -48.85      | 2.67       | -                | 49.08      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 2310            | -59.19      | 2.67       | 1.81             | 38.74      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 2337.36         | -47.75      | 2.67       | -                | 50.18      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 2378.16         | -57.87      | 2.67       | 1.81             | 40.06      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 2390            | -49.13      | 2.67       | -                | 48.80      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2402            | Ant1    | 2390            | -58.46      | 2.67       | 1.81             | 39.47      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 2483.5          | -49.93      | 2.67       | -                | 48.00      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 2483.5          | -57.92      | 2.67       | 1.81             | 40.01      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 2485.24         | -44.78      | 2.67       | -                | 53.15      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 2496.376        | -57.28      | 2.67       | 1.81             | 40.65      | Average  | 54             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 2500            | -48.7       | 2.67       | -                | 49.23      | Peak     | 74             | Pass    |
| NVNT      | BLE 2M | 2480            | Ant1    | 2500            | -58.34      | 2.67       | 1.81             | 39.59      | Average  | 54             | Pass    |






## Test Graphs

## Restrict Band NVNT BLE 1M 2402MHz Ant1 Peak



## Restrict Band NVNT BLE 1M 2402MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity






## Restrict Band NVNT BLE 1M 2480MHz Ant1 Peak



## Restrict Band NVNT BLE 1M 2480MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT BLE 2M 2402MHz Ant1 Peak



## Restrict Band NVNT BLE 2M 2402MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



## Restrict Band NVNT BLE 2M 2480MHz Ant1 Peak



## Restrict Band NVNT BLE 2M 2480MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A &amp; 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity