

Report No.: SEWM2307000288RG01

Rev.: 01 Page: 1 of 6

# Appendix B.2

LTE-NB1 Band 4



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printe overleaf, available on request or accessible at http://www.sgs.com/en/Terms-and-Conditions.aspx and, for electronic format documents subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/Terms-and-Conditions/Terms-en-Document.aspx Attention is drawn to the limitation of liability, indemnification and jurisdiction issued sefined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduce except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000

中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86–512) 62992980 www.sgsgroup.com. t (86–512) 62992980 sgs.china@sgs.com

Member of the SGS Group (SGS SA)



Report No.: SEWM2307000288RG01

Rev.: 01 Page: 2 of 6

## **Effective (Isotropic) Radiated Power Output Data**

#### **Test Result**

Test Band	Test Mode	Sub-carrier Spacing (kHz)	Test channel	Number of T	Conducted Power (dBm)	EIRP (dBm)	limit (dBm)	Verdict
NB1 Band 4	BPSK	3.75	19951	1T0	23.46	26.56	30	PASS
NB1 Band 4	BPSK	3.75	19951	1T47	23.28	26.38	30	PASS
NB1 Band 4	BPSK	3.75	20175	1T0	23.45	26.55	30	PASS
NB1 Band 4	BPSK	3.75	20175	1T47	23.51	26.61	30	PASS
NB1 Band 4	BPSK	3.75	20399	1T0	23.47	26.57	30	PASS
NB1 Band 4	BPSK	3.75	20399	1T47	23.55	26.65	30	PASS
NB1 Band 4	QPSK	3.75	19951	1T0	23.27	26.37	30	PASS
NB1 Band 4	QPSK	3.75	19951	1T47	23.21	26.31	30	PASS
NB1 Band 4	QPSK	3.75	20175	1T0	23.33	26.43	30	PASS
NB1 Band 4	QPSK	3.75	20175	1T47	23.51	26.61	30	PASS
NB1 Band 4	QPSK	3.75	20399	1T0	23.29	26.39	30	PASS
NB1 Band 4	QPSK	3.75	20399	1T47	23.45	26.55	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx">http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区海胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2307000288RG01

Rev.: 01 Page: 3 of 6

Test Band	Test Mode	Sub-carrier Spacing (kHz)	Test channel	Number of T	Conducted Power (dBm)	EIRP (dBm)	limit (dBm)	Verdict
NB1 Band 4	BPSK	15	19951	1T0	23.39	26.49	30	PASS
NB1 Band 4	BPSK	15	19951	1T11	23.61	26.71	30	PASS
NB1 Band 4	BPSK	15	20175	1T0	23.33	26.43	30	PASS
NB1 Band 4	BPSK	15	20175	1T11	23.35	26.45	30	PASS
NB1 Band 4	BPSK	15	20399	1T0	23.37	26.47	30	PASS
NB1 Band 4	BPSK	15	20399	1T11	23.46	26.56	30	PASS
NB1 Band 4	QPSK	15	19951	1T0	23.61	26.71	30	PASS
NB1 Band 4	QPSK	15	19951	1T11	23.31	26.41	30	PASS
NB1 Band 4	QPSK	15	19951	12T0	21.57	24.67	30	PASS
NB1 Band 4	QPSK	15	20175	1T0	23.34	26.44	30	PASS
NB1 Band 4	QPSK	15	20175	1T11	23.57	26.67	30	PASS
NB1 Band 4	QPSK	15	20175	12T0	21.51	24.61	30	PASS
NB1 Band 4	QPSK	15	20399	1T0	23.45	26.55	30	PASS
NB1 Band 4	QPSK	15	20399	1T11	23.51	26.61	30	PASS
NB1 Band 4	QPSK	15	20399	12T0	21.35	24.45	30	PASS



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx">http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000 t (86–512) 62992980 www.sgsgroup.com.cn t (86–512) 62992980 sgs.china@sgs.com



Report No.: SEWM2307000288RG01

Rev.: 01 Page: 4 of 6

### **Field Strength of Spurious Radiation**

Test Band = NB-IOT Band 4\_ TM1
Test Channel = Low Channel

Final	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[ «ID /»» ]	Level	Limit	Margin	Height	Angle	Dolovity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3424.5	77.27	-45.87	29.58	-34.28	-13.00	21.28	201	279	Horizontal		
2	5137.5	49.60	-44.24	33.17	-56.73	-13.00	43.73	142	312	Horizontal		
3	6843	41.57	-42.50	35.94	-60.26	-13.00	47.26	265	9	Horizontal		
4	9534.75	39.29	-38.13	37.76	-56.34	-13.00	43.34	284	181	Horizontal		
5	13581	36.70	-34.56	40.01	-53.11	-13.00	40.11	255	0	Horizontal		
6	16995.75	33.72	-31.27	38.90	-53.91	-13.00	40.91	142	37	Horizontal		

Fina	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[dD/m]	Level	Limit	Margin	Height	Angle	Dolovity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3424.5	74.54	-45.87	29.58	-37.01	-13.00	24.01	201	331	Vertical		
2	5137.5	51.97	-44.24	33.17	-54.36	-13.00	41.36	174	345	Vertical		
3	6849.75	43.81	-42.50	35.94	-58.01	-13.00	45.01	142	345	Vertical		
4	7895.25	40.83	-40.66	37.00	-58.09	-13.00	45.09	263	360	Vertical		
5	12149.25	36.12	-35.22	38.58	-55.78	-13.00	42.78	225	266	Vertical		
6	17958.75	32.81	-31.28	41.20	-52.53	-13.00	39.53	226	138	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx">http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN. Doccheck@ass.com



Report No.: SEWM2307000288RG01

Rev.: 01 Page: 5 of 6

#### Test Band = NB-IOT Band 4\_ TM1 Test Channel = Mid Channel

Final	Final Data List											
NO	Frequency	Reading	Factor	Λ.Ε.(«ID./»» ]	Level	Limit	Margin	Height	Angle	Dolovity		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3465	77.34	-45.77	29.59	-34.10	-13.00	21.10	201	265	Horizontal		
2	5197.5	51.43	-44.15	33.16	-54.82	-13.00	41.82	142	297	Horizontal		
3	6930	44.29	-42.48	35.97	-57.48	-13.00	44.48	265	39	Horizontal		
4	8019	40.50	-40.39	37.11	-58.04	-13.00	45.04	284	248	Horizontal		
5	10281	37.28	-36.78	38.04	-56.72	-13.00	43.72	142	71	Horizontal		
6	13579.5	36.48	-34.54	40.01	-53.31	-13.00	40.31	266	0	Horizontal		

Final	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[ «ID /»» 1	Level	Limit	Margin	Height	Angle	Delevit		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3465	74.65	-45.77	29.59	-36.79	-13.00	23.79	102	112	Vertical		
2	5197.5	54.61	-44.15	33.16	-51.64	-13.00	38.64	265	3	Vertical		
3	6929.25	44.07	-42.48	35.97	-57.70	-13.00	44.70	284	349	Vertical		
4	8877.75	39.36	-39.08	37.54	-57.44	-13.00	44.44	142	47	Vertical		
5	11174.25	35.37	-35.07	38.40	-56.56	-13.00	43.56	263	307	Vertical		
6	15183.75	34.35	-32.79	39.75	-53.94	-13.00	40.94	228	359	Vertical		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx">http://www.sgs.com/en/Terms-and-ConditionsTerms-e-Document.aspx</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company, Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@gs.com

South of No. 6 Plant, No. 1, Runsheng Road, Suzhou Industrial Park, Suzhou Area, China (Jiangsu) Pilot Free Trade Zone 215000 中国 - 苏州 - 中国(江苏)自由贸易试验区苏州片区苏州工业园区润胜路1号的6号厂房南部 邮编: 215000

t (86-512) 62992980

t (86–512) 62992980 www.sgsgroup.com.cn sgs.china@sgs.com



Report No.: SEWM2307000288RG01

Rev.: 01 Page: 6 of 6

#### Test Band = NB-IOT Band 4\_ TM1 **Test Channel = High Channel**

Final	Final Data List											
NO	Frequency	Reading	Factor	Λ Γ[-ID/1	Level	Limit	Margin	Height	Angle	Delevit		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3504.75	78.12	-45.67	29.62	-33.19	-13.00	20.19	175	279	Horizontal		
2	5257.5	52.58	-44.07	33.15	-53.60	-13.00	40.60	235	296	Horizontal		
3	7009.5	45.28	-42.58	36.01	-56.55	-13.00	43.55	162	71	Horizontal		
4	9545.25	39.22	-38.13	37.76	-56.40	-13.00	43.40	172	279	Horizontal		
5	11335.5	35.90	-35.42	38.40	-56.38	-13.00	43.38	166	357	Horizontal		
6	13578	36.41	-34.52	40.00	-53.37	-13.00	40.37	264	11	Horizontal		

Fina	Final Data List											
NO.	Frequency	Reading	Factor	Λ Γ[ «ID /»» 1	Level	Limit	Margin	Height	Angle	Dolovitu		
NO.	[MHz]	[dBµV]	[dB]	AF[dB/m]	[dBm]	[dBm]	[dB]	[cm]	[°]	Polarity		
1	3504.75	76.10	-45.67	29.62	-35.21	-13.00	22.21	195	111	Vertical		
2	5257.5	54.70	-44.07	33.15	-51.48	-13.00	38.48	204	15	Vertical		
3	7009.5	47.17	-42.58	36.01	-54.66	-13.00	41.66	186	360	Vertical		
4	9598.5	39.01	-38.10	37.78	-56.57	-13.00	43.57	235	254	Vertical		
5	11152.5	35.35	-35.16	38.40	-56.67	-13.00	43.67	162	288	Vertical		
6	13557	35.99	-34.29	39.99	-53.57	-13.00	40.57	211	356	Vertical		

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & AMP. The basic equation with a sample calculation is as follows:

AF = Antenna Factor(dB/m)

Factor = Cable Factor(dB) - Preamplifier (dB)

Level = Reading Level + AF + Factor -95.26

Margin = Limit - Level

---End of Attachment---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-and-Condit