


5.2G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
NVNT	802.11a	5180	97.03	0.13
NVNT	802.11a	5200	97.08	0.13
NVNT	802.11a	5240	97.03	0.13
NVNT	802.11ac20	5180	96.87	0.14
NVNT	802.11ac20	5200	96.85	0.14
NVNT	802.11ac20	5240	96.88	0.14
NVNT	802.11ac40	5190	94.05	0.27
NVNT	802.11ac40	5230	94.03	0.27
NVNT	802.11ac80	5210	88.58	0.53
NVNT	802.11n(HT20)	5180	96.86	0.14
NVNT	802.11n(HT20)	5200	96.86	0.14
NVNT	802.11n(HT20)	5240	96.87	0.14
NVNT	802.11n(HT40)	5190	93.94	0.27
NVNT	802.11n(HT40)	5230	93.96	0.27


Duty Cycle NVNT 802.11a 5180MHz




Duty Cycle NVNT 802.11a 5200MHz




Duty Cycle NVNT 802.11a 5240MHz




Duty Cycle NVNT 802.11ac20 5180MHz




Duty Cycle NVNT 802.11ac20 5200MHz




Duty Cycle NVNT 802.11ac20 5240MHz




Duty Cycle NVNT 802.11ac40 5190MHz




Duty Cycle NVNT 802.11ac40 5230MHz




Duty Cycle NVNT 802.11ac80 5210MHz




Duty Cycle NVNT 802.11n(HT20) 5180MHz




Duty Cycle NVNT 802.11n(HT20) 5200MHz




Duty Cycle NVNT 802.11n(HT20) 5240MHz



Duty Cycle NVNT 802.11n(HT40) 5190MHz



Duty Cycle NVNT 802.11n(HT40) 5230MHz




Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5180	Ant 1	10.52	0.13	10.65	24	Pass
NVNT	802.11a	5200	Ant 1	10.12	0.13	10.25	24	Pass
NVNT	802.11a	5240	Ant 1	9.89	0.13	10.02	24	Pass
NVNT	802.11ac20	5180	Ant 1	8.34	0.14	8.48	24	Pass
NVNT	802.11ac20	5200	Ant 1	7.7	0.14	7.84	24	Pass
NVNT	802.11ac20	5240	Ant 1	8.57	0.14	8.71	24	Pass
NVNT	802.11ac40	5190	Ant 1	8.69	0.27	8.96	24	Pass
NVNT	802.11ac40	5230	Ant 1	8.38	0.27	8.65	24	Pass
NVNT	802.11ac80	5210	Ant 1	8.56	0.53	9.09	24	Pass
NVNT	802.11n(HT20)	5180	Ant 1	9.47	0.14	9.61	24	Pass
NVNT	802.11n(HT20)	5200	Ant 1	8.9	0.14	9.04	24	Pass
NVNT	802.11n(HT20)	5240	Ant 1	8.69	0.14	8.83	24	Pass
NVNT	802.11n(HT40)	5190	Ant 1	8.42	0.27	8.69	24	Pass
NVNT	802.11n(HT40)	5230	Ant 1	8.45	0.27	8.72	24	Pass


Occupied Channel Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)	-26 dB Bandwidth (MHz)	Verdict
NVNT	802.11a	5180	Ant 1	16.3264	19.136	Pass
NVNT	802.11a	5200	Ant 1	16.3544	19.744	Pass
NVNT	802.11a	5240	Ant 1	16.5023	19.82	Pass
NVNT	802.11ac20	5180	Ant 1	17.6302	19.996	Pass
NVNT	802.11ac20	5200	Ant 1	17.5182	19.948	Pass
NVNT	802.11ac20	5240	Ant 1	17.6102	20.176	Pass
NVNT	802.11ac40	5190	Ant 1	35.9484	40.72	Pass
NVNT	802.11ac40	5230	Ant 1	36.1564	42.728	Pass
NVNT	802.11ac80	5210	Ant 1	75.2565	81.408	Pass
NVNT	802.11n(HT20)	5180	Ant 1	17.5462	20.176	Pass
NVNT	802.11n(HT20)	5200	Ant 1	17.6022	20.04	Pass
NVNT	802.11n(HT20)	5240	Ant 1	17.6142	20.08	Pass
NVNT	802.11n(HT40)	5190	Ant 1	36.0204	40.768	Pass
NVNT	802.11n(HT40)	5230	Ant 1	36.2764	52.392	Pass


OBW NVNT 802.11a 5180MHz Ant1




-26 dB BW NVNT 802.11a 5180MHz Ant1




OBW NVNT 802.11a 5200MHz Ant1




-26 dB BW NVNT 802.11a 5200MHz Ant1




OBW NVNT 802.11a 5240MHz Ant1




-26 dB BW NVNT 802.11a 5240MHz Ant1




OBW NVNT 802.11ac20 5180MHz Ant1




-26 dB BW NVNT 802.11ac20 5180MHz Ant1




OBW NVNT 802.11ac20 5200MHz Ant1




-26 dB BW NVNT 802.11ac20 5200MHz Ant1




OBW NVNT 802.11ac20 5240MHz Ant1




-26 dB BW NVNT 802.11ac20 5240MHz Ant1




OBW NVNT 802.11ac40 5190MHz Ant1




-26 dB BW NVNT 802.11ac40 5190MHz Ant1




OBW NVNT 802.11ac40 5230MHz Ant1




-26 dB BW NVNT 802.11ac40 5230MHz Ant1




OBW NVNT 802.11ac80 5210MHz Ant1




-26 dB BW NVNT 802.11ac80 5210MHz Ant1




OBW NVNT 802.11n(HT20) 5180MHz Ant1




-26 dB BW NVNT 802.11n(HT20) 5180MHz Ant1




OBW NVNT 802.11n(HT20) 5200MHz Ant1




-26 dB BW NVNT 802.11n(HT20) 5200MHz Ant1




OBW NVNT 802.11n(HT20) 5240MHz Ant1




-26 dB BW NVNT 802.11n(HT20) 5240MHz Ant1




OBW NVNT 802.11n(HT40) 5190MHz Ant1




-26 dB BW NVNT 802.11n(HT40) 5190MHz Ant1



OBW NVNT 802.11n(HT40) 5230MHz Ant1




-26 dB BW NVNT 802.11n(HT40) 5230MHz Ant1




Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Antenna	Max PSD (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5180	Ant 1	0.763	11	Pass
NVNT	802.11a	5200	Ant 1	0.848	11	Pass
NVNT	802.11a	5240	Ant 1	0.405	11	Pass
NVNT	802.11ac20	5180	Ant 1	-2.353	11	Pass
NVNT	802.11ac20	5200	Ant 1	-2.662	11	Pass
NVNT	802.11ac20	5240	Ant 1	-1.369	11	Pass
NVNT	802.11ac40	5190	Ant 1	-4.358	11	Pass
NVNT	802.11ac40	5230	Ant 1	-5.163	11	Pass
NVNT	802.11ac80	5210	Ant 1	-9.509	11	Pass
NVNT	802.11n(HT20)	5180	Ant 1	-0.625	11	Pass
NVNT	802.11n(HT20)	5200	Ant 1	-0.904	11	Pass
NVNT	802.11n(HT20)	5240	Ant 1	-1.817	11	Pass
NVNT	802.11n(HT40)	5190	Ant 1	-5.143	11	Pass
NVNT	802.11n(HT40)	5230	Ant 1	-6.018	11	Pass


PSD NVNT 802.11a 5180MHz Ant1




PSD NVNT 802.11a 5200MHz Ant1




PSD NVNT 802.11a 5240MHz Ant1




PSD NVNT 802.11ac20 5180MHz Ant1




PSD NVNT 802.11ac20 5200MHz Ant1




PSD NVNT 802.11ac20 5240MHz Ant1




PSD NVNT 802.11ac40 5190MHz Ant1




PSD NVNT 802.11ac40 5230MHz Ant1




PSD NVNT 802.11ac80 5210MHz Ant1




PSD NVNT 802.11n(HT20) 5180MHz Ant1




PSD NVNT 802.11n(HT20) 5200MHz Ant1




PSD NVNT 802.11n(HT20) 5240MHz Ant1



PSD NVNT 802.11n(HT40) 5190MHz Ant1




PSD NVNT 802.11n(HT40) 5230MHz Ant1




Band Edge

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBm)	Limit (dBm)	Verdict
NVNT	802.11a	5180	Ant 1	-36.18	-27	Pass
NVNT	802.11a	5240	Ant 1	-47.11	-27	Pass
NVNT	802.11ac20	5180	Ant 1	-37.91	-27	Pass
NVNT	802.11ac20	5240	Ant 1	-46.92	-27	Pass
NVNT	802.11ac40	5190	Ant 1	-35.85	-27	Pass
NVNT	802.11ac40	5230	Ant 1	-47.6	-27	Pass
NVNT	802.11ac80	5210	Ant 1	-48.16	-27	Pass
NVNT	802.11ac80	5210	Ant 1	-31.94	-27	Pass
NVNT	802.11n(HT20)	5180	Ant 1	-38.51	-27	Pass
NVNT	802.11n(HT20)	5240	Ant 1	-47.84	-27	Pass
NVNT	802.11n(HT40)	5190	Ant 1	-33.07	-27	Pass
NVNT	802.11n(HT40)	5230	Ant 1	-47.13	-27	Pass


Band Edge NVNT 802.11a 5180MHz Low Ant1




Band Edge NVNT 802.11a 5240MHz High Ant1




Band Edge NVNT 802.11ac20 5180MHz Low Ant1




Band Edge NVNT 802.11ac20 5240MHz High Ant1




Band Edge NVNT 802.11ac40 5190MHz Low Ant1




Band Edge NVNT 802.11ac40 5230MHz High Ant1




Band Edge NVNT 802.11ac80 5210MHz High Ant1




Band Edge NVNT 802.11ac80 5210MHz Low Ant1




Band Edge NVNT 802.11n(HT20) 5180MHz Low Ant1




Band Edge NVNT 802.11n(HT20) 5240MHz High Ant1



Band Edge NVNT 802.11n(HT40) 5190MHz Low Ant1




Band Edge NVNT 802.11n(HT40) 5230MHz High Ant1




Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	802.11a	5180	Ant 1	-37.48	-27	Pass
NVNT	802.11a	5200	Ant 1	-38.09	-27	Pass
NVNT	802.11a	5240	Ant 1	-38.22	-27	Pass
NVNT	802.11ac20	5180	Ant 1	-37.21	-27	Pass
NVNT	802.11ac20	5200	Ant 1	-38.39	-27	Pass
NVNT	802.11ac20	5240	Ant 1	-36.19	-27	Pass
NVNT	802.11ac40	5190	Ant 1	-38.31	-27	Pass
NVNT	802.11ac40	5230	Ant 1	-37.68	-27	Pass
NVNT	802.11ac80	5210	Ant 1	-38.2	-27	Pass
NVNT	802.11n(HT20)	5180	Ant 1	-35.25	-27	Pass
NVNT	802.11n(HT20)	5200	Ant 1	-38.03	-27	Pass
NVNT	802.11n(HT20)	5240	Ant 1	-37.49	-27	Pass
NVNT	802.11n(HT40)	5190	Ant 1	-32.34	-27	Pass
NVNT	802.11n(HT40)	5230	Ant 1	-37.94	-27	Pass


Tx. Spurious NVNT 802.11a 5180MHz Ant1 Emission




Tx. Spurious NVNT 802.11a 5200MHz Ant1 Emission




Tx. Spurious NVNT 802.11a 5240MHz Ant1 Emission




Tx. Spurious NVNT 802.11ac20 5180MHz Ant1 Emission




Tx. Spurious NVNT 802.11ac20 5200MHz Ant1 Emission




Tx. Spurious NVNT 802.11ac20 5240MHz Ant1 Emission




Tx. Spurious NVNT 802.11ac40 5190MHz Ant1 Emission




Tx. Spurious NVNT 802.11ac40 5230MHz Ant1 Emission




Tx. Spurious NVNT 802.11ac80 5210MHz Ant1 Emission




Tx. Spurious NVNT 802.11n(HT20) 5180MHz Ant1 Emission




Tx. Spurious NVNT 802.11n(HT20) 5200MHz Ant1 Emission




Tx. Spurious NVNT 802.11n(HT20) 5240MHz Ant1 Emission



Tx. Spurious NVNT 802.11n(HT40) 5190MHz Ant1 Emission



Tx. Spurious NVNT 802.11n(HT40) 5230MHz Ant1 Emission




5.8G:


Duty Cycle

Condition	Mode	Frequency (MHz)	Duty Cycle (%)	Correction Factor (dB)
NVNT	802.11a	5745	97.29	0.12
NVNT	802.11a	5785	97.29	0.12
NVNT	802.11a	5825	97.31	0.12
NVNT	802.11ac20	5745	97.14	0.13
NVNT	802.11ac20	5785	97.15	0.13
NVNT	802.11ac20	5825	97.13	0.13
NVNT	802.11ac40	5755	94.51	0.25
NVNT	802.11ac40	5795	94.5	0.25
NVNT	802.11ac80	5775	89.5	0.48
NVNT	802.11n(HT20)	5745	97.12	0.13
NVNT	802.11n(HT20)	5785	97.12	0.13
NVNT	802.11n(HT20)	5825	97.12	0.13
NVNT	802.11n(HT40)	5755	94.46	0.25
NVNT	802.11n(HT40)	5795	94.47	0.25


Duty Cycle NVNT 802.11a 5745MHz




Duty Cycle NVNT 802.11a 5785MHz




Duty Cycle NVNT 802.11a 5825MHz




Duty Cycle NVNT 802.11ac20 5745MHz



Duty Cycle NVNT 802.11ac20 5785MHz



Duty Cycle NVNT 802.11ac20 5825MHz



Duty Cycle NVNT 802.11ac40 5755MHz

