



(802.11g _2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1189.426	11.26	29.98	41.24	74.00	-32.76	peak	H
1199.926	2.64	30.69	33.33	54.00	-20.67	AVG	H
1403.896	11.69	31.86	43.55	74.00	-30.45	peak	H
1409.073	3.12	31.66	34.78	54.00	-19.22	AVG	H
1799.552	3.36	36.75	40.11	54.00	-13.89	AVG	H
1802.817	12.86	36.59	49.45	74.00	-24.55	peak	H
2216.047	11.56	39.16	50.72	74.00	-23.28	peak	H
2266.024	3.24	39.19	42.43	54.00	-11.57	AVG	H
2404.920	50.05	41.46	91.51	N/A	N/A	AVG	H
2405.316	57.91	41.45	99.36	N/A	N/A	peak	H
2661.138	12.59	43.18	55.77	74.00	-18.23	peak	H
2661.138	3.57	43.18	46.75	54.00	-7.25	AVG	H




(802.11g _2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4954.500	46.16	-3.00	43.16	74.00	-30.84	peak	H
4975.500	37.86	-3.30	34.56	54.00	-19.44	AVG	H
7904.250	36.42	0.42	36.84	54.00	-17.16	AVG	H
7951.500	45.24	1.32	46.56	74.00	-27.44	peak	H
9919.500	44.33	2.14	46.47	74.00	-27.53	peak	H
9930.750	36.79	2.10	38.89	54.00	-15.11	AVG	H
12385.500	43.27	4.39	47.66	74.00	-26.34	peak	H
12506.250	33.39	4.92	38.31	54.00	-15.69	AVG	H
14502.000	42.82	7.81	50.63	74.00	-23.37	peak	H
14524.500	33.22	8.25	41.47	54.00	-12.53	AVG	H
17033.250	33.44	11.42	44.86	54.00	-9.14	AVG	H
17104.500	41.37	11.80	53.17	74.00	-20.83	peak	H




(802.11g _2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
38.4742	21.47	14.08	35.55	40.00	-4.45	peak	V
46.7073	17.05	15.48	32.53	40.00	-7.47	peak	V
85.2681	20.01	10.75	30.76	40.00	-9.24	peak	V
118.7470	14.21	13.09	27.30	43.50	-16.20	peak	V
387.5161	2.85	18.33	21.18	46.00	-24.82	peak	V
774.9733	3.69	26.08	29.77	46.00	-16.23	peak	V




(802.11g _2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1194.074	11.59	30.28	41.87	74.00	-32.13	peak	V
1208.791	4.21	30.28	34.49	54.00	-19.51	AVG	V
1399.354	3.13	31.98	35.11	54.00	-18.89	AVG	V
1412.793	11.74	31.53	43.27	74.00	-30.73	peak	V
1605.607	11.69	34.04	45.73	74.00	-28.27	peak	V
1607.637	2.79	33.97	36.76	54.00	-17.24	AVG	V
2014.599	12.19	36.80	48.99	74.00	-25.01	peak	V
2014.599	3.67	36.80	40.47	54.00	-13.53	AVG	V
2405.052	47.62	41.45	89.07	N/A	N/A	AVG	V
2405.448	55.58	41.44	97.02	N/A	N/A	peak	V
2815.268	13.03	43.43	56.46	74.00	-17.54	peak	V
2853.883	3.32	43.81	47.13	54.00	-6.87	AVG	V




(802.11g _2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4823.250	47.30	-3.22	44.08	74.00	-29.92	peak	V
4823.250	38.85	-3.22	35.63	54.00	-18.37	AVG	V
6427.500	47.01	-1.40	45.61	74.00	-28.39	peak	V
6531.750	36.49	-0.45	36.04	54.00	-17.96	AVG	V
9648.000	45.10	1.71	46.81	74.00	-27.19	peak	V
9648.000	40.74	1.71	42.45	54.00	-11.55	AVG	V
11694.000	43.86	4.02	47.88	74.00	-26.12	peak	V
11694.000	33.84	4.02	37.86	54.00	-16.14	AVG	V
14454.750	32.90	9.14	42.04	54.00	-11.96	AVG	V
14751.750	41.43	9.05	50.48	74.00	-23.52	peak	V
17140.500	40.31	12.90	53.21	74.00	-20.79	peak	V
17140.500	31.86	12.90	44.76	54.00	-9.24	AVG	V




(802.11g _2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
49.9865	1.99	16.19	18.18	40.00	-21.82	peak	H
97.3365	15.33	13.44	28.77	43.50	-14.73	peak	H
249.9942	3.09	14.89	17.98	46.00	-28.02	peak	H
387.5161	5.39	18.33	23.72	46.00	-22.28	peak	H
500.0380	5.27	22.00	27.27	46.00	-18.73	peak	H
775.1091	3.14	26.07	29.21	46.00	-16.79	peak	H




(802.11g _2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1191.257	3.21	30.10	33.31	54.00	-20.69	AVG	H
1205.210	11.27	30.44	41.71	74.00	-32.29	peak	H
1454.289	12.18	31.97	44.15	74.00	-29.85	peak	H
1471.647	2.85	32.42	35.27	54.00	-18.73	AVG	H
1796.194	12.30	36.51	48.81	74.00	-25.19	peak	H
1798.465	3.09	36.67	39.76	54.00	-14.24	AVG	H
2223.363	12.09	39.06	51.15	74.00	-22.85	peak	H
2264.904	3.09	39.18	42.27	54.00	-11.73	AVG	H
2444.476	59.47	40.83	100.30	N/A	N/A	peak	H
2444.476	51.42	40.83	92.25	N/A	N/A	AVG	H
2755.901	13.20	43.80	57.00	74.00	-17.00	peak	H
2760.143	3.41	43.65	47.06	54.00	-6.94	AVG	H




(802.11g_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4738.500	46.64	-3.19	43.45	74.00	-30.55	peak	H
4767.000	38.02	-3.38	34.64	54.00	-19.36	AVG	H
7749.750	45.82	0.15	45.97	74.00	-28.03	peak	H
7749.750	37.93	0.15	38.08	54.00	-15.92	AVG	H
9525.000	36.43	1.89	38.32	54.00	-15.68	AVG	H
9570.000	44.69	2.26	46.95	74.00	-27.05	peak	H
11093.250	35.12	3.26	38.38	54.00	-15.62	AVG	H
11120.250	44.52	3.19	47.71	74.00	-26.29	peak	H
14451.750	42.44	8.55	50.99	74.00	-23.01	peak	H
14451.750	33.26	8.55	41.81	54.00	-12.19	AVG	H
17513.250	40.86	14.08	54.94	74.00	-19.06	peak	H
17515.500	32.48	14.03	46.51	54.00	-7.49	AVG	H




(802.11g _2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
40.3110	19.11	15.40	34.51	40.00	-5.49	peak	V
47.1930	17.83	15.49	33.32	40.00	-6.68	peak	V
85.2383	18.21	10.74	28.95	40.00	-11.05	peak	V
118.8512	14.07	13.09	27.16	43.50	-16.34	peak	V
387.5161	4.13	18.33	22.46	46.00	-23.54	peak	V
775.1091	3.76	26.07	29.83	46.00	-16.17	peak	V




(802.11g _2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1162.299	12.30	29.06	41.36	74.00	-32.64	peak	V
1189.165	3.15	29.98	33.13	54.00	-20.87	AVG	V
1394.903	3.68	31.79	35.47	54.00	-18.53	AVG	V
1397.741	12.08	31.91	43.99	74.00	-30.01	peak	V
1715.198	12.69	34.01	46.70	74.00	-27.30	peak	V
1746.189	2.77	34.61	37.38	54.00	-16.62	AVG	V
2224.095	12.03	39.05	51.08	74.00	-22.92	peak	V
2286.907	3.31	39.48	42.79	54.00	-11.21	AVG	V
2438.575	55.89	40.80	96.69	N/A	N/A	peak	V
2438.575	47.97	40.80	88.77	N/A	N/A	AVG	V
2813.568	3.42	43.57	46.99	54.00	-7.01	AVG	V
2823.787	14.31	43.09	57.40	74.00	-16.60	peak	V




(802.11g _2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4867.500	38.04	-2.91	35.13	54.00	-18.87	AVG	V
4953.000	46.34	-2.92	43.42	74.00	-30.58	peak	V
7663.500	35.94	0.86	36.80	54.00	-17.20	AVG	V
7770.000	45.81	0.27	46.08	74.00	-27.92	peak	V
9918.000	35.88	2.56	38.44	54.00	-15.56	AVG	V
9990.750	44.84	2.60	47.44	74.00	-26.56	peak	V
12042.750	42.29	4.84	47.13	74.00	-26.87	peak	V
12141.000	34.12	4.12	38.24	54.00	-15.76	AVG	V
14428.500	40.96	9.50	50.46	74.00	-23.54	peak	V
14562.000	32.67	9.08	41.75	54.00	-12.25	AVG	V
17463.000	39.46	14.04	53.50	74.00	-20.50	peak	V
17722.500	31.34	14.77	46.11	54.00	-7.89	AVG	V




(802.11g _2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
50.0215	1.15	16.19	17.34	40.00	-22.66	peak	H
105.6786	7.59	14.23	21.82	43.50	-21.68	peak	H
160.0087	1.60	12.20	13.80	43.50	-29.70	peak	H
249.9942	2.93	14.89	17.82	46.00	-28.18	peak	H
387.5161	5.81	18.33	24.14	46.00	-21.86	peak	H
500.0380	3.55	22.00	25.55	46.00	-20.45	peak	H




(802.11g _2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1195.518	11.11	30.38	41.49	74.00	-32.51	peak	H
1217.654	3.87	29.91	33.78	54.00	-20.22	AVG	H
1440.138	12.44	31.60	44.04	74.00	-29.96	peak	H
1464.952	3.02	32.25	35.27	54.00	-18.73	AVG	H
1796.293	12.27	36.51	48.78	74.00	-25.22	peak	H
1796.293	3.54	36.51	40.05	54.00	-13.95	AVG	H
2192.798	12.89	38.38	51.27	74.00	-22.73	peak	H
2223.973	2.98	39.05	42.03	54.00	-11.97	AVG	H
2468.359	60.43	41.72	102.15	N/A	N/A	peak	H
2468.359	52.85	41.72	94.57	N/A	N/A	AVG	H
2765.759	13.00	43.45	56.45	74.00	-17.55	peak	H
2815.423	3.94	43.42	47.36	54.00	-6.64	AVG	H




(802.11g_2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4928.250	46.37	-2.78	43.59	74.00	-30.41	peak	H
4928.250	38.15	-2.78	35.37	54.00	-18.63	AVG	H
7710.750	45.52	0.09	45.61	74.00	-28.39	peak	H
7944.750	35.95	1.19	37.14	54.00	-16.86	AVG	H
10070.250	44.41	2.15	46.56	74.00	-27.44	peak	H
10455.000	35.82	2.77	38.59	54.00	-15.41	AVG	H
14055.750	32.62	8.33	40.95	54.00	-13.05	AVG	H
14113.500	42.19	8.09	50.28	74.00	-23.72	peak	H
15750.000	33.24	10.94	44.18	54.00	-9.82	AVG	H
15951.000	41.55	11.22	52.77	74.00	-21.23	peak	H
17506.500	41.07	14.02	55.09	74.00	-18.91	peak	H
17772.000	31.48	15.00	46.48	54.00	-7.52	AVG	H




(802.11g _2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
36.6632	21.82	13.41	35.23	40.00	-4.77	peak	V
49.9952	17.35	16.20	33.55	40.00	-6.45	peak	V
85.2383	21.28	10.74	32.02	40.00	-7.98	peak	V
249.9942	4.45	14.89	19.34	46.00	-26.66	peak	V
500.0380	2.14	22.00	24.14	46.00	-21.86	peak	V
775.1091	3.25	26.07	29.32	46.00	-16.68	peak	V



(802.11g _2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1190.799	11.34	30.07	41.41	74.00	-32.59	peak	V
1198.279	2.81	30.58	33.39	54.00	-20.61	AVG	V
1322.742	4.31	30.77	35.08	54.00	-18.92	AVG	V
1348.122	12.91	31.03	43.94	74.00	-30.06	peak	V
1585.624	11.97	33.57	45.54	74.00	-28.46	peak	V
1596.724	2.65	34.09	36.74	54.00	-17.26	AVG	V
2012.940	3.59	36.89	40.48	54.00	-13.52	AVG	V
2014.489	12.87	36.81	49.68	74.00	-24.32	peak	V
2468.224	48.18	41.72	89.90	N/A	N/A	AVG	V
2468.766	56.19	41.73	97.92	N/A	N/A	peak	V
2799.539	12.31	44.72	57.03	74.00	-16.97	peak	V
2811.250	4.10	43.75	47.85	54.00	-6.15	AVG	V




(802.11g _2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4929.750	47.12	-2.79	44.33	74.00	-29.67	peak	V
4929.750	38.79	-2.79	36.00	54.00	-18.00	AVG	V
7263.000	36.34	-0.32	36.02	54.00	-17.98	AVG	V
7274.250	45.61	-0.30	45.31	74.00	-28.69	peak	V
10101.750	44.44	2.65	47.09	74.00	-26.91	peak	V
10359.750	38.02	2.29	40.31	54.00	-13.69	AVG	V
12361.500	42.43	4.48	46.91	74.00	-27.09	peak	V
12820.500	33.81	4.89	38.70	54.00	-15.30	AVG	V
14415.750	41.17	9.49	50.66	74.00	-23.34	peak	V
14721.000	32.03	9.47	41.50	54.00	-12.50	AVG	V
16884.000	40.98	12.27	53.25	74.00	-20.75	peak	V
17094.750	31.87	12.63	44.50	54.00	-9.50	AVG	V




802.11n-20MHz Test mode




(802.11n_20M_2412MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
49.9865	1.18	16.19	17.37	40.00	-22.63	peak	H
107.9445	7.72	14.58	22.30	43.50	-21.20	peak	H
250.0380	2.77	14.89	17.66	46.00	-28.34	peak	H
387.5161	4.68	18.33	23.01	46.00	-22.99	peak	H
500.0380	2.40	22.00	24.40	46.00	-21.60	peak	H
775.1091	3.30	26.07	29.37	46.00	-16.63	peak	H




(802.11n_20M_2412MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1203.292	10.73	30.54	41.27	74.00	-32.73	peak	H
1207.596	2.92	30.33	33.25	54.00	-20.75	AVG	H
1402.663	3.30	31.90	35.20	54.00	-18.80	AVG	H
1411.397	12.09	31.58	43.67	74.00	-30.33	peak	H
1598.391	2.45	34.17	36.62	54.00	-17.38	AVG	H
1619.425	11.95	33.56	45.51	74.00	-28.49	peak	H
2203.181	11.52	38.76	50.28	74.00	-23.72	peak	H
2229.233	3.02	38.95	41.97	54.00	-12.03	AVG	H
2419.097	51.93	40.79	92.72	N/A	N/A	AVG	H
2420.293	59.79	40.75	100.54	N/A	N/A	peak	H
2809.244	12.81	43.93	56.74	74.00	-17.26	peak	H
2864.563	2.86	44.19	47.05	54.00	-6.95	AVG	H




(802.11n_20M_2412MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4732.500	46.82	-3.16	43.66	74.00	-30.34	peak	H
4925.250	37.67	-2.76	34.91	54.00	-19.09	AVG	H
6440.250	37.79	-1.81	35.98	54.00	-18.02	AVG	H
6651.000	46.06	-0.35	45.71	74.00	-28.29	peak	H
10508.250	36.05	2.58	38.63	54.00	-15.37	AVG	H
10590.750	45.06	2.72	47.78	74.00	-26.22	peak	H
13365.000	42.09	6.50	48.59	74.00	-25.41	peak	H
13404.750	33.37	6.36	39.73	54.00	-14.27	AVG	H
15022.500	32.06	10.80	42.86	54.00	-11.14	AVG	H
15116.250	42.45	9.54	51.99	74.00	-22.01	peak	H
17516.250	32.36	14.02	46.38	54.00	-7.62	AVG	H
17538.000	40.76	13.67	54.43	74.00	-19.57	peak	H




(802.11n_20M_2412MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
39.8263	19.76	15.44	35.20	40.00	-4.80	peak	V
47.2178	18.39	15.49	33.88	40.00	-6.12	peak	V
85.2532	19.45	10.74	30.19	40.00	-9.81	peak	V
118.7470	15.92	13.09	29.01	43.50	-14.49	peak	V
250.0380	8.38	14.89	23.27	46.00	-22.73	peak	V
500.0380	3.92	22.00	25.92	46.00	-20.08	peak	V




(802.11n_20M_2412MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1096.314	11.25	29.07	40.32	74.00	-33.68	peak	V
1108.060	3.43	29.01	32.44	54.00	-21.56	AVG	V
1238.363	11.94	29.98	41.92	74.00	-32.08	peak	V
1261.084	3.16	30.37	33.53	54.00	-20.47	AVG	V
1794.715	13.38	36.35	49.73	74.00	-24.27	peak	V
1796.787	4.52	36.55	41.07	54.00	-12.93	AVG	V
2200.520	12.37	38.66	51.03	74.00	-22.97	peak	V
2246.565	3.16	38.96	42.12	54.00	-11.88	AVG	V
2405.184	56.71	41.45	98.16	N/A	N/A	peak	V
2405.184	49.08	41.45	90.53	N/A	N/A	AVG	V
2861.574	2.74	44.09	46.83	54.00	-7.17	AVG	V
2862.518	12.73	44.12	56.85	74.00	-17.15	peak	V




(802.11n_20M_2412MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4827.000	47.02	-3.19	43.83	74.00	-30.17	peak	V
4827.000	38.24	-3.19	35.05	54.00	-18.95	AVG	V
7979.250	44.80	1.03	45.83	74.00	-28.17	peak	V
8154.750	35.92	0.83	36.75	54.00	-17.25	AVG	V
9648.000	46.42	1.71	48.13	74.00	-25.87	peak	V
9648.000	40.90	1.71	42.61	54.00	-11.39	AVG	V
13067.250	41.45	6.41	47.86	74.00	-26.14	peak	V
13067.250	32.56	6.41	38.97	54.00	-15.03	AVG	V
15029.250	41.81	10.60	52.41	74.00	-21.59	peak	V
15146.250	32.92	9.37	42.29	54.00	-11.71	AVG	V
17541.750	40.62	14.20	54.82	74.00	-19.18	peak	V
17713.500	31.62	14.57	46.19	54.00	-7.81	AVG	V




(802.11n_20M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
36.7533	8.37	13.46	21.83	40.00	-18.17	peak	H
50.0391	2.45	16.18	18.63	40.00	-21.37	peak	H
103.8237	6.76	14.32	21.08	43.50	-22.42	peak	H
249.9942	2.70	14.89	17.59	46.00	-28.41	peak	H
387.5161	4.90	18.33	23.23	46.00	-22.77	peak	H
775.1091	2.34	26.07	28.41	46.00	-17.59	peak	H




(802.11n_20M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1244.431	3.80	30.07	33.87	54.00	-20.13	AVG	H
1254.176	13.46	30.27	43.73	74.00	-30.27	peak	H
1475.613	3.22	32.40	35.62	54.00	-18.38	AVG	H
1479.997	11.71	32.36	44.07	74.00	-29.93	peak	H
1797.083	3.39	36.58	39.97	54.00	-14.03	AVG	H
1801.530	12.46	36.68	49.14	74.00	-24.86	peak	H
2186.063	11.92	38.25	50.17	74.00	-23.83	peak	H
2244.715	2.96	38.93	41.89	54.00	-12.11	AVG	H
2444.074	60.75	40.83	101.58	N/A	N/A	peak	H
2444.074	52.67	40.83	93.50	N/A	N/A	AVG	H
2750.457	3.13	43.64	46.77	54.00	-7.23	AVG	H
2766.063	14.43	43.44	57.87	74.00	-16.13	peak	H




(802.11n_20M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4870.500	37.74	-2.89	34.85	54.00	-19.15	AVG	H
4878.750	48.22	-2.83	45.39	74.00	-28.61	peak	H
7638.000	45.03	0.70	45.73	74.00	-28.27	peak	H
7660.500	35.92	0.91	36.83	54.00	-17.17	AVG	H
9518.250	45.22	1.79	47.01	74.00	-26.99	peak	H
9518.250	36.13	1.79	37.92	54.00	-16.08	AVG	H
12051.000	43.30	4.39	47.69	74.00	-26.31	peak	H
12069.000	34.17	4.23	38.40	54.00	-15.60	AVG	H
14427.750	32.92	9.17	42.09	54.00	-11.91	AVG	H
14574.000	41.39	8.63	50.02	74.00	-23.98	peak	H
17109.000	41.38	11.87	53.25	74.00	-20.75	peak	H
17147.250	32.00	12.46	44.46	54.00	-9.54	AVG	H




(802.11n_20M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
39.6799	19.93	15.22	35.15	40.00	-4.85	peak	V
47.2095	18.36	15.49	33.85	40.00	-6.15	peak	V
86.5484	19.28	11.10	30.38	40.00	-9.62	peak	V
159.2251	4.45	11.95	16.40	43.50	-27.10	peak	V
387.5161	3.74	18.33	22.07	46.00	-23.93	peak	V
775.1091	4.10	26.07	30.17	46.00	-15.83	peak	V




(802.11n_20M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1195.518	3.14	30.38	33.52	54.00	-20.48	AVG	V
1208.592	10.91	30.29	41.20	74.00	-32.80	peak	V
1401.354	3.01	31.95	34.96	54.00	-19.04	AVG	V
1405.903	12.30	31.78	44.08	74.00	-29.92	peak	V
1797.083	11.89	36.58	48.47	74.00	-25.53	peak	V
1798.366	3.41	36.66	40.07	54.00	-13.93	AVG	V
2165.863	13.12	37.84	50.96	74.00	-23.04	peak	V
2207.057	2.80	38.92	41.72	54.00	-12.28	AVG	V
2430.819	57.33	40.78	98.11	N/A	N/A	peak	V
2438.709	49.08	40.80	89.88	N/A	N/A	AVG	V
2800.154	2.06	44.75	46.81	54.00	-7.19	AVG	V
2815.578	13.05	43.40	56.45	74.00	-17.55	peak	V




(802.11n_20M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4873.500	38.66	-2.86	35.80	54.00	-18.20	AVG	V
4936.500	46.51	-2.84	43.67	74.00	-30.33	peak	V
7707.000	37.12	0.14	37.26	54.00	-16.74	AVG	V
7951.500	43.70	1.47	45.17	74.00	-28.83	peak	V
9747.750	38.78	2.00	40.78	54.00	-13.22	AVG	V
10028.250	45.31	2.40	47.71	74.00	-26.29	peak	V
13046.250	41.70	6.34	48.04	74.00	-25.96	peak	V
13068.000	32.42	6.40	38.82	54.00	-15.18	AVG	V
15736.500	33.11	11.23	44.34	54.00	-9.66	AVG	V
15757.500	42.74	10.77	53.51	74.00	-20.49	peak	V
17511.000	31.21	14.96	46.17	54.00	-7.83	AVG	V
17529.000	39.80	14.53	54.33	74.00	-19.67	peak	V




(802.11n_20M_2462MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
47.9604	4.50	15.51	20.01	40.00	-19.99	peak	H
85.2383	7.33	10.74	18.07	40.00	-21.93	peak	H
107.1713	6.70	14.46	21.16	43.50	-22.34	peak	H
249.9942	5.36	14.89	20.25	46.00	-25.75	peak	H
387.5161	3.92	18.33	22.25	46.00	-23.75	peak	H
500.0380	3.84	22.00	25.84	46.00	-20.16	peak	H




(802.11n_20M_2462MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1196.700	3.76	30.46	34.22	54.00	-19.78	AVG	H
1210.186	12.31	30.22	42.53	74.00	-31.47	peak	H
1353.167	3.99	31.05	35.04	54.00	-18.96	AVG	H
1390.236	11.75	31.60	43.35	74.00	-30.65	peak	H
1798.860	12.34	36.70	49.04	74.00	-24.96	peak	H
1798.860	3.06	36.70	39.76	54.00	-14.24	AVG	H
2402.015	7.90	41.60	49.50	N/A	N/A	AVG	H
2402.543	14.60	41.58	56.18	N/A	N/A	peak	H
2468.902	61.33	41.73	103.06	N/A	N/A	peak	H
2468.902	53.41	41.73	95.14	N/A	N/A	AVG	H
2845.899	13.20	43.52	56.72	74.00	-17.28	peak	H
2863.619	2.83	44.16	46.99	54.00	-7.01	AVG	H




(802.11n_20M_2462MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4928.250	46.76	-2.78	43.98	74.00	-30.02	peak	H
4928.250	38.52	-2.78	35.74	54.00	-18.26	AVG	H
7673.250	45.47	0.70	46.17	74.00	-27.83	peak	H
7968.750	36.01	1.08	37.09	54.00	-16.91	AVG	H
9847.500	36.59	1.80	38.39	54.00	-15.61	AVG	H
10049.250	44.90	1.95	46.85	74.00	-27.15	peak	H
12057.000	34.16	4.34	38.50	54.00	-15.50	AVG	H
12105.750	43.05	3.91	46.96	74.00	-27.04	peak	H
14437.500	41.37	8.92	50.29	74.00	-23.71	peak	H
14502.000	33.88	7.81	41.69	54.00	-12.31	AVG	H
17079.750	33.14	11.62	44.76	54.00	-9.24	AVG	H
17132.250	41.60	12.23	53.83	74.00	-20.17	peak	H




(802.11n_20M_2462MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
38.4742	18.95	14.08	33.03	40.00	-6.97	peak	V
47.9940	17.54	15.51	33.05	40.00	-6.95	peak	V
85.2383	19.82	10.74	30.56	40.00	-9.44	peak	V
131.2275	9.96	11.76	21.72	43.50	-21.78	peak	V
387.5161	4.38	18.33	22.71	46.00	-23.29	peak	V
775.1091	3.86	26.07	29.93	46.00	-16.07	peak	V



(802.11n_20M_2462MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1199.662	10.50	30.68	41.18	74.00	-32.82	peak	V
1204.813	2.88	30.46	33.34	54.00	-20.66	AVG	V
1458.048	11.79	32.08	43.87	74.00	-30.13	peak	V
1489.866	3.05	32.35	35.40	54.00	-18.60	AVG	V
1796.984	12.09	36.57	48.66	74.00	-25.34	peak	V
1796.984	3.31	36.57	39.88	54.00	-14.12	AVG	V
2207.178	3.08	38.92	42.00	54.00	-12.00	AVG	V
2216.656	12.28	39.15	51.43	74.00	-22.57	peak	V
2468.224	49.33	41.72	91.05	N/A	N/A	AVG	V
2469.851	57.60	41.77	99.37	N/A	N/A	peak	V
2753.783	2.81	43.75	46.56	54.00	-7.44	AVG	V
2764.999	13.07	43.49	56.56	74.00	-17.44	peak	V




(802.11n_20M_2462MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4923.000	39.20	-2.74	36.46	54.00	-17.54	AVG	V
4930.500	49.47	-2.79	46.68	74.00	-27.32	peak	V
7262.250	37.03	-0.32	36.71	54.00	-17.29	AVG	V
7334.250	45.86	-0.23	45.63	74.00	-28.37	peak	V
9848.250	38.09	1.97	40.06	54.00	-13.94	AVG	V
9955.500	45.07	2.58	47.65	74.00	-26.35	peak	V
12553.500	43.01	4.37	47.38	74.00	-26.62	peak	V
12806.250	33.35	4.91	38.26	54.00	-15.74	AVG	V
15020.250	40.86	10.74	51.60	74.00	-22.40	peak	V
15020.250	31.93	10.74	42.67	54.00	-11.33	AVG	V
17121.000	40.66	12.76	53.42	74.00	-20.58	peak	V
17121.000	31.65	12.76	44.41	54.00	-9.59	AVG	V




802.11n-40MHz Test mode




(802.11n_40M_2422MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
46.7155	6.10	15.48	21.58	40.00	-18.42	peak	H
101.6265	4.07	14.82	18.89	43.50	-24.61	peak	H
249.9942	4.00	14.89	18.89	46.00	-27.11	peak	H
387.5161	5.99	18.33	24.32	46.00	-21.68	peak	H
500.0380	2.91	22.00	24.91	46.00	-21.09	peak	H
937.6811	1.98	28.30	30.28	46.00	-15.72	peak	H




(802.11n_40M_2422MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1093.908	3.47	29.07	32.54	54.00	-21.46	AVG	H
1100.356	10.74	29.07	39.81	74.00	-34.19	peak	H
1390.542	11.76	31.61	43.37	74.00	-30.63	peak	H
1403.665	3.51	31.86	35.37	54.00	-18.63	AVG	H
1745.997	6.09	34.60	40.69	54.00	-13.31	AVG	H
1763.153	11.86	35.02	46.88	74.00	-27.12	peak	H
1969.085	14.66	35.64	50.30	74.00	-23.70	peak	H
1969.085	11.49	35.64	47.13	54.00	-6.87	AVG	H
2419.761	55.82	40.75	96.57	N/A	N/A	peak	H
2419.761	48.14	40.75	88.89	N/A	N/A	AVG	H
2854.039	12.54	43.81	56.35	74.00	-17.65	peak	H
2861.260	2.88	44.08	46.96	54.00	-7.04	AVG	H




(802.11n_40M_2422MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4890.750	46.13	-2.75	43.38	74.00	-30.62	peak	H
4914.000	37.35	-2.68	34.67	54.00	-19.33	AVG	H
7673.250	45.55	0.70	46.25	74.00	-27.75	peak	H
7964.250	36.36	1.18	37.54	54.00	-16.46	AVG	H
9687.750	45.85	1.71	47.56	74.00	-26.44	peak	H
9687.750	38.62	1.71	40.33	54.00	-13.67	AVG	H
12006.750	34.53	3.88	38.41	54.00	-15.59	AVG	H
12040.500	43.75	4.27	48.02	74.00	-25.98	peak	H
15020.250	31.87	10.83	42.70	54.00	-11.30	AVG	H
15063.000	41.83	10.09	51.92	74.00	-22.08	peak	H
17101.500	42.91	11.76	54.67	74.00	-19.33	peak	H
17111.250	32.76	11.90	44.66	54.00	-9.34	AVG	H




(802.11n_40M_2422MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.5574	22.31	12.90	35.21	40.00	-4.79	peak	V
39.7217	18.61	15.28	33.89	40.00	-6.11	peak	V
77.0505	16.39	9.53	25.92	40.00	-14.08	peak	V
124.9847	10.19	11.13	21.32	43.50	-22.18	peak	V
199.9856	6.89	14.36	21.25	43.50	-22.25	peak	V
775.1091	6.19	26.07	32.26	46.00	-13.74	peak	V




(802.11n_40M_2422MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1209.455	3.24	30.25	33.49	54.00	-20.51	AVG	V
1217.186	11.70	29.93	41.63	74.00	-32.37	peak	V
1550.397	11.94	33.29	45.23	74.00	-28.77	peak	V
1553.978	2.79	33.26	36.05	54.00	-17.95	AVG	V
1797.576	11.99	36.60	48.59	74.00	-25.41	peak	V
1800.244	3.48	36.76	40.24	54.00	-13.76	AVG	V
2164.317	12.32	37.81	50.13	74.00	-23.87	peak	V
2210.211	3.24	39.04	42.28	54.00	-11.72	AVG	V
2424.817	45.63	40.76	86.39	N/A	N/A	AVG	V
2428.816	53.58	40.78	94.36	N/A	N/A	peak	V
2761.508	13.18	43.60	56.78	74.00	-17.22	peak	V
2806.930	2.69	44.15	46.84	54.00	-7.16	AVG	V




(802.11n_40M_2422MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4929.750	46.13	-2.79	43.34	74.00	-30.66	peak	V
4929.750	37.54	-2.79	34.75	54.00	-19.25	AVG	V
7225.500	37.07	-0.37	36.70	54.00	-17.30	AVG	V
7255.500	45.32	-0.32	45.00	74.00	-29.00	peak	V
9687.750	40.76	1.71	42.47	54.00	-11.53	AVG	V
9688.500	45.42	1.71	47.13	74.00	-26.87	peak	V
12072.750	33.89	4.65	38.54	54.00	-15.46	AVG	V
12155.250	43.10	4.10	47.20	74.00	-26.80	peak	V
14375.250	32.51	9.36	41.87	54.00	-12.13	AVG	V
14426.250	40.81	9.53	50.34	74.00	-23.66	peak	V
17105.250	31.92	12.66	44.58	54.00	-9.42	AVG	V
17126.250	41.28	12.80	54.08	74.00	-19.92	peak	V




(802.11n_40M_2437MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
31.3222	18.31	12.03	30.34	40.00	-9.66	peak	H
50.0040	10.86	16.20	27.06	40.00	-12.94	peak	H
87.5711	10.08	11.43	21.51	40.00	-18.49	peak	H
250.0380	4.00	14.89	18.89	46.00	-27.11	peak	H
500.0380	2.43	22.00	24.43	46.00	-21.57	peak	H
775.1091	3.43	26.07	29.50	46.00	-16.50	peak	H




(802.11n_40M_2437MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1196.306	11.64	30.44	42.08	74.00	-31.92	peak	H
1197.621	2.98	30.53	33.51	54.00	-20.49	AVG	H
1399.046	2.99	31.96	34.95	54.00	-19.05	AVG	H
1399.969	11.63	32.01	43.64	74.00	-30.36	peak	H
1599.797	2.48	34.23	36.71	54.00	-17.29	AVG	H
1605.607	11.97	34.04	46.01	74.00	-27.99	peak	H
2010.509	3.28	37.03	40.31	54.00	-13.69	AVG	H
2014.267	12.77	36.82	49.59	74.00	-24.41	peak	H
2439.379	48.83	40.80	89.63	N/A	N/A	AVG	H
2445.148	56.78	40.84	97.62	N/A	N/A	peak	H
2798.924	11.71	44.66	56.37	74.00	-17.63	peak	H
2803.540	2.27	44.44	46.71	54.00	-7.29	AVG	H




(802.11n_40M_2437MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4883.250	45.84	-2.80	43.04	74.00	-30.96	peak	H
4902.750	37.66	-2.68	34.98	54.00	-19.02	AVG	H
7737.000	37.15	0.09	37.24	54.00	-16.76	AVG	H
7756.500	44.89	0.20	45.09	74.00	-28.91	peak	H
9540.000	45.37	2.11	47.48	74.00	-26.52	peak	H
9768.000	39.12	1.82	40.94	54.00	-13.06	AVG	H
13083.750	41.59	6.23	47.82	74.00	-26.18	peak	H
13350.000	32.63	6.43	39.06	54.00	-14.94	AVG	H
15738.000	32.71	11.20	43.91	54.00	-10.09	AVG	H
15744.750	41.47	11.05	52.52	74.00	-21.48	peak	H
17742.750	40.58	15.19	55.77	74.00	-18.23	peak	H
17749.500	31.33	15.34	46.67	54.00	-7.33	AVG	H




(802.11n_40M_2437MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6647	20.06	12.71	32.77	40.00	-7.23	peak	V
43.7582	18.65	15.26	33.91	40.00	-6.09	peak	V
87.0659	15.37	11.27	26.64	40.00	-13.36	peak	V
125.0066	14.10	11.12	25.22	43.50	-18.28	peak	V
199.9856	7.52	14.36	21.88	43.50	-21.62	peak	V
775.1091	2.57	26.07	28.64	46.00	-17.36	peak	V




(802.11n_40M_2437MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1196.109	10.83	30.42	41.25	74.00	-32.75	peak	V
1199.465	2.81	30.66	33.47	54.00	-20.53	AVG	V
1464.148	11.72	32.24	43.96	74.00	-30.04	peak	V
1497.908	3.53	32.46	35.99	54.00	-18.01	AVG	V
1800.145	12.41	36.77	49.18	74.00	-24.82	peak	V
1800.145	3.28	36.77	40.05	54.00	-13.95	AVG	V
2219.092	12.21	39.13	51.34	74.00	-22.66	peak	V
2252.992	3.02	39.05	42.07	54.00	-11.93	AVG	V
2438.709	45.39	40.80	86.19	N/A	N/A	AVG	V
2439.915	53.48	40.80	94.28	N/A	N/A	peak	V
2764.695	3.37	43.50	46.87	54.00	-7.13	AVG	V
2808.626	12.07	43.99	56.06	74.00	-17.94	peak	V




(802.11n_40M_2437MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4858.500	37.68	-2.96	34.72	54.00	-19.28	AVG	V
4942.500	45.81	-2.88	42.93	74.00	-31.07	peak	V
7762.500	46.35	0.23	46.58	74.00	-27.42	peak	V
7951.500	35.69	1.47	37.16	54.00	-16.84	AVG	V
9768.000	45.42	1.82	47.24	74.00	-26.76	peak	V
9768.000	39.59	1.82	41.41	54.00	-12.59	AVG	V
12436.500	33.71	4.41	38.12	54.00	-15.88	AVG	V
12465.000	43.44	4.47	47.91	74.00	-26.09	peak	V
15013.500	41.07	10.68	51.75	74.00	-22.25	peak	V
15102.750	32.83	9.59	42.42	54.00	-11.58	AVG	V
17121.000	41.82	12.76	54.58	74.00	-19.42	peak	V
17121.000	32.37	12.76	45.13	54.00	-8.87	AVG	V




(802.11n_40M_2452MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
46.7155	7.68	15.48	23.16	40.00	-16.84	peak	H
109.9308	1.83	14.97	16.80	43.50	-26.70	peak	H
249.9942	4.52	14.89	19.41	46.00	-26.59	peak	H
387.5161	5.32	18.33	23.65	46.00	-22.35	peak	H
500.0380	2.69	22.00	24.69	46.00	-21.31	peak	H
977.4652	1.04	28.64	29.68	54.00	-24.32	peak	H




(802.11n_40M_2452MHz, Antenna Horizontal, 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1205.144	11.05	30.44	41.49	74.00	-32.51	peak	H
1222.547	3.58	29.83	33.41	54.00	-20.59	AVG	H
1462.621	3.25	32.20	35.45	54.00	-18.55	AVG	H
1467.207	11.48	32.31	43.79	74.00	-30.21	peak	H
1793.729	12.54	36.25	48.79	74.00	-25.21	peak	H
1796.589	3.68	36.54	40.22	54.00	-13.78	AVG	H
2218.726	11.67	39.13	50.80	74.00	-23.20	peak	H
2222.264	3.05	39.08	42.13	54.00	-11.87	AVG	H
2469.309	49.70	41.76	91.46	N/A	N/A	AVG	H
2471.344	57.63	41.77	99.40	N/A	N/A	peak	H
2797.694	11.71	44.54	56.25	74.00	-17.75	peak	H
2800.462	2.36	44.72	47.08	54.00	-6.92	AVG	H




(802.11n_40M_2452MHz, Antenna Horizontal, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4903.500	37.56	-2.68	34.88	54.00	-19.12	AVG	H
4935.000	46.34	-2.83	43.51	74.00	-30.49	peak	H
7747.500	45.72	0.14	45.86	74.00	-28.14	peak	H
7949.250	36.23	1.28	37.51	54.00	-16.49	AVG	H
9848.250	36.91	1.80	38.71	54.00	-15.29	AVG	H
9984.750	45.79	1.95	47.74	74.00	-26.26	peak	H
12986.250	43.04	5.77	48.81	74.00	-25.19	peak	H
13071.000	32.38	6.47	38.85	54.00	-15.15	AVG	H
15738.750	32.97	11.18	44.15	54.00	-9.85	AVG	H
15753.000	42.35	10.87	53.22	74.00	-20.78	peak	H
17502.000	41.50	13.98	55.48	74.00	-18.52	peak	H
17737.500	31.85	15.08	46.93	54.00	-7.07	AVG	H




(802.11n_40M_2452MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.6325	24.22	12.77	36.99	40.00	-3.01	peak	V
49.9865	17.96	16.19	34.15	40.00	-5.85	peak	V
86.7003	14.27	11.16	25.43	40.00	-14.57	peak	V
199.9856	6.02	14.36	20.38	43.50	-23.12	peak	V
387.5161	4.32	18.33	22.65	46.00	-23.35	peak	V
774.9733	4.17	26.08	30.25	46.00	-15.75	peak	V



(802.11n_40M_2452MHz, Antenna Vertical , 1GHz to 3GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1196.700	3.09	30.46	33.55	54.00	-20.45	AVG	V
1205.343	11.74	30.43	42.17	74.00	-31.83	peak	V
1462.299	11.89	32.20	44.09	74.00	-29.91	peak	V
1476.992	2.90	32.39	35.29	54.00	-18.71	AVG	V
1794.518	3.78	36.33	40.11	54.00	-13.89	AVG	V
1802.223	12.40	36.63	49.03	74.00	-24.97	peak	V
2255.716	12.83	39.08	51.91	74.00	-22.09	peak	V
2314.457	3.63	39.69	43.32	54.00	-10.68	AVG	V
2468.224	45.64	41.72	87.36	N/A	N/A	AVG	V
2470.123	53.35	41.77	95.12	N/A	N/A	peak	V
2810.324	12.63	43.84	56.47	74.00	-17.53	peak	V
2855.764	3.56	43.88	47.44	54.00	-6.56	AVG	V



(802.11n_40M_2452MHz, Antenna Vertical, 3GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
4935.750	46.82	-2.83	43.99	74.00	-30.01	peak	V
4935.750	38.49	-2.83	35.66	54.00	-18.34	AVG	V
7662.750	36.62	0.87	37.49	54.00	-16.51	AVG	V
7799.250	45.55	0.32	45.87	74.00	-28.13	peak	V
10071.000	43.92	2.61	46.53	74.00	-27.47	peak	V
10359.750	37.15	2.29	39.44	54.00	-14.56	AVG	V
13031.250	41.60	6.13	47.73	74.00	-26.27	peak	V
13044.000	33.01	6.30	39.31	54.00	-14.69	AVG	V
14433.000	32.26	9.43	41.69	54.00	-12.31	AVG	V
14500.500	42.15	8.98	51.13	74.00	-22.87	peak	V
15744.750	41.83	11.05	52.88	74.00	-21.12	peak	V
16035.750	32.22	11.70	43.92	54.00	-10.08	AVG	V



Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	±2.22dB
Power spectral density (PSD)	±2.22dB
Bandwidth	±5%
Conducted Spurious Emission	±2.77 dB
Restricted Frequency Bands	±5%
Radiated Emission	±3.1dB
Conducted Emission	±1.8dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of k=2



Annex B Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Laboratory Name:	Kehu-Morlab Test Laboratory
Laboratory Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China
Telephone:	+86 592 5612050
Facsimile:	+86 592 5612095

2. Identification of the Responsible Testing Location

Name:	Kehu-Morlab Test Laboratory
Address:	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian) P.R. China

3. Accreditation Certificate

Accredited Testing Laboratory:	The FCC designation number is CN1249. (Kehu-Morlab Test Laboratory)
---------------------------------------	--

4. Test Equipments Utilized

4.1 Conducted Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	MXA Signal Analyzer	MY57150136	N9030A	Keysight	2021.03.08
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2021.03.06
3	Coaxial cable	RF02	N/A	Morlab	2021.03.06
4	SMA connector	RF03	N/A	Xingbo	2021.03.06

4.2 Conducted Emission Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2021.03.15
2	LISN	101338	ENV432	ENV432	2021.03.09
3	Pulse Limiter (10dB)	317	VTSD 9561 F	VTSD 9561 F	2021.03.13
4	Coaxial cable(BNC) (30MHz-3GHz)	EMC01	N/A	Morlab	2021.03.13

**4.4 List of Software Used**

No	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RE
2	EMC32	V10.20.01	Rode&Schwarz	CE

4.5 Radiated Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2022.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.03.02
3	Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2021.03.11
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
6	Steatite Antennas	17868	QSH-SL-1 8-26-S-20	Seibersdorf	2021.03.23
7	RF Switch and Control Platform	N/A	RSC	CDSI	2021.03.11
8	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	N/A
9	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2021.03.23
10	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2021.03.23
11	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2021.03.23
12	Pre-amplifier (1GHz-18GHz)	8810011	PAP-1G18	CDSI	2021.03.23
13	Pre-amplifier (18GHz-40GHz)	17021-17024	PAP-1840	CDSI	2021.03.23



14	Band stop Filter	EMC19	BJF2400/2 485-60	CDSI	2021.03.23
15	High Pass Filter	EMC22	HFP-3.0/1 8G-60	CDSI	2021.03.23

————— END OF REPORT —————