


(802.11ac\_5785MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9609.500	44.67	1.97	46.64	68.20	-21.56	peak	V
9648.000	39.68	1.96	41.64	54.00	-12.36	AVG	V
11570.000	49.15	4.25	53.40	74.00	-20.60	peak	V
11570.000	40.80	4.25	45.05	54.00	-8.95	AVG	V
13364.500	41.37	6.63	48.00	74.00	-26.00	peak	V
13389.000	32.20	6.62	38.82	54.00	-15.18	AVG	V
14882.500	39.86	9.31	49.17	68.20	-19.03	peak	V
14934.500	30.68	9.54	40.22	54.00	-13.78	AVG	V
16399.500	39.18	11.27	50.45	68.20	-17.75	peak	V
16408.500	30.06	11.17	41.23	54.00	-12.77	AVG	V
17498.500	37.73	14.72	52.45	68.20	-15.75	peak	V
17514.000	29.29	14.73	44.02	54.00	-9.98	AVG	V




Plot for Channel = 165




(802.11ac \_5825MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
31.3552	9.18	12.04	21.22	40.00	-18.78	peak	H
47.2261	8.32	15.49	23.81	40.00	-16.19	peak	H
105.6786	7.41	14.23	21.64	43.50	-21.86	peak	H
249.9942	2.31	14.89	17.20	46.00	-28.80	peak	H
387.5161	3.71	18.33	22.04	46.00	-23.96	peak	H
775.1091	2.85	26.07	28.92	46.00	-17.08	peak	H




(802.11ac\_5825MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.500	49.90	-15.27	34.63	74.00	-39.37	peak	H
1549.500	43.62	-15.27	28.35	54.00	-25.65	AVG	H
1937.300	52.42	-14.15	38.27	68.20	-29.93	peak	H
1937.300	48.14	-14.15	33.99	54.00	-20.01	AVG	H
2479.100	48.31	-11.21	37.10	68.20	-31.10	peak	H
2499.750	41.19	-12.19	29.00	54.00	-25.00	AVG	H
3500.050	48.59	-8.54	40.05	68.20	-28.15	peak	H
3500.050	40.51	-8.54	31.97	54.00	-22.03	AVG	H
4945.900	45.50	-3.38	42.12	74.00	-31.88	peak	H
4968.650	36.98	-3.80	33.18	54.00	-20.82	AVG	H
6811.750	45.40	-2.16	43.24	68.20	-24.96	peak	H
6840.100	35.80	-2.14	33.66	54.00	-20.34	AVG	H




(802.11ac\_5825MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	45.04	1.96	47.00	68.20	-21.20	peak	H
9648.000	38.63	1.96	40.59	54.00	-13.41	AVG	H
11650.000	43.54	3.56	47.10	74.00	-26.90	peak	H
11650.000	37.78	3.56	41.34	54.00	-12.66	AVG	H
13515.000	31.41	6.79	38.20	54.00	-15.80	AVG	H
13552.500	40.74	6.81	47.55	68.20	-20.65	peak	H
15086.000	30.46	10.40	40.86	54.00	-13.14	AVG	H
15128.000	39.92	9.73	49.65	68.20	-18.55	peak	H
16378.500	39.06	11.47	50.53	68.20	-17.67	peak	H
16393.500	29.98	11.35	41.33	54.00	-12.67	AVG	H
17518.500	29.80	13.83	43.63	54.00	-10.37	AVG	H
17533.000	37.92	13.69	51.61	68.20	-16.59	peak	H




(802.11ac\_5825MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
34.2040	23.58	12.55	36.13	40.00	-3.87	peak	V
38.4540	22.47	14.08	36.55	40.00	-3.45	peak	V
50.0040	15.49	16.20	31.69	40.00	-8.31	peak	V
86.5484	19.15	11.10	30.25	40.00	-9.75	peak	V
387.5161	1.50	18.33	19.83	46.00	-26.17	peak	V
775.1091	0.76	26.07	26.83	46.00	-19.17	peak	V



(802.11ac\_5825MHz, Antenna Vertical , 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1550.200	49.24	-15.25	33.99	74.00	-40.01	peak	V
1550.200	44.44	-15.25	29.19	54.00	-24.81	AVG	V
1937.650	51.21	-14.14	37.07	68.20	-31.13	peak	V
1937.650	46.63	-14.14	32.49	54.00	-21.51	AVG	V
3001.300	37.98	-7.04	30.94	54.00	-23.06	AVG	V
3021.950	46.80	-7.67	39.13	68.20	-29.07	peak	V
4339.700	45.81	-4.21	41.60	74.00	-32.40	peak	V
4352.650	37.24	-4.19	33.05	54.00	-20.95	AVG	V
6575.850	43.99	-1.99	42.00	68.20	-26.20	peak	V
6590.200	35.94	-1.98	33.96	54.00	-20.04	AVG	V
7465.900	36.20	-1.29	34.91	54.00	-19.09	AVG	V
7523.300	44.45	-1.00	43.45	74.00	-30.55	peak	V




(802.11ac\_5825MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	45.03	1.96	46.99	68.20	-21.21	peak	V
9648.000	40.35	1.96	42.31	54.00	-11.69	AVG	V
11650.000	47.97	3.56	51.53	74.00	-22.47	peak	V
11650.000	38.79	3.56	42.35	54.00	-11.65	AVG	V
13089.500	32.03	5.91	37.94	54.00	-16.06	AVG	V
13136.000	41.48	5.53	47.01	68.20	-21.19	peak	V
14469.000	30.65	9.00	39.65	54.00	-14.35	AVG	V
14499.000	39.11	9.12	48.23	74.00	-25.77	peak	V
15685.000	29.51	11.18	40.69	54.00	-13.31	AVG	V
15740.000	39.00	10.50	49.50	74.00	-24.50	peak	V
17462.000	37.43	13.80	51.23	68.20	-16.97	peak	V
17487.000	28.73	14.43	43.16	54.00	-10.84	AVG	V



**802.11ac (HT40) Test mode**


Plots for Channel = 38



(802.11ac \_5190MHz, Antenna Horizontal, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
32.1908	7.54	12.18	19.72	40.00	-20.28	peak	H
47.9772	2.30	15.51	17.81	40.00	-22.19	peak	H
112.2288	8.03	14.06	22.09	43.50	-21.41	peak	H
250.0380	5.28	14.89	20.17	46.00	-25.83	peak	H
500.0380	3.46	22.00	25.46	46.00	-20.54	peak	H
775.1091	2.99	26.07	29.06	46.00	-16.94	peak	H






(802.11ac\_5190MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	50.43	-15.26	35.17	74.00	-38.83	peak	H
1549.850	44.66	-15.26	29.40	54.00	-24.60	AVG	H
1937.300	48.61	-14.15	34.46	54.00	-19.54	AVG	H
1937.650	51.98	-14.14	37.84	68.20	-30.36	peak	H
3004.100	39.64	-9.23	30.41	54.00	-23.59	AVG	H
3022.300	48.18	-8.96	39.22	68.20	-28.98	peak	H
4352.300	45.01	-4.19	40.82	74.00	-33.18	peak	H
4370.150	36.81	-4.36	32.45	54.00	-21.55	AVG	H
6033.700	37.37	-3.57	33.80	54.00	-20.20	AVG	H
6082.350	45.26	-3.39	41.87	68.20	-26.33	peak	H
7283.550	44.28	-1.32	42.96	74.00	-31.04	peak	H
7321.350	36.19	-1.34	34.85	54.00	-19.15	AVG	H




(802.11ac \_5190MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9567.500	43.65	2.21	45.86	68.20	-22.34	peak	H
9648.000	38.47	1.96	40.43	54.00	-13.57	AVG	H
10380.000	48.19	2.33	50.52	68.20	-17.68	peak	H
10380.000	41.73	2.33	44.06	54.00	-9.94	AVG	H
12348.000	41.41	4.83	46.24	74.00	-27.76	peak	H
12348.000	32.59	4.83	37.42	54.00	-16.58	AVG	H
14328.500	39.77	8.81	48.58	68.20	-19.62	peak	H
14400.500	30.80	8.98	39.78	54.00	-14.22	AVG	H
15920.500	38.25	11.26	49.51	74.00	-24.49	peak	H
15936.000	30.26	11.37	41.63	54.00	-12.37	AVG	H
17467.000	38.18	13.26	51.44	68.20	-16.76	peak	H
17467.000	29.86	13.26	43.12	54.00	-10.88	AVG	H




(802.11ac\_5190MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
32.1738	25.24	12.18	37.42	40.00	-2.58	peak	V
44.6886	19.86	15.40	35.26	40.00	-4.74	peak	V
75.8310	23.06	9.68	32.74	40.00	-7.26	peak	V
86.7003	21.26	11.16	32.42	40.00	-7.58	peak	V
131.2275	12.97	11.76	24.73	43.50	-18.77	peak	V
775.1091	4.96	26.07	31.03	46.00	-14.97	peak	V



(802.11ac\_5190MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	49.42	-15.26	34.16	74.00	-39.84	peak	V
1549.850	44.14	-15.26	28.88	54.00	-25.12	AVG	V
1937.300	46.34	-14.15	32.19	54.00	-21.81	AVG	V
1937.650	50.42	-14.14	36.28	68.20	-31.92	peak	V
3001.650	47.50	-7.05	40.45	68.20	-27.75	peak	V
3019.850	39.08	-7.60	31.48	54.00	-22.52	AVG	V
4150.700	46.37	-5.62	40.75	74.00	-33.25	peak	V
4180.450	37.28	-5.27	32.01	54.00	-21.99	AVG	V
6008.500	44.38	-2.30	42.08	68.20	-26.12	peak	V
6062.750	36.25	-2.33	33.92	54.00	-20.08	AVG	V
7313.650	45.53	-1.31	44.22	74.00	-29.78	peak	V
7321.350	36.24	-1.34	34.90	54.00	-19.10	AVG	V




(802.11n\_5190MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	46.16	1.96	48.12	68.20	-20.08	peak	V
9648.000	40.22	1.96	42.18	54.00	-11.82	AVG	V
10379.500	50.04	2.34	52.38	68.20	-15.82	peak	V
10379.500	42.27	2.34	44.61	54.00	-9.39	AVG	V
12059.500	32.97	4.99	37.96	54.00	-16.04	AVG	V
12073.500	42.04	4.79	46.83	74.00	-27.17	peak	V
13918.000	40.07	7.80	47.87	68.20	-20.33	peak	V
13918.000	31.89	7.80	39.69	54.00	-14.31	AVG	V
15456.000	30.47	10.30	40.77	54.00	-13.23	AVG	V
15477.500	38.97	10.49	49.46	74.00	-24.54	peak	V
17313.000	29.50	12.98	42.48	54.00	-11.52	AVG	V
17336.000	38.10	13.04	51.14	68.20	-17.06	peak	V




Plots for Channel = 46




(802.11ac \_5230MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
32.2133	8.10	12.19	20.29	40.00	-19.71	peak	H
47.8176	2.05	15.50	17.55	40.00	-22.45	peak	H
107.9256	5.03	14.58	19.61	43.50	-23.89	peak	H
250.0380	4.16	14.89	19.05	46.00	-26.95	peak	H
387.5161	5.41	18.33	23.74	46.00	-22.26	peak	H
775.1091	2.00	26.07	28.07	46.00	-17.93	peak	H



(802.11ac\_5230MHz, Antenna Horizontal, 1GHz to 8GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1937.300	48.21	-14.15	34.06	54.00	-19.94	AVG	H
1937.650	51.74	-14.14	37.60	68.20	-30.60	peak	H
2401.750	53.67	-12.20	41.47	68.20	-26.73	peak	H
2401.750	51.51	-12.20	39.31	54.00	-14.69	AVG	H
3495.150	40.49	-8.37	32.12	54.00	-21.88	AVG	H
3498.650	49.30	-8.49	40.81	68.20	-27.39	peak	H
4341.100	36.93	-4.20	32.73	54.00	-21.27	AVG	H
4362.100	46.13	-4.23	41.90	74.00	-32.10	peak	H
6076.400	37.54	-3.38	34.16	54.00	-19.84	AVG	H
6079.550	46.47	-3.39	43.08	68.20	-25.12	peak	H
7304.200	36.17	-1.28	34.89	54.00	-19.11	AVG	H
7312.250	44.68	-1.31	43.37	74.00	-30.63	peak	H



(802.11ac\_5230MHz, Antenna Horizontal, 8GHz to 18GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	44.36	1.96	46.32	68.20	-21.88	peak	H
9648.000	38.96	1.96	40.92	54.00	-13.08	AVG	H
10460.000	49.67	2.96	52.63	68.20	-15.57	peak	H
10460.000	43.48	2.96	46.44	54.00	-7.56	AVG	H
12318.500	41.41	4.44	45.85	74.00	-28.15	peak	H
12372.000	33.18	4.62	37.80	54.00	-16.20	AVG	H
14149.500	40.08	8.26	48.34	68.20	-19.86	peak	H
14164.500	31.15	8.31	39.46	54.00	-14.54	AVG	H
15926.000	38.50	11.30	49.80	74.00	-24.20	peak	H
15926.000	29.65	11.30	40.95	54.00	-13.05	AVG	H
17411.500	29.57	13.14	42.71	54.00	-11.29	AVG	H
17418.500	38.59	13.12	51.71	68.20	-16.49	peak	H






(802.11ac\_5230MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
34.0365	22.92	12.52	35.44	40.00	-4.56	peak	V
39.6799	17.24	15.22	32.46	40.00	-7.54	peak	V
59.1909	16.30	14.59	30.89	40.00	-9.11	peak	V
79.8143	18.28	10.85	29.13	40.00	-10.87	peak	V
387.5161	3.31	18.33	21.64	46.00	-24.36	peak	V
775.1091	1.23	26.07	27.30	46.00	-18.70	peak	V



(802.11ac\_5230MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	45.52	-15.26	30.26	54.00	-23.74	AVG	V
1550.200	49.80	-15.25	34.55	74.00	-39.45	peak	V
1937.300	50.35	-14.15	36.20	68.20	-32.00	peak	V
1937.300	45.92	-14.15	31.77	54.00	-22.23	AVG	V
2998.500	37.94	-7.33	30.61	54.00	-23.39	AVG	V
3025.800	47.11	-7.80	39.31	68.20	-28.89	peak	V
4196.900	45.78	-5.13	40.65	74.00	-33.35	peak	V
4234.350	37.16	-4.96	32.20	54.00	-21.80	AVG	V
6037.550	35.80	-2.33	33.47	54.00	-20.53	AVG	V
6083.050	45.01	-2.52	42.49	68.20	-25.71	peak	V
7303.150	35.78	-1.27	34.51	54.00	-19.49	AVG	V
7312.950	45.28	-1.31	43.97	74.00	-30.03	peak	V




(802.11ac\_5230MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	39.97	1.96	41.93	54.00	-12.07	AVG	V
9648.500	44.53	1.96	46.49	68.20	-21.71	peak	V
10460.000	42.65	3.44	46.09	54.00	-7.91	AVG	V
10470.500	48.91	3.59	52.50	68.20	-15.70	peak	V
12046.000	41.40	5.08	46.48	74.00	-27.52	peak	V
12151.000	33.54	4.47	38.01	54.00	-15.99	AVG	V
13885.500	40.00	7.70	47.70	68.20	-20.50	peak	V
13929.000	31.71	7.82	39.53	54.00	-14.47	AVG	V
15670.000	29.40	11.31	40.71	54.00	-13.29	AVG	V
15721.000	39.45	10.68	50.13	74.00	-23.87	peak	V
17371.000	38.20	13.12	51.32	68.20	-16.88	peak	V
17448.500	28.88	13.55	42.43	54.00	-11.57	AVG	V




Plot for Channel = 151




(802.11ac\_5755MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
31.2454	8.05	12.04	20.09	40.00	-19.91	peak	H
36.7984	4.49	13.49	17.98	40.00	-22.02	peak	H
81.2260	7.79	10.34	18.13	40.00	-21.87	peak	H
113.3361	5.86	13.70	19.56	43.50	-23.94	peak	H
249.9942	6.59	14.89	21.48	46.00	-24.52	peak	H
500.0380	4.59	22.00	26.59	46.00	-19.41	peak	H




(802.11ac\_5755MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1764.050	57.03	-14.77	42.26	68.20	-25.94	peak	H
1764.050	52.83	-14.77	38.06	54.00	-15.94	AVG	H
1953.400	58.46	-13.55	44.91	68.20	-23.29	peak	H
1953.400	53.15	-13.55	39.60	54.00	-14.40	AVG	H
2402.100	51.37	-12.20	39.17	68.20	-29.03	peak	H
2402.100	45.77	-12.20	33.57	54.00	-20.43	AVG	H
3495.500	48.64	-8.38	40.26	68.20	-27.94	peak	H
3495.500	40.05	-8.38	31.67	54.00	-22.33	AVG	H
4955.700	44.98	-3.45	41.53	74.00	-32.47	peak	H
4964.450	37.04	-3.66	33.38	54.00	-20.62	AVG	H
6863.550	45.60	-2.18	43.42	68.20	-24.78	peak	H
6865.300	35.97	-2.18	33.79	54.00	-20.21	AVG	H




(802.11ac \_5755MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	44.73	1.96	46.69	68.20	-21.51	peak	H
9648.000	39.11	1.96	41.07	54.00	-12.93	AVG	H
11510.500	38.34	3.57	41.91	54.00	-12.09	AVG	H
11517.000	43.76	3.58	47.34	74.00	-26.66	peak	H
13402.500	40.91	6.62	47.53	68.20	-20.67	peak	H
13402.500	32.30	6.62	38.92	54.00	-15.08	AVG	H
15041.000	39.47	10.35	49.82	68.20	-18.38	peak	H
15095.000	30.69	10.26	40.95	54.00	-13.05	AVG	H
16407.500	30.18	11.14	41.32	54.00	-12.68	AVG	H
16429.500	38.80	10.79	49.59	68.20	-18.61	peak	H
17519.500	37.78	13.82	51.60	68.20	-16.60	peak	H
17535.500	29.49	13.67	43.16	54.00	-10.84	AVG	H



(802.11ac\_5755MHz, Antenna Vertical, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
34.6689	20.86	12.62	33.48	40.00	-6.52	peak	V
37.8652	21.31	13.93	35.24	40.00	-4.76	peak	V
75.8044	23.28	9.68	32.96	40.00	-7.04	peak	V
113.9938	9.97	13.44	23.41	43.50	-20.09	peak	V
387.5161	3.52	18.33	21.85	46.00	-24.15	peak	V
775.1091	1.22	26.07	27.29	46.00	-18.71	peak	V



(802.11ac\_5755MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	49.89	-15.26	34.63	74.00	-39.37	peak	V
1549.850	45.80	-15.26	30.54	54.00	-23.46	AVG	V
1937.300	45.96	-14.15	31.81	54.00	-22.19	AVG	V
1937.650	50.74	-14.14	36.60	68.20	-31.60	peak	V
2402.100	54.47	-12.20	42.27	68.20	-25.93	peak	V
2402.100	51.71	-12.20	39.51	54.00	-14.49	AVG	V
3479.750	38.23	-6.09	32.14	54.00	-21.86	AVG	V
3491.650	46.27	-5.83	40.44	68.20	-27.76	peak	V
4767.050	36.92	-4.23	32.69	54.00	-21.31	AVG	V
4781.400	45.34	-4.13	41.21	74.00	-32.79	peak	V
6557.650	44.32	-2.00	42.32	68.20	-25.88	peak	V
6610.150	35.81	-1.97	33.84	54.00	-20.16	AVG	V






(802.11ac\_5755MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	45.89	1.96	47.85	68.20	-20.35	peak	V
9648.000	40.24	1.96	42.20	54.00	-11.80	AVG	V
11510.000	48.83	3.93	52.76	74.00	-21.24	peak	V
11510.000	42.09	3.93	46.02	54.00	-7.98	AVG	V
13037.500	42.28	6.07	48.35	68.20	-19.85	peak	V
13049.500	32.39	6.16	38.55	54.00	-15.45	AVG	V
15093.000	30.72	10.24	40.96	54.00	-13.04	AVG	V
15100.000	39.04	10.13	49.17	68.20	-19.03	peak	V
16389.500	30.28	11.42	41.70	54.00	-12.30	AVG	V
16394.500	38.77	11.34	50.11	68.20	-18.09	peak	V
17719.500	38.18	14.56	52.74	74.00	-21.26	peak	V
17728.000	28.89	14.64	43.53	54.00	-10.47	AVG	V




Plot for Channel = 159




(802.11ac \_5795MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
30.8968	5.79	12.29	18.08	40.00	-21.92	peak	H
46.6664	2.46	15.48	17.94	40.00	-22.06	peak	H
81.2402	9.41	10.34	19.75	40.00	-20.25	peak	H
109.9886	6.77	14.97	21.74	43.50	-21.76	peak	H
387.5161	5.63	18.33	23.96	46.00	-22.04	peak	H
774.9733	2.65	26.08	28.73	46.00	-17.27	peak	H




(802.11ac\_5795MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	44.08	-15.26	28.82	54.00	-25.18	AVG	H
1574.000	49.15	-15.18	33.97	74.00	-40.03	peak	H
1937.300	52.17	-14.15	38.02	68.20	-30.18	peak	H
1937.300	48.39	-14.15	34.24	54.00	-19.76	AVG	H
2325.100	48.47	-12.05	36.42	74.00	-37.58	peak	H
2325.100	41.91	-12.05	29.86	54.00	-24.14	AVG	H
3503.900	49.25	-8.53	40.72	68.20	-27.48	peak	H
3503.900	40.76	-8.53	32.23	54.00	-21.77	AVG	H
4946.250	44.90	-3.37	41.53	74.00	-32.47	peak	H
4946.250	36.46	-3.37	33.09	54.00	-20.91	AVG	H
6829.950	35.78	-2.14	33.64	54.00	-20.36	AVG	H
6859.350	45.05	-2.17	42.88	68.20	-25.32	peak	H




(802.11ac \_5795MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9603.000	44.02	2.01	46.03	68.20	-22.17	peak	H
9648.000	38.93	1.96	40.89	54.00	-13.11	AVG	H
11589.500	42.31	4.01	46.32	74.00	-27.68	peak	H
11590.000	37.08	4.01	41.09	54.00	-12.91	AVG	H
14012.500	30.79	8.49	39.28	54.00	-14.72	AVG	H
14063.500	40.74	8.23	48.97	68.20	-19.23	peak	H
15371.500	38.62	10.34	48.96	74.00	-25.04	peak	H
15466.000	29.76	10.98	40.74	54.00	-13.26	AVG	H
16543.000	38.38	11.40	49.78	68.20	-18.42	peak	H
16681.500	28.89	11.80	40.69	54.00	-13.31	AVG	H
17493.000	38.36	13.65	52.01	68.20	-16.19	peak	H
17493.000	29.66	13.65	43.31	54.00	-10.69	AVG	H




(802.11ac\_5795MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
32.1908	24.95	12.18	37.13	40.00	-2.87	peak	V
44.6416	20.09	15.38	35.47	40.00	-4.53	peak	V
74.1221	22.62	9.99	32.61	40.00	-7.39	peak	V
86.7155	21.52	11.16	32.68	40.00	-7.32	peak	V
387.5161	4.35	18.33	22.68	46.00	-23.32	peak	V
775.1091	2.09	26.07	28.16	46.00	-17.84	peak	V



(802.11ac\_5795MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1937.300	50.27	-14.15	36.12	68.20	-32.08	peak	V
1937.300	46.78	-14.15	32.63	54.00	-21.37	AVG	V
2401.750	50.52	-12.20	38.32	68.20	-29.88	peak	V
2401.750	47.69	-12.20	35.49	54.00	-18.51	AVG	V
2479.800	50.56	-11.21	39.35	68.20	-28.85	peak	V
2479.800	47.09	-11.21	35.88	54.00	-18.12	AVG	V
3476.600	46.73	-6.16	40.57	68.20	-27.63	peak	V
3485.000	37.79	-5.97	31.82	54.00	-22.18	AVG	V
4927.000	45.58	-3.62	41.96	74.00	-32.04	peak	V
4950.100	36.42	-3.33	33.09	54.00	-20.91	AVG	V
6948.950	44.94	-1.92	43.02	68.20	-25.18	peak	V
7002.150	35.43	-1.80	33.63	54.00	-20.37	AVG	V




(802.11ac\_5795MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	45.01	1.96	46.97	68.20	-21.23	peak	V
9648.000	40.47	1.96	42.43	54.00	-11.57	AVG	V
11589.500	46.82	4.06	50.88	74.00	-23.12	peak	V
11590.000	39.16	4.05	43.21	54.00	-10.79	AVG	V
13009.000	32.48	5.86	38.34	54.00	-15.66	AVG	V
13038.000	41.61	6.07	47.68	68.20	-20.52	peak	V
14406.500	31.05	8.97	40.02	54.00	-13.98	AVG	V
14432.000	40.57	8.95	49.52	68.20	-18.68	peak	V
16396.000	30.66	11.33	41.99	54.00	-12.01	AVG	V
16412.000	39.25	11.12	50.37	68.20	-17.83	peak	V
17503.000	28.43	14.76	43.19	54.00	-10.81	AVG	V
17508.000	37.08	14.76	51.84	68.20	-16.36	peak	V



**802.11ac (HT80) Test mode**


Plot for Channel = 42



(802.11ac \_5210MHz, Antenna Horizontal, 30MHz to 1GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
31.1634	9.87	12.06	21.93	40.00	-18.07	peak	H
47.2095	6.16	15.49	21.65	40.00	-18.35	peak	H
97.7469	6.26	13.50	19.76	43.50	-23.74	peak	H
300.7889	1.15	17.40	18.55	46.00	-27.45	peak	H
387.5161	5.15	18.33	23.48	46.00	-22.52	peak	H
774.9733	2.07	26.08	28.15	46.00	-17.85	peak	H






(802.11ac\_5210MHz, Antenna Horizontal, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1501.900	49.35	-15.67	33.68	74.00	-40.32	peak	H
1549.850	43.93	-15.26	28.67	54.00	-25.33	AVG	H
1937.300	48.51	-14.15	34.36	54.00	-19.64	AVG	H
1937.650	51.32	-14.14	37.18	68.20	-31.02	peak	H
3007.250	40.45	-9.18	31.27	54.00	-22.73	AVG	H
3019.500	47.95	-8.99	38.96	68.20	-29.24	peak	H
4620.750	36.78	-4.68	32.10	54.00	-21.90	AVG	H
4624.950	45.01	-4.60	40.41	74.00	-33.59	peak	H
6190.150	44.86	-2.67	42.19	68.20	-26.01	peak	H
6190.150	36.35	-2.67	33.68	54.00	-20.32	AVG	H
7431.950	44.77	-1.51	43.26	74.00	-30.74	peak	H
7444.900	36.27	-1.40	34.87	54.00	-19.13	AVG	H




(802.11ac\_5210MHz, Antenna Horizontal, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	44.52	1.96	46.48	68.20	-21.72	peak	H
9648.000	38.69	1.96	40.65	54.00	-13.35	AVG	H
10420.000	47.30	2.59	49.89	68.20	-18.31	peak	H
10420.000	41.02	2.59	43.61	54.00	-10.39	AVG	H
12070.500	43.48	4.38	47.86	74.00	-26.14	peak	H
12077.000	33.46	4.32	37.78	54.00	-16.22	AVG	H
14430.000	40.00	8.58	48.58	68.20	-19.62	peak	H
14439.000	31.88	8.48	40.36	54.00	-13.64	AVG	H
15916.000	38.65	11.22	49.87	74.00	-24.13	peak	H
15940.000	30.15	11.40	41.55	54.00	-12.45	AVG	H
17496.500	29.33	13.70	43.03	54.00	-10.97	AVG	H
17503.500	37.58	13.79	51.37	68.20	-16.83	peak	H




(802.11ac\_5210MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
33.4332	20.87	12.46	33.33	40.00	-6.67	peak	V
39.5133	19.41	14.97	34.38	40.00	-5.62	peak	V
78.3446	20.42	9.76	30.18	40.00	-9.82	peak	V
88.0020	18.05	11.58	29.63	43.50	-13.87	peak	V
112.0126	10.87	14.13	25.00	43.50	-18.50	peak	V
775.1091	1.96	26.07	28.03	46.00	-17.97	peak	V



(802.11ac\_5210MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	44.51	-15.26	29.25	54.00	-24.75	AVG	V
1550.200	49.11	-15.25	33.86	74.00	-40.14	peak	V
1937.300	46.02	-14.15	31.87	54.00	-22.13	AVG	V
1937.650	49.64	-14.14	35.50	68.20	-32.70	peak	V
3007.950	37.65	-7.23	30.42	54.00	-23.58	AVG	V
3023.000	46.92	-7.71	39.21	68.20	-28.99	peak	V
4337.950	36.80	-4.21	32.59	54.00	-21.41	AVG	V
4351.950	45.34	-4.19	41.15	74.00	-32.85	peak	V
6177.550	44.85	-2.44	42.41	68.20	-25.79	peak	V
6191.550	35.90	-2.62	33.28	54.00	-20.72	AVG	V
7465.200	36.12	-1.29	34.83	54.00	-19.17	AVG	V
7509.300	45.03	-1.04	43.99	74.00	-30.01	peak	V




(802.11ac\_5210MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	44.72	1.96	46.68	68.20	-21.52	peak	V
9648.000	40.42	1.96	42.38	54.00	-11.62	AVG	V
10420.000	48.04	2.75	50.79	68.20	-17.41	peak	V
10420.000	41.53	2.75	44.28	54.00	-9.72	AVG	V
12059.500	41.35	4.99	46.34	74.00	-27.66	peak	V
12163.000	33.28	4.53	37.81	54.00	-16.19	AVG	V
13896.500	39.75	7.74	47.49	68.20	-20.71	peak	V
13896.500	31.38	7.74	39.12	54.00	-14.88	AVG	V
15899.500	39.19	11.09	50.28	74.00	-23.72	peak	V
15914.000	29.95	11.15	41.10	54.00	-12.90	AVG	V
17455.000	37.79	13.63	51.42	68.20	-16.78	peak	V
17543.000	29.40	14.16	43.56	54.00	-10.44	AVG	V




Plots for Channel = 155




(802.11ac \_5775MHz, Antenna Horizontal, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
31.3717	9.17	12.04	21.21	40.00	-18.79	peak	H
46.6418	7.79	15.48	23.27	40.00	-16.73	peak	H
108.0391	7.64	14.59	22.23	43.50	-21.27	peak	H
250.0380	2.69	14.89	17.58	46.00	-28.42	peak	H
387.5161	5.68	18.33	24.01	46.00	-21.99	peak	H
775.1091	2.04	26.07	28.11	46.00	-17.89	peak	H



(802.11ac\_5775MHz, Antenna Horizontal, 1GHz to 8GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	49.16	-15.26	33.90	74.00	-40.10	peak	H
1549.850	43.78	-15.26	28.52	54.00	-25.48	AVG	H
1937.300	51.71	-14.15	37.56	68.20	-30.64	peak	H
1937.300	48.53	-14.15	34.38	54.00	-19.62	AVG	H
3002.000	48.69	-9.27	39.42	68.20	-28.78	peak	H
3002.000	39.64	-9.27	30.37	54.00	-23.63	AVG	H
4472.000	46.67	-5.50	41.17	68.20	-27.03	peak	H
4527.300	38.17	-5.76	32.41	54.00	-21.59	AVG	H
6593.000	44.31	-2.06	42.25	68.20	-25.95	peak	H
6609.800	35.86	-1.97	33.89	54.00	-20.11	AVG	H
7552.700	44.49	-0.87	43.62	74.00	-30.38	peak	H
7599.250	35.88	-0.78	35.10	54.00	-18.90	AVG	H



(802.11ac \_5775MHz, Antenna Horizontal, 8GHz to 18GHz)


Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	44.82	1.96	46.78	68.20	-21.42	peak	H
9648.000	38.62	1.96	40.58	54.00	-13.42	AVG	H
11550.000	42.69	3.92	46.61	74.00	-27.39	peak	H
11550.000	35.49	3.92	39.41	54.00	-14.59	AVG	H
13390.000	32.29	6.62	38.91	54.00	-15.09	AVG	H
13477.500	40.87	6.54	47.41	68.20	-20.79	peak	H
14981.000	39.13	9.96	49.09	68.20	-19.11	peak	H
15090.000	30.49	10.34	40.83	54.00	-13.17	AVG	H
16376.500	29.78	11.46	41.24	54.00	-12.76	AVG	H
16421.500	38.89	10.92	49.81	68.20	-18.39	peak	H
17494.500	29.56	13.67	43.23	54.00	-10.77	AVG	H
17525.500	38.21	13.76	51.97	68.20	-16.23	peak	H






(802.11ac\_5775MHz, Antenna Vertical, 30MHz to 1GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
31.7814	25.65	12.13	37.78	40.00	-2.22	peak	V
37.8719	21.16	13.94	35.10	40.00	-4.90	peak	V
47.2675	17.65	15.49	33.14	40.00	-6.86	peak	V
81.1833	19.36	10.37	29.73	40.00	-10.27	peak	V
387.5161	2.28	18.33	20.61	46.00	-25.39	peak	V
775.1091	1.53	26.07	27.60	46.00	-18.40	peak	V



(802.11ac\_5775MHz, Antenna Vertical, 1GHz to 8GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
1549.850	44.67	-15.26	29.41	54.00	-24.59	AVG	V
1550.200	49.66	-15.25	34.41	74.00	-39.59	peak	V
1937.300	50.67	-14.15	36.52	68.20	-31.68	peak	V
1937.300	46.32	-14.15	32.17	54.00	-21.83	AVG	V
3005.500	37.79	-7.16	30.63	54.00	-23.37	AVG	V
3014.600	47.05	-7.43	39.62	68.20	-28.58	peak	V
4358.950	45.28	-4.20	41.08	74.00	-32.92	peak	V
4358.950	36.84	-4.20	32.64	54.00	-21.36	AVG	V
6589.850	44.25	-1.98	42.27	68.20	-25.93	peak	V
6602.100	35.53	-1.97	33.56	54.00	-20.44	AVG	V
7572.300	35.62	-0.85	34.77	54.00	-19.23	AVG	V
7577.550	44.00	-0.85	43.15	74.00	-30.85	peak	V



(802.11ac\_5775MHz, Antenna Vertical, 8GHz to 18GHz)

Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Det.	Pol
9648.000	44.54	1.96	46.50	68.20	-21.70	peak	V
9648.000	40.74	1.96	42.70	54.00	-11.30	AVG	V
11550.000	45.78	4.12	49.90	74.00	-24.10	peak	V
11550.000	39.08	4.12	43.20	54.00	-10.80	AVG	V
13357.000	32.50	6.63	39.13	54.00	-14.87	AVG	V
13370.500	40.44	6.63	47.07	74.00	-26.93	peak	V
14991.000	39.41	9.97	49.38	68.20	-18.82	peak	V
15046.500	30.66	10.29	40.95	54.00	-13.05	AVG	V
16400.000	29.89	11.27	41.16	54.00	-12.84	AVG	V
16421.000	39.11	11.01	50.12	68.20	-18.08	peak	V
17497.500	28.35	14.69	43.04	54.00	-10.96	AVG	V
17519.000	37.74	14.64	52.38	68.20	-15.82	peak	V



## **2.9. Automatically discontinue transmission requirement**

### **2.9.1. Requirement**

According to 15.407(c), the device shall automatically discontinue transmission in case of either absence of information to transmit or operational failure. These provisions are not intended to preclude the transmission of control or signalling information or the use of repetitive codes used by certain digital technologies to complete frame or burst intervals. Applicants shall include in their application for equipment authorization a description of how this requirement is met

### **2.9.2. Result**

The EUT will automatically discontinue transmission in case of either absence of information to transmit or operational failure.



## Annex A Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Peak Output Power	$\pm 2.22\text{dB}$
Power spectral density (PSD)	$\pm 2.22\text{dB}$
Bandwidth	$\pm 5\%$
Restricted Frequency Bands	$\pm 5\%$
Radiated Emission	$\pm 3.1\text{dB}$
Conducted Emission	$\pm 1.8\text{dB}$

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of  $k=2$



## Annex B Testing Laboratory Information

### 1. Identification of the Responsible Testing Laboratory

<b>Laboratory Name:</b>	Kehu-Morlab Test Laboratory
<b>Laboratory Address:</b>	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian), P.R. China
<b>Telephone:</b>	+86-592-5612050
<b>Facsimile:</b>	+86-592-5612095

### 2. Identification of the Responsible Testing Location

<b>Name:</b>	Kehu-Morlab Test Laboratory
<b>Address:</b>	Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian), P.R. China

### 3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at Unit 101, No.1732 Gangzhong Road, Xiamen Area, Pilot Free Trade Zone (Fujian), P.R. China.

The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1249.

### 4. Test Equipments Utilized

#### 4.1 Conducted Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	MXA Signal Analyzer	MY57150136	N9030A	Keysight	2021.03.08
2	RF cable (30MHz-26.5GHz)	RF01	N/A	Morlab	2021.03.06
3	Coaxial cable	RF02	N/A	Morlab	2021.03.06
4	SMA connector	RF03	N/A	Xingbo	2021.03.06
5	Power Probe	MY54320036	U2021XA	Agilent	2021.06.04

#### 4.2 Conducted Emission Test Equipments

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	EMI Receiver	102174	ESR3	ESR3	2021.03.15
2	LISN	101338	ENV432	ENV432	2021.03.09
3	Pulse Limiter (10dB)	317	VTSD 9561 F	VTSD 9561 F	2021.03.13



4	Coaxial cable(BNC) (30MHz-3GHz)	EMC01	N/A	Morlab	2021.03.13
---	------------------------------------	-------	-----	--------	------------

**4.4 List of Software Used**

No.	Model	Version Number	Producer	Test Item
1	EMC32	V10.00.00	Rode&Schwarz	RE
2	EMC32	V10.20.01	Rode&Schwarz	CE

**4.5 Radiated Test Equipments**

No.	Equipment Name	Serial No.	Model No.	Manufacturer	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	ETS-Lindgren	2022.07.20
2	Signal Analyzer	101294	FSV40	R&S	2021.06.04
3	Active Ring Antenna	FMZB 1513 #269	FMZB 1513	Schwarzbeck	2022.01.11
4	Linear Log Periodic Broad Band Antenna	949	VULB 9163	Schwarzbeck	2021.09.24
5	Ultra-Wideband Horn Antenna	102615	HF907	R&S	2022.01.18
6	Steatite Antennas	17868	QSH-SL-18 -26-S-20	Seibersdorf	2021.03.11
7	Ultra-Wideband Horn Antenna	17989	QSH-26-40	Schwarzbeck	2021.03.11
8	RF Switch and Control Platform	N/A	RSC	CDSI	N/A
9	Coaxial cable (N male) (9kHz -3GHz)	EMC02	N/A	Morlab	2021.03.23
10	Coaxial cable (N male) (9kHz -3GHz)	EMC03	N/A	Morlab	2021.03.23
11	Coaxial cable (N male) (1GHz-26.5GHz)	EMC04	N/A	Morlab	2021.03.23
12	Coaxial cable (N male) (1GHz-26.5GHz)	EMC05	N/A	Morlab	2021.03.23



13	Pre-amplifier (1GHz-18GHz)	8810011	PAP-1G18	CDSI	2021.03.23
14	Pre-amplifier (18GHz-40GHz)	17021-1702 4	PAP-1840	CDSI	2021.03.23
15	Band stop Filter	EMC23	BJF5150/53 50-50	CDSI	2021.03.23
16	Band stop Filter	EMC25	BJF5725/58 50-50	CDSI	2021.03.23
17	High Pass Filter	EMC26	HFP-8.0/18 G-60	CDSI	2021.03.23

————— END OF REPORT —————