


FCC ID:2ATAY-F3


Smart Phone

F3

Thanks for choosing FIGGERS products







Accessories



Battery

F3 is included an internal battery.

You can track your battery status with the icon showed on the top right of the screen. As microwave ovens, stoves, or radiators, batteries may explode when overheated.



Warning

- Use only FIGGERS-approved batteries specifically designed for your phone. Incompatible batteries can cause serious injuries or damage to your phone.
- Never place batteries or phones on or in heating devices, such as microwave ovens, stoves, or radiators. Batteries may explode when overheated

Overview

Basic parameters

Display: 6.18" FHD IPS Touchscreen

Color: Gradient blue Operating system: Android 9Pie

RAM: 6GB

ROM: 128GB Battery: 3500mAh,5V/2A quick charger

Camera

Rear Camera Front Camera

16.0MP main camera 8.0MP, 84 wide angle

LED Flach Group Mod

Connection (I/O)

2G: 850/900/1800/1900

3G: B1/B2/B4/B5/B8

4G: B1/B2/B4/B5/B7/B8/B12/B17/B18/B19/B25/B26/B66 TDD-LTE B40 SIM Card Slot: Dual SIM ,Nano+Nano (MicroSD Card Uses SIM CardSlot 2) FM:87 5MH2-108MH2-108MH2

Other Features

Dimensions

Video: AVI, MP4, WMV, MKV, MOV, ASF, FLV

Audio: FLAC, APE, AAC, MKA, MP3, M4A, AMR, ALAC, WAV

Image: JPEG, BMP, GIF, PNG

Package contents

 Height: 153.5mm
 1*USB Cable
 1*Manual

 Width: 76.2mm
 1*SIM Card Pin
 1*Phone Case

Thickness: 8.7mm T-SIM Card PIn T-Phone Case
Weight: 201g 1*Charger 1*Warranty Card

1*Headphone Extension Cable

Emergency call

If any emergency arises, dial 112/911 (or other emergency call number) for emergency help.

Due to the nature of cellular networking, the success of emergency call is not guaranteed.

FCC Warning:

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

Any Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio to relevision reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -Reorient or relocate the receiving antenna.
- -Increase the separation between the equipment and receiver.
- -Connect the equipment into an outlet on a circuit different from that to which the receiver is connected
- -Consult the dealer or an experienced radio/TV technician for help.

The SAR limit of USA (FCC) is 1.6 W/kg averaged over one gram of tissue. Device types F3 (FCC ID: 2ATAY-F3) has also been tested against this SAR limit. The highest reported SAR values for head, body-worn accessory, and

product specific (Hotspot) are 0.35 W/kg, 0.65 W/kg, and 1.19 W/kg respectively. The May simultaneous SAR is 1.38 W/kg. This device was tested for typical body-worn operations with the back of the handset kept 10mm from the body.

To maintain compliance with FCC RF exposure requirements, use accessories that maintain a 10mm separation distance between the user's body and the back of the handset. The use of belt clips, holsters and similar accessories should not contain metallic components in its assembly. The use of accessories that do not satisfy these requirements may not comply with FCC RF exposure requirements, and should be avoided.

Operations in the 5150-5250 band are restricted to indoor usage only.

For 5150-5250 frequency band

Any emission is maintained within the band of operation under all conditions of

normal operation. The max, frequency stability is less than 20ppm.

