


# Annex C. LTE Transmitter Spurious Emissions

# 1. LTE\_Band2


## 1.1. LTE Transmitter Spurious Emissions(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.13	-13	Pass	2985
30	1000	0.1	RMS	896.589	-55.7	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.8	-13	Pass	830
1830	1920	1	RMS	1850.25	24.33	60	Pass	601
1920	3000	1	RMS	2658.684	-39.97	-13	Pass	1080
3000	12000	1	RMS	5550.283	-46.67	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.99	-13	Pass	8000




**1.2. LTE Transmitter Spurious Emissions(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2985
30	1000	0.1	RMS	892.889	-55.33	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.82	-13	Pass	830
1830	1920	1	RMS	1851.15	24.3	60	Pass	601
1920	3000	1	RMS	2659.685	-39.91	-13	Pass	1080
3000	12000	1	RMS	5553.284	-45.76	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.76	-13	Pass	8000




**1.3. LTE Transmitter Spurious Emissions(NTNV)(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.19	-13	Pass	2985
30	1000	0.1	RMS	901.49	-55.64	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.83	-13	Pass	830
1830	1920	1	RMS	1850.25	23.32	60	Pass	601
1920	3000	1	RMS	2657.683	-39.92	-13	Pass	1080
3000	12000	1	RMS	5551.283	-47.54	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36	-13	Pass	8000




**1.4. LTE Transmitter Spurious Emissions(NTNV)(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.22	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.64	-13	Pass	2985
30	1000	0.1	RMS	921.292	-55.51	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.85	-13	Pass	830
1830	1920	1	RMS	1851.15	23.32	60	Pass	601
1920	3000	1	RMS	2659.685	-39.93	-13	Pass	1080
3000	12000	1	RMS	5553.284	-46.34	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.15	-13	Pass	8000




**1.5. LTE Transmitter Spurious Emissions(NTNV)(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.62	-13	Pass	2985
30	1000	0.1	RMS	919.392	-55.39	-13	Pass	9700
1000	1830	1	RMS	1788.951	-44.81	-13	Pass	830
1830	1920	1	RMS	1879.5	24.34	60	Pass	601
1920	3000	1	RMS	2659.685	-39.9	-13	Pass	1080
3000	12000	1	RMS	5638.293	-45.79	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.95	-13	Pass	8000




**1.6. LTE Transmitter Spurious Emissions(NTNV)(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.69	-13	Pass	2985
30	1000	0.1	RMS	946.494	-55.35	-13	Pass	9700
1000	1830	1	RMS	1792.955	-44.79	-13	Pass	830
1830	1920	1	RMS	1880.4	24.34	60	Pass	601
1920	3000	1	RMS	2661.687	-39.94	-13	Pass	1080
3000	12000	1	RMS	5641.293	-44.91	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.03	-13	Pass	8000



**1.7. LTE Transmitter Spurious Emissions(NTNV)(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.24	-13	Pass	2985
30	1000	0.1	RMS	939.194	-55.56	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.84	-13	Pass	830
1830	1920	1	RMS	1879.5	23.4	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	5638.293	-46.6	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.07	-13	Pass	8000






**1.8. LTE Transmitter Spurious Emissions(NTNV)(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.87	-13	Pass	2985
30	1000	0.1	RMS	948.095	-55.54	-13	Pass	9700
1000	1830	1	RMS	1800.965	-44.82	-13	Pass	830
1830	1920	1	RMS	1880.4	23.38	60	Pass	601
1920	3000	1	RMS	2659.685	-39.93	-13	Pass	1080
3000	12000	1	RMS	5641.293	-45.91	-13	Pass	9000
12000	20000	1	RMS	16605.576	-36.13	-13	Pass	8000




**1.9. LTE Transmitter Spurious Emissions(NTNV)(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.8	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.77	-13	Pass	2985
30	1000	0.1	RMS	979.498	-55.35	-13	Pass	9700
1000	1830	1	RMS	1808.975	-44.83	-13	Pass	830
1830	1920	1	RMS	1908.9	24.07	60	Pass	601
1920	3000	1	RMS	2660.686	-39.94	-13	Pass	1080
3000	12000	1	RMS	5726.303	-45.41	-13	Pass	9000
12000	20000	1	RMS	16597.575	-35.95	-13	Pass	8000




**1.10. LTE Transmitter Spurious Emissions(NTNV)(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.02	-13	Pass	2985
30	1000	0.1	RMS	962.396	-55.2	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.77	-13	Pass	830
1830	1920	1	RMS	1909.8	24.04	60	Pass	601
1920	3000	1	RMS	2657.683	-40.45	-13	Pass	1080
3000	12000	1	RMS	5729.303	-45.9	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.91	-13	Pass	8000




**1.11. LTE Transmitter Spurious Emissions(NTNV)(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.99	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.41	-13	Pass	2985
30	1000	0.1	RMS	891.589	-55.49	-13	Pass	9700
1000	1830	1	RMS	1828.999	-44.81	-13	Pass	830
1830	1920	1	RMS	1908.9	22.77	60	Pass	601
1920	3000	1	RMS	2659.685	-40.44	-13	Pass	1080
3000	12000	1	RMS	5726.303	-46.76	-13	Pass	9000
12000	20000	1	RMS	16590.574	-36.05	-13	Pass	8000




**1.12. LTE Transmitter Spurious Emissions(NTNV)(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.89	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.82	-13	Pass	2985
30	1000	0.1	RMS	994.199	-55.54	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.85	-13	Pass	830
1830	1920	1	RMS	1909.8	22.67	60	Pass	601
1920	3000	1	RMS	2657.683	-39.97	-13	Pass	1080
3000	12000	1	RMS	5729.303	-46.71	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.06	-13	Pass	8000




**1.13. LTE Transmitter Spurious Emissions(NTNV)(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.81	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.37	-13	Pass	2985
30	1000	0.1	RMS	917.692	-55.47	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.72	-13	Pass	830
1830	1920	1	RMS	1850.25	23.89	60	Pass	601
1920	3000	1	RMS	2660.686	-40.39	-13	Pass	1080
3000	12000	1	RMS	5550.283	-47.04	-13	Pass	9000
12000	20000	1	RMS	16584.573	-36.06	-13	Pass	8000




**1.14. LTE Transmitter Spurious Emissions(NTNV)(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.92	-13	Pass	2985
30	1000	0.1	RMS	864.786	-55.62	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.81	-13	Pass	830
1830	1920	1	RMS	1852.8	23.78	60	Pass	601
1920	3000	1	RMS	2657.683	-40.42	-13	Pass	1080
3000	12000	1	RMS	5558.284	-46.01	-13	Pass	9000
12000	20000	1	RMS	19988.999	-36.05	-13	Pass	8000



**1.15. LTE Transmitter Spurious Emissions(NTNV)(Subtest:15, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.98	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.81	-13	Pass	2985
30	1000	0.1	RMS	877.587	-55.55	-13	Pass	9700
1000	1830	1	RMS	1825.995	-44.77	-13	Pass	830
1830	1920	1	RMS	1850.25	23.07	60	Pass	601
1920	3000	1	RMS	2660.686	-40.36	-13	Pass	1080
3000	12000	1	RMS	5550.283	-47.71	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.04	-13	Pass	8000






**1.16. LTE Transmitter Spurious Emissions(NTNV)(Subtest:16, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.17	-13	Pass	2985
30	1000	0.1	RMS	950.095	-55.42	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.84	-13	Pass	830
1830	1920	1	RMS	1852.8	22.99	60	Pass	601
1920	3000	1	RMS	2659.685	-40.37	-13	Pass	1080
3000	12000	1	RMS	5558.284	-46.41	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.11	-13	Pass	8000




**1.17. LTE Transmitter Spurious Emissions(NTNV)(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.93	-13	Pass	2985
30	1000	0.1	RMS	998.9	-55.2	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.77	-13	Pass	830
1830	1920	1	RMS	1878.75	23.93	60	Pass	601
1920	3000	1	RMS	2659.685	-40.42	-13	Pass	1080
3000	12000	1	RMS	5636.293	-45.31	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.95	-13	Pass	8000




**1.18. LTE Transmitter Spurious Emissions(NTNV)(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2985
30	1000	0.1	RMS	989.999	-55.59	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.78	-13	Pass	830
1830	1920	1	RMS	1881.3	23.89	60	Pass	601
1920	3000	1	RMS	2462.502	-38	-13	Pass	1080
3000	12000	1	RMS	5643.294	-46.79	-13	Pass	9000
12000	20000	1	RMS	16604.576	-35.96	-13	Pass	8000




**1.19. LTE Transmitter Spurious Emissions(NTNV)(Subtest:19, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.11	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.94	-13	Pass	2985
30	1000	0.1	RMS	958.896	-55.33	-13	Pass	9700
1000	1830	1	RMS	1794.958	-44.79	-13	Pass	830
1830	1920	1	RMS	1878.75	22.95	60	Pass	601
1920	3000	1	RMS	2658.684	-40.33	-13	Pass	1080
3000	12000	1	RMS	5636.293	-46.37	-13	Pass	9000
12000	20000	1	RMS	16602.575	-36.05	-13	Pass	8000




**1.20. LTE Transmitter Spurious Emissions(NTNV)(Subtest:20, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.41	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.92	-13	Pass	2985
30	1000	0.1	RMS	924.792	-55.35	-13	Pass	9700
1000	1830	1	RMS	1815.983	-44.8	-13	Pass	830
1830	1920	1	RMS	1881.3	22.95	60	Pass	601
1920	3000	1	RMS	2659.685	-40.34	-13	Pass	1080
3000	12000	1	RMS	5643.294	-47.24	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.99	-13	Pass	8000




**1.21. LTE Transmitter Spurious Emissions(NTNV)(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-54.4	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52	-13	Pass	2985
30	1000	0.1	RMS	956.295	-55.32	-13	Pass	9700
1000	1830	1	RMS	1814.982	-44.82	-13	Pass	830
1830	1920	1	RMS	1907.25	23.64	60	Pass	601
1920	3000	1	RMS	2661.687	-39.97	-13	Pass	1080
3000	12000	1	RMS	5721.302	-46.83	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.93	-13	Pass	8000




**1.22. LTE Transmitter Spurious Emissions(NTNV)(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.53	-13	Pass	2985
30	1000	0.1	RMS	990.499	-55.47	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.83	-13	Pass	830
1830	1920	1	RMS	1909.8	23.62	60	Pass	601
1920	3000	1	RMS	2656.682	-39.97	-13	Pass	1080
3000	12000	1	RMS	5729.303	-46.18	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.78	-13	Pass	8000



**1.23. LTE Transmitter Spurious Emissions(NTNV)(Subtest:23, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.02	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.06	-13	Pass	2985
30	1000	0.1	RMS	913.191	-55.68	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.85	-13	Pass	830
1830	1920	1	RMS	1907.25	22.76	60	Pass	601
1920	3000	1	RMS	2661.687	-39.96	-13	Pass	1080
3000	12000	1	RMS	5721.302	-47.55	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.11	-13	Pass	8000






**1.24. LTE Transmitter Spurious Emissions(NTNV)(Subtest:24, Channel:19185, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2985
30	1000	0.1	RMS	852.685	-55.3	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.76	-13	Pass	830
1830	1920	1	RMS	1909.8	22.71	60	Pass	601
1920	3000	1	RMS	2657.683	-39.92	-13	Pass	1080
3000	12000	1	RMS	5729.303	-46.66	-13	Pass	9000
12000	20000	1	RMS	16589.574	-35.99	-13	Pass	8000




**1.25. LTE Transmitter Spurious Emissions(NTNV)(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.43	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.43	-13	Pass	2985
30	1000	0.1	RMS	952.595	-55.62	-13	Pass	9700
1000	1830	1	RMS	1830	-44.79	-13	Pass	830
1830	1920	1	RMS	1850.4	23.75	60	Pass	601
1920	3000	1	RMS	2659.685	-39.88	-13	Pass	1080
3000	12000	1	RMS	5551.283	-46.55	-13	Pass	9000
12000	20000	1	RMS	16589.574	-35.99	-13	Pass	8000




**1.26. LTE Transmitter Spurious Emissions(NTNV)(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.35	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.46	-13	Pass	2985
30	1000	0.1	RMS	984.898	-55.38	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.82	-13	Pass	830
1830	1920	1	RMS	1854.6	23.6	60	Pass	601
1920	3000	1	RMS	2461.501	-39.48	-13	Pass	1080
3000	12000	1	RMS	5564.285	-46.49	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.12	-13	Pass	8000




**1.27. LTE Transmitter Spurious Emissions(NTNV)(Subtest:27, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.41	-13	Pass	2985
30	1000	0.1	RMS	938.894	-55.59	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.84	-13	Pass	830
1830	1920	1	RMS	1850.4	22.75	60	Pass	601
1920	3000	1	RMS	2656.682	-40.03	-13	Pass	1080
3000	12000	1	RMS	5551.283	-47.35	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.03	-13	Pass	8000




**1.28. LTE Transmitter Spurious Emissions(NTNV)(Subtest:28, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.26	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.55	-13	Pass	2985
30	1000	0.1	RMS	982.498	-55.74	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.85	-13	Pass	830
1830	1920	1	RMS	1854.6	23.05	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	5564.285	-46.67	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.99	-13	Pass	8000




**1.29. LTE Transmitter Spurious Emissions(NTNV)(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.71	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.36	-13	Pass	2985
30	1000	0.1	RMS	904.99	-55.43	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.8	-13	Pass	830
1830	1920	1	RMS	1877.85	24.24	60	Pass	601
1920	3000	1	RMS	2656.682	-39.95	-13	Pass	1080
3000	12000	1	RMS	5633.293	-45.58	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.97	-13	Pass	8000




**1.30. LTE Transmitter Spurious Emissions(NTNV)(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.21	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.66	-13	Pass	2985
30	1000	0.1	RMS	939.494	-55.55	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.83	-13	Pass	830
1830	1920	1	RMS	1882.2	23.84	60	Pass	601
1920	3000	1	RMS	2655.681	-39.93	-13	Pass	1080
3000	12000	1	RMS	5646.294	-45.79	-13	Pass	9000
12000	20000	1	RMS	16601.575	-35.93	-13	Pass	8000



**1.31. LTE Transmitter Spurious Emissions(NTNV)(Subtest:31, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.99	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.59	-13	Pass	2985
30	1000	0.1	RMS	973.097	-55.61	-13	Pass	9700
1000	1830	1	RMS	1795.959	-44.85	-13	Pass	830
1830	1920	1	RMS	1877.85	23.51	60	Pass	601
1920	3000	1	RMS	2659.685	-39.94	-13	Pass	1080
3000	12000	1	RMS	5633.293	-46.02	-13	Pass	9000
12000	20000	1	RMS	16596.575	-36.03	-13	Pass	8000






**1.32. LTE Transmitter Spurious Emissions(NTNV)(Subtest:32, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.36	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.86	-13	Pass	2985
30	1000	0.1	RMS	871.287	-55.32	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.79	-13	Pass	830
1830	1920	1	RMS	1882.2	23.5	60	Pass	601
1920	3000	1	RMS	2661.687	-39.95	-13	Pass	1080
3000	12000	1	RMS	5646.294	-46.5	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.03	-13	Pass	8000




**1.33. LTE Transmitter Spurious Emissions(NTNV)(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.31	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.07	-13	Pass	2985
30	1000	0.1	RMS	894.489	-55.42	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.84	-13	Pass	830
1830	1920	1	RMS	1905.3	24.04	60	Pass	601
1920	3000	1	RMS	2659.685	-39.94	-13	Pass	1080
3000	12000	1	RMS	5716.302	-46.45	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.94	-13	Pass	8000




**1.34. LTE Transmitter Spurious Emissions(NTNV)(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.28	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.89	-13	Pass	2985
30	1000	0.1	RMS	887.688	-55.36	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.76	-13	Pass	830
1830	1920	1	RMS	1909.65	23.87	60	Pass	601
1920	3000	1	RMS	2461.501	-39.77	-13	Pass	1080
3000	12000	1	RMS	5729.303	-46.68	-13	Pass	9000
12000	20000	1	RMS	16600.575	-36.06	-13	Pass	8000




**1.35. LTE Transmitter Spurious Emissions(NTNV)(Subtest:35, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.18	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.41	-13	Pass	2985
30	1000	0.1	RMS	974.997	-55.49	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.8	-13	Pass	830
1830	1920	1	RMS	1905.3	23.32	60	Pass	601
1920	3000	1	RMS	2661.687	-39.97	-13	Pass	1080
3000	12000	1	RMS	5716.302	-46.57	-13	Pass	9000
12000	20000	1	RMS	16602.575	-35.99	-13	Pass	8000




**1.36. LTE Transmitter Spurious Emissions(NTNV)(Subtest:36, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.61	-13	Pass	2985
30	1000	0.1	RMS	942.494	-55.21	-13	Pass	9700
1000	1830	1	RMS	1790.953	-44.73	-13	Pass	830
1830	1920	1	RMS	1909.65	23.28	60	Pass	601
1920	3000	1	RMS	2660.686	-39.97	-13	Pass	1080
3000	12000	1	RMS	5729.303	-46.4	-13	Pass	9000
12000	20000	1	RMS	16592.574	-36.09	-13	Pass	8000




**1.37. LTE Transmitter Spurious Emissions(NTNV)(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.7	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.66	-13	Pass	2985
30	1000	0.1	RMS	895.589	-55.44	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.76	-13	Pass	830
1830	1920	1	RMS	1850.55	24.29	60	Pass	601
1920	3000	1	RMS	2658.684	-39.96	-13	Pass	1080
3000	12000	1	RMS	5551.283	-46.51	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.05	-13	Pass	8000




**1.38. LTE Transmitter Spurious Emissions(NTNV)(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.52	-13	Pass	2985
30	1000	0.1	RMS	991.399	-55.45	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.8	-13	Pass	830
1830	1920	1	RMS	1859.4	24.13	60	Pass	601
1920	3000	1	RMS	2661.687	-39.95	-13	Pass	1080
3000	12000	1	RMS	5578.286	-46.68	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.97	-13	Pass	8000



**1.39. LTE Transmitter Spurious Emissions(NTNV)(Subtest:39, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.23	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2985
30	1000	0.1	RMS	879.388	-55.12	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.82	-13	Pass	830
1830	1920	1	RMS	1850.55	23.47	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	5552.284	-47.12	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.97	-13	Pass	8000






**1.40. LTE Transmitter Spurious Emissions(NTNV)(Subtest:40, Channel:18650, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2985
30	1000	0.1	RMS	962.396	-55.69	-13	Pass	9700
1000	1830	1	RMS	1816.984	-44.85	-13	Pass	830
1830	1920	1	RMS	1859.4	23.36	60	Pass	601
1920	3000	1	RMS	2630.658	-40	-13	Pass	1080
3000	12000	1	RMS	5578.286	-46.68	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.99	-13	Pass	8000




**1.41. LTE Transmitter Spurious Emissions(NTNV)(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.51	-13	Pass	601
0.15	30	0.01	RMS	0.16	-51.39	-13	Pass	2985
30	1000	0.1	RMS	980.498	-55.31	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.8	-13	Pass	830
1830	1920	1	RMS	1875.6	24.41	60	Pass	601
1920	3000	1	RMS	2660.686	-39.95	-13	Pass	1080
3000	12000	1	RMS	5626.292	-46.34	-13	Pass	9000
12000	20000	1	RMS	16588.574	-35.96	-13	Pass	8000




**1.42. LTE Transmitter Spurious Emissions(NTNV)(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.47	-13	Pass	2985
30	1000	0.1	RMS	998.9	-55.32	-13	Pass	9700
1000	1830	1	RMS	1807.973	-44.79	-13	Pass	830
1830	1920	1	RMS	1884.45	24.33	60	Pass	601
1920	3000	1	RMS	2659.685	-39.89	-13	Pass	1080
3000	12000	1	RMS	5653.295	-45.67	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.04	-13	Pass	8000




**1.43. LTE Transmitter Spurious Emissions(NTNV)(Subtest:43, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.77	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.48	-13	Pass	2985
30	1000	0.1	RMS	894.489	-55.47	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.79	-13	Pass	830
1830	1920	1	RMS	1875.6	23.46	60	Pass	601
1920	3000	1	RMS	2658.684	-39.97	-13	Pass	1080
3000	12000	1	RMS	5626.292	-46.7	-13	Pass	9000
12000	20000	1	RMS	19996	-36.01	-13	Pass	8000




**1.44. LTE Transmitter Spurious Emissions(NTNV)(Subtest:44, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.14	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.57	-13	Pass	2985
30	1000	0.1	RMS	818.381	-55.35	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.77	-13	Pass	830
1830	1920	1	RMS	1884.45	23.4	60	Pass	601
1920	3000	1	RMS	2459.5	-39.61	-13	Pass	1080
3000	12000	1	RMS	5653.295	-46.95	-13	Pass	9000
12000	20000	1	RMS	16591.574	-36.01	-13	Pass	8000




**1.45. LTE Transmitter Spurious Emissions(NTNV)(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.16	-52.43	-13	Pass	2985
30	1000	0.1	RMS	981.798	-55.5	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.83	-13	Pass	830
1830	1920	1	RMS	1900.65	24.26	60	Pass	601
1920	3000	1	RMS	2655.681	-39.96	-13	Pass	1080
3000	12000	1	RMS	5701.3	-46.84	-13	Pass	9000
12000	20000	1	RMS	16595.574	-36.12	-13	Pass	8000




**1.46. LTE Transmitter Spurious Emissions(NTNV)(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.86	-13	Pass	2985
30	1000	0.1	RMS	900.49	-55.48	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.81	-13	Pass	830
1830	1920	1	RMS	1909.35	24.03	60	Pass	601
1920	3000	1	RMS	2658.684	-39.92	-13	Pass	1080
3000	12000	1	RMS	5728.303	-45.36	-13	Pass	9000
12000	20000	1	RMS	16583.573	-35.95	-13	Pass	8000



**1.47. LTE Transmitter Spurious Emissions(NTNV)(Subtest:47, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.74	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.5	-13	Pass	2985
30	1000	0.1	RMS	989.099	-55.45	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.77	-13	Pass	830
1830	1920	1	RMS	1900.65	23.34	60	Pass	601
1920	3000	1	RMS	2661.687	-39.94	-13	Pass	1080
3000	12000	1	RMS	5701.3	-48.06	-13	Pass	9000
12000	20000	1	RMS	16605.576	-35.97	-13	Pass	8000






**1.48. LTE Transmitter Spurious Emissions(NTNV)(Subtest:48, Channel:19150, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.72	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.26	-13	Pass	2985
30	1000	0.1	RMS	987.599	-55.25	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.82	-13	Pass	830
1830	1920	1	RMS	1909.35	23.18	60	Pass	601
1920	3000	1	RMS	2659.685	-40	-13	Pass	1080
3000	12000	1	RMS	5728.303	-46.67	-13	Pass	9000
12000	20000	1	RMS	19966.996	-36.11	-13	Pass	8000




**1.49. LTE Transmitter Spurious Emissions(NTNV)(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.45	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.94	-13	Pass	2985
30	1000	0.1	RMS	952.295	-55.48	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.78	-13	Pass	830
1830	1920	1	RMS	1850.85	24.28	60	Pass	601
1920	3000	1	RMS	2655.681	-39.95	-13	Pass	1080
3000	12000	1	RMS	5552.284	-45.8	-13	Pass	9000
12000	20000	1	RMS	16593.574	-35.89	-13	Pass	8000




**1.50. LTE Transmitter Spurious Emissions(NTNV)(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.44	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.72	-13	Pass	2985
30	1000	0.1	RMS	913.391	-55.64	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.77	-13	Pass	830
1830	1920	1	RMS	1864.2	24.21	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	5592.288	-47.96	-13	Pass	9000
12000	20000	1	RMS	19946.993	-36.11	-13	Pass	8000




**1.51. LTE Transmitter Spurious Emissions(NTNV)(Subtest:51, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.28	-13	Pass	2985
30	1000	0.1	RMS	902.59	-55.51	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.82	-13	Pass	830
1830	1920	1	RMS	1850.85	23.41	60	Pass	601
1920	3000	1	RMS	2659.685	-39.93	-13	Pass	1080
3000	12000	1	RMS	5552.284	-46.8	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.95	-13	Pass	8000




**1.52. LTE Transmitter Spurious Emissions(NTNV)(Subtest:52, Channel:18675, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.39	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.54	-13	Pass	2985
30	1000	0.1	RMS	984.098	-55.31	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.82	-13	Pass	830
1830	1920	1	RMS	1864.2	23.4	60	Pass	601
1920	3000	1	RMS	2658.684	-39.95	-13	Pass	1080
3000	12000	1	RMS	5592.288	-48.4	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.08	-13	Pass	8000




**1.53. LTE Transmitter Spurious Emissions(NTNV)(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.48	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.5	-13	Pass	2985
30	1000	0.1	RMS	906.39	-55.48	-13	Pass	9700
1000	1830	1	RMS	1804.97	-44.78	-13	Pass	830
1830	1920	1	RMS	1873.35	24.34	60	Pass	601
1920	3000	1	RMS	2658.684	-39.95	-13	Pass	1080
3000	12000	1	RMS	5620.291	-45.76	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36	-13	Pass	8000




**1.54. LTE Transmitter Spurious Emissions(NTNV)(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.9	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.11	-13	Pass	2985
30	1000	0.1	RMS	962.696	-55.47	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.81	-13	Pass	830
1830	1920	1	RMS	1886.7	24.33	60	Pass	601
1920	3000	1	RMS	2658.684	-39.9	-13	Pass	1080
3000	12000	1	RMS	5660.296	-46.85	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.92	-13	Pass	8000



**1.55. LTE Transmitter Spurious Emissions(NTNV)(Subtest:55, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.04	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.37	-13	Pass	2985
30	1000	0.1	RMS	899.59	-55.43	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.8	-13	Pass	830
1830	1920	1	RMS	1873.35	23.39	60	Pass	601
1920	3000	1	RMS	2660.686	-39.96	-13	Pass	1080
3000	12000	1	RMS	5620.291	-47.14	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.09	-13	Pass	8000






**1.56. LTE Transmitter Spurious Emissions(NTNV)(Subtest:56, Channel:18900, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.62	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	1000	0.1	RMS	928.893	-55.45	-13	Pass	9700
1000	1830	1	RMS	1820.989	-44.83	-13	Pass	830
1830	1920	1	RMS	1886.7	23.38	60	Pass	601
1920	3000	1	RMS	2660.686	-39.95	-13	Pass	1080
3000	12000	1	RMS	5660.296	-47.61	-13	Pass	9000
12000	20000	1	RMS	16594.574	-35.96	-13	Pass	8000




**1.57. LTE Transmitter Spurious Emissions(NTNV)(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.01	-13	Pass	2985
30	1000	0.1	RMS	951.595	-55.6	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.76	-13	Pass	830
1830	1920	1	RMS	1895.85	24.26	60	Pass	601
1920	3000	1	RMS	2658.684	-39.95	-13	Pass	1080
3000	12000	1	RMS	5687.299	-46.43	-13	Pass	9000
12000	20000	1	RMS	19953.994	-36.07	-13	Pass	8000




**1.58. LTE Transmitter Spurious Emissions(NTNV)(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.12	-13	Pass	2985
30	1000	0.1	RMS	891.789	-55.11	-13	Pass	9700
1000	1830	1	RMS	1810.977	-44.81	-13	Pass	830
1830	1920	1	RMS	1909.2	24.03	60	Pass	601
1920	3000	1	RMS	2659.685	-39.97	-13	Pass	1080
3000	12000	1	RMS	5727.303	-45.58	-13	Pass	9000
12000	20000	1	RMS	16596.575	-35.85	-13	Pass	8000




**1.59. LTE Transmitter Spurious Emissions(NTNV)(Subtest:59, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.91	-13	Pass	2985
30	1000	0.1	RMS	903.49	-55.46	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.83	-13	Pass	830
1830	1920	1	RMS	1895.85	23.37	60	Pass	601
1920	3000	1	RMS	2661.687	-40	-13	Pass	1080
3000	12000	1	RMS	5687.299	-47.16	-13	Pass	9000
12000	20000	1	RMS	16600.575	-35.91	-13	Pass	8000




**1.60. LTE Transmitter Spurious Emissions(NTNV)(Subtest:60, Channel:19125, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.32	-13	Pass	601
0.15	30	0.01	RMS	0.15	-50.76	-13	Pass	2985
30	1000	0.1	RMS	988.799	-55.5	-13	Pass	9700
1000	1830	1	RMS	1802.967	-44.81	-13	Pass	830
1830	1920	1	RMS	1909.2	23.18	60	Pass	601
1920	3000	1	RMS	2660.686	-39.97	-13	Pass	1080
3000	12000	1	RMS	5727.303	-45.98	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.06	-13	Pass	8000




**1.61. LTE Transmitter Spurious Emissions(NTNV)(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.88	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.34	-13	Pass	2985
30	1000	0.1	RMS	993.899	-55.47	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.78	-13	Pass	830
1830	1920	1	RMS	1851.15	24.15	60	Pass	601
1920	3000	1	RMS	2661.687	-39.94	-13	Pass	1080
3000	12000	1	RMS	5553.284	-45.62	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.04	-13	Pass	8000




**1.62. LTE Transmitter Spurious Emissions(NTNV)(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-54.02	-13	Pass	601
0.15	30	0.01	RMS	0.17	-52.83	-13	Pass	2985
30	1000	0.1	RMS	898.79	-55.12	-13	Pass	9700
1000	1830	1	RMS	1812.979	-44.81	-13	Pass	830
1830	1920	1	RMS	1868.85	24.15	60	Pass	601
1920	3000	1	RMS	2659.685	-39.92	-13	Pass	1080
3000	12000	1	RMS	5606.29	-47.66	-13	Pass	9000
12000	20000	1	RMS	16598.575	-36.06	-13	Pass	8000



**1.63. LTE Transmitter Spurious Emissions(NTNV)(Subtest:63, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.75	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.22	-13	Pass	2985
30	1000	0.1	RMS	989.999	-55.57	-13	Pass	9700
1000	1830	1	RMS	1821.99	-44.82	-13	Pass	830
1830	1920	1	RMS	1851.15	23.32	60	Pass	601
1920	3000	1	RMS	2655.681	-39.92	-13	Pass	1080
3000	12000	1	RMS	5553.284	-46.94	-13	Pass	9000
12000	20000	1	RMS	16607.576	-35.97	-13	Pass	8000






**1.64. LTE Transmitter Spurious Emissions(NTNV)(Subtest:64, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.57	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.92	-13	Pass	2985
30	1000	0.1	RMS	889.489	-55.43	-13	Pass	9700
1000	1830	1	RMS	1813.981	-44.79	-13	Pass	830
1830	1920	1	RMS	1868.85	23.27	60	Pass	601
1920	3000	1	RMS	2660.686	-39.98	-13	Pass	1080
3000	12000	1	RMS	5606.29	-48.3	-13	Pass	9000
12000	20000	1	RMS	16593.574	-36.07	-13	Pass	8000




**1.65. LTE Transmitter Spurious Emissions(NTNV)(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.34	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.25	-13	Pass	2985
30	1000	0.1	RMS	992.899	-55.34	-13	Pass	9700
1000	1830	1	RMS	1800.965	-44.82	-13	Pass	830
1830	1920	1	RMS	1871.1	24.23	60	Pass	601
1920	3000	1	RMS	2656.682	-39.99	-13	Pass	1080
3000	12000	1	RMS	5613.29	-46.28	-13	Pass	9000
12000	20000	1	RMS	16599.575	-36.09	-13	Pass	8000




**1.66. LTE Transmitter Spurious Emissions(NTNV)(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.2	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.83	-13	Pass	2985
30	1000	0.1	RMS	896.789	-55.34	-13	Pass	9700
1000	1830	1	RMS	1801.966	-44.82	-13	Pass	830
1830	1920	1	RMS	1888.95	23.74	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	5666.296	-47.77	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.09	-13	Pass	8000




**1.67. LTE Transmitter Spurious Emissions(NTNV)(Subtest:67, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.67	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.69	-13	Pass	2985
30	1000	0.1	RMS	990.599	-55.51	-13	Pass	9700
1000	1830	1	RMS	1806.972	-44.79	-13	Pass	830
1830	1920	1	RMS	1871.1	23.29	60	Pass	601
1920	3000	1	RMS	2659.685	-39.99	-13	Pass	1080
3000	12000	1	RMS	5613.29	-46.65	-13	Pass	9000
12000	20000	1	RMS	16603.575	-35.87	-13	Pass	8000




**1.68. LTE Transmitter Spurious Emissions(NTNV)(Subtest:68, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.23	-13	Pass	2985
30	1000	0.1	RMS	885.288	-55.28	-13	Pass	9700
1000	1830	1	RMS	1809.976	-44.8	-13	Pass	830
1830	1920	1	RMS	1888.95	23.32	60	Pass	601
1920	3000	1	RMS	2659.685	-39.95	-13	Pass	1080
3000	12000	1	RMS	5666.296	-48.3	-13	Pass	9000
12000	20000	1	RMS	16601.575	-36.11	-13	Pass	8000




**1.69. LTE Transmitter Spurious Emissions(NTNV)(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.17	-13	Pass	601
0.15	30	0.01	RMS	0.15	-51.42	-13	Pass	2985
30	1000	0.1	RMS	997.3	-55.2	-13	Pass	9700
1000	1830	1	RMS	1811.978	-44.84	-13	Pass	830
1830	1920	1	RMS	1891.05	24.17	60	Pass	601
1920	3000	1	RMS	2661.687	-39.92	-13	Pass	1080
3000	12000	1	RMS	5673.297	-46.73	-13	Pass	9000
12000	20000	1	RMS	16594.574	-36.02	-13	Pass	8000




**1.70. LTE Transmitter Spurious Emissions(NTNV)(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.19	-13	Pass	601
0.15	30	0.01	RMS	0.15	-53.38	-13	Pass	2985
30	1000	0.1	RMS	901.09	-55.57	-13	Pass	9700
1000	1830	1	RMS	1803.969	-44.87	-13	Pass	830
1830	1920	1	RMS	1908.9	23.97	60	Pass	601
1920	3000	1	RMS	2659.685	-39.89	-13	Pass	1080
3000	12000	1	RMS	5726.303	-46.39	-13	Pass	9000
12000	20000	1	RMS	16597.575	-36.12	-13	Pass	8000



**1.71. LTE Transmitter Spurious Emissions(NTNV)(Subtest:71, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	601
0.15	30	0.01	RMS	0.16	-53.08	-13	Pass	2985
30	1000	0.1	RMS	890.389	-55.33	-13	Pass	9700
1000	1830	1	RMS	1805.971	-44.76	-13	Pass	830
1830	1920	1	RMS	1891.05	23.2	60	Pass	601
1920	3000	1	RMS	2660.686	-39.95	-13	Pass	1080
3000	12000	1	RMS	5673.297	-47.47	-13	Pass	9000
12000	20000	1	RMS	16599.575	-35.88	-13	Pass	8000





**1.72. LTE Transmitter Spurious Emissions(NTNV)(Subtest:72, Channel:19100, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:HIGH)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.73	-13	Pass	601
0.15	30	0.01	RMS	0.15	-52.13	-13	Pass	2985
30	1000	0.1	RMS	916.191	-55.38	-13	Pass	9700
1000	1830	1	RMS	1791.954	-44.84	-13	Pass	830
1830	1920	1	RMS	1908.9	23.02	60	Pass	601
1920	3000	1	RMS	2660.686	-39.98	-13	Pass	1080
3000	12000	1	RMS	5726.303	-47.23	-13	Pass	9000
12000	20000	1	RMS	16595.574	-35.87	-13	Pass	8000



END