


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	33.81	9.76	43.57	74.00	-30.43	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.62	9.16	54.78	68.20	-13.42	peak		
2		5700.000	44.98	9.10	54.08	105.20	-51.12	peak		
3		5720.000	46.03	9.08	55.11	110.80	-55.69	peak		
4		5725.000	47.30	9.08	56.38	122.20	-65.82	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AC40MIMO

Test Channel:159

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	36.73	9.99	46.72	74.00	-27.28	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	46.09	9.24	55.33	122.20	-66.87	peak	
2		5855.000	45.12	9.26	54.38	110.80	-56.42	peak	
3		5875.000	46.10	9.36	55.46	105.20	-49.74	peak	
4	*	5925.000	46.18	9.61	55.79	68.20	-12.41	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11590.000	34.64	9.99	44.63	74.00	-29.37	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	44.70	9.24	53.94	122.20	-68.26	peak		
2		5855.000	44.69	9.26	53.95	110.80	-56.85	peak		
3		5875.000	44.33	9.36	53.69	105.20	-51.51	peak		
4	*	5925.000	44.91	9.61	54.52	68.20	-13.68	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	36.97	9.28	46.25	68.20	-21.95	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.16	7.17	44.33	68.20	-23.87	peak		
2	*	5150.000	42.94	9.17	52.11	68.20	-16.09	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	33.98	9.28	43.26	68.20	-24.94	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	35.53	7.17	42.70	68.20	-25.50	peak		
2	*	5150.000	39.50	9.17	48.67	68.20	-19.53	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10580.000	38.83	9.49	48.32	68.20	-19.88	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.000	42.23	9.30	51.53	68.20	-16.67	peak	
2		5460.000	36.03	9.31	45.34	68.20	-22.86	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	36.24	9.49	45.73	68.20	-22.47			peak

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	38.29	9.30	47.59	68.20	-20.61			peak
2		5460.000	35.87	9.31	45.18	68.20	-23.02			peak

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11060.000	36.69	10.07	46.76	74.00	-27.24	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	36.23	9.30	45.53	68.20	-22.67	peak	
2	*	5460.000	39.95	9.31	49.26	68.20	-18.94	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	34.76	10.07	44.83	74.00	-29.17	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.92	9.30	44.22	68.20	-23.98	peak		
2	*	5460.000	37.45	9.31	46.76	68.20	-21.44	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO


Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	36.42	9.77	46.19	74.00	-27.81	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	33.79	9.77	43.56	74.00	-30.44	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AC80MIMO

Test Channel:155


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	37.66	9.87	47.53	74.00	-26.47	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	47.82	9.16	56.98	68.20	-11.22	peak	
2		5700.000	47.75	9.10	56.85	105.20	-48.35	peak	
3		5720.000	50.46	9.08	59.54	110.80	-51.26	peak	
4		5725.000	52.63	9.08	61.71	122.20	-60.49	peak	
5		5850.000	46.84	9.24	56.08	122.20	-66.12	peak	
6		5855.000	46.50	9.26	55.76	110.80	-55.04	peak	
7		5875.000	46.53	9.36	55.89	105.20	-49.31	peak	
8		5925.000	47.33	9.61	56.94	68.20	-11.26	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		11550.000	35.46	9.87	45.33	74.00	-28.67	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		5650.000	47.10	9.16	56.26	68.20	-11.94	peak	
2		5700.000	46.40	9.10	55.50	105.20	-49.70	peak	
3		5720.000	48.03	9.08	57.11	110.80	-53.69	peak	
4		5725.000	49.13	9.08	58.21	122.20	-63.99	peak	
5		5850.000	47.14	9.24	56.38	122.20	-65.82	peak	
6		5855.000	46.72	9.26	55.98	110.80	-54.82	peak	
7		5875.000	46.54	9.36	55.90	105.20	-49.30	peak	
8		5925.000	46.02	9.61	55.63	68.20	-12.57	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:36


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	37.60	9.21	46.81	68.20	-21.39	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.33	7.17	43.50	68.20	-24.70	peak		
2	*	5150.000	43.42	9.17	52.59	68.20	-15.61	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10360.000	34.51	9.21	43.72	68.20	-24.48	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.22	7.17	44.39	68.20	-23.81	peak		
2	*	5150.000	41.20	9.17	50.37	68.20	-17.83	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:40

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10400.000	37.02	9.26	46.28	68.20	-21.92	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm	degree
1	*	10400.000	34.24	9.26	43.50	68.20	-24.70	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:48

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	35.92	9.37	45.29	68.20	-22.91	peak	

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10480.000	33.13	9.37	42.50	68.20	-25.70	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:52

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10520.000	36.94	9.41	46.35	68.20	-21.85	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10520.000	34.15	9.41	43.56	68.20	-24.64	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:56

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1	*	10560.000	37.73	9.46	47.19	68.20	-21.01	peak	

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	Detector	cm
1	*	10560.000	35.17	9.46	44.63	68.20	-23.57	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:64


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	10640.000	37.57	9.58	47.15	74.00	-26.85	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5350.000	39.36	9.30	48.66	68.20	-19.54	peak	
2		5460.000	35.53	9.31	44.84	68.20	-23.36	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10640.000	35.14	9.58	44.72	74.00	-29.28	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	36.74	9.30	46.04	68.20	-22.16	peak		
2		5460.000	36.37	9.31	45.68	68.20	-22.52	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:100


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	36.19	10.18	46.37	74.00	-27.63	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.42	9.30	44.72	68.20	-23.48	peak		
2	*	5460.000	40.83	9.31	50.14	68.20	-18.06	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11000.000	33.85	10.18	44.03	74.00	-29.97	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.54	9.30	44.84	68.20	-23.36	peak		
2	*	5460.000	38.04	9.31	47.35	68.20	-20.85	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:116

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11160.000	36.95	9.88	46.83	74.00	-27.17	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11160.000	34.38	9.88	44.26	74.00	-29.74	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:140

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11400.000	37.32	9.43	46.75	74.00	-27.25	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11400.000	34.14	9.43	43.57	74.00	-30.43	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO

Test Channel:149


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	11490.000	37.11	9.70	46.81	74.00	-27.19	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	5650.000	45.93	9.16	55.09	68.20	-13.11	peak		
2		5700.000	46.80	9.10	55.90	105.20	-49.30	peak		
3		5720.000	47.87	9.08	56.95	110.80	-53.85	peak		
4		5725.000	50.72	9.08	59.80	122.20	-62.40	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11490.000	34.57	9.70	44.27	74.00	-29.73	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	45.95	9.16	55.11	68.20	-13.09	peak		
2		5700.000	46.75	9.10	55.85	105.20	-49.35	peak		
3		5720.000	46.46	9.08	55.54	110.80	-55.26	peak		
4		5725.000	48.44	9.08	57.52	122.20	-64.68	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX20MIMO


Test Channel:157

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11570.000	36.89	9.94	46.83	74.00	-27.17	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11570.000	34.94	9.94	44.88	74.00	-29.12	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX20MIMO

Test Channel:165

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11650.000	36.10	10.18	46.28	74.00	-27.72	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	48.01	9.24	57.25	122.20	-64.95	peak	
2		5855.000	47.23	9.26	56.49	110.80	-54.31	peak	
3		5875.000	45.59	9.36	54.95	105.20	-50.25	peak	
4	*	5925.000	45.46	9.61	55.07	68.20	-13.13	peak	


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11650.000	34.57	10.18	44.75	74.00	-29.25	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5850.000	46.54	9.24	55.78	122.20	-66.42	peak		
2		5855.000	46.03	9.26	55.29	110.80	-55.51	peak		
3		5875.000	46.53	9.36	55.89	105.20	-49.31	peak		
4	*	5925.000	45.71	9.61	55.32	68.20	-12.88	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:38


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10380.000	37.11	9.24	46.35	68.20	-21.85	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.32	7.17	43.49	68.20	-24.71	peak		
2	*	5150.000	42.80	9.17	51.97	68.20	-16.23	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1	*	10380.000	34.95	9.24	44.19	68.20	-24.01	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	Comment
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	
1		4500.000	37.82	7.17	44.99	68.20	-23.21	peak		
2	*	5150.000	39.88	9.17	49.05	68.20	-19.15	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:46

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10460.000	36.21	9.34	45.55	68.20	-22.65	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10460.000	34.38	9.34	43.72	68.20	-24.48	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:54

VERTICAL


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10540.000	36.71	9.44	46.15	68.20	-22.05	peak		

HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10540.000	35.14	9.44	44.58	68.20	-23.62	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:62


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	37.97	9.54	47.51	74.00	-26.49	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	40.70	9.30	50.00	68.20	-18.20	peak		
2		5460.000	36.49	9.31	45.80	68.20	-22.40	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10620.000	36.18	9.54	45.72	74.00	-28.28	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	40.18	9.30	49.48	68.20	-18.72	peak		
2		5460.000	35.47	9.31	44.78	68.20	-23.42	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:102


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	37.07	10.15	47.22	74.00	-26.78	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	35.92	9.30	45.22	68.20	-22.98	peak		
2	*	5460.000	39.00	9.31	48.31	68.20	-19.89	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11020.000	34.66	10.15	44.81	74.00	-29.19	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.96	9.30	44.26	68.20	-23.94	peak		
2	*	5460.000	36.17	9.31	45.48	68.20	-22.72	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:110

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11180.000	37.75	9.84	47.59	74.00	-26.41	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11180.000	34.76	9.84	44.60	74.00	-29.40	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO


Test Channel:134

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11340.000	37.01	9.54	46.55	74.00	-27.45	peak		

HORIZONTAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11340.000	34.18	9.54	43.72	74.00	-30.28	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX40MIMO

Test Channel:151


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11510.000	36.61	9.76	46.37	74.00	-27.63	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	5650.000	45.68	9.16	54.84	68.20	-13.36	peak	
2		5700.000	45.04	9.10	54.14	105.20	-51.06	peak	
3		5720.000	47.74	9.08	56.82	110.80	-53.98	peak	
4		5725.000	50.16	9.08	59.24	122.20	-62.96	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11510.000	33.81	9.76	43.57	74.00	-30.43	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5650.000	47.25	9.16	56.41	68.20	-11.79	peak		
2		5700.000	47.50	9.10	56.60	105.20	-48.60	peak		
3		5720.000	47.29	9.08	56.37	110.80	-54.43	peak		
4		5725.000	47.26	9.08	56.34	122.20	-65.86	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX40MIMO

Test Channel:159

VERTICAL





No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11590.000	36.76	9.99	46.75	74.00	-27.25 peak		



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5850.000	45.87	9.24	55.11	122.20	-67.09 peak		
2		5855.000	45.10	9.26	54.36	110.80	-56.44 peak		
3		5875.000	45.17	9.36	54.53	105.20	-50.67 peak		
4	*	5925.000	45.42	9.61	55.03	68.20	-13.17 peak		

HORIZONTAL



Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:42


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	37.36	9.28	46.64	68.20	-21.56	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.53	7.17	43.70	68.20	-24.50	peak		
2	*	5150.000	43.54	9.17	52.71	68.20	-15.49	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10420.000	33.79	9.28	43.07	68.20	-25.13	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.62	7.17	44.79	68.20	-23.41	peak		
2	*	5150.000	42.52	9.17	51.69	68.20	-16.51	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:58


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	36.56	9.49	46.05	68.20	-22.15	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	41.58	9.30	50.88	68.20	-17.32	peak		
2		5460.000	36.46	9.31	45.77	68.20	-22.43	peak		


HORIZONTAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10580.000	34.15	9.49	43.64	68.20	-24.56	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	38.96	9.30	48.26	68.20	-19.94	peak		
2		5460.000	35.73	9.31	45.04	68.20	-23.16	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO

Test Channel:106


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	37.47	10.07	47.54	74.00	-26.46	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	34.92	9.30	44.22	68.20	-23.98	peak		
2	*	5460.000	41.93	9.31	51.24	68.20	-16.96	peak		


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11060.000	34.28	10.07	44.35	74.00	-29.65	peak		

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		5350.000	37.90	9.30	47.20	68.20	-21.00	peak		
2	*	5460.000	39.18	9.31	48.49	68.20	-19.71	peak		

Above 1G (1GHz~18GHz)

Test mode: 11AX80MIMO


Test Channel:122

VERTICAL



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	36.48	9.77	46.25	74.00	-27.75	peak		

HORIZONTAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	11220.000	34.38	9.77	44.15	74.00	-29.85	peak		

Above 1G (1GHz~18GHz)


Test mode: 11AX80MIMO

Test Channel:155

VERTICAL




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11550.000	35.78	9.87	45.65	74.00	-28.35	peak	



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	46.19	9.16	55.35	68.20	-12.85	peak	
2		5700.000	46.55	9.10	55.65	105.20	-49.55	peak	
3		5720.000	49.27	9.08	58.35	110.80	-52.45	peak	
4		5725.000	51.99	9.08	61.07	122.20	-61.13	peak	
5		5850.000	46.26	9.24	55.50	122.20	-66.70	peak	
6		5855.000	46.22	9.26	55.48	110.80	-55.32	peak	
7		5875.000	47.33	9.36	56.69	105.20	-48.51	peak	
8	*	5925.000	46.34	9.61	55.95	68.20	-12.25	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1 *		11550.000	33.88	9.87	43.75	74.00	-30.25	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5650.000	46.25	9.16	55.41	68.20	-12.79	peak	
2		5700.000	46.40	9.10	55.50	105.20	-49.70	peak	
3		5720.000	48.11	9.08	57.19	110.80	-53.61	peak	
4		5725.000	49.70	9.08	58.78	122.20	-63.42	peak	
5		5850.000	46.28	9.24	55.52	122.20	-66.68	peak	
6		5855.000	46.65	9.26	55.91	110.80	-54.89	peak	
7		5875.000	46.37	9.36	55.73	105.20	-49.47	peak	
8 *		5925.000	46.30	9.61	55.91	68.20	-12.29	peak	


Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO

Test Channel:50


VERTICAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	10500.000	38.14	9.39	47.53	68.20	-20.67	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	40.70	9.30	50.00	68.20	-18.20	peak		
2		5460.000	36.26	9.31	45.57	68.20	-22.63	peak		


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	36.67	7.17	43.84	68.20	-24.36	peak		
2 *		5150.000	43.00	9.17	52.17	68.20	-16.03	peak		


HORIZONTAL

Radiated Emission




No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1 *		10500.000	35.85	9.39	45.24	68.20	-22.96	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1	*	5350.000	39.44	9.30	48.74	68.20	-19.46	peak		
2		5460.000	35.07	9.31	44.38	68.20	-23.82	peak		

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree	
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree	Comment
1		4500.000	37.22	7.17	44.39	68.20	-23.81	peak		
2	*	5150.000	42.93	9.17	52.10	68.20	-16.10	peak		


Above 1G (1GHz~18GHz)

Test mode: 11AX160MIMO

Test Channel:114


VERTICAL

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	37.94	9.92	47.86	74.00	-26.14	peak	


Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	37.04	9.30	46.34	68.20	-21.86	peak	
2	*	5460.000	41.13	9.31	50.44	68.20	-17.76	peak	


HORIZONTALA

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1	*	11140.000	35.40	9.92	45.32	74.00	-28.68	peak	

Radiated Emission



No.	Mk.	Freq.	Reading Level	Correct Factor	Measurement	Limit	Over	Antenna Height	Table Degree
		MHz	dBuV	dB/m	dBuV/m	dBuV/m	dB	cm	degree
1		5350.000	36.24	9.30	45.54	68.20	-22.66	peak	
2	*	5460.000	37.83	9.31	47.14	68.20	-21.06	peak	

The high frequency, which started from 18GHz to 40GHz, was pre-scanned and the result which was 20dB lower than the limit line was not recorded in this report.

3.3 Spectrum Bandwidth

3.3.1 Limit

FCC Part15, Subpart E (15.407)			
Section	Test Item	Limit	Frequency Range (MHz)
15.407(a)	26 dB Bandwidth	-	5150-5250
	26 dB Bandwidth	-	5250-5350
15.407(e)	26 dB Bandwidth	-	5470-5725
	26 dB Bandwidth	-	5725-5850
	6 dB Bandwidth	Minimum 500 kHz	5725-5850

3.3.2 Test Procedure

Test Method	
<input checked="" type="radio"/> Conducted Measurement	<input type="radio"/> Radiated Measurement
Test Channels	
<input checked="" type="radio"/> Lowest, Middle and Highest Channel	<input type="radio"/> Lowest and Highest Channel
Environmental conditions	
<input checked="" type="radio"/> Normal	<input type="radio"/> Normal and Extreme
Note: ●:Test ○:No Test	

a) The EUT was directly connected to the tonscond test system and antenna output port as show in the block diagram below.

b) the spectrum analyser is set as follow:

For 26 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	$\geq 1\% \times$ Nominal Channel Bandwidth
VBW	$\geq 3 \times$ RBW
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple

For 6 dB Bandwidth

Centre Frequency	The centre frequency of the channel under test
RBW	100 kHz
VBW	300 kHz
Frequency span	2 x Nominal Channel Bandwidth
Detector Mode	Peak
Trace Mode	Max Hold
Sweep Time	Auto Couple


c) Wait for the trace to stabilize then find the peak value of the trace and place the analyser marker

on this peak.

d) Use the -26/-6dB bandwidth function of the spectrum analyser to measure the -26/-6dB Bandwidth of the EUT. This value shall be recorded.

e) Make sure that the power envelope is sufficiently above the noise floor of the analyser to avoid the noise signals left and right from the power envelope being taken into account by this measurement.

3.3.3 Test Setup



3.3.4 Test Result

3.3.5.1 26 dB Bandwidth

Test Mode	Antenna	Freq(MHz)	26dB EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A-CDD	Ant1	5180	20.880	5169.440	5190.320	---	---
	Ant2	5180	20.680	5169.560	5190.240	---	---
	Ant1	5200	20.840	5189.560	5210.400	---	---
	Ant2	5200	20.640	5189.560	5210.200	---	---
	Ant1	5240	20.880	5229.520	5250.400	---	---
	Ant2	5240	20.920	5229.560	5250.480	---	---
	Ant1	5260	20.760	5249.600	5270.360	---	---
	Ant2	5260	20.480	5249.720	5270.200	---	---
	Ant1	5280	20.680	5269.560	5290.240	---	---
	Ant2	5280	20.600	5269.640	5290.240	---	---
	Ant1	5320	20.640	5309.600	5330.240	---	---
	Ant2	5320	20.600	5309.560	5330.160	---	---
	Ant1	5500	20.840	5489.480	5510.320	---	---
	Ant2	5500	20.560	5489.600	5510.160	---	---
	Ant1	5580	20.720	5569.440	5590.160	---	---
	Ant2	5580	20.720	5569.520	5590.240	---	---
	Ant1	5700	20.560	5689.680	5710.240	---	---
	Ant2	5700	20.640	5689.640	5710.280	---	---
	Ant1	5745	20.760	5734.560	5755.320	---	---
	Ant2	5745	20.640	5734.600	5755.240	---	---
	Ant1	5785	20.440	5774.600	5795.040	---	---
	Ant2	5785	20.480	5774.600	5795.080	---	---
	Ant1	5825	20.840	5814.440	5835.280	---	---
	Ant2	5825	20.680	5814.560	5835.240	---	---
11N20MIMO	Ant1	5180	21.000	5169.560	5190.560	---	---
	Ant2	5180	21.120	5169.480	5190.600	---	---
	Ant1	5200	20.880	5189.600	5210.480	---	---
	Ant2	5200	21.000	5189.440	5210.440	---	---
	Ant1	5240	21.080	5229.480	5250.560	---	---
	Ant2	5240	21.120	5229.560	5250.680	---	---
	Ant1	5260	20.800	5249.760	5270.560	---	---
	Ant2	5260	20.840	5249.680	5270.520	---	---
	Ant1	5280	21.240	5269.320	5290.560	---	---
	Ant2	5280	21.000	5269.440	5290.440	---	---
	Ant1	5320	21.040	5309.440	5330.480	---	---
	Ant2	5320	20.720	5309.640	5330.360	---	---
	Ant1	5500	21.040	5489.600	5510.640	---	---
	Ant2	5500	21.120	5489.440	5510.560	---	---

	Ant1	5580	21.000	5569.440	5590.440	---	---
	Ant2	5580	20.960	5569.480	5590.440	---	---
	Ant1	5700	20.840	5689.680	5710.520	---	---
	Ant2	5700	21.000	5689.560	5710.560	---	---
	Ant1	5745	21.080	5734.480	5755.560	---	---
	Ant2	5745	21.040	5734.600	5755.640	---	---
	Ant1	5785	20.680	5774.560	5795.240	---	---
	Ant2	5785	20.840	5774.480	5795.320	---	---
	Ant1	5825	20.920	5814.520	5835.440	---	---
	Ant2	5825	20.920	5814.680	5835.600	---	---
11N40MIMO	Ant1	5190	39.040	5170.480	5209.520	---	---
	Ant2	5190	39.200	5170.480	5209.680	---	---
	Ant1	5230	38.960	5210.320	5249.280	---	---
	Ant2	5230	39.040	5210.400	5249.440	---	---
	Ant1	5270	38.880	5250.640	5289.520	---	---
	Ant2	5270	38.960	5250.480	5289.440	---	---
	Ant1	5310	39.120	5290.320	5329.440	---	---
	Ant2	5310	39.360	5290.240	5329.600	---	---
	Ant1	5510	39.120	5490.320	5529.440	---	---
	Ant2	5510	39.120	5490.400	5529.520	---	---
	Ant1	5550	39.360	5530.240	5569.600	---	---
	Ant2	5550	39.040	5530.320	5569.360	---	---
	Ant1	5670	39.360	5650.320	5689.680	---	---
	Ant2	5670	39.040	5650.480	5689.520	---	---
	Ant1	5755	39.120	5735.240	5774.360	---	---
	Ant2	5755	38.880	5735.480	5774.360	---	---
	Ant1	5795	38.960	5775.320	5814.280	---	---
	Ant2	5795	39.200	5775.560	5814.760	---	---
11AC20MIMO	Ant1	5180	21.160	5169.360	5190.520	---	---
	Ant2	5180	21.080	5169.480	5190.560	---	---
	Ant1	5200	20.800	5189.640	5210.440	---	---
	Ant2	5200	20.920	5189.560	5210.480	---	---
	Ant1	5240	21.280	5229.320	5250.600	---	---
	Ant2	5240	21.040	5229.440	5250.480	---	---
	Ant1	5260	20.840	5249.680	5270.520	---	---
	Ant2	5260	21.200	5249.320	5270.520	---	---
	Ant1	5280	21.080	5269.400	5290.480	---	---
	Ant2	5280	21.040	5269.440	5290.480	---	---
	Ant1	5320	21.040	5309.640	5330.680	---	---
	Ant2	5320	20.920	5309.600	5330.520	---	---
	Ant1	5500	21.000	5489.480	5510.480	---	---
	Ant2	5500	21.200	5489.400	5510.600	---	---

	Ant1	5580	21.120	5569.400	5590.520	---	---
	Ant2	5580	21.040	5569.360	5590.400	---	---
	Ant1	5700	21.120	5689.400	5710.520	---	---
	Ant2	5700	21.080	5689.400	5710.480	---	---
	Ant1	5745	21.360	5734.120	5755.480	---	---
	Ant2	5745	21.120	5734.440	5755.560	---	---
	Ant1	5785	21.200	5774.480	5795.680	---	---
	Ant2	5785	20.800	5774.600	5795.400	---	---
	Ant1	5825	21.120	5814.360	5835.480	---	---
	Ant2	5825	20.920	5814.560	5835.480	---	---
11AC40MIMO	Ant1	5190	39.120	5170.480	5209.600	---	---
	Ant2	5190	39.280	5170.240	5209.520	---	---
	Ant1	5230	39.520	5210.000	5249.520	---	---
	Ant2	5230	39.680	5210.000	5249.680	---	---
	Ant1	5270	38.560	5250.560	5289.120	---	---
	Ant2	5270	39.120	5250.400	5289.520	---	---
	Ant1	5310	39.760	5289.840	5329.600	---	---
	Ant2	5310	39.520	5290.080	5329.600	---	---
	Ant1	5510	39.600	5490.080	5529.680	---	---
	Ant2	5510	39.760	5489.840	5529.600	---	---
	Ant1	5550	39.280	5530.320	5569.600	---	---
	Ant2	5550	39.280	5530.320	5569.600	---	---
	Ant1	5670	39.760	5649.920	5689.680	---	---
	Ant2	5670	39.360	5650.080	5689.440	---	---
	Ant1	5755	39.520	5735.160	5774.680	---	---
	Ant2	5755	39.280	5735.400	5774.680	---	---
	Ant1	5795	39.440	5775.160	5814.600	---	---
	Ant2	5795	39.840	5774.760	5814.600	---	---
11AC80MIMO	Ant1	5210	80.320	5169.520	5249.840	---	---
	Ant2	5210	81.120	5169.520	5250.640	---	---
	Ant1	5290	80.640	5249.680	5330.320	---	---
	Ant2	5290	80.000	5250.000	5330.000	---	---
	Ant1	5530	80.640	5489.360	5570.000	---	---
	Ant2	5530	80.640	5489.360	5570.000	---	---
	Ant1	5610	80.160	5569.680	5649.840	---	---
	Ant2	5610	81.440	5568.720	5650.160	---	---
	Ant1	5775	80.320	5734.520	5814.840	---	---
	Ant2	5775	79.840	5735.160	5815.000	---	---
11AX20MIMO	Ant1	5180	21.240	5169.400	5190.640	---	---
	Ant2	5180	21.160	5169.440	5190.600	---	---
	Ant1	5200	21.360	5189.320	5210.680	---	---
	Ant2	5200	21.120	5189.400	5210.520	---	---

	Ant1	5240	21.200	5229.480	5250.680	---	---
	Ant2	5240	21.320	5229.360	5250.680	---	---
	Ant1	5260	21.200	5249.400	5270.600	---	---
	Ant2	5260	21.360	5249.240	5270.600	---	---
	Ant1	5280	21.480	5269.160	5290.640	---	---
	Ant2	5280	21.200	5269.320	5290.520	---	---
	Ant1	5320	20.920	5309.600	5330.520	---	---
	Ant2	5320	21.400	5309.200	5330.600	---	---
	Ant1	5500	21.520	5489.160	5510.680	---	---
	Ant2	5500	21.200	5489.320	5510.520	---	---
	Ant1	5580	21.320	5569.240	5590.560	---	---
	Ant2	5580	21.360	5569.200	5590.560	---	---
	Ant1	5700	21.320	5689.400	5710.720	---	---
	Ant2	5700	21.120	5689.400	5710.520	---	---
	Ant1	5745	21.360	5734.280	5755.640	---	---
	Ant2	5745	21.520	5734.200	5755.720	---	---
	Ant1	5785	21.400	5774.200	5795.600	---	---
	Ant2	5785	21.440	5774.160	5795.600	---	---
	Ant1	5825	21.480	5814.160	5835.640	---	---
	Ant2	5825	21.320	5814.400	5835.720	---	---
11AX40MIMO	Ant1	5190	39.600	5170.160	5209.760	---	---
	Ant2	5190	39.760	5170.160	5209.920	---	---
	Ant1	5230	39.520	5210.320	5249.840	---	---
	Ant2	5230	39.760	5210.000	5249.760	---	---
	Ant1	5270	39.360	5250.400	5289.760	---	---
	Ant2	5270	39.600	5250.080	5289.680	---	---
	Ant1	5310	39.280	5290.160	5329.440	---	---
	Ant2	5310	39.680	5290.000	5329.680	---	---
	Ant1	5510	39.280	5490.240	5529.520	---	---
	Ant2	5510	39.840	5490.000	5529.840	---	---
	Ant1	5550	39.520	5530.160	5569.680	---	---
	Ant2	5550	39.600	5530.000	5569.600	---	---
	Ant1	5670	39.520	5650.240	5689.760	---	---
	Ant2	5670	39.360	5650.320	5689.680	---	---
	Ant1	5755	39.120	5735.480	5774.600	---	---
	Ant2	5755	39.600	5735.240	5774.840	---	---
	Ant1	5795	39.600	5775.240	5814.840	---	---
	Ant2	5795	39.280	5775.240	5814.520	---	---
11AX80MIMO	Ant1	5210	80.800	5169.520	5250.320	---	---
	Ant2	5210	80.640	5169.520	5250.160	---	---
	Ant1	5290	80.320	5249.840	5330.160	---	---
	Ant2	5290	80.320	5249.840	5330.160	---	---

	Ant1	5530	80.800	5489.200	5570.000	---	---
	Ant2	5530	80.640	5489.520	5570.160	---	---
	Ant1	5610	80.960	5569.360	5650.320	---	---
	Ant2	5610	81.120	5569.040	5650.160	---	---
	Ant1	5775	80.160	5735.000	5815.160	---	---
	Ant2	5775	80.320	5735.000	5815.320	---	---
11AX160MIMO	Ant1	5250	162.240	5168.720	5330.960	---	---
	Ant2	5250	162.560	5169.040	5331.600	---	---
	Ant1	5250_UNII-1	81.28	5168.720	5250	---	---
	Ant2	5250_UNII-1	80.96	5169.040	5250	---	---
	Ant1	5250_UNII-2A	80.96	5250	5330.960	---	---
	Ant2	5250_UNII-2A	81.6	5250	5331.600	---	---
	Ant1	5570	163.200	5487.760	5650.960	---	---
	Ant2	5570	162.240	5488.720	5650.960	---	---

11A-CDD_Ant1_5180



11A-CDD_Ant2_5180



11A-CDD_Ant1_5200



11A-CDD_Ant2_5200



11A-CDD_Ant1_5240



11A-CDD_Ant2_5240



11A-CDD_Ant1_5260



11A-CDD_Ant2_5260



11A-CDD_Ant1_5280



11A-CDD_Ant2_5280




11A-CDD_Ant1_5320



11A-CDD_Ant2_5320



11A-CDD_Ant1_5500



11A-CDD_Ant2_5500



11A-CDD_Ant1_5580



11A-CDD_Ant2_5580



11A-CDD_Ant1_5700



11A-CDD_Ant2_5700



11A-CDD_Ant1_5745



11A-CDD_Ant2_5745




11A-CDD_Ant1_5785



11A-CDD_Ant2_5785



11A-CDD_Ant1_5825



11A-CDD_Ant2_5825



11N20MIMO_Ant1_5180



11N20MIMO_Ant2_5180



11N20MIMO_Ant1_5200



11N20MIMO_Ant2_5200



11N20MIMO_Ant1_5240



11N20MIMO_Ant2_5240



11N20MIMO_Ant1_5260



11N20MIMO_Ant2_5260

