

USB-C Power Bank

27000mAH with Wireless

Charger

User Manual

Contents

1.0 INTRODUCTION	1
2.0 FEATURES	1
3.0 SPECIFICATIONS.....	2
4.0 PACKAGE CONTENTS	2
5.0 PRODUCT SHOW	3
6.0 OPERATION	4

Power Bank 27000mAh

DEAR CUSTOMER

Thank you for purchasing this product. For optimum performance and safety, please read these instructions carefully before connecting, operating or using this product. Please keep this manual for future reference.

1.0 INTRODUCTION

With fashionable design, high capacity, and USB Type-C PD charging specially designed, this product keeps your digital devices running on all the time. It has a large capacity of 27000mAh, and it supports USB Type-C PD input/output. You can charge for three devices at the same time with this product. It is specially designed for your business trips, meetings, camping expeditions, or tours etc.

2.0 FEATURES

- 20100mAh large capacity
- Cylindrical lithium-ion battery
- Compliant with USB-IF PD3.0 Certificate
- USB-C Input: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V1.5A, support PD charging technology
- Outputs:
 - Output1: USB-C, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V3A support PD charging technology
 - Output2: USB-A, 5V/2.4A,
 - Output3: USB-A, 5V/2.4A,USB-A ports provide 5V/3A in total
Wireless output: 5W or 10W
- Overcharge and over-discharge protection
- Input over voltage protection and output over voltage protection
- Output current protection and short circuit protection
- Automatic power-off
- Intelligent LED battery indicators
- Compliant with CE, FCC, UN38.3, QI

3.0 SPECIFICATIONS


Input	USB-C input: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V1.5A
Output	Output1: USB-C, 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V3A (support PD charging) Output2: USB-A, 5V/2.4A Output3: USB-A, 5V/2.4A (USB-A ports provide 5V/3A in total) Wireless output: 5W or 10W
Over Current Protection	Yes
Over Voltage Protection	Yes
Short circuit Protection	Yes
Over Temperature Protection	Yes
Ripple And Noise	$\leq 400\text{mVp-p@20V}$
Operating Temperature Range	0~ 40°C
Storage Temperature Range	-20~60°C
Operating Humidity	20~90%RH
Storage Humidity	5~45%RH
Color	Black
Size(L*W*H)	162.4*80*22mm
Weight	374±10g
Efficiency	$\geq 85\%$
Certification	CE, FCC, UN38.3 PD3.0
User Manual	English Version

4.0 PACKAGE CONTENTS

Before attempting to use this unit, please check the packaging and make sure the following items are contained in the shipping carton:

- Main unit×1
- User Manual×1

5.0 PRODUCT SHOW



1. Button: single click button for discharging the power bank, Double-click button,
2. LED Numeric Display indicator lights
3. USB Type-C Port: connect to a charger for charging, or connect to a device for discharging.
4. USB-A port: connect to a device for discharging.
5. USB-A port: connect to a device for discharging.

6.0 OPERATION

Operation Procedures

a) Charge the power bank

■ Connect to a charger to the USB-C port to charge the power bank.

■ Connect to your computer to charge the Power Bank.

b) Charge the devices

■ Connect your device to USB-A or USB-C port for charging.

Note: When connect a device to the USB-C port, if it occurs that the device charge for the power bank, please long press the button for 3s to let the product charge to your device.

Operation Notes

- Please make sure the power bank is full of power before use.
- When charging with this power bank, please light up the screen on your device and check if the charging icon displays correctly.
- Please use a matched cable to charge your power bank or other devices.
- Under condition of low battery, the LED lights turn off while charging; please recharge it as soon as possible.
- When fully charged, please unplug the charging cable timely to avoid losses.
- When this power bank enters protection mode caused by short circuit or other reasons, please use an external charger to charge it, and then it will back to normal.
- Do not let the power bank close to fire, such as stove, candles and etc. or expose to high temperature above 60°C.
- Do not let the power bank soak into liquid, such as swimming pool, bathtub, etc.
- Do not wash the power bank with corrosive cleaner.
- Do not disassemble, squeeze, and puncture this power bank to avoid electrolyte leakage of lithium-ion battery.

FCC Warning

- This device complies with part 18 of the FCC Rules. Operation is subject to the following two conditions:
- (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.
-
- NOTE: Any changes or modifications to this unit not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

P/N