



## Annex for BLE

Test Report No.: CTL2404193051-WF

### TABLE OF CONTENTS

1. Bandwidth .....	3
1.1 OBW .....	3
1.1.1 Test Result .....	3
1.1.2 Test Graph .....	4
1.2 6dB BW .....	6
1.2.1 Test Result .....	6
1.2.2 Test Graph .....	7
2. Maximum Conducted Output Power .....	9
2.1 Power .....	9
2.1.1 Test Result .....	9
2.1.2 Test Graph .....	10
3. Maximum Power Spectral Density .....	12
3.1 PSD .....	12
3.1.1 Test Result .....	12
3.1.2 Test Graph .....	13
4. Unwanted Emissions In Non-restricted Frequency Bands .....	15
4.1 Ref .....	15
4.1.1 Test Result .....	15
4.1.2 Test Graph .....	16

FCCID: 2ATCD-CFS-9002BT

4.2 CSE .....	18
4.2.1 Test Result .....	18

FCCID: 2ATCD-CFS-9002BT

## 1. Bandwidth


### 1.1 OBW

#### 1.1.1 Test Result


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	1.101	/	Pass
		2440	1	1.071	/	Pass
		2480	1	1.081	/	Pass

FCCID: 2ATCD-CFS-9002BT

### 1.1.2 Test Graph



FCCID: 2ATCD-CFS-9002BT




FCCID: 2ATCD-CFS-9002BT

**1.2 6dB BW****1.2.1 Test Result**


Mode	TX Type	Frequency (MHz)	ANT	6dB Bandwidth (MHz)		Verdict
				Result	Limit	
1M	SISO	2402	1	0.799	>=0.5	Pass
		2440	1	0.743	>=0.5	Pass
		2480	1	0.778	>=0.5	Pass

FCCID: 2ATCD-CFS-9002BT

### 1.2.2 Test Graph



FCCID: 2ATCD-CFS-9002BT





FCCID: 2ATCD-CFS-9002BT

## 2. Maximum Conducted Output Power

### 2.1 Power


#### 2.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum Peak Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
1M	SISO	2402	3.29	<=30	Pass
		2440	3.39	<=30	Pass
		2480	2.78	<=30	Pass


Note1: Antenna Gain: Ant1: -2.31dBi;

FCCID: 2ATCD-CFS-9002BT

### 2.1.2 Test Graph



FCCID: 2ATCD-CFS-9002BT



FCCID: 2ATCD-CFS-9002BT

### 3. Maximum Power Spectral Density

#### 3.1 PSD


##### 3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/3kHz)		Verdict
			ANT1	Limit	
1M	SISO	2402	-12.58	<=8	Pass
		2440	-12.49	<=8	Pass
		2480	-12.54	<=8	Pass


Note1: Antenna Gain: Ant1: -2.31dBi;

FCCID: 2ATCD-CFS-9002BT

### 3.1.2 Test Graph



FCCID: 2ATCD-CFS-9002BT



FCCID: 2ATCD-CFS-9002BT

#### 4. Unwanted Emissions In Non-restricted Frequency Bands

##### 4.1 Ref


##### 4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)
1M	SISO	2402	1	2.40
		2440	1	2.47
		2480	1	1.92

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.


FCCID: 2ATCD-CFS-9002BT

### 4.1.2 Test Graph





FCCID: 2ATCD-CFS-9002BT



FCCID: 2ATCD-CFS-9002BT

## 4.2 CSE


### 4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	ANT	Level of Reference (dBm)	Limit (dBm)	Verdict
1M	SISO	2402	1	2.47	-17.53	Pass
		2440	1	2.47	-17.53	Pass
		2480	1	2.47	-17.53	Pass



Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

FCCID: 2ATCD-CFS-9002BT

### 4.2.2 Test Graph



FCCID: 2ATCD-CFS-9002BT



FCCID: 2ATCD-CFS-9002BT

