

Appendix for 2.4G WiFi(RSE)



1. Appendix H: Radiated Spurious Emission & Spurious in Restricted Band

Note:

- 1. We tested all modes & antennas, the data presented below is the worst case.
- 2. The simultaneous transmission has been considered

3. The whole testing range is from "9 KHz to 26.5 GHz (10th harmonics)" is divided into 5 parts according to the test site settings, which are:

- (Part 1): Test range of "9 KHz to 30 MHz", RBW =9 kHz, VBW = 30 kHz
- (Part 2): Test range of "30 GHz to 1 GHz", RBW = 100 kHz, VBW = 300 kHz.
- (Part 3): Test range of "1 GHz to 3 GHz". RBW = 1 MHz, VBW = 3 MHz.
- (Part 4): Test range of "3 GHz to 18 GHz", RBW = 1 MHz, VBW = 3 MHz.
- (Part 5): Test range of "18 GHz to 26.5 GHz". RBW = 1 MHz, VBW = 3 MHz.

1.1. Test Results

1.1.1. 11b20

Test Mode	Antenna Port	Test Channel	Spurious Emissions Result	Spurious Emissions Limit	Verdict
11b20	Ant1	2412	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2462	(see Test Graphs)	(see Test Graphs)	PASS

1.1.2. 11g20

Test Mode	Antenna Port	Test Channel	Spurious Emissions Result	Spurious Emissions Limit	Verdict
11g20	Ant1	2412	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2417	(see Test Graphs)	(see Test Graphs)	PASS
11g20	Ant1	2422	(see Test Graphs)	(see Test Graphs)	PASS
11920	Ant1	2427	(see Test Graphs)	(see Test Graphs)	PASS

Report No.: SYBH(Z-RF)202200606001001-2004-B



11g20	Ant1	2447	(see Test Graphs)	(see Test Graphs)	PASS
J J	Ant1	2452	(see Test Graphs)	(see Test Graphs)	PASS
11g20	Ant1	2457	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2462	(see Test Graphs)	(see Test Graphs)	PASS

1.1.3. 11n20

Test Mode	Antenna Port	Test Channel	Spurious Emissions Result	Spurious Emissions Limit	Verdict
11n20	Ant1	2412	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2417	(see Test Graphs)	(see Test Graphs)	PASS
11n20	Ant1	2422	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2427	(see Test Graphs)	(see Test Graphs)	PASS
11n20	Ant1	2447	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2452	(see Test Graphs)	(see Test Graphs)	PASS
11n20	Ant1	2457	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2462	(see Test Graphs)	(see Test Graphs)	PASS

1.1.4. 11n40

Test Mode	Antenna Port	Test Channel	Spurious Emissions Result	Spurious Emissions Limit	Verdict
11n40	Ant1	2422	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2427	(see Test Graphs)	(see Test Graphs)	PASS
11n40	Ant1	2432	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2442	(see Test Graphs)	(see Test Graphs)	PASS




11n40	Ant1	2447	(see Test Graphs)	(see Test Graphs)	PASS
	Ant1	2452	(see Test Graphs)	(see Test Graphs)	PASS

1.2. Test Graphs

1.2.1. Part 1: Testing Range of "9 kHz to 30MHz"


Note 1: The test results and plot for testing range of "9 kHz to 30MHz" showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.



1.2.2. Part 2: Testing Range of "30 MHz to 1 GHz"

Note 1: The test results and plot for testing range of "30 MHz to 1 GHz" showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.





MEASUREMENT RESULT: QP Detector

lBµV/m	dB	dBµV/m				Polarisation
		συμινιπ	dB	cm	deg	
27.24	20.5	40.00	12.76	100.0	257.0	V
25.36	18.6	43.50	18.14	100.0	22.0	V
28.46	14.9	43.50	15.04	100.0	237.0	V
28.22	15.7	43.50	15.28	100.0	226.0	V
31.14	27.4	46.00	14.86	100.0	22.0	Н
35.20	31.0	46.00	10.80	100.0	184.0	Н
	25.36 28.46 28.22 31.14	25.36 18.6 28.46 14.9 28.22 15.7 31.14 27.4	25.36 18.6 43.50 28.46 14.9 43.50 28.22 15.7 43.50 31.14 27.4 46.00	25.36 18.6 43.50 18.14 28.46 14.9 43.50 15.04 28.22 15.7 43.50 15.28 31.14 27.4 46.00 14.86	25.36 18.6 43.50 18.14 100.0 28.46 14.9 43.50 15.04 100.0 28.22 15.7 43.50 15.28 100.0 31.14 27.4 46.00 14.86 100.0	25.36 18.6 43.50 18.14 100.0 22.0 28.46 14.9 43.50 15.04 100.0 237.0 28.22 15.7 43.50 15.28 100.0 226.0 31.14 27.4 46.00 14.86 100.0 22.0


1.2.3. Part 3: Testing Range of "1 GHz to 3 GHz"

Note 1: The testing range of "1 GHz to 3 GHz" is for checking radiated emissions located in restricted bands near the EUT operating bands. The test results and plot for testing range of "1 GHz to 3 GHz" showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.


Note 2: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB μ V/m) and Average Limit (54 dB μ V/m).

Note 3: The peak spike exceeds the limit line is EUT's operating frequency.

1.2.3.1. 11b20SISO











1.2.3.2. 11g20SISO










Report No.: SYBH(Z-RF)202200606001001-2004-B






Report No .: SYBH(Z-RF)202200606001001-2004-B






Report No.: SYBH(Z-RF)202200606001001-2004-B








11n20SISO 1.2.3.3.




Report No .: SYBH(Z-RF)202200606001001-2004-B






Report No .: SYBH(Z-RF)202200606001001-2004-B







SYBH(Z-RF)202200606001001-2004-B











1.2.3.4. 11n40SISO



Report No.: SYBH(Z-RF)202200606001001-2004-B






SYBH(Z-RF)202200606001001-2004-B

Huawei Proprietary and Confidential Copyright © Huawei Technologies Co., Ltd.


Page 18 of 25





SYBH(Z-RF)202200606001001-2004-B






1.2.4. Part 4: Testing Range of "3 GHz to 18 GHz"

Note 1: The test results and plot for testing range of "3 GHz to 18 GHz" showed as below is the worst case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.

Note 2: The testing range of "3 GHz to 18 GHz" is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.

Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB μ V/m) and Average Limit (54 dB μ V/m).




1.2.5. Part 5: Testing Range of "18 GHz to 26.5 GHz"

Note 1: The test results and plot for testing range of "18 GHz to 26.5 GHz" showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.

Note 2: The testing range of "18 GHz to 26.5 GHz" is for checking radiated emissions located in restricted bands faraway from the EUT operating bands.

Note 3: Two limits are required in the testing range above 1 GHz, that is Peak limit (74 dB μ V/m) and Average Limit (54 dB μ V/m).



2. Appendix I: Conducted Emission at Power Port

Note 1: The test results and plot for testing range of "150 kHz to 30 MHz" showed as below is the WORST case for all Test Modes and Channels. This range will not be presented for each Test Mode and each Channel.


Note 2 : RBW =9 kHz; VBW = 30 kHz

2.1. Test Results

Test Mode	Antenna Port	Test Channel	Maximum Emissions	Limit	Verdict
11b20SISO	Ant1	2412	(see Test Graphs)	(see Test Graphs)	PASS



2.2. Test Graphs



MEASUREMENT RESULT: QP Detector

Frequency	Level	Limit	Transd.	Margin	Line	PE
(MHz)	(dBµV)	(dBµV)	(dB)	(dB)		
0.179854	51.81	64.49	9.6	12.68	Ν	FLO
0.663201	47.01	56	9.6	8.99	L1	FLO
1.966909	36.18	56	9.6	19.82	L1	FLO
3.259563	37.87	56	9.6	18.13	L1	FLO
5.936198	34.24	60	9.8	25.76	L1	FLO
9.220272	34.92	60	9.9	25.08	L1	FLO
SUREMENT R	ESULT: AV Detec	tor				
ASUREMENT R	ESULT: AV Detec	ctor Limit	Transd.	Margin	L1	FLO PE
ASUREMENT R Frequency (MHz)	ESULT: AV Detec Level (dBµV)	Limit (dBµV)	Transd. (dB)	Margin (dB)	Line	PE
ASUREMENT R	ESULT: AV Detec	ctor Limit	Transd.	Margin		
ASUREMENT R Frequency (MHz) 0.287314	ESULT: AV Detec Level (dBµV) 30.43	Limit (dBµV) 50.6	Transd. (dB) 9.6	Margin (dB) 20.17	Line L1	PE FLO
SUREMENT R Frequency (MHz) 0.287314 0.65844	ESULT: AV Detect Level (dBµV) 30.43 32.37	Limit (dBµV) 50.6 46	Transd. (dB) 9.6 9.6	Margin (dB) 20.17 13.63	Line L1 L1	PE FLO FLO

Report No.: SYBH(Z-RF)202200606001001-2004-B

8.643799

Huawei Proprietary and Confidential Copyright © Huawei Technologies Co., Ltd.

9.9

25.55

L1

50

24.45

FLO

Public

Note:

1, Level =Reading level by receiver + Transd (correcton factor + cable loss)

The reading level is calculated by software which is not shown in the sheet.

2, Margin=Limit - Level

END