



Test Mode TX N(HT20) Mode_Ant. 1


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-11.33	8.00	Complies
03	2422	-9.88	8.00	Complies
04	2427	-9.91	8.00	Complies
06	2437	-8.99	8.00	Complies
09	2452	-9.14	8.00	Complies
10	2457	-12.03	8.00	Complies
11	2462	-14.68	8.00	Complies




Date: 25.SEP.2021 09:35:24




Date: 25.SEP.2021 09:36:46




Date: 25.SEP.2021 09:37:59




Date: 8.OCT.2021 12:35:12



Date: 8.OCT.2021 12:36:12




Date: 8.OCT.2021 12:37:03




Date: 8.OCT.2021 12:37:32

Test Mode	TX N(HT20) Mode_Ant. 2
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-12.17	8.00	Complies
03	2422	-9.63	8.00	Complies
04	2427	-9.75	8.00	Complies
06	2437	-7.64	8.00	Complies
09	2452	-8.89	8.00	Complies
10	2457	-11.49	8.00	Complies
11	2462	-16.19	8.00	Complies




Date: 25.SEP.2021 10:10:40




Date: 25.SEP.2021 10:11:56




Date: 25.SEP.2021 10:14:11




Date: 8.OCT.2021 12:35:25



Date: 8.OCT.2021 12:36:22



Date: 8.OCT.2021 12:36:55








Date: 8.OCT.2021 12:37:39

Test Mode	TX N(HT20) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-8.72	8.00	Complies
03	2422	-6.74	8.00	Complies
04	2427	-6.82	8.00	Complies
06	2437	-5.25	8.00	Complies
09	2452	-6.00	8.00	Complies
10	2457	-8.74	8.00	Complies
11	2462	-12.36	8.00	Complies


Test Mode	TX N(HT40) Mode_Ant. 1
-----------	------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-19.85	8.00	Complies
04	2427	-15.54	8.00	Complies
05	2432	-13.19	8.00	Complies
06	2437	-16.25	8.00	Complies
09	2452	-20.74	8.00	Complies




Test Mode	TX N(HT40) Mode_Ant. 2
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-21.23	8.00	Complies
04	2427	-14.41	8.00	Complies
05	2432	-12.50	8.00	Complies
06	2437	-17.81	8.00	Complies
09	2452	-23.20	8.00	Complies




Date: 25.SEP.2021 10:16:23




Date: 25.SEP.2021 10:17:54



Date: 25.SEP.2021 10:19:55



Date: 8.OCT.2021 12:38:47












Date: 8.OCT.2021 12:39:34

Test Mode	TX N(HT40) Mode_Total
-----------	-----------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	-17.48	8.00	Complies
04	2427	-11.93	8.00	Complies
05	2432	-9.82	8.00	Complies
06	2437	-13.95	8.00	Complies
09	2452	-18.79	8.00	Complies


Test Mode	TX AX(HE20) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	0	-9.42	8.00	Complies
		4	-9.83	8.00	Complies
		8	-10.10	8.00	Complies
06	2437	0	-9.77	8.00	Complies
		4	-9.33	8.00	Complies
		8	-9.66	8.00	Complies
11	2462	0	-9.47	8.00	Complies
		4	-10.98	8.00	Complies
		8	-9.94	8.00	Complies




Test Mode	TX AX(HE20) Mode_Ant. 2
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	0	-10.44	8.00	Complies
		4	-9.28	8.00	Complies
		8	-10.42	8.00	Complies
06	2437	0	-10.16	8.00	Complies
		4	-9.16	8.00	Complies
		8	-11.59	8.00	Complies
11	2462	0	-11.16	8.00	Complies
		4	-11.10	8.00	Complies
		8	-10.91	8.00	Complies




Date: 28_SEP.2021 20:34:23




Date: 28_SEP.2021 20:34:56




Date: 28_SEP.2021 20:35:43




Date: 28_SEP.2021 20:37:11




Date: 28_SEP.2021 20:37:30




Date: 28_SEP.2021 20:37:51



Date: 28_SEP.2021 20:38:55



Date: 28_SEP.2021 20:39:13




Date: 28_SEP.2021 20:39:35

Test Mode	TX AX(HE20) Mode_Total
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	0	-6.89	8.00	Complies
		4	-6.54	8.00	Complies
		8	-7.25	8.00	Complies
06	2437	0	-6.95	8.00	Complies
		4	-6.23	8.00	Complies
		8	-7.51	8.00	Complies
11	2462	0	-7.22	8.00	Complies
		4	-8.03	8.00	Complies
		8	-7.39	8.00	Complies

Test Mode	TX AX(HE20) Mode_Ant. 1
RU Configuration	52 Tone(4M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	37	-9.06	8.00	Complies
		39	-9.82	8.00	Complies
		40	-9.67	8.00	Complies
06	2437	37	-9.57	8.00	Complies
		39	-8.62	8.00	Complies
		40	-7.93	8.00	Complies
11	2462	37	-9.16	8.00	Complies
		39	-8.47	8.00	Complies
		40	-10.43	8.00	Complies




Date: 28_SEP.2021 18:23:06




Date: 28_SEP.2021 18:24:22




Date: 28_SEP.2021 18:25:08




Date: 28_SEP.2021 18:26:19




Date: 28_SEP.2021 18:28:23




Date: 28_SEP.2021 18:29:01



Date: 28_SEP.2021 18:30:13




Date: 28_SEP.2021 18:30:54




Date: 28_SEP.2021 18:31:31

Test Mode	TX AX(HE20) Mode_Ant. 2
RU Configuration	52 Tone(4M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	37	-9.96	8.00	Complies
		39	-11.10	8.00	Complies
		40	-8.59	8.00	Complies
06	2437	37	-9.72	8.00	Complies
		39	-8.77	8.00	Complies
		40	-9.71	8.00	Complies
11	2462	37	-9.70	8.00	Complies
		39	-9.67	8.00	Complies
		40	-9.16	8.00	Complies




Date: 28_SEP.2021 20:40:53




Date: 28_SEP.2021 20:41:45




Date: 28_SEP.2021 20:42:02




Date: 28_SEP.2021 20:47:44




Date: 28_SEP.2021 20:48:31




Date: 28_SEP.2021 20:48:52



Date: 8_OCT.2021 12:58:42



Date: 28_SEP.2021 20:46:28





Date: 28_SEP.2021 20:46:58

Test Mode	TX AX(HE20) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	37	-6.48	8.00	Complies
		39	-7.40	8.00	Complies
		40	-6.09	8.00	Complies
06	2437	37	-6.63	8.00	Complies
		39	-5.68	8.00	Complies
		40	-5.72	8.00	Complies
11	2462	37	-6.41	8.00	Complies
		39	-6.02	8.00	Complies
		40	-6.74	8.00	Complies



Test Mode	TX AX(HE20) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	53	-8.86	8.00	Complies
		54	-7.02	8.00	Complies
06	2437	53	-9.00	8.00	Complies
		54	-8.76	8.00	Complies
11	2462	53	-9.77	8.00	Complies
		54	-9.17	8.00	Complies



Test Mode	TX AX(HE20) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	53	-10.05	8.00	Complies
		54	-9.94	8.00	Complies
06	2437	53	-9.02	8.00	Complies
		54	-10.72	8.00	Complies
11	2462	53	-9.40	8.00	Complies
		54	-9.99	8.00	Complies










Test Mode	TX AX(HE20) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	53	-6.40	8.00	Complies
		54	-5.23	8.00	Complies
06	2437	53	-6.00	8.00	Complies
		54	-6.62	8.00	Complies
11	2462	53	-6.19	8.00	Complies
		54	-6.32	8.00	Complies








Test Mode	TX AX(HE20) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-11.91	8.00	Complies
03	2422	-11.39	8.00	Complies
04	2427	-10.05	8.00	Complies
06	2437	-9.13	8.00	Complies
09	2452	-9.47	8.00	Complies
10	2457	-13.19	8.00	Complies
11	2462	-15.62	8.00	Complies



Test Mode	TX AX(HE20) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-13.98	8.00	Complies
03	2422	-10.55	8.00	Complies
04	2427	-9.97	8.00	Complies
06	2437	-9.74	8.00	Complies
09	2452	-9.25	8.00	Complies
10	2457	-13.29	8.00	Complies
11	2462	-17.84	8.00	Complies




Test Mode	TX AX(HE20) Mode_Total
RU Configuration	242 Tone(20M)


Channel	Frequency (MHz)	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
01	2412	-9.81	8.00	Complies
03	2422	-7.94	8.00	Complies
04	2427	-7.00	8.00	Complies
06	2437	-6.41	8.00	Complies
09	2452	-6.35	8.00	Complies
10	2457	-10.23	8.00	Complies
11	2462	-13.58	8.00	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	0	-11.05	8.00	Complies
		9	-9.81	8.00	Complies
		17	-10.12	8.00	Complies
06	2437	0	-11.45	8.00	Complies
		9	-11.05	8.00	Complies
		17	-10.36	8.00	Complies
09	2452	0	-9.15	8.00	Complies
		9	-11.44	8.00	Complies
		17	-10.83	8.00	Complies




Date: 28_SEP.2021 20:07:11




Date: 28_SEP.2021 20:07:46




Date: 28_SEP.2021 20:08:06




Date: 28_SEP.2021 20:09:03




Date: 28_SEP.2021 20:09:31




Date: 28_SEP.2021 20:10:10



Date: 28_SEP.2021 20:12:14




Date: 28_SEP.2021 20:12:42




Date: 28_SEP.2021 20:13:07

Test Mode	TX AX(HE40) Mode_Ant. 2
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	0	-10.67	8.00	Complies
		9	-9.47	8.00	Complies
		17	-10.49	8.00	Complies
06	2437	0	-10.85	8.00	Complies
		9	-9.27	8.00	Complies
		17	-10.63	8.00	Complies
09	2452	0	-9.56	8.00	Complies
		9	-9.54	8.00	Complies
		17	-11.23	8.00	Complies




Date: 28_SEP.2021 20:54:41




Date: 28_SEP.2021 20:55:07




Date: 28_SEP.2021 20:55:29




Date: 28_SEP.2021 20:57:09




Date: 28_SEP.2021 20:57:32




Date: 28_SEP.2021 20:57:58



Date: 28_SEP.2021 20:59:16



Date: 28_SEP.2021 20:59:40




Date: 28_SEP.2021 21:00:02

Test Mode	TX AX(HE40) Mode_Total
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	0	-7.85	8.00	Complies
		9	-6.63	8.00	Complies
		17	-7.29	8.00	Complies
06	2437	0	-8.13	8.00	Complies
		9	-7.06	8.00	Complies
		17	-7.48	8.00	Complies
09	2452	0	-6.34	8.00	Complies
		9	-7.38	8.00	Complies
		17	-8.02	8.00	Complies

Test Mode	TX AX(HE40) Mode_Ant. 1
RU Configuration	52 Tone(4M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	37	-10.31	8.00	Complies
		41	-9.56	8.00	Complies
		44	-8.09	8.00	Complies
06	2437	37	-10.81	8.00	Complies
		41	-9.26	8.00	Complies
		44	-10.56	8.00	Complies
09	2452	37	-10.56	8.00	Complies
		41	-10.92	8.00	Complies
		44	-10.96	8.00	Complies




Date: 28_SEP.2021 20:14:22




Date: 28_SEP.2021 20:14:45




Date: 28_SEP.2021 20:15:10




Date: 28_SEP.2021 20:16:18




Date: 28_SEP.2021 20:16:44




Date: 28_SEP.2021 20:17:08



Date: 28_SEP.2021 20:18:51




Date: 28_SEP.2021 20:19:15




Date: 28_SEP.2021 20:19:45

Test Mode	TX AX(HE40) Mode_Ant. 2
RU Configuration	52 Tone(4M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	37	-10.79	8.00	Complies
		41	-9.10	8.00	Complies
		44	-10.62	8.00	Complies
06	2437	37	-10.52	8.00	Complies
		41	-10.03	8.00	Complies
		44	-9.75	8.00	Complies
09	2452	37	-10.88	8.00	Complies
		41	-11.19	8.00	Complies
		44	-10.41	8.00	Complies




Date: 28_SEP.2021 21:02:13




Date: 28_SEP.2021 21:02:57




Date: 28_SEP.2021 21:03:34




Date: 28_SEP.2021 21:04:44




Date: 28_SEP.2021 21:05:08




Date: 28_SEP.2021 21:05:33



Date: 28_SEP.2021 21:06:38



Date: 28_SEP.2021 21:07:09



Date: 28_SEP.2021 21:07:46

Test Mode	TX AX(HE40) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/3kHz)	Max. Limit (dBm/3kHz)	Result
03	2422	37	-7.53	8.00	Complies
		41	-6.31	8.00	Complies
		44	-6.16	8.00	Complies
06	2437	37	-7.65	8.00	Complies
		41	-6.62	8.00	Complies
		44	-7.13	8.00	Complies
09	2452	37	-7.71	8.00	Complies
		41	-8.04	8.00	Complies
		44	-7.67	8.00	Complies