


Test Mode	UNII-2C_TX AX(HE40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
102	5510	40.700	38.000
110	5550	40.600	38.000
134	5670	40.600	38.000

**CH102**




Date: 25\_SEP\_2021 16:58:01

**CH110**  
26 dB Bandwidth




Date: 25\_SEP\_2021 16:58:39

**CH134**




Date: 25\_SEP\_2021 16:59:18


**99 % Occupied Bandwidth**



Date: 25\_SEP\_2021 16:57:32



Date: 25\_SEP\_2021 16:58:11




Date: 25\_SEP\_2021 16:58:48

Test Mode	UNII-2C_TX AX(HE80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
106	5530	83.000	77.200
122	5610	83.000	77.200

### CH106




Date: 25\_SEP.2021 17:02:22

### CH122 26 dB Bandwidth




Date: 25\_SEP.2021 17:02:58

### 99 % Occupied Bandwidth



Date: 25\_SEP.2021 17:01:56




Date: 25\_SEP.2021 17:02:33

Test Mode	UNII-2C_TX AX(HE160) Mode
-----------	---------------------------


Channel	Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)
114	5570	165.200	156.800

### CH114 26 dB Bandwidth



Date: 25\_SEP\_2021 17:04:46

### 99 % Occupied Bandwidth




Date: 25\_SEP\_2021 17:04:23

Test Mode	UNII-3_TX A Mode
-----------	------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	15.690	16.500	0.5	Complies
157	5785	15.989	16.600	0.5	Complies
165	5825	16.050	16.500	0.5	Complies

**CH149**




Date: 25\_SEP\_2021 16:11:01

**CH157**  
6 dB Bandwidth




Date: 25\_SEP\_2021 16:11:36

**CH165**




Date: 25\_SEP\_2021 16:12:10


**99 % Occupied Bandwidth**



Date: 25\_SEP\_2021 16:10:38



Date: 25\_SEP\_2021 16:11:11




Date: 25\_SEP\_2021 16:11:47

Test Mode	UNII-3_TX N(HT20) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.550	17.800	0.5	Complies
157	5785	17.650	17.800	0.5	Complies
165	5825	17.650	17.800	0.5	Complies

**CH149**




Date: 25\_SEP.2021 16:20:17

**CH157**  
6 dB Bandwidth




Date: 25\_SEP.2021 16:20:50

**CH165**




Date: 25\_SEP.2021 16:21:23


**99 % Occupied Bandwidth**



Date: 25\_SEP.2021 16:19:54



Date: 25\_SEP.2021 16:20:27




Date: 25\_SEP.2021 16:21:01

Test Mode	UNII-3_TX N(HT40) Mode
-----------	------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	35.600	36.400	0.5	Complies
159	5795	36.000	36.400	0.5	Complies

### CH151




Date: 25\_SEP.2021 16:26:51

### CH159 6 dB Bandwidth




Date: 25\_SEP.2021 16:27:32

### 99 % Occupied Bandwidth



Date: 25\_SEP.2021 16:26:19




Date: 25\_SEP.2021 16:27:01

Test Mode UNII-3\_TX AC(VHT20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	17.549	17.700	0.5	Complies
157	5785	17.350	17.800	0.5	Complies
165	5825	17.099	17.800	0.5	Complies


**CH149**



Date: 25\_SEP\_2021 16:34:32


**CH157**

**6 dB Bandwidth**




Date: 25\_SEP\_2021 16:35:06

**CH165**




Date: 25\_SEP\_2021 16:36:13


**99 % Occupied Bandwidth**



Date: 25\_SEP\_2021 16:34:10



Date: 25\_SEP\_2021 16:34:42




Date: 25\_SEP\_2021 16:35:51

Test Mode	UNII-3_TX AC(VHT40) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	36.500	36.400	0.5	Complies
159	5795	35.999	36.400	0.5	Complies

### CH151




Date: 25-SEP-2021 16:41:05

### CH159 6 dB Bandwidth




Date: 25-SEP-2021 16:41:46

### 99 % Occupied Bandwidth



Date: 25-SEP-2021 16:40:37




Date: 25-SEP-2021 16:41:17



Test Mode	UNII-3_TX AC(VHT80) Mode
-----------	--------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	77.000	75.200	0.5	Complies

### CH155 6 dB Bandwidth



Date: 25\_SEP.2021 16:45:39

### 99 % Occupied Bandwidth




Date: 25\_SEP.2021 16:45:12

Test Mode UNII-3\_TX AX(HE20) Mode

Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
149	5745	18.490	19.000	0.5	Complies
157	5785	18.550	19.000	0.5	Complies
165	5825	18.950	19.000	0.5	Complies


**CH149**



Date: 25\_SEP.2021 16:53:13


**CH157**

**6 dB Bandwidth**




Date: 25\_SEP.2021 16:53:45

**CH165**




Date: 25\_SEP.2021 16:54:17


**99 % Occupied Bandwidth**



Date: 25\_SEP.2021 16:52:51



Date: 25\_SEP.2021 16:53:22




Date: 25\_SEP.2021 16:53:55

Test Mode	UNII-3_TX AX(HE40) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
151	5755	37.590	38.000	0.5	Complies
159	5795	37.900	38.000	0.5	Complies

### CH151




Date: 25-SEP-2021 16:59:56

### CH159 6 dB Bandwidth




Date: 25-SEP-2021 17:00:34

### 99 % Occupied Bandwidth



Date: 25-SEP-2021 16:59:27




Date: 25-SEP-2021 17:00:05

Test Mode	UNII-3_TX AX(HE80) Mode
-----------	-------------------------


Channel	Frequency (MHz)	6 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	6 dB Bandwidth Min. Limit (MHz)	Result
155	5775	75.190	77.600	0.5	Complies

### CH155 6 dB Bandwidth



Date: 25\_SEP.2021 17:03:37

### 99 % Occupied Bandwidth



Date: 25\_SEP.2021 17:03:07

## **APPENDIX F - MAXIMUM OUTPUT POWER**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.35	0.00	13.35	23.98	0.2500	Complies
40	5200	15.98	0.00	15.98	23.98	0.2500	Complies
48	5240	16.95	0.00	16.95	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.15	0.00	13.15	23.98	0.2500	Complies
40	5200	16.03	0.00	16.03	23.98	0.2500	Complies
48	5240	17.06	0.00	17.06	23.98	0.2500	Complies

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.26	23.98	0.2500	Complies
40	5200	19.02	23.98	0.2500	Complies
48	5240	20.02	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.05	0.00	13.05	23.98	0.2500	Complies
40	5200	16.09	0.00	16.09	23.98	0.2500	Complies
48	5240	17.23	0.00	17.23	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.97	0.00	12.97	23.98	0.2500	Complies
40	5200	16.14	0.00	16.14	23.98	0.2500	Complies
48	5240	17.21	0.00	17.21	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.02	23.98	0.2500	Complies
40	5200	19.13	23.98	0.2500	Complies
48	5240	20.23	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.71	0.00	7.71	23.98	0.2500	Complies
46	5230	12.95	0.00	12.95	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.82	0.00	7.82	23.98	0.2500	Complies
46	5230	12.94	0.00	12.94	23.98	0.2500	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.78	23.98	0.2500	Complies
46	5230	15.96	23.98	0.2500	Complies



Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.11	0.00	13.11	23.98	0.2500	Complies
40	5200	15.65	0.00	15.65	23.98	0.2500	Complies
48	5240	17.26	0.00	17.26	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.03	0.00	13.03	23.98	0.2500	Complies
40	5200	15.67	0.00	15.67	23.98	0.2500	Complies
48	5240	17.24	0.00	17.24	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	16.08	23.98	0.2500	Complies
40	5200	18.67	23.98	0.2500	Complies
48	5240	20.26	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.78	0.00	7.78	23.98	0.2500	Complies
46	5230	13.02	0.00	13.02	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.91	0.00	7.91	23.98	0.2500	Complies
46	5230	12.97	0.00	12.97	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.86	23.98	0.2500	Complies
46	5230	16.01	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.19	0.00	7.19	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.21	0.00	8.21	23.98	0.2500	Complies

Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	10.74	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	0	5.12	0.00	5.12	23.98	0.2500	Complies
		4	5.21	0.00	5.21	23.98	0.2500	Complies
		8	5.96	0.00	5.96	23.98	0.2500	Complies
40	5200	0	5.22	0.00	5.22	23.98	0.2500	Complies
		4	5.27	0.00	5.27	23.98	0.2500	Complies
		8	5.88	0.00	5.88	23.98	0.2500	Complies
48	5240	0	5.26	0.00	5.26	23.98	0.2500	Complies
		4	5.22	0.00	5.22	23.98	0.2500	Complies
		8	6.05	0.00	6.05	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	0	6.47	0.00	6.47	23.98	0.2500	Complies
		4	6.65	0.00	6.65	23.98	0.2500	Complies
		8	6.32	0.00	6.32	23.98	0.2500	Complies
40	5200	0	6.48	0.00	6.48	23.98	0.2500	Complies
		4	6.54	0.00	6.54	23.98	0.2500	Complies
		8	6.44	0.00	6.44	23.98	0.2500	Complies
48	5240	0	6.51	0.00	6.51	23.98	0.2500	Complies
		4	6.32	0.00	6.32	23.98	0.2500	Complies
		8	6.48	0.00	6.48	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	0	8.86	23.98	0.2500	Complies
		4	9.00	23.98	0.2500	Complies
		8	9.15	23.98	0.2500	Complies
40	5200	0	8.91	23.98	0.2500	Complies
		4	8.96	23.98	0.2500	Complies
		8	9.18	23.98	0.2500	Complies
48	5240	0	8.94	23.98	0.2500	Complies
		4	8.82	23.98	0.2500	Complies
		8	9.28	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	37	8.61	0.00	8.61	23.98	0.2500	Complies
		39	8.69	0.00	8.69	23.98	0.2500	Complies
		40	9.25	0.00	9.25	23.98	0.2500	Complies
40	5200	37	8.32	0.00	8.32	23.98	0.2500	Complies
		39	8.27	0.00	8.27	23.98	0.2500	Complies
		40	9.08	0.00	9.08	23.98	0.2500	Complies
48	5240	37	8.77	0.00	8.77	23.98	0.2500	Complies
		39	8.86	0.00	8.86	23.98	0.2500	Complies
		40	8.88	0.00	8.88	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	37	9.26	0.00	9.26	23.98	0.2500	Complies
		39	8.81	0.00	8.81	23.98	0.2500	Complies
		40	8.93	0.00	8.93	23.98	0.2500	Complies
40	5200	37	9.28	0.00	9.28	23.98	0.2500	Complies
		39	9.02	0.00	9.02	23.98	0.2500	Complies
		40	9.29	0.00	9.29	23.98	0.2500	Complies
48	5240	37	9.44	0.00	9.44	23.98	0.2500	Complies
		39	9.11	0.00	9.11	23.98	0.2500	Complies
		40	8.87	0.00	8.87	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	37	11.96	23.98	0.2500	Complies
		39	11.76	23.98	0.2500	Complies
		40	12.10	23.98	0.2500	Complies
40	5200	37	11.84	23.98	0.2500	Complies
		39	11.67	23.98	0.2500	Complies
		40	12.20	23.98	0.2500	Complies
48	5240	37	12.13	23.98	0.2500	Complies
		39	12.00	23.98	0.2500	Complies
		40	11.89	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	53	11.76	0.00	11.76	23.98	0.2500	Complies
		54	11.86	0.00	11.86	23.98	0.2500	Complies
40	5200	53	11.78	0.00	11.78	23.98	0.2500	Complies
		54	11.73	0.00	11.73	23.98	0.2500	Complies
48	5240	53	11.86	0.00	11.86	23.98	0.2500	Complies
		54	12.05	0.00	12.05	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	53	12.11	0.00	12.11	23.98	0.2500	Complies
		54	12.13	0.00	12.13	23.98	0.2500	Complies
40	5200	53	12.23	0.00	12.23	23.98	0.2500	Complies
		54	12.22	0.00	12.22	23.98	0.2500	Complies
48	5240	53	12.31	0.00	12.31	23.98	0.2500	Complies
		54	12.29	0.00	12.29	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	53	14.95	23.98	0.2500	Complies
		54	15.01	23.98	0.2500	Complies
40	5200	53	15.02	23.98	0.2500	Complies
		54	14.99	23.98	0.2500	Complies
48	5240	53	15.10	23.98	0.2500	Complies
		54	15.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	12.59	0.00	12.59	23.98	0.2500	Complies
40	5200	15.36	0.00	15.36	23.98	0.2500	Complies
48	5240	16.78	0.00	16.78	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	13.06	0.00	13.06	23.98	0.2500	Complies
40	5200	15.68	0.00	15.68	23.98	0.2500	Complies
48	5240	17.48	0.00	17.48	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
36	5180	15.84	23.98	0.2500	Complies
40	5200	18.53	23.98	0.2500	Complies
48	5240	20.15	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	0	5.34	0.00	5.34	23.98	0.2500	Complies
		9	5.18	0.00	5.18	23.98	0.2500	Complies
		17	6.18	0.00	6.18	23.98	0.2500	Complies
46	5230	0	5.24	0.00	5.24	23.98	0.2500	Complies
		9	5.33	0.00	5.33	23.98	0.2500	Complies
		17	5.27	0.00	5.27	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	0	6.44	0.00	6.44	23.98	0.2500	Complies
		9	6.35	0.00	6.35	23.98	0.2500	Complies
		17	6.34	0.00	6.34	23.98	0.2500	Complies
46	5230	0	6.22	0.00	6.22	23.98	0.2500	Complies
		9	6.12	0.00	6.12	23.98	0.2500	Complies
		17	6.18	0.00	6.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	0	8.94	23.98	0.2500	Complies
		9	8.81	23.98	0.2500	Complies
		17	9.27	23.98	0.2500	Complies
46	5230	0	8.77	23.98	0.2500	Complies
		9	8.75	23.98	0.2500	Complies
		17	8.76	23.98	0.2500	Complies



Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	37	9.06	0.00	9.06	23.98	0.2500	Complies
		41	8.68	0.00	8.68	23.98	0.2500	Complies
		44	9.02	0.00	9.02	23.98	0.2500	Complies
46	5230	37	9.01	0.00	9.01	23.98	0.2500	Complies
		41	8.82	0.00	8.82	23.98	0.2500	Complies
		44	9.05	0.00	9.05	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	37	9.25	0.00	9.25	23.98	0.2500	Complies
		41	9.19	0.00	9.19	23.98	0.2500	Complies
		44	8.62	0.00	8.62	23.98	0.2500	Complies
46	5230	37	9.22	0.00	9.22	23.98	0.2500	Complies
		41	9.23	0.00	9.23	23.98	0.2500	Complies
		44	8.72	0.00	8.72	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	37	12.17	23.98	0.2500	Complies
		41	11.95	23.98	0.2500	Complies
		44	11.83	23.98	0.2500	Complies
46	5230	37	12.13	23.98	0.2500	Complies
		41	12.04	23.98	0.2500	Complies
		44	11.90	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	53	12.04	0.00	12.04	23.98	0.2500	Complies
		55	11.94	0.00	11.94	23.98	0.2500	Complies
		56	12.14	0.00	12.14	23.98	0.2500	Complies
46	5230	53	12.15	0.00	12.15	23.98	0.2500	Complies
		55	12.18	0.00	12.18	23.98	0.2500	Complies
		56	12.23	0.00	12.23	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	53	12.32	0.00	12.32	23.98	0.2500	Complies
		55	12.27	0.00	12.27	23.98	0.2500	Complies
		56	12.23	0.00	12.23	23.98	0.2500	Complies
46	5230	53	12.26	0.00	12.26	23.98	0.2500	Complies
		55	12.16	0.00	12.16	23.98	0.2500	Complies
		56	12.25	0.00	12.25	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	53	15.19	23.98	0.2500	Complies
		55	15.12	23.98	0.2500	Complies
		56	15.20	23.98	0.2500	Complies
46	5230	53	15.22	23.98	0.2500	Complies
		55	15.18	23.98	0.2500	Complies
		56	15.25	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	61	11.96	0.00	11.96	23.98	0.2500	Complies
		62	11.97	0.00	11.97	23.98	0.2500	Complies
46	5230	61	12.13	0.00	12.13	23.98	0.2500	Complies
		62	12.18	0.00	12.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	61	12.25	0.00	12.25	23.98	0.2500	Complies
		62	12.22	0.00	12.22	23.98	0.2500	Complies
46	5230	61	12.21	0.00	12.21	23.98	0.2500	Complies
		62	12.31	0.00	12.31	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	61	15.12	23.98	0.2500	Complies
		62	15.11	23.98	0.2500	Complies
46	5230	61	15.18	23.98	0.2500	Complies
		62	15.26	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	7.64	0.00	7.64	23.98	0.2500	Complies
46	5230	12.85	0.00	12.85	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	8.15	0.00	8.15	23.98	0.2500	Complies
46	5230	13.37	0.00	13.37	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE40) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
38	5190	10.91	23.98	0.2500	Complies
46	5230	16.13	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	0	6.15	0.00	6.15	23.98	0.2500	Complies
		18	5.89	0.00	5.89	23.98	0.2500	Complies
		36	5.82	0.00	5.82	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	0	6.14	0.00	6.14	23.98	0.2500	Complies
		18	6.08	0.00	6.08	23.98	0.2500	Complies
		36	6.31	0.00	6.31	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	0	9.16	23.98	0.2500	Complies
		18	9.00	23.98	0.2500	Complies
		36	9.08	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	37	9.12	0.00	9.12	23.98	0.2500	Complies
		45	9.14	0.00	9.14	23.98	0.2500	Complies
		52	9.30	0.00	9.30	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	37	9.29	0.00	9.29	23.98	0.2500	Complies
		45	8.88	0.00	8.88	23.98	0.2500	Complies
		52	9.32	0.00	9.32	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	37	12.22	23.98	0.2500	Complies
		45	12.02	23.98	0.2500	Complies
		52	12.32	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	53	12.16	0.00	12.16	23.98	0.2500	Complies
		57	12.26	0.00	12.26	23.98	0.2500	Complies
		60	12.32	0.00	12.32	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	53	12.25	0.00	12.25	23.98	0.2500	Complies
		57	11.98	0.00	11.98	23.98	0.2500	Complies
		60	12.18	0.00	12.18	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	53	15.22	23.98	0.2500	Complies
		57	15.13	23.98	0.2500	Complies
		60	15.26	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	61	12.35	0.00	12.35	23.98	0.2500	Complies
		63	12.18	0.00	12.18	23.98	0.2500	Complies
		64	12.34	0.00	12.34	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	61	12.15	0.00	12.15	23.98	0.2500	Complies
		63	12.14	0.00	12.14	23.98	0.2500	Complies
		64	12.22	0.00	12.22	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	61	15.26	23.98	0.2500	Complies
		63	15.17	23.98	0.2500	Complies
		64	15.29	23.98	0.2500	Complies



Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	65	13.05	0.00	13.05	23.98	0.2500	Complies
		66	13.13	0.00	13.13	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	65	12.98	0.00	12.98	23.98	0.2500	Complies
		66	12.85	0.00	12.85	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	65	16.03	23.98	0.2500	Complies
		66	16.00	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 1
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	7.44	0.00	7.44	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Ant. 2
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	8.51	0.00	8.51	23.98	0.2500	Complies

Test Mode	UNII-1_TX AX(HE80) Mode_Total
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
42	5210	11.02	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.96	0.00	16.96	23.98	0.2500	Complies
56	5280	17.06	0.00	17.06	23.98	0.2500	Complies
60	5300	15.05	0.00	15.05	23.98	0.2500	Complies
64	5320	13.32	0.00	13.32	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.95	0.00	16.95	23.98	0.2500	Complies
56	5280	16.99	0.00	16.99	23.98	0.2500	Complies
60	5300	14.93	0.00	14.93	23.98	0.2500	Complies
64	5320	13.24	0.00	13.24	23.98	0.2500	Complies

Test Mode	UNII-2A_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	19.97	23.98	0.2500	Complies
56	5280	20.04	23.98	0.2500	Complies
60	5300	18.00	23.98	0.2500	Complies
64	5320	16.29	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.15	0.00	17.15	23.98	0.2500	Complies
56	5280	17.23	0.00	17.23	23.98	0.2500	Complies
60	5300	15.83	0.00	15.83	23.98	0.2500	Complies
64	5320	13.17	0.00	13.17	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.16	0.00	17.16	23.98	0.2500	Complies
56	5280	17.25	0.00	17.25	23.98	0.2500	Complies
60	5300	15.62	0.00	15.62	23.98	0.2500	Complies
64	5320	12.98	0.00	12.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.17	23.98	0.2500	Complies
56	5280	20.25	23.98	0.2500	Complies
60	5300	18.74	23.98	0.2500	Complies
64	5320	16.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.15	0.00	13.15	23.98	0.2500	Complies
62	5310	11.08	0.00	11.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	12.92	0.00	12.92	23.98	0.2500	Complies
62	5310	10.97	0.00	10.97	23.98	0.2500	Complies

Test Mode	UNII-2A_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.05	23.98	0.2500	Complies
62	5310	14.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.19	0.00	17.19	23.98	0.2500	Complies
56	5280	17.12	0.00	17.12	23.98	0.2500	Complies
60	5300	15.94	0.00	15.94	23.98	0.2500	Complies
64	5320	13.26	0.00	13.26	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.22	0.00	17.22	23.98	0.2500	Complies
56	5280	17.34	0.00	17.34	23.98	0.2500	Complies
60	5300	15.71	0.00	15.71	23.98	0.2500	Complies
64	5320	13.04	0.00	13.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.22	23.98	0.2500	Complies
56	5280	20.24	23.98	0.2500	Complies
60	5300	18.84	23.98	0.2500	Complies
64	5320	16.16	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.18	0.00	13.18	23.98	0.2500	Complies
62	5310	11.14	0.00	11.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.02	0.00	13.02	23.98	0.2500	Complies
62	5310	11.04	0.00	11.04	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.11	23.98	0.2500	Complies
62	5310	14.10	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	7.78	0.00	7.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.13	0.00	8.13	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	10.97	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	0	5.22	0.00	5.22	23.98	0.2500	Complies
		4	5.18	0.00	5.18	23.98	0.2500	Complies
		8	5.38	0.00	5.38	23.98	0.2500	Complies
60	5300	0	5.31	0.00	5.31	23.98	0.2500	Complies
		4	5.16	0.00	5.16	23.98	0.2500	Complies
		8	5.22	0.00	5.22	23.98	0.2500	Complies
64	5320	0	5.54	0.00	5.54	23.98	0.2500	Complies
		4	5.41	0.00	5.41	23.98	0.2500	Complies
		8	5.36	0.00	5.36	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	0	6.44	0.00	6.44	23.98	0.2500	Complies
		4	6.48	0.00	6.48	23.98	0.2500	Complies
		8	6.38	0.00	6.38	23.98	0.2500	Complies
60	5300	0	6.47	0.00	6.47	23.98	0.2500	Complies
		4	6.38	0.00	6.38	23.98	0.2500	Complies
		8	6.31	0.00	6.31	23.98	0.2500	Complies
64	5320	0	6.43	0.00	6.43	23.98	0.2500	Complies
		4	6.38	0.00	6.38	23.98	0.2500	Complies
		8	6.44	0.00	6.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	0	8.88	23.98	0.2500	Complies
		4	8.89	23.98	0.2500	Complies
		8	8.92	23.98	0.2500	Complies
60	5300	0	8.94	23.98	0.2500	Complies
		4	8.82	23.98	0.2500	Complies
		8	8.81	23.98	0.2500	Complies
64	5320	0	9.02	23.98	0.2500	Complies
		4	8.93	23.98	0.2500	Complies
		8	8.94	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	37	8.83	0.00	8.83	23.98	0.2500	Complies
		39	8.73	0.00	8.73	23.98	0.2500	Complies
		40	8.64	0.00	8.64	23.98	0.2500	Complies
60	5300	37	8.61	0.00	8.61	23.98	0.2500	Complies
		39	8.21	0.00	8.21	23.98	0.2500	Complies
		40	8.59	0.00	8.59	23.98	0.2500	Complies
64	5320	37	8.44	0.00	8.44	23.98	0.2500	Complies
		39	8.21	0.00	8.21	23.98	0.2500	Complies
		40	8.85	0.00	8.85	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	37	9.16	0.00	9.16	23.98	0.2500	Complies
		39	9.36	0.00	9.36	23.98	0.2500	Complies
		40	8.97	0.00	8.97	23.98	0.2500	Complies
60	5300	37	9.48	0.00	9.48	23.98	0.2500	Complies
		39	9.33	0.00	9.33	23.98	0.2500	Complies
		40	9.23	0.00	9.23	23.98	0.2500	Complies
64	5320	37	9.12	0.00	9.12	23.98	0.2500	Complies
		39	9.14	0.00	9.14	23.98	0.2500	Complies
		40	9.27	0.00	9.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	37	12.01	23.98	0.2500	Complies
		39	12.07	23.98	0.2500	Complies
		40	11.82	23.98	0.2500	Complies
60	5300	37	12.08	23.98	0.2500	Complies
		39	11.82	23.98	0.2500	Complies
		40	11.93	23.98	0.2500	Complies
64	5320	37	11.80	23.98	0.2500	Complies
		39	11.71	23.98	0.2500	Complies
		40	12.08	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	53	11.54	0.00	11.54	23.98	0.2500	Complies
		54	11.66	0.00	11.66	23.98	0.2500	Complies
60	5300	53	11.62	0.00	11.62	23.98	0.2500	Complies
		54	11.54	0.00	11.54	23.98	0.2500	Complies
64	5320	53	11.38	0.00	11.38	23.98	0.2500	Complies
		54	11.39	0.00	11.39	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	53	12.16	0.00	12.16	23.98	0.2500	Complies
		54	12.05	0.00	12.05	23.98	0.2500	Complies
60	5300	53	12.25	0.00	12.25	23.98	0.2500	Complies
		54	12.18	0.00	12.18	23.98	0.2500	Complies
64	5320	53	12.13	0.00	12.13	23.98	0.2500	Complies
		54	12.11	0.00	12.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	53	14.87	23.98	0.2500	Complies
		54	14.87	23.98	0.2500	Complies
60	5300	53	14.96	23.98	0.2500	Complies
		54	14.88	23.98	0.2500	Complies
64	5320	53	14.78	23.98	0.2500	Complies
		54	14.78	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	16.92	0.00	16.92	23.98	0.2500	Complies
56	5280	16.99	0.00	16.99	23.98	0.2500	Complies
60	5300	14.88	0.00	14.88	23.98	0.2500	Complies
64	5320	12.71	0.00	12.71	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	17.36	0.00	17.36	23.98	0.2500	Complies
56	5280	17.31	0.00	17.31	23.98	0.2500	Complies
60	5300	15.39	0.00	15.39	23.98	0.2500	Complies
64	5320	13.09	0.00	13.09	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE20) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
52	5260	20.16	23.98	0.2500	Complies
56	5280	20.16	23.98	0.2500	Complies
60	5300	18.15	23.98	0.2500	Complies
64	5320	15.91	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	0	5.49	0.00	5.49	23.98	0.2500	Complies
		9	5.28	0.00	5.28	23.98	0.2500	Complies
		17	6.06	0.00	6.06	23.98	0.2500	Complies
62	5310	0	5.44	0.00	5.44	23.98	0.2500	Complies
		9	5.52	0.00	5.52	23.98	0.2500	Complies
		17	5.56	0.00	5.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	0	6.44	0.00	6.44	23.98	0.2500	Complies
		9	6.41	0.00	6.41	23.98	0.2500	Complies
		17	6.37	0.00	6.37	23.98	0.2500	Complies
62	5310	0	6.23	0.00	6.23	23.98	0.2500	Complies
		9	6.31	0.00	6.31	23.98	0.2500	Complies
		17	6.35	0.00	6.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	0	9.00	23.98	0.2500	Complies
		9	8.89	23.98	0.2500	Complies
		17	9.23	23.98	0.2500	Complies
62	5310	0	8.86	23.98	0.2500	Complies
		9	8.94	23.98	0.2500	Complies
		17	8.98	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	37	9.11	0.00	9.11	23.98	0.2500	Complies
		41	8.46	0.00	8.46	23.98	0.2500	Complies
		44	9.12	0.00	9.12	23.98	0.2500	Complies
62	5310	37	8.62	0.00	8.62	23.98	0.2500	Complies
		41	8.22	0.00	8.22	23.98	0.2500	Complies
		44	9.06	0.00	9.06	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	37	9.35	0.00	9.35	23.98	0.2500	Complies
		41	9.41	0.00	9.41	23.98	0.2500	Complies
		44	8.86	0.00	8.86	23.98	0.2500	Complies
62	5310	37	9.31	0.00	9.31	23.98	0.2500	Complies
		41	9.18	0.00	9.18	23.98	0.2500	Complies
		44	9.33	0.00	9.33	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	37	12.24	23.98	0.2500	Complies
		41	11.97	23.98	0.2500	Complies
		44	12.00	23.98	0.2500	Complies
62	5310	37	11.99	23.98	0.2500	Complies
		41	11.74	23.98	0.2500	Complies
		44	12.21	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	53	11.89	0.00	11.89	23.98	0.2500	Complies
		55	11.73	0.00	11.73	23.98	0.2500	Complies
		56	11.69	0.00	11.69	23.98	0.2500	Complies
62	5310	53	11.77	0.00	11.77	23.98	0.2500	Complies
		55	11.38	0.00	11.38	23.98	0.2500	Complies
		56	11.44	0.00	11.44	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	53	12.08	0.00	12.08	23.98	0.2500	Complies
		55	11.88	0.00	11.88	23.98	0.2500	Complies
		56	12.03	0.00	12.03	23.98	0.2500	Complies
62	5310	53	12.23	0.00	12.23	23.98	0.2500	Complies
		55	12.22	0.00	12.22	23.98	0.2500	Complies
		56	12.25	0.00	12.25	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	53	15.00	23.98	0.2500	Complies
		55	14.82	23.98	0.2500	Complies
		56	14.87	23.98	0.2500	Complies
62	5310	53	15.02	23.98	0.2500	Complies
		55	14.83	23.98	0.2500	Complies
		56	14.87	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	61	11.68	0.00	11.68	23.98	0.2500	Complies
		62	11.62	0.00	11.62	23.98	0.2500	Complies
62	5310	61	11.55	0.00	11.55	23.98	0.2500	Complies
		62	11.41	0.00	11.41	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	61	11.88	0.00	11.88	23.98	0.2500	Complies
		62	11.99	0.00	11.99	23.98	0.2500	Complies
62	5310	61	12.23	0.00	12.23	23.98	0.2500	Complies
		62	12.27	0.00	12.27	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	61	14.79	23.98	0.2500	Complies
		62	14.82	23.98	0.2500	Complies
62	5310	61	14.91	23.98	0.2500	Complies
		62	14.87	23.98	0.2500	Complies



Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.01	0.00	13.01	23.98	0.2500	Complies
62	5310	10.92	0.00	10.92	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	13.30	0.00	13.30	23.98	0.2500	Complies
62	5310	11.11	0.00	11.11	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE40) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
54	5270	16.17	23.98	0.2500	Complies
62	5310	14.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	0	6.03	0.00	6.03	23.98	0.2500	Complies
		18	5.19	0.00	5.19	23.98	0.2500	Complies
		36	5.28	0.00	5.28	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	0	6.41	0.00	6.41	23.98	0.2500	Complies
		18	6.44	0.00	6.44	23.98	0.2500	Complies
		36	6.42	0.00	6.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	0	9.23	23.98	0.2500	Complies
		18	8.87	23.98	0.2500	Complies
		36	8.90	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	37	8.52	0.00	8.52	23.98	0.2500	Complies
		45	8.71	0.00	8.71	23.98	0.2500	Complies
		52	8.15	0.00	8.15	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	37	9.22	0.00	9.22	23.98	0.2500	Complies
		45	9.31	0.00	9.31	23.98	0.2500	Complies
		52	9.35	0.00	9.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	37	11.89	23.98	0.2500	Complies
		45	12.03	23.98	0.2500	Complies
		52	11.80	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	53	11.58	0.00	11.58	23.98	0.2500	Complies
		57	11.71	0.00	11.71	23.98	0.2500	Complies
		60	11.56	0.00	11.56	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	53	12.15	0.00	12.15	23.98	0.2500	Complies
		57	12.36	0.00	12.36	23.98	0.2500	Complies
		60	12.43	0.00	12.43	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	53	14.88	23.98	0.2500	Complies
		57	15.06	23.98	0.2500	Complies
		60	15.03	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	61	12.04	0.00	12.04	23.98	0.2500	Complies
		63	11.63	0.00	11.63	23.98	0.2500	Complies
		64	11.55	0.00	11.55	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	61	12.44	0.00	12.44	23.98	0.2500	Complies
		63	12.41	0.00	12.41	23.98	0.2500	Complies
		64	12.48	0.00	12.48	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	61	15.25	23.98	0.2500	Complies
		63	15.05	23.98	0.2500	Complies
		64	15.05	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	65	12.87	0.00	12.87	23.98	0.2500	Complies
		66	12.45	0.00	12.45	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	65	13.25	0.00	13.25	23.98	0.2500	Complies
		66	13.35	0.00	13.35	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	65	16.07	23.98	0.2500	Complies
		66	15.93	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 1
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.14	0.00	8.14	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Ant. 2
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	8.42	0.00	8.42	23.98	0.2500	Complies

Test Mode	UNII-2A_TX AX(HE80) Mode_Total
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
58	5290	11.29	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 1
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.12	0.00	7.12	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Ant. 2
-----------	--

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.38	0.00	7.38	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AC(VHT160) Mode_Total
-----------	---

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	10.26	23.98	0.2500	Complies



Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	0	5.84	0.00	5.84	23.98	0.2500	Complies
		36	6.05	0.00	6.05	23.98	0.2500	Complies
		36R	5.77	0.00	5.77	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	0	5.66	0.00	5.66	23.98	0.2500	Complies
		36	5.94	0.00	5.94	23.98	0.2500	Complies
		36R	6.18	0.00	6.18	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	0	8.76	23.98	0.2500	Complies
		36	9.01	23.98	0.2500	Complies
		36R	8.99	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	37	9.06	0.00	9.06	23.98	0.2500	Complies
		52	9.16	0.00	9.16	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	37	8.72	0.00	8.72	23.98	0.2500	Complies
		52	9.17	0.00	9.17	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	37	11.90	23.98	0.2500	Complies
		52	12.18	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	53	9.58	0.00	9.58	23.98	0.2500	Complies
		60	9.87	0.00	9.87	23.98	0.2500	Complies
		60R	9.66	0.00	9.66	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	53	9.92	0.00	9.92	23.98	0.2500	Complies
		60	10.24	0.00	10.24	23.98	0.2500	Complies
		60R	10.41	0.00	10.41	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	53	12.76	23.98	0.2500	Complies
		60	13.07	23.98	0.2500	Complies
		60R	13.06	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	61	10.32	0.00	10.32	23.98	0.2500	Complies
		64	9.81	0.00	9.81	23.98	0.2500	Complies
		64R	9.71	0.00	9.71	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	61	10.13	0.00	10.13	23.98	0.2500	Complies
		64	10.25	0.00	10.25	23.98	0.2500	Complies
		64R	10.42	0.00	10.42	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	61	13.24	23.98	0.2500	Complies
		64	13.05	23.98	0.2500	Complies
		64R	13.09	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	65	10.15	0.00	10.15	23.98	0.2500	Complies
		66R	10.41	0.00	10.41	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	65	10.36	0.00	10.36	23.98	0.2500	Complies
		66R	10.32	0.00	10.32	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	65	13.27	23.98	0.2500	Complies
		66R	13.38	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	67	9.84	0.00	9.84	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	67	10.19	0.00	10.19	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	67	13.03	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 1
RU Configuration	996*2 Tone(80+80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.07	0.00	7.07	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Ant. 2
RU Configuration	996*2 Tone(80+80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	7.59	0.00	7.59	23.98	0.2500	Complies

Test Mode	UNII-1+UNII-2A_TX AX(HE160) Mode_Total
RU Configuration	996*2 Tone(80+80M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
50	5250	10.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 1
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.35	0.00	13.35	23.98	0.2500	Complies
108	5540	17.09	0.00	17.09	23.98	0.2500	Complies
116	5580	17.15	0.00	17.15	23.98	0.2500	Complies
128	5640	17.09	0.00	17.09	23.98	0.2500	Complies
132	5660	15.41	0.00	15.41	23.98	0.2500	Complies
136	5680	13.44	0.00	13.44	23.98	0.2500	Complies
140	5700	12.44	0.00	12.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Ant. 2
-----------	--------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.11	0.00	13.11	23.98	0.2500	Complies
108	5540	16.59	0.00	16.59	23.98	0.2500	Complies
116	5580	16.45	0.00	16.45	23.98	0.2500	Complies
128	5640	16.48	0.00	16.48	23.98	0.2500	Complies
132	5660	14.63	0.00	14.63	23.98	0.2500	Complies
136	5680	12.85	0.00	12.85	23.98	0.2500	Complies
140	5700	11.97	0.00	11.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX A Mode_Total
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.24	23.98	0.2500	Complies
108	5540	19.86	23.98	0.2500	Complies
116	5580	19.82	23.98	0.2500	Complies
128	5640	19.81	23.98	0.2500	Complies
132	5660	18.05	23.98	0.2500	Complies
136	5680	16.17	23.98	0.2500	Complies
140	5700	15.22	23.98	0.2500	Complies



Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.08	0.00	13.08	23.98	0.2500	Complies
108	5540	17.32	0.00	17.32	23.98	0.2500	Complies
116	5580	17.88	0.00	17.88	23.98	0.2500	Complies
128	5640	17.89	0.00	17.89	23.98	0.2500	Complies
132	5660	17.73	0.00	17.73	23.98	0.2500	Complies
136	5680	13.35	0.00	13.35	23.98	0.2500	Complies
140	5700	12.29	0.00	12.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.85	0.00	12.85	23.98	0.2500	Complies
108	5540	17.34	0.00	17.34	23.98	0.2500	Complies
116	5580	17.26	0.00	17.26	23.98	0.2500	Complies
128	5640	17.28	0.00	17.28	23.98	0.2500	Complies
132	5660	17.05	0.00	17.05	23.98	0.2500	Complies
136	5680	12.84	0.00	12.84	23.98	0.2500	Complies
140	5700	12.04	0.00	12.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT20) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	15.98	23.98	0.2500	Complies
108	5540	20.34	23.98	0.2500	Complies
116	5580	20.59	23.98	0.2500	Complies
128	5640	20.61	23.98	0.2500	Complies
132	5660	20.41	23.98	0.2500	Complies
136	5680	16.11	23.98	0.2500	Complies
140	5700	15.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 1
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.44	0.00	11.44	23.98	0.2500	Complies
110	5550	16.99	0.00	16.99	23.98	0.2500	Complies
125	5625	13.49	0.00	13.49	23.98	0.2500	Complies
134	5670	11.55	0.00	11.55	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Ant. 2
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.11	0.00	11.11	23.98	0.2500	Complies
110	5550	16.62	0.00	16.62	23.98	0.2500	Complies
125	5625	13.29	0.00	13.29	23.98	0.2500	Complies
134	5670	11.14	0.00	11.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX N(HT40) Mode_Total
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.29	23.98	0.2500	Complies
110	5550	19.82	23.98	0.2500	Complies
125	5625	16.40	23.98	0.2500	Complies
134	5670	14.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.11	0.00	13.11	23.98	0.2500	Complies
108	5540	17.31	0.00	17.31	23.98	0.2500	Complies
116	5580	17.42	0.00	17.42	23.98	0.2500	Complies
128	5640	17.26	0.00	17.26	23.98	0.2500	Complies
132	5660	15.16	0.00	15.16	23.98	0.2500	Complies
136	5680	13.38	0.00	13.38	23.98	0.2500	Complies
140	5700	12.34	0.00	12.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	12.94	0.00	12.94	23.98	0.2500	Complies
108	5540	16.88	0.00	16.88	23.98	0.2500	Complies
116	5580	16.84	0.00	16.84	23.98	0.2500	Complies
128	5640	16.77	0.00	16.77	23.98	0.2500	Complies
132	5660	14.61	0.00	14.61	23.98	0.2500	Complies
136	5680	12.92	0.00	12.92	23.98	0.2500	Complies
140	5700	12.08	0.00	12.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT20) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.04	23.98	0.2500	Complies
108	5540	20.11	23.98	0.2500	Complies
116	5580	20.15	23.98	0.2500	Complies
128	5640	20.03	23.98	0.2500	Complies
132	5660	17.90	23.98	0.2500	Complies
136	5680	16.17	23.98	0.2500	Complies
140	5700	15.22	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.52	0.00	11.52	23.98	0.2500	Complies
110	5550	17.11	0.00	17.11	23.98	0.2500	Complies
125	5625	17.09	0.00	17.09	23.98	0.2500	Complies
134	5670	11.59	0.00	11.59	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.16	0.00	11.16	23.98	0.2500	Complies
110	5550	16.68	0.00	16.68	23.98	0.2500	Complies
125	5625	16.72	0.00	16.72	23.98	0.2500	Complies
134	5670	11.21	0.00	11.21	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT40) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.35	23.98	0.2500	Complies
110	5550	19.91	23.98	0.2500	Complies
125	5625	19.92	23.98	0.2500	Complies
134	5670	14.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 1
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.05	0.00	8.05	23.98	0.2500	Complies
122	5610	8.15	0.00	8.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Ant. 2
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.58	0.00	8.58	23.98	0.2500	Complies
122	5610	8.05	0.00	8.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT80) Mode_Total
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.33	23.98	0.2500	Complies
122	5610	11.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 1
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	7.44	0.00	7.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Ant. 2
-----------	-----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	8.05	0.00	8.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AC(VHT160) Mode_Total
-----------	----------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	10.77	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	0	5.26	0.00	5.26	23.98	0.2500	Complies
		4	5.54	0.00	5.54	23.98	0.2500	Complies
		8	5.75	0.00	5.75	23.98	0.2500	Complies
116	5580	0	5.44	0.00	5.44	23.98	0.2500	Complies
		4	5.83	0.00	5.83	23.98	0.2500	Complies
		8	6.21	0.00	6.21	23.98	0.2500	Complies
140	5700	0	5.62	0.00	5.62	23.98	0.2500	Complies
		4	5.81	0.00	5.81	23.98	0.2500	Complies
		8	5.33	0.00	5.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	0	6.33	0.00	6.33	23.98	0.2500	Complies
		4	6.17	0.00	6.17	23.98	0.2500	Complies
		8	6.32	0.00	6.32	23.98	0.2500	Complies
116	5580	0	6.38	0.00	6.38	23.98	0.2500	Complies
		4	6.05	0.00	6.05	23.98	0.2500	Complies
		8	6.32	0.00	6.32	23.98	0.2500	Complies
140	5700	0	5.96	0.00	5.96	23.98	0.2500	Complies
		4	6.02	0.00	6.02	23.98	0.2500	Complies
		8	6.26	0.00	6.26	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	0	8.84	23.98	0.2500	Complies
		4	8.88	23.98	0.2500	Complies
		8	9.05	23.98	0.2500	Complies
116	5580	0	8.95	23.98	0.2500	Complies
		4	8.95	23.98	0.2500	Complies
		8	9.28	23.98	0.2500	Complies
140	5700	0	8.80	23.98	0.2500	Complies
		4	8.93	23.98	0.2500	Complies
		8	8.83	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	37	8.23	0.00	8.23	23.98	0.2500	Complies
		39	8.15	0.00	8.15	23.98	0.2500	Complies
		40	9.12	0.00	9.12	23.98	0.2500	Complies
116	5580	37	8.45	0.00	8.45	23.98	0.2500	Complies
		39	8.12	0.00	8.12	23.98	0.2500	Complies
		40	8.87	0.00	8.87	23.98	0.2500	Complies
140	5700	37	8.48	0.00	8.48	23.98	0.2500	Complies
		39	8.26	0.00	8.26	23.98	0.2500	Complies
		40	8.31	0.00	8.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	37	9.39	0.00	9.39	23.98	0.2500	Complies
		39	9.11	0.00	9.11	23.98	0.2500	Complies
		40	9.33	0.00	9.33	23.98	0.2500	Complies
116	5580	37	9.44	0.00	9.44	23.98	0.2500	Complies
		39	9.35	0.00	9.35	23.98	0.2500	Complies
		40	9.18	0.00	9.18	23.98	0.2500	Complies
140	5700	37	9.23	0.00	9.23	23.98	0.2500	Complies
		39	9.19	0.00	9.19	23.98	0.2500	Complies
		40	9.44	0.00	9.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	37	11.86	23.98	0.2500	Complies
		39	11.67	23.98	0.2500	Complies
		40	12.24	23.98	0.2500	Complies
116	5580	37	11.98	23.98	0.2500	Complies
		39	11.79	23.98	0.2500	Complies
		40	12.04	23.98	0.2500	Complies
140	5700	37	11.88	23.98	0.2500	Complies
		39	11.76	23.98	0.2500	Complies
		40	11.92	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	53	11.46	0.00	11.46	23.98	0.2500	Complies
		54	11.72	0.00	11.72	23.98	0.2500	Complies
116	5580	53	11.05	0.00	11.05	23.98	0.2500	Complies
		54	11.21	0.00	11.21	23.98	0.2500	Complies
140	5700	53	11.17	0.00	11.17	23.98	0.2500	Complies
		54	11.19	0.00	11.19	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	53	12.38	0.00	12.38	23.98	0.2500	Complies
		54	12.44	0.00	12.44	23.98	0.2500	Complies
116	5580	53	12.21	0.00	12.21	23.98	0.2500	Complies
		54	12.25	0.00	12.25	23.98	0.2500	Complies
140	5700	53	12.31	0.00	12.31	23.98	0.2500	Complies
		54	12.39	0.00	12.39	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	53	14.95	23.98	0.2500	Complies
		54	15.11	23.98	0.2500	Complies
116	5580	53	14.68	23.98	0.2500	Complies
		54	14.77	23.98	0.2500	Complies
140	5700	53	14.79	23.98	0.2500	Complies
		54	14.84	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.06	0.00	13.06	23.98	0.2500	Complies
108	5540	16.99	0.00	16.99	23.98	0.2500	Complies
116	5580	16.92	0.00	16.92	23.98	0.2500	Complies
128	5640	16.95	0.00	16.95	23.98	0.2500	Complies
132	5660	15.32	0.00	15.32	23.98	0.2500	Complies
136	5680	13.24	0.00	13.24	23.98	0.2500	Complies
140	5700	12.27	0.00	12.27	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	13.55	0.00	13.55	23.98	0.2500	Complies
108	5540	17.01	0.00	17.01	23.98	0.2500	Complies
116	5580	17.02	0.00	17.02	23.98	0.2500	Complies
128	5640	17.10	0.00	17.10	23.98	0.2500	Complies
132	5660	15.14	0.00	15.14	23.98	0.2500	Complies
136	5680	13.26	0.00	13.26	23.98	0.2500	Complies
140	5700	12.42	0.00	12.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE20) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
100	5500	16.32	23.98	0.2500	Complies
108	5540	20.01	23.98	0.2500	Complies
116	5580	19.98	23.98	0.2500	Complies
128	5640	20.04	23.98	0.2500	Complies
132	5660	18.24	23.98	0.2500	Complies
136	5680	16.26	23.98	0.2500	Complies
140	5700	15.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	0	5.54	0.00	5.54	23.98	0.2500	Complies
		9	5.38	0.00	5.38	23.98	0.2500	Complies
		17	5.94	0.00	5.94	23.98	0.2500	Complies
110	5550	0	5.24	0.00	5.24	23.98	0.2500	Complies
		9	5.48	0.00	5.48	23.98	0.2500	Complies
		17	5.76	0.00	5.76	23.98	0.2500	Complies
134	5670	0	5.75	0.00	5.75	23.98	0.2500	Complies
		9	5.83	0.00	5.83	23.98	0.2500	Complies
		17	5.54	0.00	5.54	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	0	6.29	0.00	6.29	23.98	0.2500	Complies
		9	6.19	0.00	6.19	23.98	0.2500	Complies
		17	6.08	0.00	6.08	23.98	0.2500	Complies
110	5550	0	6.38	0.00	6.38	23.98	0.2500	Complies
		9	6.23	0.00	6.23	23.98	0.2500	Complies
		17	6.29	0.00	6.29	23.98	0.2500	Complies
134	5670	0	6.44	0.00	6.44	23.98	0.2500	Complies
		9	6.32	0.00	6.32	23.98	0.2500	Complies
		17	6.29	0.00	6.29	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	0	8.94	23.98	0.2500	Complies
		9	8.81	23.98	0.2500	Complies
		17	9.02	23.98	0.2500	Complies
110	5550	0	8.86	23.98	0.2500	Complies
		9	8.88	23.98	0.2500	Complies
		17	9.04	23.98	0.2500	Complies
134	5670	0	9.12	23.98	0.2500	Complies
		9	9.09	23.98	0.2500	Complies
		17	8.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	37	8.54	0.00	8.54	23.98	0.2500	Complies
		41	8.44	0.00	8.44	23.98	0.2500	Complies
		44	8.99	0.00	8.99	23.98	0.2500	Complies
110	5550	37	8.75	0.00	8.75	23.98	0.2500	Complies
		41	8.79	0.00	8.79	23.98	0.2500	Complies
		44	8.95	0.00	8.95	23.98	0.2500	Complies
134	5670	37	8.56	0.00	8.56	23.98	0.2500	Complies
		41	8.35	0.00	8.35	23.98	0.2500	Complies
		44	8.12	0.00	8.12	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	37	9.32	0.00	9.32	23.98	0.2500	Complies
		41	9.35	0.00	9.35	23.98	0.2500	Complies
		44	9.28	0.00	9.28	23.98	0.2500	Complies
110	5550	37	9.44	0.00	9.44	23.98	0.2500	Complies
		41	9.38	0.00	9.38	23.98	0.2500	Complies
		44	9.44	0.00	9.44	23.98	0.2500	Complies
134	5670	37	9.18	0.00	9.18	23.98	0.2500	Complies
		41	8.93	0.00	8.93	23.98	0.2500	Complies
		44	9.33	0.00	9.33	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	37	11.96	23.98	0.2500	Complies
		41	11.93	23.98	0.2500	Complies
		44	12.15	23.98	0.2500	Complies
110	5550	37	12.12	23.98	0.2500	Complies
		41	12.11	23.98	0.2500	Complies
		44	12.21	23.98	0.2500	Complies
134	5670	37	11.89	23.98	0.2500	Complies
		41	11.66	23.98	0.2500	Complies
		44	11.78	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	53	11.14	0.00	11.14	23.98	0.2500	Complies
		55	11.22	0.00	11.22	23.98	0.2500	Complies
		56	11.52	0.00	11.52	23.98	0.2500	Complies
110	5550	53	11.58	0.00	11.58	23.98	0.2500	Complies
		55	11.34	0.00	11.34	23.98	0.2500	Complies
		56	11.39	0.00	11.39	23.98	0.2500	Complies
134	5670	53	11.44	0.00	11.44	23.98	0.2500	Complies
		55	11.11	0.00	11.11	23.98	0.2500	Complies
		56	11.04	0.00	11.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	53	12.15	0.00	12.15	23.98	0.2500	Complies
		55	12.05	0.00	12.05	23.98	0.2500	Complies
		56	12.23	0.00	12.23	23.98	0.2500	Complies
110	5550	53	12.18	0.00	12.18	23.98	0.2500	Complies
		55	12.04	0.00	12.04	23.98	0.2500	Complies
		56	12.26	0.00	12.26	23.98	0.2500	Complies
134	5670	53	12.25	0.00	12.25	23.98	0.2500	Complies
		55	12.08	0.00	12.08	23.98	0.2500	Complies
		56	12.36	0.00	12.36	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	53	14.68	23.98	0.2500	Complies
		55	14.67	23.98	0.2500	Complies
		56	14.90	23.98	0.2500	Complies
110	5550	53	14.90	23.98	0.2500	Complies
		55	14.71	23.98	0.2500	Complies
		56	14.86	23.98	0.2500	Complies
134	5670	53	14.87	23.98	0.2500	Complies
		55	14.63	23.98	0.2500	Complies
		56	14.76	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	61	11.26	0.00	11.26	23.98	0.2500	Complies
		62	11.38	0.00	11.38	23.98	0.2500	Complies
110	5550	61	11.48	0.00	11.48	23.98	0.2500	Complies
		62	11.45	0.00	11.45	23.98	0.2500	Complies
134	5670	61	11.38	0.00	11.38	23.98	0.2500	Complies
		62	11.11	0.00	11.11	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	61	12.09	0.00	12.09	23.98	0.2500	Complies
		62	12.07	0.00	12.07	23.98	0.2500	Complies
110	5550	61	12.12	0.00	12.12	23.98	0.2500	Complies
		62	12.17	0.00	12.17	23.98	0.2500	Complies
134	5670	61	12.19	0.00	12.19	23.98	0.2500	Complies
		62	12.08	0.00	12.08	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	61	14.71	23.98	0.2500	Complies
		62	14.75	23.98	0.2500	Complies
110	5550	61	14.82	23.98	0.2500	Complies
		62	14.84	23.98	0.2500	Complies
134	5670	61	14.81	23.98	0.2500	Complies
		62	14.63	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	10.86	0.00	10.86	23.98	0.2500	Complies
110	5550	15.86	0.00	15.86	23.98	0.2500	Complies
125	5625	16.89	0.00	16.89	23.98	0.2500	Complies
134	5670	11.13	0.00	11.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	11.17	0.00	11.17	23.98	0.2500	Complies
110	5550	16.21	0.00	16.21	23.98	0.2500	Complies
125	5625	17.23	0.00	17.23	23.98	0.2500	Complies
134	5670	11.03	0.00	11.03	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE40) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
102	5510	14.03	23.98	0.2500	Complies
110	5550	19.05	23.98	0.2500	Complies
125	5625	20.07	23.98	0.2500	Complies
134	5670	14.09	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	0	5.32	0.00	5.32	23.98	0.2500	Complies
		18	5.41	0.00	5.41	23.98	0.2500	Complies
		36	5.12	0.00	5.12	23.98	0.2500	Complies
122	5610	0	5.11	0.00	5.11	23.98	0.2500	Complies
		18	5.89	0.00	5.89	23.98	0.2500	Complies
		36	5.71	0.00	5.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	0	6.26	0.00	6.26	23.98	0.2500	Complies
		18	6.07	0.00	6.07	23.98	0.2500	Complies
		36	5.99	0.00	5.99	23.98	0.2500	Complies
122	5610	0	6.06	0.00	6.06	23.98	0.2500	Complies
		18	6.16	0.00	6.16	23.98	0.2500	Complies
		36	6.13	0.00	6.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	0	8.83	23.98	0.2500	Complies
		18	8.76	23.98	0.2500	Complies
		36	8.59	23.98	0.2500	Complies
122	5610	0	8.62	23.98	0.2500	Complies
		18	9.04	23.98	0.2500	Complies
		36	8.94	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	37	8.52	0.00	8.52	23.98	0.2500	Complies
		45	8.22	0.00	8.22	23.98	0.2500	Complies
		52	9.03	0.00	9.03	23.98	0.2500	Complies
122	5610	37	8.87	0.00	8.87	23.98	0.2500	Complies
		45	8.25	0.00	8.25	23.98	0.2500	Complies
		52	9.23	0.00	9.23	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	37	9.24	0.00	9.24	23.98	0.2500	Complies
		45	8.96	0.00	8.96	23.98	0.2500	Complies
		52	9.14	0.00	9.14	23.98	0.2500	Complies
122	5610	37	9.25	0.00	9.25	23.98	0.2500	Complies
		45	9.36	0.00	9.36	23.98	0.2500	Complies
		52	9.04	0.00	9.04	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	37	11.91	23.98	0.2500	Complies
		45	11.62	23.98	0.2500	Complies
		52	12.10	23.98	0.2500	Complies
122	5610	37	12.07	23.98	0.2500	Complies
		45	11.85	23.98	0.2500	Complies
		52	12.15	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	53	11.15	0.00	11.15	23.98	0.2500	Complies
		57	11.57	0.00	11.57	23.98	0.2500	Complies
		60	11.63	0.00	11.63	23.98	0.2500	Complies
122	5610	53	11.18	0.00	11.18	23.98	0.2500	Complies
		57	11.22	0.00	11.22	23.98	0.2500	Complies
		60	11.46	0.00	11.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	53	12.16	0.00	12.16	23.98	0.2500	Complies
		57	12.03	0.00	12.03	23.98	0.2500	Complies
		60	12.22	0.00	12.22	23.98	0.2500	Complies
122	5610	53	12.25	0.00	12.25	23.98	0.2500	Complies
		57	12.02	0.00	12.02	23.98	0.2500	Complies
		60	12.14	0.00	12.14	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	53	14.69	23.98	0.2500	Complies
		57	14.82	23.98	0.2500	Complies
		60	14.95	23.98	0.2500	Complies
122	5610	53	14.76	23.98	0.2500	Complies
		57	14.65	23.98	0.2500	Complies
		60	14.82	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	61	11.24	0.00	11.24	23.98	0.2500	Complies
		63	11.51	0.00	11.51	23.98	0.2500	Complies
		64	11.63	0.00	11.63	23.98	0.2500	Complies
122	5610	61	11.06	0.00	11.06	23.98	0.2500	Complies
		63	11.26	0.00	11.26	23.98	0.2500	Complies
		64	11.53	0.00	11.53	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	61	12.09	0.00	12.09	23.98	0.2500	Complies
		63	12.16	0.00	12.16	23.98	0.2500	Complies
		64	12.17	0.00	12.17	23.98	0.2500	Complies
122	5610	61	12.25	0.00	12.25	23.98	0.2500	Complies
		63	12.14	0.00	12.14	23.98	0.2500	Complies
		64	12.17	0.00	12.17	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	61	14.70	23.98	0.2500	Complies
		63	14.86	23.98	0.2500	Complies
		64	14.92	23.98	0.2500	Complies
122	5610	61	14.71	23.98	0.2500	Complies
		63	14.73	23.98	0.2500	Complies
		64	14.87	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	65	12.11	0.00	12.11	23.98	0.2500	Complies
		66	12.32	0.00	12.32	23.98	0.2500	Complies
122	5610	65	12.15	0.00	12.15	23.98	0.2500	Complies
		66	12.31	0.00	12.31	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	65	13.02	0.00	13.02	23.98	0.2500	Complies
		66	12.88	0.00	12.88	23.98	0.2500	Complies
122	5610	65	13.19	0.00	13.19	23.98	0.2500	Complies
		66	13.05	0.00	13.05	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	65	15.60	23.98	0.2500	Complies
		66	15.62	23.98	0.2500	Complies
122	5610	65	15.71	23.98	0.2500	Complies
		66	15.71	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 1
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	7.86	0.00	7.86	23.98	0.2500	Complies
122	5610	7.96	0.00	7.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Ant. 2
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	8.51	0.00	8.51	23.98	0.2500	Complies
122	5610	7.95	0.00	7.95	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE80) Mode_Total
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
106	5530	11.21	23.98	0.2500	Complies
122	5610	10.97	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	0	5.22	0.00	5.22	23.98	0.2500	Complies
		36	5.82	0.00	5.82	23.98	0.2500	Complies
		36R	5.18	0.00	5.18	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	0	6.38	0.00	6.38	23.98	0.2500	Complies
		36	5.95	0.00	5.95	23.98	0.2500	Complies
		36R	6.35	0.00	6.35	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	0	8.85	23.98	0.2500	Complies
		36	8.90	23.98	0.2500	Complies
		36R	8.81	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	37	8.58	0.00	8.58	23.98	0.2500	Complies
		52	8.42	0.00	8.42	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	37	9.42	0.00	9.42	23.98	0.2500	Complies
		52	9.38	0.00	9.38	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	37	12.03	23.98	0.2500	Complies
		52	11.94	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	53	9.44	0.00	9.44	23.98	0.2500	Complies
		60	9.38	0.00	9.38	23.98	0.2500	Complies
		60R	9.34	0.00	9.34	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	53	10.42	0.00	10.42	23.98	0.2500	Complies
		60	10.09	0.00	10.09	23.98	0.2500	Complies
		60R	10.46	0.00	10.46	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	53	12.97	23.98	0.2500	Complies
		60	12.76	23.98	0.2500	Complies
		60R	12.95	23.98	0.2500	Complies



Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	61	9.51	0.00	9.51	23.98	0.2500	Complies
		64	9.45	0.00	9.45	23.98	0.2500	Complies
		64R	9.44	0.00	9.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	61	10.36	0.00	10.36	23.98	0.2500	Complies
		64	10.21	0.00	10.21	23.98	0.2500	Complies
		64R	10.41	0.00	10.41	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	61	12.97	23.98	0.2500	Complies
		64	12.86	23.98	0.2500	Complies
		64R	12.96	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	65	9.51	0.00	9.51	23.98	0.2500	Complies
		66R	9.37	0.00	9.37	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	65	10.34	0.00	10.34	23.98	0.2500	Complies
		66R	10.28	0.00	10.28	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	65	12.96	23.98	0.2500	Complies
		66R	12.86	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	67	9.32	0.00	9.32	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	67	10.07	0.00	10.07	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	67	12.72	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 1
RU Configuration	996*2 Tone(80+80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	7.44	0.00	7.44	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Ant. 2
RU Configuration	996*2 Tone(80+80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	8.13	0.00	8.13	23.98	0.2500	Complies

Test Mode	UNII-2C_TX AX(HE160) Mode_Total
RU Configuration	996*2 Tone(80+80M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
114	5570	10.81	23.98	0.2500	Complies

Test Mode	UNII-3_TX A Mode_Ant. 1
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.42	0.00	13.42	30.00	1.0000	Complies
153	5765	16.93	0.00	16.93	30.00	1.0000	Complies
157	5785	17.02	0.00	17.02	30.00	1.0000	Complies
161	5805	17.12	0.00	17.12	30.00	1.0000	Complies
165	5825	13.24	0.00	13.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Ant. 2
-----------	-------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.12	0.00	13.12	30.00	1.0000	Complies
153	5765	16.49	0.00	16.49	30.00	1.0000	Complies
157	5785	16.62	0.00	16.62	30.00	1.0000	Complies
161	5805	16.67	0.00	16.67	30.00	1.0000	Complies
165	5825	12.52	0.00	12.52	30.00	1.0000	Complies

Test Mode	UNII-3_TX A Mode_Total
-----------	------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.28	30.00	1.0000	Complies
153	5765	19.73	30.00	1.0000	Complies
157	5785	19.83	30.00	1.0000	Complies
161	5805	19.91	30.00	1.0000	Complies
165	5825	15.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.33	0.00	13.33	30.00	1.0000	Complies
153	5765	17.69	0.00	17.69	30.00	1.0000	Complies
157	5785	17.88	0.00	17.88	30.00	1.0000	Complies
161	5805	17.82	0.00	17.82	30.00	1.0000	Complies
165	5825	13.51	0.00	13.51	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.92	0.00	12.92	30.00	1.0000	Complies
153	5765	17.43	0.00	17.43	30.00	1.0000	Complies
157	5785	17.54	0.00	17.54	30.00	1.0000	Complies
161	5805	17.55	0.00	17.55	30.00	1.0000	Complies
165	5825	12.94	0.00	12.94	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.14	30.00	1.0000	Complies
153	5765	20.57	30.00	1.0000	Complies
157	5785	20.72	30.00	1.0000	Complies
161	5805	20.70	30.00	1.0000	Complies
165	5825	16.24	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.54	0.00	13.54	30.00	1.0000	Complies
159	5795	13.32	0.00	13.32	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.05	0.00	13.05	30.00	1.0000	Complies
159	5795	13.22	0.00	13.22	30.00	1.0000	Complies

Test Mode	UNII-3_TX N(HT40) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.31	30.00	1.0000	Complies
159	5795	16.28	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.37	0.00	13.37	30.00	1.0000	Complies
153	5765	17.35	0.00	17.35	30.00	1.0000	Complies
157	5785	17.43	0.00	17.43	30.00	1.0000	Complies
161	5805	17.44	0.00	17.44	30.00	1.0000	Complies
165	5825	13.55	0.00	13.55	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	12.98	0.00	12.98	30.00	1.0000	Complies
153	5765	17.02	0.00	17.02	30.00	1.0000	Complies
157	5785	17.11	0.00	17.11	30.00	1.0000	Complies
161	5805	17.09	0.00	17.09	30.00	1.0000	Complies
165	5825	12.99	0.00	12.99	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT20) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.19	30.00	1.0000	Complies
153	5765	20.20	30.00	1.0000	Complies
157	5785	20.28	30.00	1.0000	Complies
161	5805	20.28	30.00	1.0000	Complies
165	5825	16.29	30.00	1.0000	Complies



Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.58	0.00	13.58	30.00	1.0000	Complies
159	5795	13.37	0.00	13.37	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.11	0.00	13.11	30.00	1.0000	Complies
159	5795	13.26	0.00	13.26	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.36	30.00	1.0000	Complies
159	5795	16.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.07	0.00	10.07	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.33	0.00	10.33	30.00	1.0000	Complies

Test Mode	UNII-3_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.21	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	0	6.13	0.00	6.13	23.98	0.2500	Complies
		4	5.26	0.00	5.26	23.98	0.2500	Complies
		8	5.21	0.00	5.21	23.98	0.2500	Complies
157	5785	0	5.31	0.00	5.31	23.98	0.2500	Complies
		4	5.48	0.00	5.48	23.98	0.2500	Complies
		8	5.61	0.00	5.61	23.98	0.2500	Complies
165	5825	0	5.22	0.00	5.22	23.98	0.2500	Complies
		4	5.32	0.00	5.32	23.98	0.2500	Complies
		8	5.11	0.00	5.11	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	0	6.44	0.00	6.44	23.98	0.2500	Complies
		4	6.24	0.00	6.24	23.98	0.2500	Complies
		8	6.54	0.00	6.54	23.98	0.2500	Complies
157	5785	0	6.19	0.00	6.19	23.98	0.2500	Complies
		4	6.32	0.00	6.32	23.98	0.2500	Complies
		8	6.44	0.00	6.44	23.98	0.2500	Complies
165	5825	0	6.35	0.00	6.35	23.98	0.2500	Complies
		4	6.31	0.00	6.31	23.98	0.2500	Complies
		8	6.34	0.00	6.34	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	0	9.30	23.98	0.2500	Complies
		4	8.79	23.98	0.2500	Complies
		8	8.94	23.98	0.2500	Complies
157	5785	0	8.78	23.98	0.2500	Complies
		4	8.93	23.98	0.2500	Complies
		8	9.06	23.98	0.2500	Complies
165	5825	0	8.83	23.98	0.2500	Complies
		4	8.85	23.98	0.2500	Complies
		8	8.78	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	37	8.48	0.00	8.48	23.98	0.2500	Complies
		39	8.52	0.00	8.52	23.98	0.2500	Complies
		40	8.22	0.00	8.22	23.98	0.2500	Complies
157	5785	37	8.75	0.00	8.75	23.98	0.2500	Complies
		39	8.27	0.00	8.27	23.98	0.2500	Complies
		40	8.18	0.00	8.18	23.98	0.2500	Complies
165	5825	37	8.41	0.00	8.41	23.98	0.2500	Complies
		39	8.23	0.00	8.23	23.98	0.2500	Complies
		40	8.15	0.00	8.15	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	37	9.17	0.00	9.17	23.98	0.2500	Complies
		39	9.44	0.00	9.44	23.98	0.2500	Complies
		40	9.54	0.00	9.54	23.98	0.2500	Complies
157	5785	37	9.44	0.00	9.44	23.98	0.2500	Complies
		39	9.28	0.00	9.28	23.98	0.2500	Complies
		40	9.39	0.00	9.39	23.98	0.2500	Complies
165	5825	37	9.44	0.00	9.44	23.98	0.2500	Complies
		39	9.37	0.00	9.37	23.98	0.2500	Complies
		40	9.51	0.00	9.51	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	37	11.85	23.98	0.2500	Complies
		39	12.01	23.98	0.2500	Complies
		40	11.94	23.98	0.2500	Complies
157	5785	37	12.12	23.98	0.2500	Complies
		39	11.81	23.98	0.2500	Complies
		40	11.84	23.98	0.2500	Complies
165	5825	37	11.97	23.98	0.2500	Complies
		39	11.85	23.98	0.2500	Complies
		40	11.89	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	53	8.33	0.00	8.33	23.98	0.2500	Complies
		54	8.22	0.00	8.22	23.98	0.2500	Complies
157	5785	53	8.32	0.00	8.32	23.98	0.2500	Complies
		54	8.18	0.00	8.18	23.98	0.2500	Complies
165	5825	53	8.48	0.00	8.48	23.98	0.2500	Complies
		54	8.37	0.00	8.37	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	53	9.26	0.00	9.26	23.98	0.2500	Complies
		54	9.35	0.00	9.35	23.98	0.2500	Complies
157	5785	53	9.32	0.00	9.32	23.98	0.2500	Complies
		54	9.39	0.00	9.39	23.98	0.2500	Complies
165	5825	53	9.26	0.00	9.26	23.98	0.2500	Complies
		54	9.42	0.00	9.42	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	53	11.83	23.98	0.2500	Complies
		54	11.83	23.98	0.2500	Complies
157	5785	53	11.86	23.98	0.2500	Complies
		54	11.84	23.98	0.2500	Complies
165	5825	53	11.90	23.98	0.2500	Complies
		54	11.94	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.26	0.00	13.26	30.00	1.0000	Complies
153	5765	16.80	0.00	16.80	30.00	1.0000	Complies
157	5785	16.81	0.00	16.81	30.00	1.0000	Complies
161	5805	16.84	0.00	16.84	30.00	1.0000	Complies
165	5825	13.44	0.00	13.44	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	13.42	0.00	13.42	30.00	1.0000	Complies
153	5765	17.03	0.00	17.03	30.00	1.0000	Complies
157	5785	17.04	0.00	17.04	30.00	1.0000	Complies
161	5805	17.10	0.00	17.10	30.00	1.0000	Complies
165	5825	13.43	0.00	13.43	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE20) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
149	5745	16.35	30.00	1.0000	Complies
153	5765	19.93	30.00	1.0000	Complies
157	5785	19.94	30.00	1.0000	Complies
161	5805	19.98	30.00	1.0000	Complies
165	5825	16.45	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	0	5.91	0.00	5.91	23.98	0.2500	Complies
		9	5.55	0.00	5.55	23.98	0.2500	Complies
		17	5.12	0.00	5.12	23.98	0.2500	Complies
159	5795	0	6.03	0.00	6.03	23.98	0.2500	Complies
		9	5.74	0.00	5.74	23.98	0.2500	Complies
		17	5.22	0.00	5.22	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	0	6.33	0.00	6.33	23.98	0.2500	Complies
		9	6.23	0.00	6.23	23.98	0.2500	Complies
		17	6.52	0.00	6.52	23.98	0.2500	Complies
159	5795	0	6.35	0.00	6.35	23.98	0.2500	Complies
		9	6.25	0.00	6.25	23.98	0.2500	Complies
		17	6.37	0.00	6.37	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	0	9.14	23.98	0.2500	Complies
		9	8.91	23.98	0.2500	Complies
		17	8.89	23.98	0.2500	Complies
159	5795	0	9.20	23.98	0.2500	Complies
		9	9.01	23.98	0.2500	Complies
		17	8.84	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	37	8.52	0.00	8.52	23.98	0.2500	Complies
		41	8.44	0.00	8.44	23.98	0.2500	Complies
		44	8.12	0.00	8.12	23.98	0.2500	Complies
159	5795	37	8.36	0.00	8.36	23.98	0.2500	Complies
		41	8.11	0.00	8.11	23.98	0.2500	Complies
		44	8.02	0.00	8.02	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	37	9.24	0.00	9.24	23.98	0.2500	Complies
		41	9.05	0.00	9.05	23.98	0.2500	Complies
		44	9.36	0.00	9.36	23.98	0.2500	Complies
159	5795	37	9.24	0.00	9.24	23.98	0.2500	Complies
		41	9.05	0.00	9.05	23.98	0.2500	Complies
		44	9.32	0.00	9.32	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	37	11.91	23.98	0.2500	Complies
		41	11.77	23.98	0.2500	Complies
		44	11.79	23.98	0.2500	Complies
159	5795	37	11.83	23.98	0.2500	Complies
		41	11.62	23.98	0.2500	Complies
		44	11.73	23.98	0.2500	Complies



Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	53	8.05	0.00	8.05	23.98	0.2500	Complies
		55	8.08	0.00	8.08	23.98	0.2500	Complies
		56	8.17	0.00	8.17	23.98	0.2500	Complies
159	5795	53	8.03	0.00	8.03	23.98	0.2500	Complies
		55	8.26	0.00	8.26	23.98	0.2500	Complies
		56	8.65	0.00	8.65	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	53	9.08	0.00	9.08	23.98	0.2500	Complies
		55	9.04	0.00	9.04	23.98	0.2500	Complies
		56	9.02	0.00	9.02	23.98	0.2500	Complies
159	5795	53	9.11	0.00	9.11	23.98	0.2500	Complies
		55	9.31	0.00	9.31	23.98	0.2500	Complies
		56	8.91	0.00	8.91	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	53	11.61	23.98	0.2500	Complies
		55	11.60	23.98	0.2500	Complies
		56	11.63	23.98	0.2500	Complies
159	5795	53	11.61	23.98	0.2500	Complies
		55	11.83	23.98	0.2500	Complies
		56	11.79	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	61	8.14	0.00	8.14	23.98	0.2500	Complies
		62	8.05	0.00	8.05	23.98	0.2500	Complies
159	5795	61	8.26	0.00	8.26	23.98	0.2500	Complies
		62	8.17	0.00	8.17	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	61	9.02	0.00	9.02	23.98	0.2500	Complies
		62	8.99	0.00	8.99	23.98	0.2500	Complies
159	5795	61	9.37	0.00	9.37	23.98	0.2500	Complies
		62	9.32	0.00	9.32	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	61	11.61	23.98	0.2500	Complies
		62	11.56	23.98	0.2500	Complies
159	5795	61	11.86	23.98	0.2500	Complies
		62	11.79	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	12.95	0.00	12.95	30.00	1.0000	Complies
159	5795	12.91	0.00	12.91	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	13.11	0.00	13.11	30.00	1.0000	Complies
159	5795	13.03	0.00	13.03	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE40) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
151	5755	16.04	30.00	1.0000	Complies
159	5795	15.98	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	0	5.31	0.00	5.31	23.98	0.2500	Complies
		18	5.26	0.00	5.26	23.98	0.2500	Complies
		36	5.78	0.00	5.78	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	0	6.33	0.00	6.33	23.98	0.2500	Complies
		18	6.12	0.00	6.12	23.98	0.2500	Complies
		36	6.31	0.00	6.31	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	0	8.86	23.98	0.2500	Complies
		18	8.72	23.98	0.2500	Complies
		36	9.06	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	37	8.45	0.00	8.45	23.98	0.2500	Complies
		45	8.22	0.00	8.22	23.98	0.2500	Complies
		52	8.28	0.00	8.28	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	37	9.38	0.00	9.38	23.98	0.2500	Complies
		45	9.04	0.00	9.04	23.98	0.2500	Complies
		52	9.21	0.00	9.21	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	37	11.95	23.98	0.2500	Complies
		45	11.66	23.98	0.2500	Complies
		52	11.78	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	53	8.21	0.00	8.21	23.98	0.2500	Complies
		57	8.13	0.00	8.13	23.98	0.2500	Complies
		60	8.24	0.00	8.24	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	53	9.12	0.00	9.12	23.98	0.2500	Complies
		57	9.06	0.00	9.06	23.98	0.2500	Complies
		60	9.44	0.00	9.44	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
RU Configuration	106 Tone(8M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	53	11.70	23.98	0.2500	Complies
		57	11.63	23.98	0.2500	Complies
		60	11.89	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	61	8.26	0.00	8.26	23.98	0.2500	Complies
		63	8.28	0.00	8.28	23.98	0.2500	Complies
		64	8.18	0.00	8.18	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	61	9.41	0.00	9.41	23.98	0.2500	Complies
		63	9.39	0.00	9.39	23.98	0.2500	Complies
		64	9.37	0.00	9.37	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
RU Configuration	242 Tone(20M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	61	11.88	23.98	0.2500	Complies
		63	11.88	23.98	0.2500	Complies
		64	11.83	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	65	8.15	0.00	8.15	23.98	0.2500	Complies
		66	8.16	0.00	8.16	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	65	9.41	0.00	9.41	23.98	0.2500	Complies
		66	9.29	0.00	9.29	23.98	0.2500	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Total
RU Configuration	484 Tone(40M)

Channel	Frequency (MHz)	Tone	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	65	11.84	23.98	0.2500	Complies
		66	11.77	23.98	0.2500	Complies



Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 1
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	9.93	0.00	9.93	30.00	1.0000	Complies

Test Mode	UNII-3_TX AX(HE80) Mode_Ant. 2
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Duty Factor	Output Power + Duty Factor (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	10.17	0.00	10.17	30.00	1.0000	Complies


Test Mode	UNII-3_TX AX(HE80) Mode_Total
RU Configuration	996 Tone(80M)

Channel	Frequency (MHz)	Output Power (dBm)	Max. Limit (dBm)	Max. Limit (W)	Result
155	5775	13.06	30.00	1.0000	Complies


## **APPENDIX G - POWER SPECTRAL DENSITY**

Test Mode	UNII-1_TX A Mode_Ant. 1
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.62	0.00	2.62	11.00	Complies
40	5200	6.27	0.00	6.27	11.00	Complies
48	5240	6.38	0.00	6.38	11.00	Complies



Date: 25\_SEP.2021 13:36:15




Date: 25\_SEP.2021 13:36:35




Date: 25\_SEP.2021 13:36:58

Test Mode	UNII-1_TX A Mode_Ant. 2
-----------	-------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.83	0.00	3.83	11.00	Complies
40	5200	7.38	0.00	7.38	11.00	Complies
48	5240	7.38	0.00	7.38	11.00	Complies



Date: 25\_SEP.2021 14:49:54



Date: 25\_SEP.2021 14:50:11




Date: 25\_SEP.2021 14:50:29

Test Mode	UNII-1_TX A Mode_Total
-----------	------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	6.28	11.00	Complies
40	5200	9.87	11.00	Complies
48	5240	9.92	11.00	Complies

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.21	0.00	2.21	11.00	Complies
40	5200	6.59	0.00	6.59	11.00	Complies
48	5240	6.58	0.00	6.58	11.00	Complies



Date: 25\_SEP.2021 13:47:33




Date: 25\_SEP.2021 13:52:53




Date: 25\_SEP.2021 13:53:11

Test Mode	UNII-1_TX N(HT20) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.59	0.00	3.59	11.00	Complies
40	5200	7.60	0.00	7.60	11.00	Complies
48	5240	7.61	0.00	7.61	11.00	Complies



Date: 25\_SEP.2021 14:57:25



Date: 25\_SEP.2021 14:57:49



Date: 25\_SEP.2021 14:58:09


Test Mode	UNII-1_TX N(HT20) Mode_Total
-----------	------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.96	11.00	Complies
40	5200	10.13	11.00	Complies
48	5240	10.14	11.00	Complies

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 1
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-6.27	0.00	-6.27	11.00	Complies
46	5230	-1.03	0.00	-1.03	11.00	Complies

**CH38**



Date: 25-SEP-2021 14:04:59

**CH46**




Date: 25-SEP-2021 14:05:33

Test Mode	UNII-1_TX N(HT40) Mode_Ant. 2
-----------	-------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.89	0.00	-4.89	11.00	Complies
46	5230	0.06	0.00	0.06	11.00	Complies

**CH38**



Date: 25-SEP-2021 15:06:27

**CH46**




Date: 25-SEP-2021 15:06:51

Test Mode	UNII-1_TX N(HT40) Mode_Total
-----------	------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.52	11.00	Complies
46	5230	2.56	11.00	Complies

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 1
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.28	0.00	2.28	11.00	Complies
40	5200	6.55	0.00	6.55	11.00	Complies
48	5240	6.30	0.00	6.30	11.00	Complies



Date: 25\_SEP.2021 14:12:29




Date: 25\_SEP.2021 14:12:48




Date: 25\_SEP.2021 14:13:08

Test Mode	UNII-1_TX AC(VHT20) Mode_Ant. 2
-----------	---------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.44	0.00	3.44	11.00	Complies
40	5200	7.54	0.00	7.54	11.00	Complies
48	5240	7.70	0.00	7.70	11.00	Complies



Date: 25\_SEP.2021 15:13:01



Date: 25\_SEP.2021 15:13:18




Date: 25\_SEP.2021 15:15:20

Test Mode	UNII-1_TX AC(VHT20) Mode_Total
-----------	--------------------------------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	5.91	11.00	Complies
40	5200	10.08	11.00	Complies
48	5240	10.07	11.00	Complies

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-5.44	0.00	-5.44	11.00	Complies
46	5230	-0.57	0.00	-0.57	11.00	Complies




Date: 25-SEP-2021 14:22:14




Date: 25-SEP-2021 14:23:39

Test Mode	UNII-1_TX AC(VHT40) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.88	0.00	-4.88	11.00	Complies
46	5230	0.08	0.00	0.08	11.00	Complies



Date: 25-SEP-2021 15:21:25




Date: 25-SEP-2021 15:21:49

Test Mode	UNII-1_TX AC(VHT40) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.14	11.00	Complies
46	5230	2.78	11.00	Complies


Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 1
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.38	0.00	-8.38	11.00	Complies



Test Mode	UNII-1_TX AC(VHT80) Mode_Ant. 2
-----------	---------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.30	0.00	-8.30	11.00	Complies




Test Mode	UNII-1_TX AC(VHT80) Mode_Total
-----------	--------------------------------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.33	11.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0	7.86	0.00	7.86	11.00	Complies
		4	6.73	0.00	6.73	11.00	Complies
		8	7.54	0.00	7.54	11.00	Complies
40	5200	0	7.82	0.00	7.82	11.00	Complies
		4	6.80	0.00	6.80	11.00	Complies
		8	7.76	0.00	7.76	11.00	Complies
48	5240	0	7.78	0.00	7.78	11.00	Complies
		4	6.77	0.00	6.77	11.00	Complies
		8	7.66	0.00	7.66	11.00	Complies




Date: 29\_SEP.2021 22:10:10




Date: 29\_SEP.2021 22:22:46




Date: 29\_SEP.2021 22:23:41




Date: 29\_SEP.2021 22:13:28




Date: 29\_SEP.2021 22:36:45




Date: 29\_SEP.2021 22:37:00



Date: 29\_SEP.2021 22:45:59




Date: 29\_SEP.2021 22:46:28




Date: 29\_SEP.2021 22:46:46

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
RU Configuration	26 Tone(2M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0	5.86	0.00	5.86	11.00	Complies
		4	5.45	0.00	5.45	11.00	Complies
		8	6.93	0.00	6.93	11.00	Complies
40	5200	0	5.67	0.00	5.67	11.00	Complies
		4	5.50	0.00	5.50	11.00	Complies
		8	7.09	0.00	7.09	11.00	Complies
48	5240	0	6.00	0.00	6.00	11.00	Complies
		4	5.70	0.00	5.70	11.00	Complies
		8	7.10	0.00	7.10	11.00	Complies




Date: 29\_SEP.2021 22:31:36




Date: 29\_SEP.2021 22:31:51




Date: 29\_SEP.2021 22:32:09




Date: 29\_SEP.2021 22:41:08




Date: 29\_SEP.2021 22:41:25




Date: 29\_SEP.2021 22:41:44



Date: 29\_SEP.2021 22:50:07



Date: 29\_SEP.2021 22:50:22












Date: 29\_SEP.2021 22:50:37

Test Mode	UNII-1_TX AX(HE20) Mode_Total
RU Configuration	26 Tone(2M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0	9.98	11.00	Complies
		4	9.15	11.00	Complies
		8	10.26	11.00	Complies
40	5200	0	9.89	11.00	Complies
		4	9.21	11.00	Complies
		8	10.45	11.00	Complies
48	5240	0	9.99	11.00	Complies
		4	9.28	11.00	Complies
		8	10.40	11.00	Complies


Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	52 Tone(4M)

Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	37	7.92	0.00	7.92	11.00	Complies
		39	7.51	0.00	7.51	11.00	Complies
		40	7.69	0.00	7.69	11.00	Complies
40	5200	37	7.86	0.00	7.86	11.00	Complies
		39	7.58	0.00	7.58	11.00	Complies
		40	7.90	0.00	7.90	11.00	Complies
48	5240	37	7.93	0.00	7.93	11.00	Complies
		39	7.46	0.00	7.46	11.00	Complies
		40	7.85	0.00	7.85	11.00	Complies




Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 2
RU Configuration	52 Tone(4M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	37	6.39	0.00	6.39	11.00	Complies
		39	6.49	0.00	6.49	11.00	Complies
		40	7.37	0.00	7.37	11.00	Complies
40	5200	37	6.12	0.00	6.12	11.00	Complies
		39	6.44	0.00	6.44	11.00	Complies
		40	7.41	0.00	7.41	11.00	Complies
48	5240	37	6.49	0.00	6.49	11.00	Complies
		39	6.57	0.00	6.57	11.00	Complies
		40	7.51	0.00	7.51	11.00	Complies




Date: 29\_SEP.2021 23:05:28




Date: 29\_SEP.2021 23:05:47




Date: 29\_SEP.2021 23:06:03



Date: 29\_SEP.2021 23:15:00




Date: 29\_SEP.2021 23:15:17




Date: 29\_SEP.2021 23:15:33



Date: 29\_SEP.2021 23:25:54



Date: 29\_SEP.2021 23:26:13




Date: 29\_SEP.2021 23:26:31

Test Mode	UNII-1_TX AX(HE20) Mode_Total
RU Configuration	52 Tone(4M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	37	10.23	11.00	Complies
		39	10.04	11.00	Complies
		40	10.54	11.00	Complies
40	5200	37	10.09	11.00	Complies
		39	10.06	11.00	Complies
		40	10.67	11.00	Complies
48	5240	37	10.28	11.00	Complies
		39	10.05	11.00	Complies
		40	10.69	11.00	Complies

Test Mode	UNII-1_TX AX(HE20) Mode_Ant. 1
RU Configuration	106 Tone(8M)


Channel	Frequency (MHz)	Tone	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	53	7.65	0.00	7.65	11.00	Complies
		54	7.86	0.00	7.86	11.00	Complies
40	5200	53	7.59	0.00	7.59	11.00	Complies
		54	7.60	0.00	7.60	11.00	Complies
48	5240	53	7.57	0.00	7.57	11.00	Complies
		54	7.51	0.00	7.51	11.00	Complies




Date: 29\_SEP.2021 23:31:20




Date: 29\_SEP.2021 23:31:35




Date: 29\_SEP.2021 23:31:50



Date: 29\_SEP.2021 23:43:03



Date: 29\_SEP.2021 23:44:49



Date: 29\_SEP.2021 23:45:05