



### 6.2.1.2.6.3 Test Channel = HCH

#### 6.2.1.2.6.3.1 Test RB = RB1#0







## 7Appendix\_G: Field Strength of Spurious Radiation

Note 1: We tested all modes & antennas, the data presented below is the worst case.

Note 2: For Below 30MHz, the data presented below is the worst case for all Channel Bandwidth.

9kHz~150kHz, RBW = 200Hz, VBW = 600 Hz, Detector: PK

150kHz~30MHz, RBW = 9kHz, VBW = 30k Hz, Detector: PK

30MHz~1GHz, RBW = 100 kHz, VBW = 300 kHz. Detector: PK

Above 1GHz, RBW = 1 MHz, VBW = 3 MHz. Detector: PK


### Part I - Test Plots


#### 7.1 For LTE

##### 7.1.1 Test Band = Band66


##### 7.1.1.1 Test Bandwidth = 1.4

Worst case





## 7.1.1.2 Test Bandwidth = 20



## 8Appendix\_H: Frequency Stability

### 8.1 For LTE

#### 8.1.1Frequency Error vs. Voltage:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band66	LTE/TM1	1.4	LCH	TN	VL	90.52277	0.05292	PASS
					VN	87.53300	0.05117	PASS
					VH	-8.02517	-0.00469	PASS
			MCH	TN	VL	-55.94730	-0.03206	PASS
					VN	-6.59466	-0.00378	PASS
					VH	-38.56659	-0.02210	PASS
			HCH	TN	VL	-18.33916	-0.01031	PASS
					VN	-24.41883	-0.01372	PASS
					VH	95.47234	0.05366	PASS
		3	LCH	TN	VL	6.85215	0.00400	PASS
					VN	0.37193	0.00022	PASS
					VH	-3.13282	-0.00183	PASS
			MCH	TN	VL	4.72069	0.00271	PASS
					VN	2.13146	0.00122	PASS
					VH	0.55790	0.00032	PASS
			HCH	TN	VL	-0.12875	-0.00007	PASS
					VN	12.38823	0.00697	PASS
					VH	-7.10964	-0.00400	PASS
		5	LCH	TN	VL	7.05242	0.00412	PASS
					VN	-0.92983	-0.00054	PASS
					VH	2.57492	0.00150	PASS
			MCH	TN	VL	4.84943	0.00278	PASS
					VN	2.46048	0.00141	PASS
					VH	0.98705	0.00057	PASS
			HCH	TN	VL	-4.34875	-0.00245	PASS
					VN	2.67506	0.00150	PASS
					VH	1.71661	0.00097	PASS
10	LCH	TN	VL	-7.88212	-0.00460	PASS		
			VN	-3.37601	-0.00197	PASS		
			VH	-11.17229	-0.00651	PASS		
	MCH	TN	VL	0.45776	0.00026	PASS		
			VN	-1.43051	-0.00082	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
		15	HCH	TN	VH	-0.77248	-0.00044	PASS		
					VL	-3.26157	-0.00184	PASS		
					VN	-0.72956	-0.00041	PASS		
					VH	-1.38760	-0.00078	PASS		
			20	LCH	TN	VL	-1.41621	-0.00082	PASS	
						VN	1.57356	0.00092	PASS	
						VH	4.87804	0.00284	PASS	
						VH	4.87804	0.00284	PASS	
				MCH	TN	VL	0.11444	0.00007	PASS	
						VN	-3.59058	-0.00206	PASS	
						VH	-1.61648	-0.00093	PASS	
						VH	-1.61648	-0.00093	PASS	
		HCH		TN	VL	1.05858	0.00060	PASS		
					VN	-0.60081	-0.00034	PASS		
					VH	4.19140	0.00236	PASS		
					VH	4.19140	0.00236	PASS		
		3	LTE/TM2	1.4	LCH	TN	VL	-107.44570	-0.06281	PASS
							VN	0.40054	0.00023	PASS
							VH	88.03368	0.05146	PASS
					MCH	TN	VL	10.14233	0.00581	PASS
							VN	-0.50068	-0.00029	PASS
							VH	63.55762	0.03642	PASS
				HCH	TN	VL	-11.45840	-0.00644	PASS	
						VN	-22.41611	-0.01260	PASS	
						VH	-32.61566	-0.01833	PASS	
				3	LCH	TN	VL	-9.87053	-0.00577	PASS
							VN	6.58035	0.00384	PASS
							VH	1.74522	0.00102	PASS
		MCH	TN		VL	5.02109	0.00288	PASS		
					VN	6.46591	0.00371	PASS		
					VH	13.10349	0.00751	PASS		
		HCH	TN	VL	2.00272	0.00113	PASS			

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Temp.	Test Volt.	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					VN	1.51634	0.00085	PASS
					VH	0.51498	0.00029	PASS
		5	LCH	TN	VL	4.74930	0.00277	PASS
					VN	-0.90122	-0.00053	PASS
					VH	0.32902	0.00019	PASS
					VL	-4.29153	-0.00246	PASS
					VN	-1.74522	-0.00100	PASS
					VH	-6.27994	-0.00360	PASS
			MCH	TN	VL	4.30584	0.00242	PASS
					VN	2.18868	0.00123	PASS
					VH	0.75817	0.00043	PASS
					VL	1.70231	0.00099	PASS
					VN	-0.10014	-0.00006	PASS
					VH	-1.85966	-0.00108	PASS
		10	LCH	TN	VL	-1.45912	-0.00084	PASS
					VN	-0.08583	-0.00005	PASS
					VH	0.67234	0.00039	PASS
					VL	-0.74387	-0.00042	PASS
					VN	3.40462	0.00192	PASS
					VH	-1.71661	-0.00097	PASS
			MCH	TN	VL	0.38624	0.00022	PASS
					VN	3.13282	0.00182	PASS
					VH	-0.87261	-0.00051	PASS
					VL	1.35899	0.00078	PASS
					VN	1.07288	0.00061	PASS
					VH	2.50339	0.00143	PASS
		HCH	TN	VL	-4.33445	-0.00245	PASS	
				VN	-2.67506	-0.00151	PASS	
				VH	-1.53065	-0.00086	PASS	
				VL	7.82490	0.00455	PASS	
				VN	-0.42915	-0.00025	PASS	
				VH	8.54015	0.00497	PASS	
		15	LCH	TN	VL	-4.94957	-0.00284	PASS
					VN	2.33173	0.00134	PASS
					VH	-1.75953	-0.00101	PASS
					VL	0.30041	0.00017	PASS
					VN	-1.14441	-0.00065	PASS
					VH	1.27316	0.00072	PASS
			MCH	TN	VL	0.30041	0.00017	PASS
					VN	-1.14441	-0.00065	PASS
					VH	1.27316	0.00072	PASS
					VL	0.30041	0.00017	PASS
					VN	-1.14441	-0.00065	PASS
					VH	1.27316	0.00072	PASS
		HCH	TN	VL	0.30041	0.00017	PASS	
				VN	-1.14441	-0.00065	PASS	
				VH	1.27316	0.00072	PASS	
				VL	0.30041	0.00017	PASS	
VN	-1.14441			-0.00065	PASS			
VH	1.27316			0.00072	PASS			
20	LCH	TN	VL	0.30041	0.00017	PASS		
			VN	-1.14441	-0.00065	PASS		
			VH	1.27316	0.00072	PASS		
			VL	0.30041	0.00017	PASS		
			VN	-1.14441	-0.00065	PASS		
			VH	1.27316	0.00072	PASS		
	MCH	TN	VL	0.30041	0.00017	PASS		
			VN	-1.14441	-0.00065	PASS		
			VH	1.27316	0.00072	PASS		
			VL	0.30041	0.00017	PASS		
			VN	-1.14441	-0.00065	PASS		
			VH	1.27316	0.00072	PASS		
HCH	TN	VL	0.30041	0.00017	PASS			
		VN	-1.14441	-0.00065	PASS			
		VH	1.27316	0.00072	PASS			
		VL	0.30041	0.00017	PASS			
		VN	-1.14441	-0.00065	PASS			
		VH	1.27316	0.00072	PASS			

8.1.2 Frequency Error vs. Temperature:

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
Band66	LTE/TM1	1.4	LCH	VN	-30	78.83549	0.04608	PASS
					-20	9.22680	0.00539	PASS
					-10	48.06519	0.02810	PASS
					0	-5.75066	-0.00336	PASS
					10	26.10683	0.01526	PASS
					20	87.53300	0.05117	PASS
					30	-2.68936	-0.00157	PASS
					40	3.29018	0.00192	PASS
					50	1.57356	0.00092	PASS
			MCH	VN	-30	-88.29117	-0.05060	PASS
					-20	-75.64545	-0.04335	PASS
					-10	8.39710	0.00481	PASS
					0	-5.20706	-0.00298	PASS
					10	4.26292	0.00244	PASS
					20	-6.59466	-0.00378	PASS
					30	-4.30584	-0.00247	PASS
					40	5.00679	0.00287	PASS
					50	58.32195	0.03342	PASS
		HCH	VN	-30	-4.64916	-0.00261	PASS	
				-20	-32.35817	-0.01819	PASS	
				-10	-11.95908	-0.00672	PASS	
				0	-103.99820	-0.05845	PASS	
				10	-20.79964	-0.01169	PASS	
				20	-24.41883	-0.01372	PASS	
				30	-27.23694	-0.01531	PASS	
				40	-123.22430	-0.06925	PASS	
				50	-64.95953	-0.03651	PASS	
		3	LCH	VN	-30	1.51634	0.00089	PASS
					-20	-10.85758	-0.00634	PASS
					-10	-4.93527	-0.00288	PASS
					0	13.27515	0.00776	PASS
					10	-5.99384	-0.00350	PASS
					20	0.37193	0.00022	PASS
					30	-1.77383	-0.00104	PASS
					40	-3.57628	-0.00209	PASS
					50	-0.98705	-0.00058	PASS
MCH	VN		-30	-6.49452	-0.00372	PASS		
			-20	4.49181	0.00257	PASS		

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					-10	1.24455	0.00071	PASS		
					0	-2.58923	-0.00148	PASS		
					10	4.73499	0.00271	PASS		
					20	2.13146	0.00122	PASS		
					30	3.00407	0.00172	PASS		
					40	4.59194	0.00263	PASS		
					50	6.26564	0.00359	PASS		
					HCH	VN	-30	-0.87261	-0.00049	PASS
							-20	-3.33309	-0.00187	PASS
							-10	-4.97818	-0.00280	PASS
			0	2.57492			0.00145	PASS		
			10	-1.70231			-0.00096	PASS		
			20	12.38823			0.00697	PASS		
			30	1.38760			0.00078	PASS		
			40	0.25749			0.00014	PASS		
			50	12.51698			0.00704	PASS		
			5	LCH			VN	-30	5.14984	0.00301
					-20	-2.76089		-0.00161	PASS	
					-10	-2.11716		-0.00124	PASS	
					0	-0.51498		-0.00030	PASS	
		10			-7.25269	-0.00424		PASS		
		20			-0.92983	-0.00054		PASS		
		30			1.13010	0.00066		PASS		
		40			-1.07288	-0.00063		PASS		
		50			1.20163	0.00070		PASS		
		MCH			VN	-30		-9.09805	-0.00521	PASS
				-20		-3.87669	-0.00222	PASS		
				-10		-7.68185	-0.00440	PASS		
				0		-4.36306	-0.00250	PASS		
				10		2.11716	0.00121	PASS		
				20		2.46048	0.00141	PASS		
				30		-1.47343	-0.00084	PASS		
				40		-1.84536	-0.00106	PASS		
				50		-3.54767	-0.00203	PASS		
				HCH		VN	-30	-0.82970	-0.00047	PASS
		-20			-6.05106		-0.00340	PASS		
		-10	-8.02517		-0.00451		PASS			
		0	-1.05858		-0.00060		PASS			
		10	2.87533		0.00162		PASS			
		20	2.67506		0.00150		PASS			

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					30	-7.76768	-0.00437	PASS		
					40	4.11987	0.00232	PASS		
					50	3.54767	0.00200	PASS		
		10	LCH	VN	-30	-5.42164	-0.00316	PASS		
					-20	-6.92368	-0.00404	PASS		
					-10	-1.47343	-0.00086	PASS		
					0	-1.41621	-0.00083	PASS		
					10	4.84943	0.00283	PASS		
					20	-3.37601	-0.00197	PASS		
					30	0.50068	0.00029	PASS		
					40	-3.23296	-0.00189	PASS		
					50	2.30312	0.00134	PASS		
					MCH	VN	-30	-1.10149	-0.00063	PASS
							-20	1.11580	0.00064	PASS
							-10	-2.13146	-0.00122	PASS
							0	-6.29425	-0.00361	PASS
							10	3.94821	0.00226	PASS
							20	-1.43051	-0.00082	PASS
			30	-8.21114			-0.00471	PASS		
			40	1.13010			0.00065	PASS		
			50	3.51906			0.00202	PASS		
			HCH	VN	-30	1.60217	0.00090	PASS		
					-20	2.24590	0.00127	PASS		
					-10	-0.52929	-0.00030	PASS		
					0	2.66075	0.00150	PASS		
					10	-2.27451	-0.00128	PASS		
					20	-0.72956	-0.00041	PASS		
					30	0.55790	0.00031	PASS		
					40	0.90122	0.00051	PASS		
					50	3.27587	0.00185	PASS		
		15	LCH	VN	-30	-4.94957	-0.00288	PASS		
					-20	-0.51498	-0.00030	PASS		
					-10	-2.05994	-0.00120	PASS		
0	-0.48637				-0.00028	PASS				
10	-0.85831				-0.00050	PASS				
20	1.57356				0.00092	PASS				
30	-2.97546				-0.00173	PASS				
40	-3.30448				-0.00192	PASS				
50	-2.13146				-0.00124	PASS				
MCH	VN		-30	0.87261	0.00050	PASS				

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					-20	-0.05722	-0.00003	PASS
					-10	0.90122	0.00052	PASS
					0	0.48637	0.00028	PASS
					10	2.97546	0.00171	PASS
					20	-3.59058	-0.00206	PASS
					30	-2.26021	-0.00130	PASS
					40	-1.33038	-0.00076	PASS
					50	3.97682	0.00228	PASS
			HCH	VN	-30	-2.08855	-0.00118	PASS
					-20	0.57220	0.00032	PASS
					-10	-1.30177	-0.00073	PASS
					0	-2.64645	-0.00149	PASS
					10	-0.30041	-0.00017	PASS
					20	-0.60081	-0.00034	PASS
					30	-1.64509	-0.00093	PASS
					40	1.24455	0.00070	PASS
		20	LCH	VN	-30	6.19412	0.00360	PASS
					-20	7.20978	0.00419	PASS
					-10	10.11372	0.00588	PASS
					0	-2.61784	-0.00152	PASS
					10	-0.75817	-0.00044	PASS
					20	-0.25749	-0.00015	PASS
					30	-0.64373	-0.00037	PASS
			MCH	VN	-30	-0.12875	-0.00007	PASS
					-20	-0.77248	-0.00044	PASS
					-10	-4.77791	-0.00274	PASS
					0	-1.43051	-0.00082	PASS
					10	3.91960	0.00225	PASS
					20	-0.75817	-0.00043	PASS
					30	-1.94550	-0.00111	PASS
		HCH	VN	-30	-0.14305	-0.00008	PASS	
				-20	-0.25749	-0.00015	PASS	
				-10	-1.37329	-0.00078	PASS	
				0	-4.74930	-0.00268	PASS	
				10	-3.00407	-0.00170	PASS	
				40	-2.40326	-0.00138	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					20	-2.57492	-0.00145	PASS		
					30	-4.87804	-0.00276	PASS		
					40	-3.40462	-0.00192	PASS		
					50	0.35763	0.00020	PASS		
	LTE/TM2	1.4	LCH	VN	-30	-51.99909	-0.03040	PASS		
					-20	-44.46030	-0.02599	PASS		
					-10	-12.33101	-0.00721	PASS		
					0	-44.04545	-0.02575	PASS		
					10	-67.86346	-0.03967	PASS		
					20	0.40054	0.00023	PASS		
					30	28.53870	0.01668	PASS		
					40	1.84536	0.00108	PASS		
					50	-379.91520	-0.22208	PASS		
					MCH	VN	-30	-16.15047	-0.00926	PASS
							-20	29.33979	0.01681	PASS
							-10	18.09597	0.01037	PASS
							0	14.27650	0.00818	PASS
							10	-3.50475	-0.00201	PASS
							20	-0.50068	-0.00029	PASS
							30	-21.78669	-0.01249	PASS
			40	9.05514			0.00519	PASS		
			HCH	VN	50	-204.37720	-0.11712	PASS		
					-30	2.41756	0.00136	PASS		
					-20	-62.35600	-0.03505	PASS		
					-10	-100.45050	-0.05646	PASS		
					0	-1.31607	-0.00074	PASS		
					10	-9.42707	-0.00530	PASS		
					20	-22.41611	-0.01260	PASS		
					30	-16.23631	-0.00913	PASS		
			3	LCH	VN	40	-15.49244	-0.00871	PASS	
						50	7.61032	0.00428	PASS	
						-30	-1.81675	-0.00106	PASS	
-20	-11.94477	-0.00698				PASS				
-10	-10.17094	-0.00594				PASS				
0	-18.53943	-0.01083				PASS				
10	0.91553	0.00053				PASS				
20	6.58035	0.00384				PASS				
30	-3.21865	-0.00188	PASS							
40	-1.14441	-0.00067	PASS							
50	4.43459	0.00259	PASS							

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
			MCH	VN	-30	4.24862	0.00243	PASS		
					-20	1.35899	0.00078	PASS		
					-10	-1.23024	-0.00071	PASS		
					0	2.03133	0.00116	PASS		
					10	5.49316	0.00315	PASS		
					20	6.46591	0.00371	PASS		
					30	-0.95844	-0.00055	PASS		
					40	4.16279	0.00239	PASS		
					50	6.42300	0.00368	PASS		
			HCH	VN	-30	-5.62191	-0.00316	PASS		
					-20	-6.27994	-0.00353	PASS		
					-10	-4.20570	-0.00236	PASS		
					0	1.64509	0.00092	PASS		
					10	2.16007	0.00121	PASS		
					20	1.51634	0.00085	PASS		
					30	6.48022	0.00364	PASS		
					40	-3.17573	-0.00179	PASS		
					50	3.51906	0.00198	PASS		
			5	LCH	VN	-30	-0.75817	-0.00044	PASS	
						-20	-8.06808	-0.00471	PASS	
						-10	-4.63486	-0.00271	PASS	
						0	0.20027	0.00012	PASS	
						10	-3.03268	-0.00177	PASS	
						20	-0.90122	-0.00053	PASS	
		30				-8.74043	-0.00510	PASS		
		40				4.37737	0.00256	PASS		
		50				-2.36034	-0.00138	PASS		
		MCH				VN	-30	-3.07560	-0.00176	PASS
							-20	-3.13282	-0.00180	PASS
							-10	1.40190	0.00080	PASS
				0	-0.60081		-0.00034	PASS		
				10	1.58787		0.00091	PASS		
				20	-1.74522		-0.00100	PASS		
				30	1.35899		0.00078	PASS		
				40	-1.04427		-0.00060	PASS		
				50	3.14712		0.00180	PASS		
				HCH	VN		-30	4.34875	0.00245	PASS
							-20	-0.75817	-0.00043	PASS
							-10	-5.97954	-0.00336	PASS
		0				1.53065	0.00086	PASS		



Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict		
					10	9.87053	0.00555	PASS		
					20	2.18868	0.00123	PASS		
					30	-0.62943	-0.00035	PASS		
					40	4.72069	0.00266	PASS		
					50	0.82970	0.00047	PASS		
		10	LCH	VN	-30	-0.37193	-0.00022	PASS		
					-20	-4.43459	-0.00259	PASS		
					-10	2.66075	0.00155	PASS		
					0	2.17438	0.00127	PASS		
					10	2.16007	0.00126	PASS		
					20	-0.10014	-0.00006	PASS		
					30	0.75817	0.00044	PASS		
					40	1.00136	0.00058	PASS		
					50	5.79357	0.00338	PASS		
					MCH	VN	-30	-4.79221	-0.00275	PASS
							-20	4.36306	0.00250	PASS
							-10	-0.12875	-0.00007	PASS
							0	3.70503	0.00212	PASS
							10	-7.73907	-0.00443	PASS
					HCH	VN	20	-0.08583	-0.00005	PASS
		30	-0.82970	-0.00048			PASS			
		40	-3.30448	-0.00189			PASS			
		50	5.39303	0.00309			PASS			
		-30	-0.84400	-0.00048			PASS			
		-20	-3.24726	-0.00183			PASS			
		-10	1.67370	0.00094			PASS			
		0	4.64916	0.00262			PASS			
		15	LCH	VN	10	0.87261	0.00049	PASS		
					20	3.40462	0.00192	PASS		
					30	1.88827	0.00106	PASS		
					40	0.60081	0.00034	PASS		
					50	4.52042	0.00255	PASS		
-30	1.04427				0.00061	PASS				
-20	1.13010				0.00066	PASS				
-10	-4.43459				-0.00258	PASS				
0	3.50475	0.00204	PASS							
10	2.36034	0.00137	PASS							
20	3.13282	0.00182	PASS							
30	-0.32902	-0.00019	PASS							
40	-3.87669	-0.00226	PASS							

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
			MCH	VN	50	-0.54359	-0.00032	PASS
					-30	0.57220	0.00033	PASS
					-20	-0.72956	-0.00042	PASS
					-10	1.67370	0.00096	PASS
					0	2.01702	0.00116	PASS
					10	-0.65804	-0.00038	PASS
					20	1.07288	0.00061	PASS
					30	1.43051	0.00082	PASS
					40	-1.27316	-0.00073	PASS
			50	-0.91553	-0.00052	PASS		
			HCH	VN	-30	-2.28882	-0.00129	PASS
					-20	-3.73364	-0.00211	PASS
					-10	-1.00136	-0.00056	PASS
					0	-0.02861	-0.00002	PASS
					10	0.51498	0.00029	PASS
					20	-2.67506	-0.00151	PASS
					30	-5.40733	-0.00305	PASS
					40	0.72956	0.00041	PASS
		50			0.41485	0.00023	PASS	
		20	LCH	VN	-30	2.71797	0.00158	PASS
					-20	9.61304	0.00559	PASS
					-10	4.93527	0.00287	PASS
					0	-3.90530	-0.00227	PASS
					10	2.64645	0.00154	PASS
					20	-0.42915	-0.00025	PASS
					30	-0.82970	-0.00048	PASS
					40	-1.81675	-0.00106	PASS
					50	2.76089	0.00161	PASS
			MCH	VN	-30	-0.67234	-0.00039	PASS
					-20	-2.43187	-0.00139	PASS
					-10	-2.07424	-0.00119	PASS
					0	1.44482	0.00083	PASS
					10	-1.35899	-0.00078	PASS
					20	2.33173	0.00134	PASS
					30	0.52929	0.00030	PASS
					40	-0.62943	-0.00036	PASS
					50	-0.30041	-0.00017	PASS
		HCH	VN	-30	1.63078	0.00092	PASS	
				-20	1.47343	0.00083	PASS	
				-10	0.00000	0.00000	PASS	

Test Band	Test Mode	Test Bandwidth (MHz)	Test Channel	Test Volt.	Test Temp	Freq. Error [Hz]	Freq. vs. rated [ppm]	Verdict
					0	-1.63078	-0.00092	PASS
					10	-2.34604	-0.00133	PASS
					20	-1.14441	-0.00065	PASS
					30	1.11580	0.00063	PASS
					40	1.31607	0.00074	PASS
					50	2.36034	0.00133	PASS

---

END