

1.23 Conducted power of LTE Band 26(Second antenna)

Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26697CH	26865CH	27033CH
1.4MHz	QPSK	1	0	25.50	23.89	23.93	23.87
		1	3	25.50	24.02	24.09	23.89
		1	5	25.50	24.02	23.96	23.89
		3	0	25.50	23.95	23.88	23.93
		3	2	25.50	23.89	23.86	23.96
		3	3	25.50	23.95	23.97	23.86
	16QAM	6	0	24.50	23.06	23.10	22.95
		1	0	24.50	23.05	23.18	23.24
		1	3	24.50	23.14	23.25	23.00
		1	5	24.50	22.99	23.09	23.02
		3	0	24.50	23.07	23.05	22.88
		3	2	24.50	23.18	23.09	22.96
	64QAM	3	3	24.50	23.16	23.00	22.93
		6	0	23.50	22.02	22.16	22.00
		1	0	23.50	22.22	22.11	22.14
		1	3	23.50	22.31	22.14	22.26
		1	5	23.50	22.22	22.15	22.22
		3	0	23.50	22.10	21.88	21.97
3MHz	QPSK	3	2	23.50	22.21	22.18	22.07
		3	3	23.50	21.96	22.17	21.93
		6	0	22.50	21.33	21.25	20.98
		1	0	25.50	23.96	24.14	23.91
		1	7	25.50	24.06	24.12	23.96
		1	14	25.50	24.03	24.02	23.95
	16QAM	8	0	24.50	23.21	22.94	22.96
		8	4	24.50	23.22	23.17	23.17
		8	7	24.50	23.16	23.13	22.93
		15	0	24.50	23.16	23.06	23.06
		1	0	24.50	23.25	23.20	23.31
		1	7	24.50	23.53	23.44	23.44
	64QAM	1	14	24.50	23.21	23.21	23.30
		8	0	23.50	22.25	22.21	22.01
		8	4	23.50	22.21	22.16	22.04
		8	7	23.50	22.15	22.20	22.11
		15	0	23.50	22.17	22.01	22.03
		1	0	23.50	22.19	22.13	22.14
64QAM	1	7	23.50	22.15	22.33	22.07	
	1	14	23.50	22.27	22.21	22.23	
	8	0	22.50	21.25	21.13	20.92	
	8	4	22.50	21.20	21.20	21.03	
	8	7	22.50	21.11	21.03	21.02	
	15	0	22.50	21.24	21.13	21.10	



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26715CH	26865CH	27015CH
5MHz	QPSK	1	0	25.50	24.09	24.04	23.91
		1	13	25.50	24.04	24.11	23.95
		1	24	25.50	24.05	23.97	23.85
		12	0	24.50	23.10	23.17	23.03
		12	6	24.50	23.19	23.18	23.07
		12	13	24.50	23.20	23.13	22.99
		25	0	24.50	23.16	23.07	23.07
	16QAM	1	0	24.50	23.58	23.29	23.43
		1	13	24.50	23.49	23.48	23.31
		1	24	24.50	23.21	23.45	23.31
		12	0	23.50	22.27	22.13	22.00
		12	6	23.50	22.41	22.23	22.08
		12	13	23.50	22.08	22.20	22.18
		25	0	23.50	22.07	22.08	22.12
	64QAM	1	0	23.50	22.29	22.01	22.17
		1	13	23.50	22.34	22.37	22.18
		1	24	23.50	22.48	22.31	22.29
		12	0	22.50	21.18	21.16	21.09
		12	6	22.50	21.15	21.17	21.13
		12	13	22.50	21.15	21.22	21.15
		25	0	22.50	21.20	21.16	21.10
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
10MHz	QPSK	1	0	25.50	24.17	24.07	24.16
		1	25	25.50	24.02	24.09	23.97
		1	49	25.50	23.78	24.04	23.82
		25	0	24.50	23.21	23.10	23.05
		25	13	24.50	23.24	23.23	23.12
		25	25	24.50	23.23	23.16	23.06
		50	0	24.50	23.19	23.17	23.10
	16QAM	1	0	24.50	23.27	23.37	23.18
		1	25	24.50	23.15	23.25	23.10
		1	49	24.50	23.22	22.94	23.86
		25	0	23.50	22.24	22.12	22.02
		25	13	23.50	22.33	22.15	22.18
		25	25	23.50	22.21	22.19	22.13
		50	0	23.50	22.28	22.15	22.10
	64QAM	1	0	23.50	22.15	22.36	22.38
		1	25	23.50	22.35	22.29	22.42
		1	49	23.50	22.27	22.29	22.20
		25	0	22.50	21.21	21.26	21.11
		25	13	22.50	21.24	21.29	21.11
		25	25	22.50	21.21	21.18	21.14
		50	0	22.50	21.32	21.21	21.09
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26740CH	26865CH	26990CH



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26765CH	26865CH	26965CH
15MHz	QPSK	1	0	25.50	23.97	23.86	23.99
		1	38	25.50	23.90	23.94	23.87
		1	74	25.50	23.94	23.79	23.65
		36	0	24.50	23.03	22.97	22.97
		36	18	24.50	23.06	22.87	22.97
		36	39	24.50	23.01	23.09	23.02
		75	0	24.50	23.04	22.97	23.04
	16QAM	1	0	24.50	23.37	23.19	23.21
		1	38	24.50	23.17	23.17	23.13
		1	74	24.50	23.27	23.07	23.14
		36	0	23.50	22.06	21.98	21.90
		36	18	23.50	22.02	21.95	22.02
		36	39	23.50	21.97	22.00	21.94
		75	0	23.50	22.04	21.97	21.93
	64QAM	1	0	23.50	22.22	22.21	22.11
		1	38	23.50	22.17	22.07	21.97
		1	74	23.50	22.26	21.90	22.07
		36	0	22.50	21.03	21.01	21.02
		36	18	22.50	21.09	21.03	21.01
		36	39	22.50	21.02	20.97	21.10
		75	0	22.50	21.11	20.99	21.02

Table 41: Conducted power test results of LTE Band 26

Note: The conducted power of LTE Band 26 is measured with RMS detector.

1.24 Conducted power of LTE Band 26(Main antenna)

Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26697CH	26865CH	27033CH
1.4MHz	QPSK	1	0	25.30	24.02	23.90	23.83
		1	3	25.30	24.10	23.93	23.81
		1	5	25.30	24.06	23.78	23.86
		3	0	25.30	24.02	23.83	23.83
		3	2	25.30	23.87	24.00	23.86
		3	3	25.30	23.91	23.89	23.82
		6	0	24.30	23.01	23.05	22.93
	16QAM	1	0	24.30	23.09	22.90	22.87
		1	3	24.30	23.13	23.08	22.96
		1	5	24.30	23.18	23.03	22.94
		3	0	24.30	23.09	23.13	22.91
		3	2	24.30	23.27	23.02	23.03
		3	3	24.30	22.92	22.96	23.13
		6	0	23.30	22.11	21.92	21.66
	64QAM	1	0	23.30	22.02	22.10	22.11
		1	3	23.30	22.07	22.08	22.09
		1	5	23.30	22.32	21.93	21.89
		3	0	23.30	21.88	21.73	21.96
		3	2	23.30	21.93	22.09	21.98
		3	3	23.30	21.95	22.01	22.01
		6	0	22.30	21.16	21.13	20.92
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
3MHz	QPSK	1	0	25.30	24.01	23.95	23.99
		1	7	25.30	24.24	24.02	23.89
		1	14	25.30	24.03	23.97	23.95
		8	0	24.30	23.17	23.03	22.95
		8	4	24.30	23.18	23.09	23.07
		8	7	24.30	23.09	23.03	22.94
		15	0	24.30	23.15	23.04	22.94
	16QAM	1	0	24.30	23.37	23.28	23.40
		1	7	24.30	23.47	23.37	23.34
		1	14	24.30	23.37	23.26	23.14
		8	0	23.30	22.20	22.09	22.06
		8	4	23.30	22.30	22.17	22.06
		8	7	23.30	22.22	22.23	22.07
		15	0	23.30	22.05	22.12	21.93
	64QAM	1	0	23.30	22.23	21.99	22.12
		1	7	23.30	22.28	22.29	22.28
		1	14	23.30	22.28	22.34	22.15
		8	0	22.30	21.24	21.06	20.91
		8	4	22.30	21.24	21.13	21.11
		8	7	22.30	21.19	21.18	20.89
		15	0	22.30	21.24	21.15	21.15



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26715CH	26865CH	27015CH
5MHz	QPSK	1	0	25.30	24.08	23.96	23.93
		1	13	25.30	24.04	24.04	23.95
		1	24	25.30	24.04	24.02	23.87
		12	0	24.30	23.14	22.96	23.01
		12	6	24.30	23.19	23.17	23.06
		12	13	24.30	23.12	23.12	23.10
		25	0	24.30	23.11	22.97	22.95
	16QAM	1	0	24.30	23.39	23.40	23.37
		1	13	24.30	23.26	23.41	23.40
		1	24	24.30	23.41	23.51	23.29
		12	0	23.30	22.14	22.17	22.05
		12	6	23.30	22.28	21.92	22.03
		12	13	23.30	22.02	22.14	22.10
		25	0	23.30	22.10	22.09	22.20
	64QAM	1	0	23.30	21.99	22.04	21.88
		1	13	23.30	22.16	22.28	22.18
		1	24	23.30	22.09	22.11	22.15
		12	0	22.30	21.20	21.15	21.01
		12	6	22.30	21.24	21.18	21.08
		12	13	22.30	21.17	21.00	21.06
		25	0	22.30	21.19	21.04	21.06
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
10MHz	QPSK	1	0	25.30	24.06	24.18	23.93
		1	25	25.30	23.95	24.00	23.89
		1	49	25.30	23.81	24.06	23.98
		25	0	24.30	23.10	23.10	23.09
		25	13	24.30	23.22	23.16	23.15
		25	25	24.30	23.13	23.05	23.03
		50	0	24.30	23.17	23.07	23.15
	16QAM	1	0	24.30	23.31	23.34	23.20
		1	25	24.30	23.27	23.35	23.46
		1	49	24.30	23.25	23.41	23.21
		25	0	23.30	22.07	22.11	22.05
		25	13	23.30	22.28	22.22	22.09
		25	25	23.30	22.11	22.18	22.04
		50	0	23.30	22.18	22.05	22.16
	64QAM	1	0	23.30	22.52	22.50	22.21
		1	25	23.30	22.13	22.11	22.21
		1	49	23.30	22.28	22.11	22.20
		25	0	22.30	21.20	21.10	21.13
		25	13	22.30	21.24	21.17	21.15
		25	25	22.30	21.23	21.14	21.22
		50	0	22.30	21.26	21.02	21.08
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26740CH	26865CH	26990CH



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	26765CH	26865CH	26965CH
15MHz	QPSK	1	0	25.30	24.05	23.93	23.90
		1	38	25.30	23.93	23.79	23.81
		1	74	25.30	23.87	23.71	23.66
		36	0	24.30	23.04	22.87	22.88
		36	18	24.30	23.00	22.91	22.92
		36	39	24.30	23.00	23.02	22.89
		75	0	24.30	22.97	23.01	23.03
	16QAM	1	0	24.30	23.32	23.27	23.30
		1	38	24.30	23.22	23.23	23.14
		1	74	24.30	23.27	23.21	23.18
		36	0	23.30	21.97	21.97	21.92
		36	18	23.30	22.03	21.93	21.94
		36	39	23.30	22.06	21.98	22.00
		75	0	23.30	22.09	21.92	22.05
	64QAM	1	0	23.30	22.18	22.12	22.08
		1	38	23.30	22.13	21.74	22.10
		1	74	23.30	22.03	22.01	22.06
		36	0	22.30	20.94	20.89	20.89
		36	18	22.30	21.00	20.93	20.96
		36	39	22.30	21.01	20.95	20.96
		75	0	22.30	21.06	20.98	20.96

Table 42: Conducted power test results of LTE Band 26

Note: The conducted power of LTE Band 26 is measured with RMS detector.

1.25 Conducted power of LTE Band 38(Second antenna)

Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37775CH	38000CH	38225CH
5MHz	QPSK	1	0	18.20	16.90	16.90	16.91
		1	13	18.20	16.81	16.94	16.81
		1	24	18.20	16.92	16.85	16.83
		12	0	18.20	17.01	16.88	16.95
		12	6	18.20	17.00	16.92	16.94
		12	13	18.20	16.94	16.95	16.96
		25	0	18.20	16.84	16.85	16.91
	16QAM	1	0	18.20	16.91	17.08	16.98
		1	13	18.20	17.28	17.09	16.85
		1	24	18.20	16.89	16.89	16.97
		12	0	18.20	16.81	16.83	16.83
		12	6	18.20	16.88	16.78	16.82
		12	13	18.20	16.76	16.89	16.79
		25	0	18.20	16.94	16.89	16.89
	64QAM	1	0	18.20	16.96	16.86	16.88
		1	13	18.20	16.85	16.84	16.90
		1	24	18.20	16.75	16.89	16.89
		12	0	18.20	16.86	16.84	16.88
		12	6	18.20	16.86	16.90	16.75
		12	13	18.20	16.86	16.88	16.84
		25	0	18.20	16.88	16.90	16.87
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
10MHz	QPSK	1	0	18.20	16.93	17.08	17.06
		1	25	18.20	16.86	16.85	16.82
		1	49	18.20	16.90	16.94	16.76
		25	0	18.20	16.95	16.94	16.88
		25	13	18.20	17.00	16.91	16.91
		25	25	18.20	16.94	16.99	16.89
		50	0	18.20	17.04	16.84	16.85
	16QAM	1	0	18.20	16.73	16.70	16.71
		1	25	18.20	16.60	16.61	16.64
		1	49	18.20	16.48	16.73	16.80
		25	0	18.20	16.86	16.83	16.84
		25	13	18.20	16.87	16.83	16.80
		25	25	18.20	16.80	16.85	16.80
		50	0	18.20	16.85	16.90	16.77
	64QAM	1	0	18.20	16.95	17.05	16.89
		1	25	18.20	16.92	17.03	16.94
		1	49	18.20	16.88	16.89	16.97
		25	0	18.20	17.02	16.97	16.98
		25	13	18.20	17.06	16.98	16.95
		25	25	18.20	17.00	16.97	16.97
		50	0	18.20	16.98	16.93	16.83



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37825CH	38000CH	38175CH
15MHz	QPSK	1	0	18.20	16.74	16.86	16.88
		1	38	18.20	16.72	16.73	16.75
		1	74	18.20	16.76	16.81	16.74
		36	0	18.20	16.75	16.81	16.74
		36	18	18.20	16.89	16.78	16.82
		36	39	18.20	16.78	16.85	16.76
		75	0	18.20	16.85	16.81	16.74
	16QAM	1	0	18.20	16.84	16.90	16.73
		1	38	18.20	16.70	16.80	16.76
		1	74	18.20	16.79	16.73	16.70
		36	0	18.20	16.77	16.81	16.72
		36	18	18.20	16.90	16.76	16.85
		36	39	18.20	16.80	16.81	16.73
		75	0	18.20	16.81	16.85	16.72
	64QAM	1	0	18.20	16.71	16.82	16.81
		1	38	18.20	16.71	16.86	16.73
		1	74	18.20	16.71	16.82	16.72
		36	0	18.20	16.79	16.83	16.69
		36	18	18.20	16.81	16.82	16.85
		36	39	18.20	16.83	16.77	16.63
		75	0	18.20	16.83	16.78	16.71
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
20MHz	QPSK	1	0	18.20	16.78	16.85	16.87
		1	50	18.20	16.75	16.81	16.77
		1	99	18.20	16.65	16.70	16.70
		50	0	18.20	16.75	16.87	16.82
		50	25	18.20	16.84	16.83	16.84
		50	50	18.20	16.81	16.83	16.83
		100	0	18.20	16.85	16.80	16.81
	16QAM	1	0	18.20	16.64	16.67	16.70
		1	50	18.20	16.76	16.69	16.65
		1	99	18.20	16.69	16.55	16.54
		50	0	18.20	16.81	16.77	16.77
		50	25	18.20	16.95	16.78	16.86
		50	50	18.20	16.80	16.84	16.76
		100	0	18.20	16.82	16.78	16.88
	64QAM	1	0	18.20	16.82	16.74	16.67
		1	50	18.20	16.76	16.72	16.74
		1	99	18.20	16.63	16.70	16.67
		50	0	18.20	16.84	16.80	16.81
		50	25	18.20	16.90	16.84	16.91
		50	50	18.20	16.82	16.88	16.77
		100	0	18.20	16.88	16.74	16.81
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
20MHz	QPSK	1	0	18.20	16.78	16.85	16.87
		1	50	18.20	16.75	16.81	16.77
		1	99	18.20	16.65	16.70	16.70
		50	0	18.20	16.75	16.87	16.82
		50	25	18.20	16.84	16.83	16.84
		50	50	18.20	16.81	16.83	16.83
		100	0	18.20	16.85	16.80	16.81
	16QAM	1	0	18.20	16.64	16.67	16.70
		1	50	18.20	16.76	16.69	16.65
		1	99	18.20	16.69	16.55	16.54
		50	0	18.20	16.81	16.77	16.77
		50	25	18.20	16.95	16.78	16.86
		50	50	18.20	16.80	16.84	16.76
		100	0	18.20	16.82	16.78	16.88
	64QAM	1	0	18.20	16.82	16.74	16.67
		1	50	18.20	16.76	16.72	16.74
		1	99	18.20	16.63	16.70	16.67
		50	0	18.20	16.84	16.80	16.81
		50	25	18.20	16.90	16.84	16.91
		50	50	18.20	16.82	16.88	16.77
		100	0	18.20	16.88	16.74	16.81

Table 43: Conducted power test results of LTE Band 38 (Receiver ON/Hotspot ON)



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37775CH	38000CH	38225CH
5MHz	QPSK	1	0	23.70	22.27	22.38	22.32
		1	13	23.70	22.24	22.41	22.22
		1	24	23.70	22.26	22.32	22.30
		12	0	23.70	22.38	22.37	22.35
		12	6	23.70	22.32	22.34	22.27
		12	13	23.70	22.34	22.38	22.31
		25	0	23.70	22.43	22.26	21.83
	16QAM	1	0	23.70	22.46	22.40	21.86
		1	13	23.70	22.40	22.44	22.44
		1	24	23.70	22.42	22.48	21.77
		12	0	22.70	21.27	21.27	21.21
		12	6	22.70	21.27	21.38	21.36
		12	13	22.70	21.23	21.33	21.22
		25	0	22.70	21.48	21.39	20.87
	64QAM	1	0	22.70	21.40	21.45	20.93
		1	13	22.70	21.42	21.43	21.34
		1	24	22.70	21.32	21.46	20.76
		12	0	21.70	20.39	20.37	20.28
		12	6	21.70	20.46	20.43	20.35
		12	13	21.70	20.33	20.41	20.33
		25	0	21.70	20.39	20.40	19.81
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
10MHz	QPSK	1	0	23.70	22.12	22.54	22.26
		1	25	23.70	22.36	22.28	22.26
		1	49	23.70	22.41	22.32	22.23
		25	0	23.70	22.37	22.42	22.24
		25	13	23.70	22.46	22.44	22.33
		25	25	23.70	22.31	22.42	22.31
		50	0	23.70	22.36	22.35	21.81
	16QAM	1	0	23.70	22.29	22.38	21.71
		1	25	23.70	22.23	22.27	22.14
		1	49	23.70	22.26	22.36	21.66
		25	0	22.70	21.34	21.43	21.26
		25	13	22.70	21.36	21.35	21.31
		25	25	22.70	21.27	21.44	21.27
		50	0	22.70	21.41	21.34	20.69
	64QAM	1	0	22.70	21.39	21.35	20.91
		1	25	22.70	21.33	21.34	21.26
		1	49	22.70	21.41	21.42	20.79
		25	0	21.70	20.58	20.58	20.50
		25	13	21.70	20.57	20.59	20.46
		25	25	21.70	20.53	20.45	20.40
		50	0	21.70	20.39	20.31	19.83
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37800CH	38000CH	38200CH



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37825CH	38000CH	38175CH
15MHz	QPSK	1	0	23.70	22.26	22.34	22.19
		1	38	23.70	22.26	22.27	22.21
		1	74	23.70	22.24	22.23	22.09
		36	0	23.70	22.31	22.32	22.17
		36	18	23.70	22.31	22.24	22.32
		36	39	23.70	22.32	22.21	22.16
		75	0	23.70	22.28	22.24	21.67
	16QAM	1	0	23.70	22.46	22.49	22.08
		1	38	23.70	22.51	22.46	22.38
		1	74	23.70	22.37	22.43	21.96
		36	0	22.70	21.30	21.27	21.28
		36	18	22.70	21.44	21.28	21.41
		36	39	22.70	21.27	21.23	21.25
		75	0	22.70	21.27	21.22	20.68
	64QAM	1	0	22.70	21.28	21.30	20.80
		1	38	22.70	21.32	21.25	21.29
		1	74	22.70	21.26	21.23	20.75
		36	0	21.70	20.34	20.26	20.25
		36	18	21.70	20.40	20.33	20.32
		36	39	21.70	20.32	20.31	20.24
		75	0	21.70	20.32	20.33	19.83
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
20MHz	QPSK	1	0	23.70	22.27	22.21	22.27
		1	50	23.70	22.28	22.26	22.16
		1	99	23.70	22.16	22.21	22.01
		50	0	23.70	22.35	22.33	22.28
		50	25	23.70	22.32	22.25	22.20
		50	50	23.70	22.33	22.25	22.26
		100	0	23.70	22.24	20.76	21.74
	16QAM	1	0	23.70	22.49	22.52	22.06
		1	50	23.70	22.42	22.45	22.57
		1	99	23.70	22.43	22.46	22.02
		50	0	22.70	21.30	21.30	21.33
		50	25	22.70	21.43	21.26	21.26
		50	50	22.70	21.37	21.35	21.31
		100	0	22.70	21.33	21.31	20.85
	64QAM	1	0	22.70	21.23	21.33	20.81
		1	50	22.70	21.28	21.27	21.26
		1	99	22.70	21.24	21.18	20.75
		50	0	21.70	20.30	20.38	20.34
		50	25	21.70	20.41	20.27	20.33
		50	50	21.70	20.36	20.32	20.27
		100	0	21.70	20.35	20.28	19.86

Table 44: Conducted power test results of LTE Band 38 (Receiver OFF)

Note: The conducted power of LTE Band 38 is measured with RMS detector.

1.26 Conducted power of LTE Band 38(Main antenna)

Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37775CH	38000CH	38225CH
5MHz	QPSK	1	0	25.00	23.81	23.75	23.23
		1	13	25.00	23.73	23.71	23.61
		1	24	25.00	23.76	23.65	23.09
		12	0	24.00	22.84	22.74	22.82
		12	6	24.00	22.89	22.75	22.75
		12	13	24.00	22.75	22.75	22.69
		25	0	24.00	22.93	22.71	22.16
	16QAM	1	0	24.00	22.82	22.76	22.30
		1	13	24.00	22.85	22.68	22.70
		1	24	24.00	22.79	22.87	22.19
		12	0	23.00	21.73	21.77	21.65
		12	6	23.00	21.84	21.74	21.68
		12	13	23.00	21.70	21.69	21.68
		25	0	23.00	21.86	21.82	21.26
	64QAM	1	0	23.00	21.91	21.71	21.35
		1	13	23.00	21.86	21.87	21.73
		1	24	23.00	21.79	21.79	21.27
		12	0	22.00	20.74	20.70	20.73
		12	6	22.00	20.82	20.71	20.81
		12	13	22.00	20.75	20.79	20.76
		25	0	22.00	20.81	20.81	20.39
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
10MHz	QPSK	1	0	25.00	23.79	23.70	23.11
		1	25	25.00	23.65	23.66	23.60
		1	49	25.00	23.68	23.71	23.11
		25	0	24.00	22.84	22.74	22.69
		25	13	24.00	22.90	22.73	22.67
		25	25	24.00	22.83	22.67	22.79
		50	0	24.00	22.85	22.60	22.14
	16QAM	1	0	24.00	22.65	22.83	22.09
		1	25	24.00	22.68	22.62	22.63
		1	49	24.00	22.61	22.56	22.20
		25	0	23.00	21.85	21.67	21.67
		25	13	23.00	21.80	21.71	21.72
		25	25	23.00	21.76	21.76	21.70
		50	0	23.00	21.80	21.73	21.25
	64QAM	1	0	23.00	21.87	21.85	21.22
		1	25	23.00	21.86	21.77	21.74
		1	49	23.00	21.77	21.77	21.25
		25	0	22.00	21.00	20.98	20.81
		25	13	22.00	21.06	20.87	20.85
		25	25	22.00	20.98	20.84	20.81
		50	0	22.00	20.88	20.72	20.31
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37800CH	38000CH	38200CH



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37825CH	38000CH	38175CH
15MHz	QPSK	1	0	25.00	23.78	23.71	23.24
		1	38	25.00	23.70	23.59	23.49
		1	74	25.00	23.66	23.52	23.13
		36	0	24.00	22.70	22.71	22.53
		36	18	24.00	22.77	22.70	22.72
		36	39	24.00	22.74	22.61	22.56
		75	0	24.00	22.69	22.54	22.09
	16QAM	1	0	24.00	22.92	22.90	22.50
		1	38	24.00	22.91	22.97	22.95
		1	74	24.00	22.82	22.83	22.32
		36	0	23.00	21.72	21.74	21.66
		36	18	23.00	21.83	21.66	21.72
		36	39	23.00	21.78	21.69	21.61
		75	0	23.00	21.74	21.71	21.16
	64QAM	1	0	23.00	21.70	21.70	21.16
		1	38	23.00	21.73	21.71	21.74
		1	74	23.00	21.79	21.64	21.14
		36	0	22.00	20.78	20.64	20.60
		36	18	22.00	20.81	20.68	20.72
		36	39	22.00	20.74	20.73	20.69
		75	0	22.00	20.80	20.78	20.14
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
20MHz	QPSK	1	0	25.00	23.76	23.76	23.27
		1	50	25.00	23.72	23.67	23.54
		1	99	25.00	23.63	23.61	23.01
		50	0	24.00	22.82	22.62	22.59
		50	25	24.00	22.80	22.83	22.59
		50	50	24.00	22.70	22.66	22.61
		100	0	24.00	22.73	21.14	22.08
	16QAM	1	0	24.00	22.96	23.01	22.58
		1	50	24.00	22.88	23.09	23.01
		1	99	24.00	22.98	23.11	22.46
		50	0	23.00	21.71	21.76	21.68
		50	25	23.00	21.81	21.70	21.69
		50	50	23.00	21.78	21.66	21.75
		100	0	23.00	21.79	21.67	21.16
	64QAM	1	0	23.00	21.78	21.80	21.27
		1	50	23.00	21.79	21.69	21.77
		1	99	23.00	21.70	21.71	21.23
		50	0	22.00	20.76	20.75	20.74
		50	25	22.00	20.84	20.73	20.72
		50	50	22.00	20.74	20.69	20.72
		100	0	22.00	20.76	20.71	20.23

Table 45: Conducted power test results of LTE Band 38 (Receiver ON)



Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37775CH	38000CH	38225CH
5MHz	QPSK	1	0	24.00	22.68	22.70	22.66
		1	13	24.00	22.61	22.74	22.60
		1	24	24.00	22.66	22.71	22.67
		12	0	24.00	22.90	22.70	22.68
		12	6	24.00	22.77	22.70	22.64
		12	13	24.00	22.76	22.67	22.65
		25	0	24.00	22.82	22.61	22.13
	16QAM	1	0	24.00	22.80	22.74	22.17
		1	13	24.00	22.87	22.69	22.55
		1	24	24.00	22.84	22.63	22.03
		12	0	23.00	21.59	21.66	21.53
		12	6	23.00	21.67	21.70	21.71
		12	13	23.00	21.64	21.67	21.57
		25	0	23.00	21.65	21.70	21.17
	64QAM	1	0	23.00	21.77	21.70	21.23
		1	13	23.00	21.78	21.69	21.70
		1	24	23.00	21.77	21.61	21.12
		12	0	22.00	20.71	20.61	20.77
		12	6	22.00	20.68	20.79	20.80
		12	13	22.00	20.66	20.80	20.63
		25	0	22.00	20.68	20.74	20.12
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
10MHz	QPSK	1	0	24.00	22.65	22.63	22.63
		1	25	24.00	22.55	22.56	22.52
		1	49	24.00	22.65	22.55	22.60
		25	0	24.00	22.80	22.61	22.66
		25	13	24.00	22.71	22.63	22.63
		25	25	24.00	22.70	22.72	22.67
		50	0	24.00	22.74	22.66	22.14
	16QAM	1	0	24.00	22.71	22.67	22.17
		1	25	24.00	22.59	22.55	22.59
		1	49	24.00	22.64	22.43	22.09
		25	0	23.00	21.75	21.59	21.66
		25	13	23.00	21.76	21.61	21.68
		25	25	23.00	21.69	21.68	21.62
		50	0	23.00	21.70	21.61	21.03
	64QAM	1	0	23.00	21.66	21.50	21.28
		1	25	23.00	21.74	21.75	21.67
		1	49	23.00	21.56	21.70	21.13
		25	0	22.00	20.83	20.90	20.78
		25	13	22.00	20.91	20.86	20.72
		25	25	22.00	20.82	20.77	20.82
		50	0	22.00	20.82	20.74	20.17
Bandwidth	Modulation	RB size	RB offset	Tune-up	Channel	Channel	Channel
				Max.	37800CH	38000CH	38200CH