

5.1.1.2.2.2.3 Test RB = RB8#4




5.1.1.2.2.4 Test RB = RB15#0




5.1.1.2.3 Test Bandwidth = 5

5.1.1.2.3.1 Test Channel = LCH

5.1.1.2.3.1.1 Test RB = RB1#0




5.1.1.2.3.1.2 Test RB = RB1#24



5.1.1.2.3.1.3 Test RB = RB12#6




5.1.1.2.3.1.4 Test RB = RB25#0




5.1.1.2.3.2 Test Channel = HCH

5.1.1.2.3.2.1 Test RB = RB1#0



5.1.1.2.3.2.2 Test RB = RB1#24



5.1.1.2.3.2.3 Test RB = RB12#6




5.1.1.2.3.2.4 Test RB = RB25#0




5.1.1.2.4 Test Bandwidth = 10

5.1.1.2.4.1 Test Channel = LCH


5.1.1.2.4.1.1 Test RB = RB1#0




5.1.1.2.4.1.2 Test RB = RB1#49



5.1.1.2.4.1.3 Test RB = RB25#13




5.1.1.2.4.1.4 Test RB = RB50#0




5.1.1.2.4.2 Test Channel = HCH


5.1.1.2.4.2.1 Test RB = RB1#0



5.1.1.2.4.2.2 Test RB = RB1#49



5.1.1.2.4.2.3 Test RB = RB25#13




5.1.1.2.4.2.4 Test RB = RB50#0




5.1.1.2.5 Test Bandwidth = 15

5.1.1.2.5.1 Test Channel = LCH


5.1.1.2.5.1.1 Test RB = RB1#0




5.1.1.2.5.1.2 Test RB = RB1#74



5.1.1.2.5.1.3 Test RB = RB38#19




5.1.1.2.5.1.4 Test RB = RB75#0



5.1.1.2.5.2 Test Channel = HCH


5.1.1.2.5.2.1 Test RB = RB1#0



5.1.1.2.5.2.2 Test RB = RB1#74



5.1.1.2.5.2.3 Test RB = RB38#19




5.1.1.2.5.2.4 Test RB = RB75#0




5.1.1.2.6 Test Bandwidth = 20

5.1.1.2.6.1 Test Channel = LCH


5.1.1.2.6.1.1 Test RB = RB1#0



5.1.1.2.6.1.2 Test RB = RB1#99



5.1.1.2.6.1.3 Test RB = RB50#25




5.1.1.2.6.1.4 Test RB = RB100#0




5.1.1.2.6.2 Test Channel = HCH

5.1.1.2.6.2.1 Test RB = RB1#0



5.1.1.2.6.2.2 Test RB = RB1#99



5.1.1.2.6.2.3 Test RB = RB50#25



5.1.1.2.6.2.4 Test RB = RB100#0



6Appendix_F: Spurious Emission at Antenna Terminal

NOTE: For the averaged unwanted emissions measurements, the measurement points in each sweep is greater than twice the Span/RBW in order to ensure bin-to-bin spacing of $< RBW/2$ so that narrowband signals are not lost between frequency bins. As to the present test item, the "Measurement Points = $k * (Span / RBW)$ " with k between 4 and 5, which results in an acceptable level error of less than 0.5 dB.

Part I - Test Plots

6.1 For LTE


6.1.1 Test Band = Band66


6.1.1.1 Test Mode = LTE/TM1


6.1.1.1.1 Test Bandwidth = 1.4

6.1.1.1.1.1 Test Channel = LCH

6.1.1.1.1.1.1 Test RB = RB1#0










6.1.1.1.1.2 Test Channel = MCH

6.1.1.1.1.2.1 Test RB = RB1#0










6.1.1.1.1.3 Test Channel = HCH

6.1.1.1.1.3.1 Test RB = RB1#0







6.2.1.1.2 Test Bandwidth = 3

6.2.1.1.2.1 Test Channel = LCH

6.2.1.1.2.1.1 Test RB = RB1#0

