


APPENDIX E - BANDWIDTH

| | |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_SISO 1 |
|-----------|-------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36 | 5180 | 21.35 | 16.80 |
| 40 | 5200 | 21.25 | 16.80 |
| 48 | 5240 | 24.65 | 16.90 |

CH36




Date: 2.JUL.2020 14:45:12

CH40
26 dB Bandwidth




Date: 2.JUL.2020 14:46:40

CH48




Date: 2.JUL.2020 14:47:25


99 % Emission Bandwidth



Date: 2.JUL.2020 14:44:52



Date: 2.JUL.2020 14:46:19




Date: 2.JUL.2020 14:47:07

Test Mode UNII-1_TX N (HT20) Mode_SISO 1


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36 | 5180 | 21.95 | 17.80 |
| 40 | 5200 | 21.99 | 17.80 |
| 48 | 5240 | 22.95 | 17.80 |

CH36




Date: 2.JUL.2020 14:55:58

CH40
26 dB Bandwidth




Date: 2.JUL.2020 14:56:27

CH48




Date: 2.JUL.2020 14:57:19


99 % Emission Bandwidth



Date: 2.JUL.2020 14:55:38



Date: 2.JUL.2020 14:56:07




Date: 2.JUL.2020 14:56:59

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_SISO 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38 | 5190 | 40.30 | 36.40 |
| 46 | 5230 | 40.50 | 36.40 |

CH38




Date: 2.JUL.2020 15:05:57

CH46
26 dB Bandwidth




Date: 2.JUL.2020 15:06:33

99 % Emission Bandwidth



Date: 2.JUL.2020 15:05:31




Date: 2.JUL.2020 15:06:13

Test Mode UNII-3_TX A Mode_SISO 1


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 16.06 | 16.80 | 500 | Complies |
| 157 | 5785 | 16.45 | 16.90 | 500 | Complies |
| 165 | 5825 | 16.35 | 16.70 | 500 | Complies |

CH149




Date: 2.JUL.2020 14:49:22

CH157
6 dB Bandwidth




Date: 2.JUL.2020 14:52:20

CH165




Date: 2.JUL.2020 14:55:26


99 % Emission Bandwidth



Date: 2.JUL.2020 14:48:59



Date: 2.JUL.2020 14:51:57




Date: 2.JUL.2020 14:55:05

Test Mode UNII-3_TX N (HT20) Mode_SISO 1


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 16.99 | 17.80 | 500 | Complies |
| 157 | 5785 | 15.70 | 17.80 | 500 | Complies |
| 165 | 5825 | 16.85 | 17.80 | 500 | Complies |

CH149




Date: 2.JUL.2020 14:57:49

CH157
6 dB Bandwidth




Date: 2.JUL.2020 14:59:00

CH165




Date: 2.JUL.2020 14:59:30


99 % Emission Bandwidth



Date: 2.JUL.2020 14:57:27



Date: 2.JUL.2020 14:58:34




Date: 2.JUL.2020 14:59:09

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_SISO 1 |
|-----------|--------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151 | 5755 | 34.10 | 36.20 | 500 | Complies |
| 159 | 5795 | 34.19 | 36.40 | 500 | Complies |

CH151




Date: 2.JUL.2020 15:07:19

CH159 6 dB Bandwidth




Date: 2.JUL.2020 15:08:59

99 % Emission Bandwidth



Date: 2.JUL.2020 15:06:47




Date: 2.JUL.2020 15:08:28

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_SISO 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36 | 5180 | 21.99 | 17.80 |
| 40 | 5200 | 22.29 | 17.80 |
| 48 | 5240 | 22.09 | 17.80 |

CH36




Date: 2.JUL.2020 15:01:07

CH40
26 dB Bandwidth




Date: 2.JUL.2020 15:01:41

CH48




Date: 2.JUL.2020 15:03:14


99 % Emission Bandwidth



Date: 2.JUL.2020 15:00:47



Date: 2.JUL.2020 15:01:21




Date: 2.JUL.2020 15:02:54

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_SISO 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38 | 5190 | 40.59 | 36.60 |
| 46 | 5230 | 41.10 | 36.40 |

CH38




Date: 2.JUL.2020 15:12:32

CH46
26 dB Bandwidth




Date: 2.JUL.2020 15:13:01

99 % Emission Bandwidth



Date: 2.JUL.2020 15:12:04




Date: 2.JUL.2020 15:12:41

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_SISO 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42 | 5210 | 83.20 | 75.20 |


CH42

26 dB Bandwidth



Date: 2.JUL.2020 15:16:15

99 % Emission Bandwidth




Date: 2.JUL.2020 15:16:49

Test Mode UNII-3_TX AC (VHT20) Mode_SISO 1


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 16.59 | 17.80 | 500 | Complies |
| 157 | 5785 | 16.65 | 17.80 | 500 | Complies |
| 165 | 5825 | 16.85 | 17.80 | 500 | Complies |

CH149




Date: 2.JUL.2020 15:03:48

CH157
6 dB Bandwidth




Date: 2.JUL.2020 15:04:20

CH165




Date: 2.JUL.2020 15:05:19


99 % Emission Bandwidth



Date: 2.JUL.2020 15:03:25



Date: 2.JUL.2020 15:03:57




Date: 2.JUL.2020 15:04:57

Test Mode UNII-3_TX AC (VHT40) Mode_SISO 1


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151 | 5755 | 35.40 | 36.40 | 500 | Complies |
| 159 | 5795 | 33.79 | 36.40 | 500 | Complies |

CH151




Date: 2.JUL.2020 15:14:50

CH159 6 dB Bandwidth




Date: 2.JUL.2020 15:15:36

99 % Emission Bandwidth



Date: 2.JUL.2020 15:14:21




Date: 2.JUL.2020 15:15:03

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_SISO 1 |
|-----------|----------------------------------|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155 | 5775 | 73.00 | 75.20 | 500 | Complies |

CH155
6 dB Bandwidth



Date: 2.JUL.2020 15:16:53

99 % Emission Bandwidth




Date: 2.JUL.2020 15:16:25

Test Mode UNII-1_TX AX (HEW20) Mode_242 Tone_SISO 1


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 36 | 5180 | 22.35 | 18.90 |
| 40 | 5200 | 21.89 | 18.90 |
| 48 | 5240 | 22.70 | 18.90 |

CH36




Date: 2.JUL.2020 15:17:28

CH40
26 dB Bandwidth




Date: 2.JUL.2020 15:18:00

CH48




Date: 2.JUL.2020 15:18:30


99 % Emission Bandwidth



Date: 2.JUL.2020 15:17:09



Date: 2.JUL.2020 15:17:38




Date: 2.JUL.2020 15:18:11

| | |
|-----------|---|
| Test Mode | UNII-1_TX AX (HEW40) Mode_484 Tone_SISO 1 |
|-----------|---|


| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 38 | 5190 | 41.21 | 38.00 |
| 46 | 5230 | 41.50 | 38.00 |

CH38




Date: 2.JUL.2020 15:20:45

CH46
26 dB Bandwidth




Date: 2.JUL.2020 15:21:19

99 % Emission Bandwidth



Date: 2.JUL.2020 15:20:19




Date: 2.JUL.2020 15:20:58

| | |
|-----------|---|
| Test Mode | UNII-1_TX AX (HEW80) Mode_996 Tone_SISO 1 |
|-----------|---|

| Channel | Frequency (MHz) | 26 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) |
|---------|-----------------|-----------------------|-------------------------------|
| 42 | 5210 | 84.20 | 77.20 |


CH42

26 dB Bandwidth



Date: 2.JUL.2020 15:23:18

99 % Emission Bandwidth




Date: 2.JUL.2020 15:22:53

Test Mode UNII-3_TX AX (HEW20) Mode_242 Tone_SISO 1


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 149 | 5745 | 17.70 | 18.90 | 500 | Complies |
| 157 | 5785 | 17.59 | 18.90 | 500 | Complies |
| 165 | 5825 | 17.50 | 18.90 | 500 | Complies |

CH149




Date: 2.JUL.2020 15:19:04

CH157
6 dB Bandwidth




Date: 2.JUL.2020 15:19:38

CH165




Date: 2.JUL.2020 15:20:10


99 % Emission Bandwidth



Date: 2.JUL.2020 15:19:42



Date: 2.JUL.2020 15:19:14




Date: 2.JUL.2020 15:19:47

| | |
|-----------|---|
| Test Mode | UNII-3_TX AX (HEW40) Mode_484 Tone_SISO 1 |
|-----------|---|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 151 | 5755 | 35.40 | 38.40 | 500 | Complies |
| 159 | 5795 | 34.21 | 38.40 | 500 | Complies |

CH151




Date: 2.JUL.2020 15:21:59

CH159 6 dB Bandwidth




Date: 2.JUL.2020 15:22:43

99 % Emission Bandwidth



Date: 2.JUL.2020 15:21:29




Date: 2.JUL.2020 15:22:09

| | |
|-----------|---|
| Test Mode | UNII-3_TX AX (HEW80) Mode_996 Tone_SISO 1 |
|-----------|---|


| Channel | Frequency (MHz) | 6 dB Bandwidth (MHz) | 99 % Emission Bandwidth (MHz) | 6 dB Bandwidth Min. Limit (kHz) | Result |
|---------|-----------------|----------------------|-------------------------------|---------------------------------|----------|
| 155 | 5775 | 75.40 | 77.20 | 500 | Complies |

CH155 6 dB Bandwidth



Date: 2..JUL..2020 15:23:55

99 % Emission Bandwidth



Date: 2..JUL..2020 15:23:27

APPENDIX F - OUTPUT POWER

Non Beamforming

| | |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 10.35 | 0.18 | 10.53 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 13.56 | 0.18 | 13.74 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 16.67 | 0.18 | 16.85 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 16.55 | 0.18 | 16.73 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-1_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 10.06 | 0.18 | 10.24 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.65 | 0.18 | 12.83 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.55 | 0.18 | 15.73 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.38 | 0.18 | 15.56 | 30.00 | 1.00 | Complies |

| | |
|-----------|------------------------|
| Test Mode | UNII-1_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 13.40 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 16.32 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 19.34 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 19.20 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.72 | 0.21 | 9.93 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 13.02 | 0.21 | 13.23 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 16.43 | 0.21 | 16.64 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.97 | 0.21 | 16.18 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.61 | 0.21 | 9.82 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.65 | 0.21 | 12.86 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.25 | 0.21 | 15.46 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.86 | 0.21 | 16.07 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 12.88 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 16.06 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 19.10 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 19.13 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 10.72 | 0.41 | 11.13 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 14.57 | 0.41 | 14.98 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 10.45 | 0.41 | 10.86 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.63 | 0.41 | 14.04 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-1_TX N (HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 14.01 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 17.55 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 1 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 20.07 | 0.18 | 20.25 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 20.13 | 0.18 | 20.31 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.93 | 0.18 | 20.11 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------|
| Test Mode | UNII-3_TX A Mode_Ant. 2 |
|-----------|-------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 20.15 | 0.18 | 20.33 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 20.22 | 0.18 | 20.40 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 20.09 | 0.18 | 20.27 | 30.00 | 1.00 | Complies |

| | |
|-----------|------------------------|
| Test Mode | UNII-3_TX A Mode_Total |
|-----------|------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 23.31 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 23.37 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 23.21 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.55 | 0.21 | 19.76 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.68 | 0.21 | 19.89 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.64 | 0.21 | 19.85 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.67 | 0.21 | 19.88 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.75 | 0.21 | 19.96 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 20.60 | 0.21 | 20.81 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT20) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 22.83 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 22.93 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 23.37 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 1 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 19.19 | 0.41 | 19.60 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.34 | 0.41 | 17.75 | 30.00 | 1.00 | Complies |

| | |
|-----------|--------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Ant. 2 |
|-----------|--------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 18.45 | 0.41 | 18.86 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.93 | 0.41 | 18.34 | 30.00 | 1.00 | Complies |

| | |
|-----------|-------------------------------|
| Test Mode | UNII-3_TX N (HT40) Mode_Total |
|-----------|-------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 22.26 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 21.07 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 10.46 | 0.21 | 10.67 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 13.45 | 0.21 | 13.66 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 16.37 | 0.21 | 16.58 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 16.85 | 0.21 | 17.06 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.69 | 0.21 | 9.9 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.32 | 0.21 | 12.53 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.56 | 0.21 | 15.77 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.25 | 0.21 | 15.46 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 13.31 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 16.14 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 19.20 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 19.34 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.77 | 0.39 | 10.16 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 14.65 | 0.39 | 15.04 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 10.69 | 0.39 | 11.08 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.79 | 0.39 | 14.18 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 13.66 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 17.64 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 7.98 | 0.82 | 8.80 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 8.05 | 0.82 | 8.87 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 11.84 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.65 | 0.21 | 19.86 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.59 | 0.21 | 19.80 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.54 | 0.21 | 19.75 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.76 | 0.21 | 19.97 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.66 | 0.21 | 19.87 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.63 | 0.21 | 19.84 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 22.92 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 22.84 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 22.80 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 18.16 | 0.39 | 18.55 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.72 | 0.39 | 18.11 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 18.22 | 0.39 | 18.61 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.73 | 0.39 | 18.12 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 21.59 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 21.13 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 16.95 | 0.82 | 17.77 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.03 | 0.82 | 17.85 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 20.82 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 8.88 | 0.23 | 9.11 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 8.69 | 0.23 | 8.92 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 12.11 | 0.23 | 12.34 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 12.02 | 0.23 | 12.25 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 7.71 | 0.23 | 7.94 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 8.79 | 0.23 | 9.02 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 11.51 | 0.23 | 11.74 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 11.35 | 0.23 | 11.58 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Total | RU Configuration | 26 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 11.57 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 11.98 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.06 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 14.94 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 6.84 | 0.23 | 7.07 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 11.23 | 0.23 | 11.46 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 14.09 | 0.23 | 14.32 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 14.21 | 0.23 | 14.44 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 7.15 | 0.23 | 7.38 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 10.37 | 0.23 | 10.6 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 13.41 | 0.23 | 13.64 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 13.27 | 0.23 | 13.5 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Total | RU Configuration | 52 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 10.24 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 14.06 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 17.00 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 17.01 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 8.85 | 0.23 | 9.08 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.18 | 0.23 | 12.41 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.28 | 0.23 | 15.51 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.13 | 0.23 | 15.36 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 8.74 | 0.23 | 8.97 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 11.75 | 0.23 | 11.98 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 14.44 | 0.23 | 14.67 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 14.47 | 0.23 | 14.7 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Total | RU Configuration | 106 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 12.04 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 15.21 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 18.12 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 18.05 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 10.38 | 0.23 | 10.61 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.92 | 0.23 | 13.15 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 16.28 | 0.23 | 16.51 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 16.11 | 0.23 | 16.34 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 8.95 | 0.23 | 9.18 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.48 | 0.23 | 12.71 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.18 | 0.23 | 15.41 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.27 | 0.23 | 15.50 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 12.96 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 15.95 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 19.00 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 18.95 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 7.96 | 0.43 | 8.39 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 10.01 | 0.43 | 10.44 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 6.79 | 0.43 | 7.22 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 9.54 | 0.43 | 9.97 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Total | RU Configuration | 26 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 10.86 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.22 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 5.95 | 0.43 | 6.38 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 10.86 | 0.43 | 11.29 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 6.1 | 0.43 | 6.53 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 9.76 | 0.43 | 10.19 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Total | RU Configuration | 52 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 9.47 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.79 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 7.12 | 0.43 | 7.55 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 12.28 | 0.43 | 12.71 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 7.66 | 0.43 | 8.09 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 11.29 | 0.43 | 11.72 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Total | RU Configuration | 106 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 10.84 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 15.25 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.34 | 0.43 | 9.77 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.48 | 0.43 | 13.91 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.25 | 0.43 | 9.68 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 12.68 | 0.43 | 13.11 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 12.74 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 16.54 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.92 | 0.43 | 10.35 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.97 | 0.43 | 14.40 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.88 | 0.43 | 10.31 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.86 | 0.43 | 14.29 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Total | RU Configuration | 484 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 13.34 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 17.36 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 3.77 | 0.80 | 4.57 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 3.28 | 0.80 | 4.08 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Total | RU Configuration | 52 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 7.34 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 3.56 | 0.80 | 4.36 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 3.15 | 0.80 | 3.95 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Total | RU Configuration | 106 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 7.17 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 6.08 | 0.80 | 6.88 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 5.76 | 0.80 | 6.56 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 9.73 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 7.12 | 0.80 | 7.92 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 8.09 | 0.80 | 8.89 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Total | RU Configuration | 484 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 11.44 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 8.21 | 0.80 | 9.02 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 7.85 | 0.80 | 8.65 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Total | RU Configuration | 996 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 11.84 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 15.21 | 0.23 | 15.44 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 15.04 | 0.23 | 15.27 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 14.83 | 0.23 | 15.06 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 15.11 | 0.23 | 15.34 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 15 | 0.23 | 15.23 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 14.81 | 0.23 | 15.04 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Total | RU Configuration | 26 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 18.40 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 18.26 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 18.06 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 17.44 | 0.23 | 17.67 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 17.58 | 0.23 | 17.81 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 17.16 | 0.23 | 17.39 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 16.96 | 0.23 | 17.19 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 16.89 | 0.23 | 17.12 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 17.28 | 0.23 | 17.51 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Total | RU Configuration | 52 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 20.45 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 20.49 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 20.46 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.93 | 0.23 | 20.16 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.88 | 0.23 | 20.11 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.71 | 0.23 | 19.94 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.74 | 0.23 | 19.97 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.86 | 0.23 | 20.09 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 20.13 | 0.23 | 20.36 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Total | RU Configuration | 106 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 23.08 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 23.11 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 23.17 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.85 | 0.23 | 20.08 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.77 | 0.23 | 20.00 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.54 | 0.23 | 19.77 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.98 | 0.23 | 20.21 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.89 | 0.23 | 20.12 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.63 | 0.23 | 19.86 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 23.16 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 23.07 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 22.83 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 13.52 | 0.43 | 13.95 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 13.32 | 0.43 | 13.75 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 26 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 13.69 | 0.43 | 14.12 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 13.45 | 0.43 | 13.88 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Total | RU Configuration | 26 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 17.05 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 16.83 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 14.57 | 0.43 | 15 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 14.19 | 0.43 | 14.62 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 14.19 | 0.43 | 14.62 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 14.02 | 0.43 | 14.45 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Total | RU Configuration | 52 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 17.83 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.55 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 16.04 | 0.43 | 16.47 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 15.61 | 0.43 | 16.04 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 15.91 | 0.43 | 16.34 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 15.66 | 0.43 | 16.09 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Total | RU Configuration | 106 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 19.42 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 19.08 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 17.21 | 0.43 | 17.64 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.21 | 0.43 | 17.64 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 16.98 | 0.43 | 17.41 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 16.84 | 0.43 | 17.27 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 20.54 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 20.47 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 17.96 | 0.43 | 18.39 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.51 | 0.43 | 17.94 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 18.09 | 0.43 | 18.52 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.93 | 0.43 | 18.36 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Total | RU Configuration | 484 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 21.47 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 21.17 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 14.07 | 0.80 | 14.87 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 52 Tone |
|-----------|----------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 13.78 | 0.80 | 14.58 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|---------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Total | RU Configuration | 52 Tone |
|-----------|---------------------------------|------------------|---------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 17.74 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 14.03 | 0.80 | 14.83 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 106 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 13.68 | 0.80 | 14.48 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Total | RU Configuration | 106 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 17.67 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 16.11 | 0.80 | 16.91 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 15.91 | 0.80 | 16.71 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 19.82 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 16.39 | 0.80 | 17.19 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 16.33 | 0.80 | 17.13 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Total | RU Configuration | 484 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 20.17 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.62 | 0.80 | 18.42 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.34 | 0.80 | 18.14 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Total | RU Configuration | 996 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 21.29 | 30.00 | 1.00 | Complies |

Beamforming

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.98 | 0.21 | 10.19 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 13.33 | 0.21 | 13.54 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 16.11 | 0.21 | 16.32 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 16.28 | 0.21 | 16.49 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.21 | 0.21 | 9.42 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 11.96 | 0.21 | 12.17 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.12 | 0.21 | 15.33 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 14.82 | 0.21 | 15.03 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 12.83 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 15.92 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 18.86 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 18.83 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.72 | 0.39 | 10.11 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.84 | 0.39 | 14.23 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.46 | 0.39 | 9.85 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.08 | 0.39 | 13.47 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 12.99 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 16.88 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 7.64 | 0.82 | 8.46 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 8.66 | 0.82 | 9.48 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-1_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 12.01 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.25 | 0.21 | 19.46 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.03 | 0.21 | 19.24 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.06 | 0.21 | 19.27 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.37 | 0.21 | 19.58 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.12 | 0.21 | 19.33 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.15 | 0.21 | 19.36 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT20) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 22.53 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 22.29 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 22.32 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 17.83 | 0.39 | 18.22 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.35 | 0.39 | 17.74 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 17.51 | 0.39 | 17.90 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.52 | 0.39 | 17.91 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT40) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 21.07 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 20.84 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 1 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.26 | 0.82 | 18.08 | 30.00 | 1.00 | Complies |

| | |
|-----------|----------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Ant. 2 |
|-----------|----------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.08 | 0.82 | 17.90 | 30.00 | 1.00 | Complies |

| | |
|-----------|---------------------------------|
| Test Mode | UNII-3_TX AC (VHT80) Mode_Total |
|-----------|---------------------------------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 21.00 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 10.08 | 0.23 | 10.31 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.87 | 0.23 | 13.10 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 16.09 | 0.23 | 16.32 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 16.15 | 0.23 | 16.38 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 36 | 5180 | 9.28 | 0.23 | 9.51 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 12.52 | 0.23 | 12.75 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 15.28 | 0.23 | 15.51 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 15.05 | 0.23 | 15.28 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW20) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 36 | 5180 | 12.94 | 30.00 | 1.00 | Complies |
| 40 | 5200 | 15.94 | 30.00 | 1.00 | Complies |
| 44 | 5220 | 18.94 | 30.00 | 1.00 | Complies |
| 48 | 5240 | 18.87 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 10.01 | 0.43 | 10.44 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 14.23 | 0.43 | 14.66 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 38 | 5190 | 9.66 | 0.43 | 10.09 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 13.04 | 0.43 | 13.47 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW40) Mode_Total | RU Configuration | 484 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 38 | 5190 | 13.28 | 30.00 | 1.00 | Complies |
| 46 | 5230 | 17.12 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 8.39 | 0.80 | 9.19 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 42 | 5210 | 8.68 | 0.80 | 9.48 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-1_TX AX (HEW80) Mode_Total | RU Configuration | 996 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 42 | 5210 | 12.35 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 1 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.09 | 0.23 | 19.32 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.25 | 0.23 | 19.48 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.13 | 0.23 | 19.36 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Ant. 2 | RU Configuration | 242 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 149 | 5745 | 19.22 | 0.23 | 19.45 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 19.44 | 0.23 | 19.67 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 19.27 | 0.23 | 19.50 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW20) Mode_Total | RU Configuration | 242 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 149 | 5745 | 22.40 | 30.00 | 1.00 | Complies |
| 157 | 5785 | 22.59 | 30.00 | 1.00 | Complies |
| 165 | 5825 | 22.44 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 1 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 18.02 | 0.43 | 18.45 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.78 | 0.43 | 18.21 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Ant. 2 | RU Configuration | 484 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 151 | 5755 | 17.67 | 0.43 | 18.10 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 17.44 | 0.43 | 17.87 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW40) Mode_Total | RU Configuration | 484 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 151 | 5755 | 21.29 | 30.00 | 1.00 | Complies |
| 159 | 5795 | 21.05 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 1 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.46 | 0.80 | 18.26 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|----------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Ant. 2 | RU Configuration | 996 Tone |
|-----------|----------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Duty Factor | Output Power + Duty Factor (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|-------------|----------------------------------|------------------|----------------|----------|
| 155 | 5775 | 17.49 | 0.80 | 18.29 | 30.00 | 1.00 | Complies |

| | | | |
|-----------|---------------------------------|------------------|----------|
| Test Mode | UNII-3_TX AX (HEW80) Mode_Total | RU Configuration | 996 Tone |
|-----------|---------------------------------|------------------|----------|

| Channel | Frequency (MHz) | Output Power (dBm) | Max. Limit (dBm) | Max. Limit (W) | Result |
|---------|-----------------|--------------------|------------------|----------------|----------|
| 155 | 5775 | 21.28 | 30.00 | 1.00 | Complies |