







Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	1.62	0.23	1.85	17.00	Complies
40	5200	2.08	0.23	2.31	17.00	Complies
48	5240	5.48	0.23	5.71	17.00	Complies



Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.96	0.23	1.19	17.00	Complies
40	5200	1.89	0.23	2.12	17.00	Complies
48	5240	4.35	0.23	4.58	17.00	Complies




Test Mode	UNII-1_TX AX (HEW20) Mode_Total	RU Configuration	26 Tone
-----------	---------------------------------	------------------	---------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	4.54	17.00	Complies
40	5200	5.23	17.00	Complies
48	5240	8.19	17.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-1.34	0.23	-1.11	17.00	Complies
40	5200	2.96	0.23	3.19	17.00	Complies
48	5240	6.01	0.23	6.24	17.00	Complies



Date: 2.JUL.2020 19:20:59




Date: 2.JUL.2020 19:21:18




Date: 2.JUL.2020 19:21:40

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.80	0.23	-0.57	17.00	Complies
40	5200	2.32	0.23	2.55	17.00	Complies
48	5240	5.05	0.23	5.28	17.00	Complies



Date: 2.JUL.2020 19:14:42



Date: 2.JUL.2020 19:15:01




Date: 2.JUL.2020 19:15:22

Test Mode	UNII-1_TX AX (HEW20) Mode_Total	RU Configuration	52 Tone
-----------	---------------------------------	------------------	---------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.18	17.00	Complies
40	5200	5.89	17.00	Complies
48	5240	8.80	17.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.83	0.23	-0.60	17.00	Complies
40	5200	2.56	0.23	2.79	17.00	Complies
48	5240	5.51	0.23	5.74	17.00	Complies



Date: 2.JUL.2020 19:27:22




Date: 2.JUL.2020 19:27:40




Date: 2.JUL.2020 19:27:59

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.34	0.23	-0.11	17.00	Complies
40	5200	2.26	0.23	2.49	17.00	Complies
48	5240	4.49	0.23	4.72	17.00	Complies



Date: 2.JUL.2020 19:32:11



Date: 2.JUL.2020 19:32:56




Date: 2.JUL.2020 19:33:54

Test Mode	UNII-1_TX AX (HEW20) Mode_Total	RU Configuration	106 Tone
-----------	---------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	2.66	17.00	Complies
40	5200	5.65	17.00	Complies
48	5240	8.27	17.00	Complies

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 1	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	0.48	0.23	0.71	17.00	Complies
40	5200	2.72	0.23	2.95	17.00	Complies
48	5240	5.30	0.23	5.53	17.00	Complies



Date: 2.JUL.2020 15:39:39




Date: 2.JUL.2020 15:40:16




Date: 2.JUL.2020 15:40:35

Test Mode	UNII-1_TX AX (HEW20) Mode_Ant. 2	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	-0.38	0.23	-0.15	17.00	Complies
40	5200	1.95	0.23	2.18	17.00	Complies
48	5240	5.15	0.23	5.38	17.00	Complies



Date: 2.JUL.2020 16:20:21



Date: 2.JUL.2020 16:20:39



Date: 2.JUL.2020 16:20:56



Test Mode	UNII-1_TX AX (HEW20) Mode_Total	RU Configuration	242 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
36	5180	3.31	17.00	Complies
40	5200	5.59	17.00	Complies
48	5240	8.47	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.18	0.43	-2.75	17.00	Complies
46	5230	0.12	0.43	0.55	17.00	Complies





Date: 2..JUL..2020 20:12:06

Date: 7..JUL..2020 10:04:15

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.71	0.43	-4.28	17.00	Complies
46	5230	0.09	0.43	0.52	17.00	Complies



Date: 2..JUL..2020 20:02:03



Date: 2..JUL..2020 20:02:38

Test Mode	UNII-1_TX AX (HEW40) Mode_Total	RU Configuration	26 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.44	17.00	Complies
46	5230	3.55	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.81	0.43	-2.38	17.00	Complies
46	5230	1.36	0.43	1.79	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-4.00	0.43	-3.57	17.00	Complies
46	5230	0.37	0.43	0.8	17.00	Complies





Test Mode	UNII-1_TX AX (HEW40) Mode_Total	RU Configuration	52 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.08	17.00	Complies
46	5230	4.33	17.00	Complies

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.90	0.43	-3.47	17.00	Complies
46	5230	1.10	0.43	1.53	17.00	Complies





Date: 2.JUL.2020 19:29:25

Date: 2.JUL.2020 19:29:51

Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.71	0.43	-3.28	17.00	Complies
46	5230	0.39	0.43	0.82	17.00	Complies



Date: 2.JUL.2020 19:37:24



Date: 2.JUL.2020 19:37:52

Test Mode	UNII-1_TX AX (HEW40) Mode_Total	RU Configuration	106 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.36	17.00	Complies
46	5230	4.20	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.24	0.43	-2.81	17.00	Complies
46	5230	0.82	0.43	1.25	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.75	0.43	-3.32	17.00	Complies
46	5230	0.07	0.43	0.5	17.00	Complies





Test Mode	UNII-1_TX AX (HEW40) Mode_Total	RU Configuration	242 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-0.05	17.00	Complies
46	5230	3.90	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 1	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-2.80	0.43	-2.37	17.00	Complies
46	5230	0.52	0.43	0.95	17.00	Complies



Test Mode	UNII-1_TX AX (HEW40) Mode_Ant. 2	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	-3.55	0.43	-3.12	17.00	Complies
46	5230	0.87	0.43	1.30	17.00	Complies




Test Mode	UNII-1_TX AX (HEW40) Mode_Total	RU Configuration	484 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
38	5190	0.28	17.00	Complies
46	5230	4.14	17.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.25	0.80	-7.45	17.00	Complies

**CH42**




Date: 2\_JUL\_2020 19:25:15

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.68	0.80	-7.88	17.00	Complies

**CH42**




Date: 2\_JUL\_2020 19:19:47

Test Mode	UNII-1_TX AX (HEW80) Mode_Total	RU Configuration	52 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.65	17.00	Complies


Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.43	0.80	-7.63	17.00	Complies



Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-9.22	0.80	-8.42	17.00	Complies




Test Mode	UNII-1_TX AX (HEW80) Mode_Total	RU Configuration	106 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-5.00	17.00	Complies


Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.02	0.80	-7.22	17.00	Complies



Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.83	0.80	-8.03	17.00	Complies




Test Mode	UNII-1_TX AX (HEW80) Mode_Total	RU Configuration	242 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.60	17.00	Complies




Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.15	0.80	-7.35	17.00	Complies



Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.86	0.80	-7.06	17.00	Complies




Test Mode	UNII-1_TX AX (HEW80) Mode_Total	RU Configuration	484 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.19	17.00	Complies

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 1	RU Configuration	996 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-8.02	0.80	-7.22	17.00	Complies

**CH42**




Date: 19.MAY.2021 09:27:22

Test Mode	UNII-1_TX AX (HEW80) Mode_Ant. 2	RU Configuration	996 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-7.64	0.80	-6.84	17.00	Complies

**CH42**






Date: 19.MAY.2021 09:28:06

Test Mode	UNII-1_TX AX (HEW80) Mode_Total	RU Configuration	996 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/MHz)	Max. Limit (dBm/MHz)	Result
42	5210	-4.02	17.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	4.66	0.23	4.89	30.00	Complies
157	5785	3.93	0.23	4.16	30.00	Complies
165	5825	2.78	0.23	3.01	30.00	Complies






Date: 2\_JUL\_2020 20:10:37

Date: 2\_JUL\_2020 20:10:59

Date: 2\_JUL\_2020 20:11:24

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.83	0.23	6.06	30.00	Complies
157	5785	5.72	0.23	5.95	30.00	Complies
165	5825	5.70	0.23	5.93	30.00	Complies



Date: 2\_JUL\_2020 20:00:39

Date: 2\_JUL\_2020 20:01:02




Date: 2\_JUL\_2020 20:01:25

Test Mode	UNII-3_TX AX (HEW20) Mode_Total	RU Configuration	26 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.52	30.00	Complies
157	5785	8.16	30.00	Complies
165	5825	7.72	30.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.29	0.23	5.52	30.00	Complies
157	5785	4.39	0.23	4.62	30.00	Complies
165	5825	3.46	0.23	3.69	30.00	Complies






Date: 2\_JUL.2020 19:22:01

Date: 2\_JUL.2020 19:22:02

Date: 2\_JUL.2020 19:22:52

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	5.77	0.23	6	30.00	Complies
157	5785	6.01	0.23	6.24	30.00	Complies
165	5825	5.95	0.23	6.18	30.00	Complies



Date: 2\_JUL.2020 19:15:56

Date: 2\_JUL.2020 19:16:30




Date: 2\_JUL.2020 19:17:12

Test Mode	UNII-3_TX AX (HEW20) Mode_Total	RU Configuration	52 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.78	30.00	Complies
157	5785	8.52	30.00	Complies
165	5825	8.12	30.00	Complies

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	8.43	0.23	8.66	30.00	Complies
157	5785	7.91	0.23	8.14	30.00	Complies
165	5825	7.53	0.23	7.76	30.00	Complies






Date: 7\_JUL.2020 09:59:51

Date: 7\_JUL.2020 10:00:39

Date: 7\_JUL.2020 10:01:06

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.73	0.23	7.96	30.00	Complies
157	5785	7.63	0.23	7.86	30.00	Complies
165	5825	7.86	0.23	8.09	30.00	Complies



Date: 2\_JUL.2020 19:36:18

Date: 2\_JUL.2020 19:36:37

Date: 2\_JUL.2020 19:36:56




Test Mode	UNII-3_TX AX (HEW20) Mode_Total	RU Configuration	106 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	11.33	30.00	Complies
157	5785	11.01	30.00	Complies
165	5825	10.94	30.00	Complies



Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 1	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.08	0.23	7.31	30.00	Complies
157	5785	6.74	0.23	6.97	30.00	Complies
165	5825	6.91	0.23	7.14	30.00	Complies






Date: 19.MAY.2021 09:25:42

Date: 19.MAY.2021 09:26:07

Date: 19.MAY.2021 09:26:26

Test Mode	UNII-3_TX AX (HEW20) Mode_Ant. 2	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	7.64	0.23	7.87	30.00	Complies
157	5785	7.42	0.23	7.65	30.00	Complies
165	5825	7.26	0.23	7.49	30.00	Complies



Date: 19.MAY.2021 09:29:00

Date: 19.MAY.2021 09:29:22



Date: 19.MAY.2021 09:29:39

Test Mode	UNII-3_TX AX (HEW20) Mode_Total	RU Configuration	242 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
149	5745	10.61	30.00	Complies
157	5785	10.33	30.00	Complies
165	5825	10.33	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.65	0.43	1.08	30.00	Complies
159	5795	-0.40	0.43	0.03	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2	RU Configuration	26 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.84	0.43	2.27	30.00	Complies
159	5795	1.74	0.43	2.17	30.00	Complies





Test Mode	UNII-3_TX AX (HEW40) Mode_Total	RU Configuration	26 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.73	30.00	Complies
159	5795	4.24	30.00	Complies

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	0.46	0.43	0.89	30.00	Complies
159	5795	-0.57	0.43	-0.14	30.00	Complies





Date: 2..JUL.2020 19:24:13

Date: 2..JUL.2020 19:24:39

Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.25	0.43	2.68	30.00	Complies
159	5795	2.46	0.43	2.89	30.00	Complies



Date: 2..JUL.2020 19:18:51



Date: 2..JUL.2020 19:19:17

Test Mode	UNII-3_TX AX (HEW40) Mode_Total	RU Configuration	52 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.89	30.00	Complies
159	5795	4.65	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.28	0.43	1.71	30.00	Complies
159	5795	0.49	0.43	0.92	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.22	0.43	2.65	30.00	Complies
159	5795	2.17	0.43	2.6	30.00	Complies





Test Mode	UNII-3_TX AX (HEW40) Mode_Total	RU Configuration	106 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.22	30.00	Complies
159	5795	4.85	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.29	0.43	1.72	30.00	Complies
159	5795	0.23	0.43	0.66	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	1.59	0.43	2.02	30.00	Complies
159	5795	1.85	0.43	2.28	30.00	Complies





Test Mode	UNII-3_TX AX (HEW40) Mode_Total	RU Configuration	242 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	4.88	30.00	Complies
159	5795	4.56	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 1	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.01	0.43	2.44	30.00	Complies
159	5795	1.19	0.43	1.62	30.00	Complies



Test Mode	UNII-3_TX AX (HEW40) Mode_Ant. 2	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	2.79	0.43	3.22	30.00	Complies
159	5795	1.90	0.43	2.33	30.00	Complies




Test Mode	UNII-3_TX AX (HEW40) Mode_Total	RU Configuration	484 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
151	5755	5.86	30.00	Complies
159	5795	5.00	30.00	Complies


Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.51	0.80	0.29	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2	RU Configuration	52 Tone
-----------	----------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.47	0.80	0.33	30.00	Complies




Test Mode	UNII-3_TX AX (HEW80) Mode_Total	RU Configuration	52 Tone
-----------	---------------------------------	------------------	---------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.32	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.88	0.80	-0.08	30.00	Complies



Date: 7.JUL.2020 09:57:53

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2	RU Configuration	106 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.60	0.80	0.2	30.00	Complies




Date: 2.JUL.2020 19:40:05

Test Mode	UNII-3_TX AX (HEW80) Mode_Total	RU Configuration	106 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.07	30.00	Complies

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------


Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.52	0.80	0.28	30.00	Complies



Date: 7.JUL.2020 09:54:50

Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2	RU Configuration	242 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.58	0.80	0.22	30.00	Complies




Date: 2.JUL.2020 19:44:57

Test Mode	UNII-3_TX AX (HEW80) Mode_Total	RU Configuration	242 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	3.26	30.00	Complies


Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.10	0.80	-0.3	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2	RU Configuration	484 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.95	0.80	-1.15	30.00	Complies




Test Mode	UNII-3_TX AX (HEW80) Mode_Total	RU Configuration	484 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.31	30.00	Complies


Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 1	RU Configuration	996 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-1.83	0.80	-1.03	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Ant. 2	RU Configuration	996 Tone
-----------	----------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Duty Factor	Power Spectral Density + Duty Factor (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	-0.88	0.80	-0.08	30.00	Complies



Test Mode	UNII-3_TX AX (HEW80) Mode_Total	RU Configuration	996 Tone
-----------	---------------------------------	------------------	----------

Channel	Frequency (MHz)	Power Spectral Density (dBm/500 kHz)	Max. Limit (dBm/500 kHz)	Result
155	5775	2.48	30.00	Complies

## APPENDIX H - FREQUENCY STABILITY

Test Mode	UNII-1
-----------	--------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5180.0000
138	5179.9399
120	5179.9600
102	5179.9550
Maximum Deviation (MHz)	0.0601
Maximum Deviation (ppm)	11.6047

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5180.0000
0	5179.9600
10	5179.9600
20	5179.9600
30	5179.9600
40	5179.9599
Maximum Deviation (MHz)	0.0401
Maximum Deviation (ppm)	7.7437

Test Mode	UNII-3
-----------	--------

**Voltage vs. Frequency Stability**

Voltage	Measurement Frequency (MHz)
(V)	5745.0000
138	5744.9702
120	5744.9600
102	5744.9800
Maximum Deviation (MHz)	0.0400
Maximum Deviation (ppm)	6.9648

**Temperature vs. Frequency Stability**

Temperature	Measurement Frequency (MHz)
(°C)	5745.0000
0	5744.9548
10	5744.9599
20	5744.9600
30	5744.9550
40	5744.9600
Maximum Deviation (MHz)	0.0452
Maximum Deviation (ppm)	7.8655

**End of Test Report**