





PSD NVNT ac20 5240MHz Ant1




PSD NVNT ac40 5190MHz Ant1






PSD NVNT ac40 5230MHz Ant1



PSD NVNT ac80 5210MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant0	4500	-49.66	2.26	-	47.83	Peak	68.2	Pass
NVNT	a	5180	Ant0	4500	-57.32	2.26	0.24	40.41	Average	54	Pass
NVNT	a	5180	Ant0	5148.2	-41.99	2.26	-	55.50	Peak	68.2	Pass
NVNT	a	5180	Ant0	5148.2	-53.33	2.26	0.24	44.40	Average	54	Pass
NVNT	a	5180	Ant0	5150	-42.58	2.26	-	54.91	Peak	68.2	Pass
NVNT	a	5180	Ant0	5150	-53.61	2.26	0.24	44.12	Average	54	Pass
NVNT	a	5240	Ant0	5350	-48.29	2.26	-	49.20	Peak	68.2	Pass
NVNT	a	5240	Ant0	5350	-55.57	2.26	0.24	42.16	Average	54	Pass
NVNT	a	5240	Ant0	5359.44	-46.21	2.26	-	51.28	Peak	68.2	Pass
NVNT	a	5240	Ant0	5350.08	-55.57	2.26	0.24	42.16	Average	54	Pass
NVNT	a	5240	Ant0	5460	-49.49	2.26	-	48.00	Peak	68.2	Pass
NVNT	a	5240	Ant0	5460	-56.84	2.26	0.24	40.89	Average	54	Pass
NVNT	n20	5180	Ant0	4500	-49.27	2.26	-	48.22	Peak	68.2	Pass
NVNT	n20	5180	Ant0	4500	-57.13	2.26	0.28	40.64	Average	54	Pass
NVNT	n20	5180	Ant0	5149.6	-39.98	2.26	-	57.51	Peak	68.2	Pass
NVNT	n20	5180	Ant0	5149.6	-52.45	2.26	0.28	45.32	Average	54	Pass
NVNT	n20	5180	Ant0	5150	-37.93	2.26	-	59.56	Peak	68.2	Pass
NVNT	n20	5180	Ant0	5150	-51.23	2.26	0.28	46.54	Average	54	Pass
NVNT	n20	5240	Ant0	5350	-49.04	2.26	-	48.45	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5350	-57	2.26	0.28	40.77	Average	54	Pass
NVNT	n20	5240	Ant0	5456.64	-45.59	2.26	-	51.90	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5350.32	-56.2	2.26	0.28	41.57	Average	54	Pass
NVNT	n20	5240	Ant0	5460	-48.14	2.26	-	49.35	Peak	68.2	Pass
NVNT	n20	5240	Ant0	5460	-57.54	2.26	0.28	40.23	Average	54	Pass
NVNT	n40	5190	Ant0	4500	-49.52	2.26	-	47.97	Peak	68.2	Pass
NVNT	n40	5190	Ant0	4500	-56.94	2.26	0.12	40.67	Average	54	Pass
NVNT	n40	5190	Ant0	5147.51	-40.56	2.26	-	56.93	Peak	68.2	Pass
NVNT	n40	5190	Ant0	5149.7	-51.72	2.26	0.12	45.89	Average	54	Pass
NVNT	n40	5190	Ant0	5150	-42.6	2.26	-	54.89	Peak	68.2	Pass
NVNT	n40	5190	Ant0	5150	-51.72	2.26	0.12	45.89	Average	54	Pass
NVNT	n40	5230	Ant0	5350	-48.49	2.26	-	49.00	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5350	-57.32	2.26	0.12	40.29	Average	54	Pass
NVNT	n40	5230	Ant0	5374.14	-46.46	2.26	-	51.03	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5365.23	-56.02	2.26	0.12	41.59	Average	54	Pass
NVNT	n40	5230	Ant0	5460	-49.65	2.26	-	47.84	Peak	68.2	Pass
NVNT	n40	5230	Ant0	5460	-57.1	2.26	0.12	40.51	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant0	4500	-49.5	2.26	-	47.99	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	4500	-57.21	2.26	0.23	40.51	Average	54	Pass
NVNT	ac20	5180	Ant0	5149.6	-39.98	2.26	-	57.51	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	5148.2	-52.37	2.26	0.23	45.35	Average	54	Pass
NVNT	ac20	5180	Ant0	5150	-40.35	2.26	-	57.14	Peak	68.2	Pass
NVNT	ac20	5180	Ant0	5150	-52.71	2.26	0.23	45.01	Average	54	Pass
NVNT	ac20	5240	Ant0	5350	-48.22	2.26	-	49.27	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5350	-56.41	2.26	0.23	41.31	Average	54	Pass
NVNT	ac20	5240	Ant0	5372.4	-46.21	2.26	-	51.28	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5351.28	-55.84	2.26	0.23	41.88	Average	54	Pass
NVNT	ac20	5240	Ant0	5460	-49.44	2.26	-	48.05	Peak	68.2	Pass
NVNT	ac20	5240	Ant0	5460	-57.36	2.26	0.23	40.36	Average	54	Pass
NVNT	ac40	5190	Ant0	4500	-49.32	2.26	-	48.17	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	4500	-57.09	2.26	0.12	40.52	Average	54	Pass
NVNT	ac40	5190	Ant0	5149.7	-38.63	2.26	-	58.86	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	5149.7	-52.08	2.26	0.12	45.53	Average	54	Pass
NVNT	ac40	5190	Ant0	5150	-38.63	2.26	-	58.86	Peak	68.2	Pass
NVNT	ac40	5190	Ant0	5150	-52.08	2.26	0.12	45.53	Average	54	Pass
NVNT	ac40	5230	Ant0	5350	-47.91	2.26	-	49.58	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5350	-56.22	2.26	0.12	41.39	Average	54	Pass
NVNT	ac40	5230	Ant0	5358.48	-45.21	2.26	-	52.28	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5355.51	-55.83	2.26	0.12	41.78	Average	54	Pass
NVNT	ac40	5230	Ant0	5460	-49.85	2.26	-	47.64	Peak	68.2	Pass
NVNT	ac40	5230	Ant0	5460	-56.83	2.26	0.12	40.78	Average	54	Pass
NVNT	ac80	5210	Ant0	5350	-47.42	2.26	-	50.07	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5350	-56.2	2.26	0.25	41.54	Average	54	Pass
NVNT	ac80	5210	Ant0	5452.74	-45.05	2.26	-	52.44	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5390.7	-55.62	2.26	0.25	42.12	Average	54	Pass
NVNT	ac80	5210	Ant0	5460	-47.61	2.26	-	49.88	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5460	-56.19	2.26	0.25	41.55	Average	54	Pass
NVNT	ac80	5210	Ant0	4500	-49.24	2.26	-	48.25	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	4500	-57.21	2.26	0.25	40.53	Average	54	Pass
NVNT	ac80	5210	Ant0	5142.27	-42.14	2.26	-	55.35	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5143.06	-51.34	2.26	0.25	46.40	Average	54	Pass
NVNT	ac80	5210	Ant0	5150	-43.18	2.26	-	54.31	Peak	68.2	Pass
NVNT	ac80	5210	Ant0	5150	-52.48	2.26	0.25	45.26	Average	54	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-48.03	2.07	-	49.27	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-56.97	2.07	0.24	40.57	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-45.08	2.07	-	52.22	Peak	68.2	Pass
NVNT	a	5180	Ant1	5124.4	-55	2.07	0.24	42.54	Average	54	Pass
NVNT	a	5180	Ant1	5150	-47.81	2.07	-	49.49	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-55.85	2.07	0.24	41.69	Average	54	Pass
NVNT	a	5240	Ant1	5350	-49.92	2.07	-	47.38	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-57.13	2.07	0.24	40.41	Average	54	Pass
NVNT	a	5240	Ant1	5367.36	-45.86	2.07	-	51.44	Peak	68.2	Pass
NVNT	a	5240	Ant1	5435.76	-56.33	2.07	0.24	41.21	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.86	2.07	-	47.44	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-57.54	2.07	0.24	40.00	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-48.82	2.07	-	48.48	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-57.57	2.07	0.28	40.01	Average	54	Pass
NVNT	n20	5180	Ant1	5147.5	-43.63	2.07	-	53.67	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-54.79	2.07	0.28	42.79	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-44.59	2.07	-	52.71	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-55.21	2.07	0.28	42.37	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-48.31	2.07	-	48.99	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-57.36	2.07	0.28	40.22	Average	54	Pass
NVNT	n20	5240	Ant1	5357.28	-46.44	2.07	-	50.86	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5437.92	-56.55	2.07	0.28	41.03	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-47.96	2.07	-	49.34	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.84	2.07	0.28	39.74	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-49.58	2.07	-	47.72	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-58.23	2.07	0.12	39.19	Average	54	Pass
NVNT	n40	5190	Ant1	5146.78	-44.29	2.07	-	53.01	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-54.52	2.07	0.12	42.90	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-45.16	2.07	-	52.14	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-54.52	2.07	0.12	42.90	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-49.15	2.07	-	48.15	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-57.12	2.07	0.12	40.30	Average	54	Pass
NVNT	n40	5230	Ant1	5415.18	-46.22	2.07	-	51.08	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5431.38	-56.29	2.07	0.12	41.13	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-49.21	2.07	-	48.09	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-56.98	2.07	0.12	40.44	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-49.13	2.07	-	48.17	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



NVNT	ac20	5180	Ant1	4500	-57.6	2.07	0.28	39.98	Average	54	Pass
NVNT	ac20	5180	Ant1	5012.4	-44.3	2.07	-	53.00	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5100.6	-54.98	2.07	0.28	42.60	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-46.59	2.07	-	50.71	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-55.44	2.07	0.28	42.14	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-50.05	2.07	-	47.25	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-57.3	2.07	0.28	40.28	Average	54	Pass
NVNT	ac20	5240	Ant1	5374.08	-46.37	2.07	-	50.93	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5454.96	-56.48	2.07	0.28	41.10	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-49.03	2.07	-	48.27	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-57.28	2.07	0.28	40.30	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-48.87	2.07	-	48.43	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-57.7	2.07	0.12	39.72	Average	54	Pass
NVNT	ac40	5190	Ant1	5146.78	-40.98	2.07	-	56.32	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-54.49	2.07	0.12	42.93	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-44.68	2.07	-	52.62	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-54.49	2.07	0.12	42.93	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-49.62	2.07	-	47.68	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-57.31	2.07	0.12	40.11	Average	54	Pass
NVNT	ac40	5230	Ant1	5376.57	-46.14	2.07	-	51.16	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5379.81	-56.03	2.07	0.12	41.39	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.6	2.07	-	47.70	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-57.29	2.07	0.12	40.13	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-49.22	2.07	-	48.08	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-57.26	2.07	0.25	40.29	Average	54	Pass
NVNT	ac80	5210	Ant1	5452.41	-45.66	2.07	-	51.64	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5361.33	-55.72	2.07	0.25	41.83	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.24	2.07	-	49.06	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-56.94	2.07	0.25	40.61	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-50.16	2.07	-	47.14	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-57.44	2.07	0.25	40.11	Average	54	Pass
NVNT	ac80	5210	Ant1	5147.01	-43.12	2.07	-	54.18	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5147.8	-54.54	2.07	0.25	43.01	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-45.27	2.07	-	52.03	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-54.31	2.07	0.25	43.24	Average	54	Pass

MIMO



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Condition	Mode	Frequency (MHz)	Ant0 Power (dBm)	Ant1 Power (dBm)	Gain (dBi)	Total E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	n20	5180	-49.27	-48.82	5.18	54.38	Peak	68.2	Pass
NVNT	n20	5180	-57.13	-57.57	5.18	46.07	Average	54	Pass
NVNT	n20	5180	-39.98	-43.63	5.18	61.98	Peak	68.2	Pass
NVNT	n20	5180	-52.45	-54.79	5.18	49.95	Average	54	Pass
NVNT	n20	5180	-37.93	-44.59	5.18	63.32	Peak	68.2	Pass
NVNT	n20	5180	-51.23	-55.21	5.18	50.64	Average	54	Pass
NVNT	n20	5240	-49.04	-48.31	5.18	54.75	Peak	68.2	Pass
NVNT	n20	5240	-57	-57.36	5.18	46.24	Average	54	Pass
NVNT	n20	5240	-45.59	-46.44	5.18	57.42	Peak	68.2	Pass
NVNT	n20	5240	-56.2	-56.55	5.18	47.04	Average	54	Pass
NVNT	n20	5240	-48.14	-47.96	5.18	55.37	Peak	68.2	Pass
NVNT	n20	5240	-57.54	-57.84	5.18	45.73	Average	54	Pass
NVNT	n40	5190	-49.52	-49.58	5.18	53.86	Peak	68.2	Pass
NVNT	n40	5190	-56.94	-58.23	5.18	45.88	Average	54	Pass
NVNT	n40	5190	-40.56	-44.29	5.18	61.38	Peak	68.2	Pass
NVNT	n40	5190	-51.72	-54.52	5.18	50.52	Average	54	Pass
NVNT	n40	5190	-42.6	-45.16	5.18	59.72	Peak	68.2	Pass
NVNT	n40	5190	-51.72	-54.52	5.18	50.52	Average	54	Pass
NVNT	n40	5230	-48.49	-49.15	5.18	54.61	Peak	68.2	Pass
NVNT	n40	5230	-57.32	-57.12	5.18	46.20	Average	54	Pass
NVNT	n40	5230	-46.46	-46.22	5.18	57.08	Peak	68.2	Pass
NVNT	n40	5230	-56.02	-56.29	5.18	47.26	Average	54	Pass
NVNT	n40	5230	-49.65	-49.21	5.18	53.99	Peak	68.2	Pass
NVNT	n40	5230	-57.1	-56.98	5.18	46.37	Average	54	Pass
NVNT	ac20	5180	-49.5	-49.13	5.18	54.10	Peak	68.2	Pass
NVNT	ac20	5180	-57.21	-57.6	5.18	46.01	Average	54	Pass
NVNT	ac20	5180	-39.98	-44.3	5.18	61.79	Peak	68.2	Pass
NVNT	ac20	5180	-52.37	-54.98	5.18	49.93	Average	54	Pass
NVNT	ac20	5180	-40.35	-46.59	5.18	60.98	Peak	68.2	Pass
NVNT	ac20	5180	-52.71	-55.44	5.18	49.55	Average	54	Pass
NVNT	ac20	5240	-48.22	-50.05	5.18	54.37	Peak	68.2	Pass
NVNT	ac20	5240	-56.41	-57.3	5.18	46.58	Average	54	Pass
NVNT	ac20	5240	-46.21	-46.37	5.18	57.12	Peak	68.2	Pass
NVNT	ac20	5240	-55.84	-56.48	5.18	47.27	Average	54	Pass
NVNT	ac20	5240	-49.44	-49.03	5.18	54.18	Peak	68.2	Pass
NVNT	ac20	5240	-57.36	-57.28	5.18	46.09	Average	54	Pass
NVNT	ac40	5190	-49.32	-48.87	5.18	54.33	Peak	68.2	Pass
NVNT	ac40	5190	-57.09	-57.7	5.18	46.03	Average	54	Pass
NVNT	ac40	5190	-38.63	-40.98	5.18	63.77	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ac40	5190	-52.08	-54.49	5.18	50.29	Average	54	Pass
NVNT	ac40	5190	-38.63	-44.68	5.18	62.74	Peak	68.2	Pass
NVNT	ac40	5190	-52.08	-54.49	5.18	50.29	Average	54	Pass
NVNT	ac40	5230	-47.91	-49.62	5.18	54.73	Peak	68.2	Pass
NVNT	ac40	5230	-56.22	-57.31	5.18	46.68	Average	54	Pass
NVNT	ac40	5230	-45.21	-46.14	5.18	57.76	Peak	68.2	Pass
NVNT	ac40	5230	-55.83	-56.03	5.18	47.49	Average	54	Pass
NVNT	ac40	5230	-49.85	-49.6	5.18	53.69	Peak	68.2	Pass
NVNT	ac40	5230	-56.83	-57.29	5.18	46.36	Average	54	Pass
NVNT	ac80	5210	-47.42	-49.22	5.18	55.19	Peak	68.2	Pass
NVNT	ac80	5210	-56.2	-57.26	5.18	46.72	Average	54	Pass
NVNT	ac80	5210	-45.05	-45.66	5.18	58.07	Peak	68.2	Pass
NVNT	ac80	5210	-55.62	-55.72	5.18	47.74	Average	54	Pass
NVNT	ac80	5210	-47.61	-48.24	5.18	55.50	Peak	68.2	Pass
NVNT	ac80	5210	-56.19	-56.94	5.18	46.87	Average	54	Pass
NVNT	ac80	5210	-49.24	-50.16	5.18	53.74	Peak	68.2	Pass
NVNT	ac80	5210	-57.21	-57.44	5.18	46.09	Average	54	Pass
NVNT	ac80	5210	-42.14	-43.12	5.18	60.81	Peak	68.2	Pass
NVNT	ac80	5210	-51.34	-54.54	5.18	50.76	Average	54	Pass
NVNT	ac80	5210	-43.18	-45.27	5.18	59.31	Peak	68.2	Pass
NVNT	ac80	5210	-52.48	-54.31	5.18	50.11	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant0 Peak



Restrict Band NVNT a 5180MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5240MHz Ant0 Peak




Restrict Band NVNT a 5240MHz Ant0 Average






Restrict Band NVNT n20 5180MHz Ant0 Peak



Restrict Band NVNT n20 5180MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5240MHz Ant0 Peak




Restrict Band NVNT n20 5240MHz Ant0 Average






Restrict Band NVNT n40 5190MHz Ant0 Peak



Restrict Band NVNT n40 5190MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5230MHz Ant0 Peak



Restrict Band NVNT n40 5230MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5180MHz Ant0 Peak



Restrict Band NVNT ac20 5180MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac20 5240MHz Ant0 Peak



Restrict Band NVNT ac20 5240MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Ant0 Peak




Restrict Band NVNT ac40 5190MHz Ant0 Average






Restrict Band NVNT ac40 5230MHz Ant0 Peak



Restrict Band NVNT ac40 5230MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant0 Peak



Restrict Band NVNT ac80 5210MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant0 Peak



Restrict Band NVNT ac80 5210MHz Ant0 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak




Restrict Band NVNT a 5180MHz Ant1 Average






Restrict Band NVNT a 5240MHz Ant1 Peak



Restrict Band NVNT a 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n20 5180MHz Ant1 Peak




Restrict Band NVNT n20 5180MHz Ant1 Average






Restrict Band NVNT n20 5240MHz Ant1 Peak



Restrict Band NVNT n20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT n40 5190MHz Ant1 Peak




Restrict Band NVNT n40 5190MHz Ant1 Average






Restrict Band NVNT n40 5230MHz Ant1 Peak




Restrict Band NVNT n40 5230MHz Ant1 Average






Restrict Band NVNT ac20 5180MHz Ant1 Peak




Restrict Band NVNT ac20 5180MHz Ant1 Average






Restrict Band NVNT ac20 5240MHz Ant1 Peak



Restrict Band NVNT ac20 5240MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5190MHz Ant1 Peak



Restrict Band NVNT ac40 5190MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac40 5230MHz Ant1 Peak




Restrict Band NVNT ac40 5230MHz Ant1 Average






Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT ac80 5210MHz Ant1 Peak



Restrict Band NVNT ac80 5210MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.5 Frequency Stability

Condition	Mode	Frequency (MHz)	Antenna	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
NVNT	ac20	5180	Ant0	5180	0	0	25	Pass
NVNT	ac20	5200	Ant0	5199.98	-20000	-3.85	25	Pass
NVNT	ac20	5240	Ant0	5240	0	0	25	Pass
NVNT	ac40	5190	Ant0	5190	0	0	25	Pass
NVNT	ac40	5230	Ant0	5229.96	-40000	-7.65	25	Pass
NVNT	ac80	5210	Ant0	5210	0	0	25	Pass

