



11G\_Ant1\_2412




11G\_Ant1\_2437







11G\_Ant1\_2462




11N20SISO\_Ant1\_2412




11N20SISO\_Ant1\_2437



11N20SISO\_Ant1\_2462




11N40SISO\_Ant1\_2422






### 11N40SISO\_Ant1\_2437



### 11N40SISO\_Ant1\_2452





## B.7 Emissions in Restricted Bands

### Test Result

TestMode	Antenna	ChName	Channel	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Verdict
11B	Ant1	Low	2412	AV	2310.000	-49.29	≤-41.20	PASS
				AV	2388.920	-48.81	≤-41.20	PASS
				AV	2390.000	-48.86	≤-41.20	PASS
				Peak	2310.000	-42.91	≤-21.20	PASS
				Peak	2336.270	-39.84	≤-21.20	PASS
				Peak	2390.000	-43.29	≤-21.20	PASS
		High	2462	AV	2483.500	-48.14	≤-41.20	PASS
				AV	2488.180	-46.94	≤-41.20	PASS
				AV	2500.000	-48.4	≤-41.20	PASS
				Peak	2483.500	-44.67	≤-21.20	PASS
				Peak	2492.690	-39.05	≤-21.20	PASS
				Peak	2500.000	-42.29	≤-21.20	PASS
11G	Ant1	Low	2412	AV	2310.000	-48.78	≤-41.20	PASS
				AV	2389.700	-48.21	≤-41.20	PASS
				AV	2390.000	-48.39	≤-41.20	PASS
				Peak	2310.000	-41.48	≤-21.20	PASS
				Peak	2348.100	-39.14	≤-21.20	PASS
				Peak	2390.000	-40.92	≤-21.20	PASS
		High	2462	AV	2483.500	-47.49	≤-41.20	PASS
				AV	2488.070	-45.59	≤-41.20	PASS
				AV	2500.000	-47.88	≤-41.20	PASS
				Peak	2483.500	-39.28	≤-21.20	PASS
				Peak	2488.070	-38.58	≤-21.20	PASS
				Peak	2500.000	-41.31	≤-21.20	PASS
11N20SIS O	Ant1	Low	2412	AV	2310.000	-48.81	≤-41.20	PASS
				AV	2386.060	-48.14	≤-41.20	PASS
				AV	2390.000	-48.38	≤-41.20	PASS
				Peak	2310.000	-41.8	≤-21.20	PASS
				Peak	2388.790	-37.07	≤-21.20	PASS
				Peak	2390.000	-41.74	≤-21.20	PASS
		High	2462	AV	2483.500	-47.5	≤-41.20	PASS
				AV	2488.070	-45.36	≤-41.20	PASS
				AV	2500.000	-47.86	≤-41.20	PASS
				Peak	2483.500	-40.56	≤-21.20	PASS
				Peak	2487.300	-37.14	≤-21.20	PASS
				Peak	2500.000	-39.62	≤-21.20	PASS
11N40SIS	Ant1	Low	2422	AV	2310.000	-48.66	≤-41.20	PASS




O			AV	2386.970	-47.87	$\leq -41.20$	PASS
			AV	2390.000	-48.09	$\leq -41.20$	PASS
			Peak	2310.000	-41.64	$\leq -21.20$	PASS
			Peak	2377.480	-39.25	$\leq -21.20$	PASS
			Peak	2390.000	-42.4	$\leq -21.20$	PASS
	High	2452	AV	2483.500	-47.66	$\leq -41.20$	PASS
			AV	2486.090	-47.15	$\leq -41.20$	PASS
			AV	2500.000	-47.58	$\leq -41.20$	PASS
			Peak	2483.500	-40.76	$\leq -21.20$	PASS
			Peak	2483.890	-38.24	$\leq -21.20$	PASS
			Peak	2500.000	-40.73	$\leq -21.20$	PASS


Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.




### Test Graphs






11B\_Ant1\_High\_2462\_Peak




11G\_Ant1\_Low\_2412\_AV









11G\_Ant1\_Low\_2412\_Peak




11G\_Ant1\_High\_2462\_AV




11G\_Ant1\_High\_2462\_Peak



11N20SISO\_Ant1\_Low\_2412\_AV




11N20SISO\_Ant1\_Low\_2412\_Peak







### 11N20SISO\_Ant1\_High\_2462\_AV




### 11N20SISO\_Ant1\_High\_2462\_Peak




### 11N40SISO\_Ant1\_Low\_2422\_AV



11N40SISO\_Ant1\_Low\_2422\_Peak



11N40SISO\_Ant1\_High\_2452\_AV





11N40SISO\_Ant1\_High\_2452\_Peak

