

FCC REPORT

(UNII)

Applicant: Ubio Labs, Inc.

Address of Applicant: 2821 Northup Way, Suite 250 Bellevue, WA 98004 USA

Equipment Under Test (EUT)

Product Name: Wireless Speaker & Charging Hub

Model No.: WSP1001

Trade mark: ubiolabs

FCC ID: 2ATGY-WSP1001

Applicable standards: FCC CFR Title 47 Part 15 Subpart E Section 15.407

Date of sample receipt: 23 Jun., 2020

Date of Test: 23 Jun., to 16 Jul., 2020

Date of report issued: 30 Jul., 2020

Test Result: PASS*

* In the configuration tested, the EUT complied with the standards specified above.

Authorized Signature:



Bruce Zhang
Laboratory Manager

This report details the results of the testing carried out on one sample. The results contained in this test report do not relate to other samples of the same product and does not permit the use of the CCIS product certification mark. The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report.

This report may only be reproduced and distributed in full. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards.

This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

2 Version

Version No.	Date	Description
00	17 Jul., 2020	Original
01	30 Jul., 2020	Increase antenna type

Tested by: Mike.ou
Test Engineer

Date: 30 Jul., 2020

Reviewed by: Winner Zhang
Project Engineer

Date: 30 Jul., 2020

3 Contents

	Page
1 COVER PAGE.....	1
2 VERSION	2
3 CONTENTS	3
4 TEST SUMMARY	4
5 GENERAL INFORMATION.....	5
5.1 CLIENT INFORMATION.....	5
5.2 GENERAL DESCRIPTION OF E.U.T.....	5
5.3 TEST ENVIRONMENT AND MODE	7
5.4 DESCRIPTION OF SUPPORT UNITS.....	8
5.5 MEASUREMENT UNCERTAINTY.....	8
5.6 ADDITIONS TO, DEVIATIONS, OR EXCLUSIONS FROM THE METHOD	8
5.7 RELATED SUBMITTAL(S) / GRANT (S)	8
5.8 LABORATORY FACILITY	8
5.9 LABORATORY LOCATION	8
5.10 TEST INSTRUMENTS LIST	9
6 TEST RESULTS AND MEASUREMENT DATA.....	10
6.1 ANTENNA REQUIREMENT	10
6.2 CONDUCTED EMISSION	11
6.3 CONDUCTED OUTPUT POWER	14
6.4 OCCUPY BANDWIDTH	43
6.5 POWER SPECTRAL DENSITY	96
6.6 BAND EDGE	125
6.7 SPURIOUS EMISSION.....	174
6.7.1 Restricted Band	174
6.7.2 Unwanted Emissions out of the Restricted Bands	175
6.8 FREQUENCY STABILITY.....	227
7 TEST SETUP PHOTO	230
8 EUT CONSTRUCTIONAL DETAILS	231

4 Test Summary

Test Item	Section in CFR 47	Test Result
Antenna requirement	15.203 & 15.407 (a)	Pass
AC Power Line Conducted Emission	15.207	Pass
Conducted Peak Output Power	15.407 (a) (1) (iv) & (a) (2) & (a) (3)	Pass
26dB Occupied Bandwidth	15.407 (a) (5)	Pass
6dB Emission Bandwidth	15.407(e)	Pass
Power Spectral Density	15.407 (a) (1) (iv) & (a) (2) & (a) (3)	Pass
Band Edge	15.407(b)	Pass
Spurious Emission	15.407 (b) & 15.205 & 15.209	Pass
Frequency Stability	15.407(g)	Pass
DFS	15.407(h)	Refer to the DFS report
<p>Remark:</p> <ol style="list-style-type: none"> 1. Pass: The EUT complies with the essential requirements in the standard. 2. N/A: Not Applicable. 3. The cable insertion loss used by "RF Output Power" and other conduction measurement items is 0.5dB (provided by the customer). 		
Test Method:	ANSI C63.4-2014 ANSI C63.10-2013 KDB 789033 D02 General UNII Test Procedures New Rules v02r01	

5 General Information

5.1 Client Information

Applicant:	Ubio Labs, Inc.
Address:	2821 Northup Way, Suite 250 Bellevue, WA 98004 USA
Factory:	SHENZHEN JUNLAN ELECTRONIC LTD.
Address:	No.277 Pingkui Road, Shijing Community, Pingshan Street, Pingshan New District, Shenzhen, China.

5.2 General Description of E.U.T.

Product Name:	Wireless Speaker & Charging Hub
Model No.:	WSP1001
Operation Frequency:	Band 1: 5150MHz-5250MHz, Band 2: 5250MHz-5350MHz Band 3: 5470MHz-5725MHz, Band 4: 5725MHz-5825MHz
Channel numbers:	Band 1: 802.11a/802.11n/ac20: 4, 802.11n/ac40: 2, 802.11ac80: 1 Band 2: 802.11a/802.11n/ac20: 4, 802.11n/ac40: 2, 802.11ac80: 1 Band 3: 802.11a/802.11n/ac20: 11, 802.11n/ac40: 5, 802.11ac80: 2 Band 4: 802.11a/802.11n/ac20: 5, 802.11n/ac40: 2, 802.11ac80: 1
Channel separation:	802.11a/n/ac20: 20MHz, 802.11n/ac40: 40MHz, 802.11ac80: 80MHz
Modulation technology (IEEE 802.11a):	BPSK, QPSK, 16-QAM, 64-QAM
Modulation technology (IEEE 802.11n):	BPSK, QPSK, 16-QAM, 64-QAM
Modulation technology (IEEE 802.11ac):	BPSK, QPSK, 16-QAM, 64-QAM, 256-QAM
Data speed (IEEE 802.11a):	6Mbps, 9Mbps, 12Mbps, 18Mbps, 24Mbps, 36Mbps, 48Mbps, 54Mbps
Data speed (IEEE 802.11n20):	MCS0: 6.5Mbps, MCS1:13Mbps, MCS2:19.5Mbps, MCS3:26Mbps, MCS4:39Mbps, MCS5:52Mbps, MCS6:58.5Mbps, MCS7:65Mbps
Data speed (IEEE 802.11n40):	MCS0:15Mbps, MCS1:30Mbps, MCS2:45Mbps, MCS3:60Mbps, MCS4:90Mbps, MCS5:120Mbps, MCS6:135Mbps, MCS7:150Mbps
Data speed (IEEE 802.11ac):	Up to 433.3Mbps
Two Antenna Type:	SISO
Antenna Type:	Internal Antenna
Antenna gain:	0 dBi
AC adapter:	Model: CHG1147SG Input: AC110-240V, 50-60Hz, 1.3A Output: DC 18.0V, 3.5A
Test Sample Condition:	The test samples were provided in good working order with no visible defects.

Operation Frequency each of channel					
Band 1					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
36	5180MHz	38	5190MHz	42	5210MHz
40	5200MHz	46	5230MHz		
44	5220MHz				
48	5240MHz				
Band 2					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
52	5260MHz	54	5270MHz	58	5290MHz
56	5280MHz	62	5310MHz		
60	5300MHz				
64	5320MHz				
Band 3					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
100	5500MHz	102	5510MHz	106	5530MHz
104	5520MHz	110	5550MHz	122	5610MHz
108	5540MHz	118	5590MHz		
112	5560MHz	126	5630MHz		
116	5580MHz	134	5670MHz		
120	5600MHz				
124	5620MHz				
128	5640MHz				
132	5660MHz				
136	5680MHz				
140	5700MHz				
Band 4					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
149	5745MHz	151	5755MHz	155	5775MHz
153	5765MHz	159	5795MHz		
157	5785MHz				
161	5805MHz				
165	5825MHz				

Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

Band 1					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
Lowest	5180MHz	Lowest	5190MHz	Middle	5210MHz
Middle	5200MHz	Highest	5230MHz		
Highest	5240MHz				
Band 2					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
Lowest	5260MHz	Lowest	5270MHz	Middle	5290MHz
Middle	5280MHz	Highest	5310MHz		
Highest	5320MHz				
Band 3					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
Lowest	5500MHz	Lowest	5510MHz	Lowest	5530MHz
Middle	5600MHz	Middle	5590MHz	Highest	5610MHz
Highest	5700MHz	Highest	5670MHz		
Band 4					
802.11a/802.11n/ac-HT20		802.11n/ac-HT40		802.11ac-HT80	
Channel	Frequency	Channel	Frequency	Channel	Frequency
Lowest	5745MHz	Lowest	5755MHz	Middle	5775MHz
Middle	5785MHz	Highest	5795MHz		
Highest	5825MHz				

5.3 Test environment and mode

Operating Environment:	
Temperature:	24.0 °C
Humidity:	54 % RH
Atmospheric Pressure:	1010 mbar
Test mode:	
Continuously transmitting mode	Keep the EUT in 100% duty cycle transmitting with modulation.
We have verified the construction and function in typical operation. All the test modes were carried out with the EUT in transmitting operation, which was shown in this test report and defined as follows:	
Per-scan all kind of data rate, and found the follow list were the worst case.	
Mode	Data rate
802.11a	6 Mbps
802.11n/ac20	6.5 Mbps
802.11n/ac40	13.5 Mbps
802.11ac80	29.3 Mbps

5.4 Description of Support Units

Manufacturer	Description	Model	Serial Number	FCC ID/DoC
LENOVO	Laptop	SL510	2847A65	DoC

5.5 Measurement Uncertainty

Parameters	Expanded Uncertainty
Conducted Emission (9kHz ~ 30MHz)	±1.60 dB (k=2)
Radiated Emission (9kHz ~ 30MHz)	±3.12 dB (k=2)
Radiated Emission (30MHz ~ 1000MHz)	±4.32 dB (k=2)
Radiated Emission (1GHz ~ 18GHz)	±5.16 dB (k=2)
Radiated Emission (18GHz ~ 40GHz)	±3.20 dB (k=2)

5.6 Additions to, deviations, or exclusions from the method

No

5.7 Related Submittal(s) / Grant (s)

This is an original grant, no related submittals and grants.
--

5.8 Laboratory Facility

<p>The test facility is recognized, certified, or accredited by the following organizations:</p> <ul style="list-style-type: none"> ● FCC - Designation No.: CN1211 Shenzhen Zhongjian Nanfang Testing Co., Ltd. has been accredited as a testing laboratory by FCC(Federal Communications Commission). The test firm Registration No. is 727551. ● ISED – CAB identifier.: CN0021 The 3m Semi-anechoic chamber of Shenzhen Zhongjian Nanfang Testing Co., Ltd. has been Registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 10106A-1. ● A2LA - Registration No.: 4346.01 This laboratory is accredited in accordance with the recognized International Standard ISO/IEC 17025:2005 General requirements for the competence of testing and calibration laboratories. The test scope can be found as below link: https://portal.a2la.org/scopepdf/4346-01.pdf
--

5.9 Laboratory Location

<p>Shenzhen Zhongjian Nanfang Testing Co., Ltd. Address: No.110~116, Building B, Jinyuan Business Building, Xixiang Road, Bao'an District, Shenzhen, Guangdong, China Tel: +86-755-23118282, Fax: +86-755-23116366 Email: info@ccis-cb.com, Website: http://www.ccis-cb.com</p>
--


5.10 Test Instruments list

Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date (mm-dd-yy)	Cal. Due date (mm-dd-yy)
3m SAC	SAEMC	9m*6m*6m	966	07-22-2017	07-21-2020
BiConiLog Antenna	SCHWARZBECK	VULB9163	497	03-07-2020	03-06-2021
Biconical Antenna	SCHWARZBECK	VUBA9117	359	06-22-2020	06-21-2021
Horn Antenna	SCHWARZBECK	BBHA9120D	916	03-07-2020	03-06-2021
Horn Antenna	SCHWARZBECK	BBHA9120D	1805	06-22-2020	06-21-2021
Horn Antenna	SCHWARZBECK	BBHA 9170	BBHA9170582	11-18-2019	11-17-2020
EMI Test Software	AUDIX	E3	Version: 6.110919b		
Pre-amplifier	HP	8447D	2944A09358	03-07-2020	03-06-2021
Pre-amplifier	CD	PAP-1G18	11804	03-07-2020	03-06-2021
Spectrum analyzer	Rohde & Schwarz	FSP30	101454	03-05-2020	03-04-2021
Spectrum analyzer	Rohde & Schwarz	FSP40	100363	11-18-2019	11-17-2020
EMI Test Receiver	Rohde & Schwarz	ESRP7	101070	03-05-2020	03-04-2021
Spectrum Analyzer	Agilent	N9020A	MY50510123	11-18-2019	11-17-2020
Signal Generator	Rohde & Schwarz	SMX	835454/016	03-05-2020	03-04-2021
Signal Generator	R&S	SMR20	1008100050	03-05-2020	03-04-2021
RF Switch Unit	MWRFTTEST	MW200	N/A	N/A	N/A
Test Software	MWRFTTEST	MTS8200	Version: 2.0.0.0		
Cable	ZDECL	Z108-NJ-NJ-81	1608458	03-07-2020	03-06-2021
Cable	MICRO-COAX	MFR64639	K10742-5	03-07-2020	03-06-2021
Cable	SUHNER	SUCOFLEX100	58193/4PE	03-07-2020	03-06-2021
DC Power Supply	XinNuoEr	WYK-10020K	1409050110020	09-25-2019	09-24-2020
Temperature Humidity Chamber	HengPu	HPGDS-500	20140828008	11-01-2019	10-31-2020
Simulated Station	Rohde & Schwarz	CMW500	140493	07-22-2019	07-21-2020

Conducted Emission:					
Test Equipment	Manufacturer	Model No.	Serial No.	Cal. Date (mm-dd-yy)	Cal. Due date (mm-dd-yy)
EMI Test Receiver	Rohde & Schwarz	ESCI	101189	03-05-2020	03-04-2021
Pulse Limiter	SCHWARZBECK	OSRAM 2306	9731	03-05-2020	03-04-2021
LISN	CHASE	MN2050D	1447	03-05-2020	03-04-2021
LISN	Rohde & Schwarz	ESH3-Z5	8438621/010	07-21-2017	07-20-2020
Cable	HP	10503A	N/A	03-05-2020	03-04-2021
EMI Test Software	AUDIX	E3	Version: 6.110919b		

6 Test results and Measurement Data

6.1 Antenna requirement


Standard requirement:	FCC Part15 E Section 15.203 /407(a)
<p>15.203 requirement: An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.</p> <p>This requirement does not apply to carrier current devices or to devices operated under the provisions of §15.211, § 15.213, § 15.217, § 15.219, or § 15.221. Further, this requirement does not apply to intentional radiators that must be professionally installed, such as perimeter protection systems and some field disturbance sensors, or to other intentional radiators which, in accordance with § 15.31(d), must be measured at the installation site. However, the installer shall be responsible for ensuring that the proper antenna is employed so that the limits in this part are not exceeded.</p>	
E.U.T Antenna:	
<p>The Wi-Fi antenna is an Internal antenna which cannot replace by end-user, the best case gain of the antenna is 0 dBi.</p>	
	

6.2 Conducted Emission

Test Requirement:	FCC Part15 C Section 15.207		
Test Frequency Range:	150kHz to 30MHz		
Class / Severity:	Class B		
Receiver setup:	RBW=9kHz, VBW=30kHz		
Limit:	Frequency range (MHz)	Limit (dBuV)	
		Quasi-peak	
	0.15-0.5	66 to 56*	0.15-0.5
	0.5-5	56	0.5-5
	5-30	60	5-30
* Decreases with the logarithm of the frequency.			
Test procedure	<ol style="list-style-type: none"> The E.U.T and simulators are connected to the main power through a line impedance stabilization network (L.I.S.N.). It provides a 50ohm/50uH coupling impedance for the measuring equipment. The peripheral devices are also connected to the main power through a LISN that provides a 50ohm/50uH coupling impedance with 50ohm termination. (Please refer to the block diagram of the test setup and photographs). Both sides of A.C. line are checked for maximum conducted interference. In order to find the maximum emission, the relative positions of equipment and all of the interface cables must be changed according to ANSI C63.10(latest version) on conducted measurement. 		
Test setup:	<p><i>Remark</i> E.U.T: Equipment Under Test LISN: Line Impedance Stabilization Network Test table height=0.8m</p>		
Test Instruments:	Refer to section 5.10 for details		
Test mode:	Refer to section 5.3 for details.		
Test results:	Passed		

Measurement Data:

Product name:	Wireless Speaker & Charging Hub	Product model:	WSP1001
Test by:	Mike	Test mode:	5G Wi-Fi Tx mode
Test frequency:	150 kHz ~ 30 MHz	Phase:	Line
Test voltage:	AC 120 V/60 Hz	Environment:	Temp: 22.5°C Humi: 55%




	Read	LISN	Cable	Aux	Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB	dB	dB	dBuV	dBuV	dB	
1	0.190	45.24	-0.59	10.76	-0.14	55.27	64.02	-8.75 QP
2	0.322	32.60	-0.53	10.74	-0.09	42.72	49.66	-6.94 Average
3	0.334	38.83	-0.52	10.73	-0.01	49.03	59.35	-10.32 QP
4	0.449	32.29	-0.45	10.74	0.02	42.60	46.89	-4.29 Average
5	0.461	40.05	-0.45	10.74	-0.06	50.28	56.67	-6.39 QP
6	0.561	39.87	-0.46	10.76	-0.37	49.80	56.00	-6.20 QP
7	0.567	30.20	-0.47	10.76	-0.37	40.12	46.00	-5.88 Average
8	0.747	35.56	-0.55	10.79	-0.24	45.56	56.00	-10.44 QP
9	0.826	24.16	-0.57	10.82	-0.01	34.40	46.00	-11.60 Average
10	1.000	35.11	-0.62	10.87	0.46	45.82	56.00	-10.18 QP
11	1.032	23.35	-0.61	10.87	0.42	34.03	46.00	-11.97 Average
12	1.249	22.62	-0.59	10.90	0.21	33.14	46.00	-12.86 Average

Notes:

1. An initial pre-scan was performed on the line and neutral lines with peak detector.
2. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission.
3. Final Level = Receiver Read level + LISN Factor + Aux Factor + Cable Loss.

Product name:	Wireless Speaker & Charging Hub	Product model:	WSP1001
Test by:	Mike	Test mode:	5G Wi-Fi Tx mode
Test frequency:	150 kHz ~ 30 MHz	Phase:	Neutral
Test voltage:	AC 120 V/60 Hz	Environment:	Temp: 22.5°C Humi: 55%




Trace: 20

	Freq	Read Level	LISN Factor	Cable Loss	Aux Factor	Level	Limit Line	Over Limit	Remark
	MHz	dBuV	dB	dB	dB	dBuV	dBuV	dB	
1	0.194	46.00	-0.67	10.76	0.00	56.09	63.84	-7.75	QP
2	0.194	36.50	-0.67	10.76	0.00	46.59	53.84	-7.25	Average
3	0.206	42.94	-0.67	10.76	0.00	53.03	63.36	-10.33	QP
4	0.262	29.91	-0.67	10.75	0.01	40.00	51.38	-11.38	Average
5	0.318	31.45	-0.66	10.74	-0.01	41.52	49.75	-8.23	Average
6	0.330	40.31	-0.66	10.73	-0.01	50.37	59.44	-9.07	QP
7	0.447	38.40	-0.64	10.74	-0.02	48.48	56.93	-8.45	QP
8	0.454	29.59	-0.64	10.74	-0.01	39.68	46.80	-7.12	Average
9	0.558	35.74	-0.65	10.76	0.03	45.88	56.00	-10.12	QP
10	0.579	27.06	-0.65	10.76	0.03	37.20	46.00	-8.80	Average
11	0.751	30.17	-0.65	10.79	0.05	40.36	56.00	-15.64	QP
12	2.779	18.09	-0.66	10.93	0.28	28.64	46.00	-17.36	Average

Notes:

1. An initial pre-scan was performed on the line and neutral lines with peak detector.
2. Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission.
3. Final Level = Receiver Read level + LISN Factor + Aux Factor + Cable Loss.

6.3 Conducted Output Power

Test Requirement:	FCC Part15 E Section 15.407 (a) (1) (iv) & (a)(2) & (a) (3)
Limit:	Band 1: 24dBm Band 2: 24dBm or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz. Band 3: 24dBm or 11 dBm + 10 log B, where B is the 26 dB emission bandwidth in megahertz. Band 4: 30dBm
Test setup:	 <p>The diagram illustrates the test setup. A Spectrum Analyzer is connected to an E.U.T. (Equipment Under Test) via a red cable. Both are placed on a Non-Conducted Table, which is supported by two vertical legs. Below the table is a Ground Reference Plane.</p>
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

Measurement Data:

MAIN ANT:

Band 1				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	10.08	24.00	Pass
	Middle	9.40		
	Highest	8.55		
802.11n20	Lowest	9.50	24.00	Pass
	Middle	9.18		
	Highest	8.32		
802.11n40	Lowest	8.33	24.00	Pass
	Highest	7.41		
802.11ac20	Lowest	9.50	24.00	Pass
	Middle	9.07		
	Highest	8.40		
802.11ac40	Lowest	8.34	24.00	Pass
	Highest	7.40		
802.11ac80	Lowest	6.46	24.00	Pass

Band 2				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	8.57	24.00	Pass
	Middle	8.61		
	Highest	8.74		
802.11n20	Lowest	8.25	24.00	Pass
	Middle	8.31		
	Highest	8.33		
802.11n40	Lowest	7.54	24.00	Pass
	Highest	7.47		
802.11ac20	Lowest	8.41	24.00	Pass
	Middle	8.33		
	Highest	8.38		
802.11ac40	Lowest	7.55	24.00	Pass
	Highest	7.36		
802.11ac80	Lowest	5.25	24.00	Pass

Band 3				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	11.13	24.00	Pass
	Middle	9.92		
	Highest	9.20		
802.11n20	Lowest	10.69	24.00	Pass
	Middle	9.72		
	Highest	8.55		
802.11n40	Lowest	9.81	24.00	Pass
	Middle	8.94		
	Highest	8.01		
802.11ac20	Lowest	10.79	24.00	Pass
	Middle	9.72		
	Highest	8.66		
802.11ac40	Lowest	9.81	24.00	Pass
	Middle	8.98		
	Highest	8.08		
802.11ac80	Lowest	7.92	24.00	Pass
	Highest	6.96		

Band 4				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	8.96	30.00	Pass
	Middle	9.05		
	Highest	9.53		
802.11n20	Lowest	8.78	30.00	Pass
	Middle	9.06		
	Highest	9.44		
802.11n40	Lowest	8.05	30.00	Pass
	Highest	8.20		
802.11ac20	Lowest	8.69	30.00	Pass
	Middle	9.07		
	Highest	9.43		
802.11ac40	Lowest	8.20	30.00	Pass
	Highest	8.33		
802.11ac80	Lowest	6.04	30.00	Pass

AUX ANT:

Band 1				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	9.68	24.00	Pass
	Middle	9.31		
	Highest	8.59		
802.11n20	Lowest	9.31	24.00	Pass
	Middle	8.95		
	Highest	8.36		
802.11n40	Lowest	8.18	24.00	Pass
	Highest	7.40		
802.11ac20	Lowest	9.43	24.00	Pass
	Middle	8.97		
	Highest	8.40		
802.11ac40	Lowest	8.18	24.00	Pass
	Highest	7.49		
802.11ac80	Lowest	6.17	24.00	Pass

Band 2				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	8.77	24.00	Pass
	Middle	8.62		
	Highest	8.83		
802.11n20	Lowest	8.45	24.00	Pass
	Middle	8.39		
	Highest	8.68		
802.11n40	Lowest	7.45	24.00	Pass
	Highest	7.50		
802.11ac20	Lowest	8.45	24.00	Pass
	Middle	8.42		
	Highest	8.50		
802.11ac40	Lowest	7.47	24.00	Pass
	Highest	7.64		
802.11ac80	Lowest	5.48	24.00	Pass


Band 3				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	11.16	24.00	Pass
	Middle	10.14		
	Highest	8.96		
802.11n20	Lowest	10.75	24.00	Pass
	Middle	9.77		
	Highest	8.99		
802.11n40	Lowest	9.86	24.00	Pass
	Middle	8.92		
	Highest	8.02		
802.11ac20	Lowest	10.63	24.00	Pass
	Middle	9.77		
	Highest	8.58		
802.11ac40	Lowest	9.84	24.00	Pass
	Middle	9.33		
	Highest	7.99		
802.11ac80	Lowest	7.91	24.00	Pass
	Highest	6.99		


Band 4				
Mode	Test CH	Conducted Output power (dBm)	Limit (dBm)	Result
802.11a	Lowest	8.83	30.00	Pass
	Middle	9.13		
	Highest	9.36		
802.11n20	Lowest	8.70	30.00	Pass
	Middle	8.95		
	Highest	9.39		
802.11n40	Lowest	8.01	30.00	Pass
	Highest	8.11		
802.11ac20	Lowest	8.61	30.00	Pass
	Middle	8.99		
	Highest	9.33		
802.11ac40	Lowest	8.03	30.00	Pass
	Highest	8.24		
802.11ac80	Lowest	6.03	30.00	Pass

Test plot as follows:


MAIN ANT

Band 1:






802.11ac(HT40)




Date: 1.JUL.2020 17:27:18

802.11ac(HT80)



Date: 1.JUL.2020 17:37:09

Lowest channel




Date: 1.JUL.2020 17:27:42


Middle channel

Highest channel

Band 2:




802.11n(HT40)




Date: 1.JUL.2020 17:28:52

802.11ac(HT20)




Date: 1.JUL.2020 16:45:29

Lowest channel




Date: 1.JUL.2020 17:29:11

Lowest channel




Date: 1.JUL.2020 16:45:50

Highest channel




Middle channel



Date: 1.JUL.2020 16:46:09


Highest channel

802.11ac(HT40)




Date: 1.JUL.2020 17:29:55

802.11ac(HT80)



Date: 1.JUL.2020 17:36:47

Lowest channel





Date: 1.JUL.2020 17:29:35

Middle channel


Highest channel

Band 3:






802.11ac(HT40)




Date: 1.JUL.2020 17:30:25

802.11ac(HT80)




Date: 1.JUL.2020 17:35:32

Lowest channel




Date: 1.JUL.2020 17:30:44

Lowest channel




Date: 1.JUL.2020 17:36:13

Middle channel



Date: 1.JUL.2020 17:31:04


Highest channel



Highest channel


Band 4:

802.11a




Date: 1.JUL.2020 16:54:51

802.11n(HT20)




Date: 1.JUL.2020 16:53:20

Lowest channel




Date: 1.JUL.2020 16:54:36

Lowest channel




Date: 1.JUL.2020 16:53:35

Middle channel



Date: 1.JUL.2020 16:54:20

Middle channel




Date: 1.JUL.2020 16:53:51

Highest channel


Highest channel

802.11n(HT40)




Date: 1.JUL.2020 17:32:43

802.11ac(HT20)




Date: 1.JUL.2020 16:53:02

Lowest channel




Date: 1.JUL.2020 17:33:22

Lowest channel




Date: 1.JUL.2020 16:52:46

Highest channel




Middle channel



Date: 1.JUL.2020 16:52:27


Highest channel

802.11ac(HT40)




Date: 1.JUL.2020 17:34:03

802.11ac(HT80)



Date: 1.JUL.2020 17:34:57

Lowest channel




Date: 1.JUL.2020 17:33:47


Middle channel

Highest channel

AUX ANT
Band 1:




802.11n(HT40)




Date: 4.JUL.2020 14:48:54

802.11ac(HT20)




Date: 4.JUL.2020 14:35:36

Lowest channel




Date: 4.JUL.2020 14:49:17

Lowest channel




Date: 4.JUL.2020 14:35:51

Highest channel




Middle channel



Date: 4.JUL.2020 14:36:07


Highest channel

802.11ac(HT40)




Date: 4.JUL.2020 14:49:50

802.11ac(HT80)



Date: 4.JUL.2020 14:50:13

Lowest channel




Date: 4.JUL.2020 14:49:34


Middle channel

Highest channel

Band 2:




802.11n(HT40)




Date: 4.JUL.2020 14:48:38

802.11ac(HT20)




Date: 4.JUL.2020 14:38:50

Lowest channel




Date: 4.JUL.2020 14:48:22

Lowest channel




Date: 4.JUL.2020 14:38:35

Highest channel




Middle channel



Date: 4.JUL.2020 14:38:19


Highest channel

802.11ac(HT40)




Date: 4.JUL.2020 14:47:35

802.11ac(HT80)



Date: 4.JUL.2020 14:50:32

Lowest channel





Date: 4.JUL.2020 14:47:50

Middle channel


Highest channel

Band 3:






802.11ac(HT40)




Date: 4.JUL.2020 14:47:17

802.11ac(HT80)




Date: 4.JUL.2020 14:50:51

Lowest channel




Date: 4.JUL.2020 14:47:03

Lowest channel




Date: 4.JUL.2020 14:51:07

Middle channel



Date: 4.JUL.2020 14:46:50


Highest channel



Highest channel


Band 4:

802.11a




Date: 4.JUL.2020 14:44:18

802.11n(HT20)




Date: 4.JUL.2020 14:42:50

Lowest channel




Date: 4.JUL.2020 14:44:01

Lowest channel




Date: 4.JUL.2020 14:42:34

Middle channel



Date: 4.JUL.2020 14:43:46

Middle channel




Date: 4.JUL.2020 14:42:20

Highest channel


Highest channel

802.11n(HT40)




Date: 4.JUL.2020 14:45:40

802.11ac(HT20)




Date: 4.JUL.2020 14:43:05

Lowest channel




Date: 4.JUL.2020 14:45:26

Lowest channel




Date: 4.JUL.2020 14:43:19

Highest channel




Middle channel



Date: 4.JUL.2020 14:43:33


Highest channel

802.11ac(HT40)




Date: 4.JUL.2020 14:44:56

802.11ac(HT80)



Date: 4.JUL.2020 14:51:32

Lowest channel




Date: 4.JUL.2020 14:45:12

Middle channel

Highest channel

6.4 Occupancy Bandwidth

Test Requirement:	FCC Part15 E Section 15.407 (a) (5) and Section 15.407 (e)
Limit:	Band 1/2/3/4: N/A (26dB Emission Bandwidth and 99% Occupancy Bandwidth) Band 4: >500kHz (6dB Bandwidth)
Test setup:	 <p>The diagram illustrates the test setup. A Spectrum Analyzer is connected via a red cable to an E.U.T. (Equipment Under Test). Both are placed on a Non-Conducted Table. Below the table is a Ground Reference Plane.</p>
Test Instruments:	Refer to section 5.10 for details
Test mode:	Refer to section 5.3 for details
Test results:	Passed

Measurement Data:

MAIN ANT:

Band 1:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.76	21.92	41.44	21.92	41.60	---	N/A	PASS
Middle	21.76	21.92	---	22.00	---	82.24		
Highest	21.68	21.84	41.44	21.84	41.28	---		
Test Channel	99% Occupancy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.12	18.24	36.96	18.24	36.80	---	N/A	PASS
Middle	17.12	18.32	---	18.16	---	75.84		
Highest	17.12	18.24	36.96	18.16	36.64	---		

Band 2:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.68	21.76	41.76	21.92	41.44	---	N/A	PASS
Middle	21.76	21.92	---	22.00	---	81.92		
Highest	21.68	21.92	41.44	21.92	41.28	---		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.12	18.24	36.96	18.24	36.80	---	N/A	PASS
Middle	17.12	18.32	---	18.24	---	75.84		
Highest	17.12	18.32	36.80	18.24	36.64	---		

Band 3:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.76	22.00	41.28	21.92	41.60	81.92	N/A	PASS
Middle	21.68	21.84	41.28	21.84	41.44	---		
Highest	21.76	22.00	41.60	21.92	41.44	82.24		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.12	18.32	36.64	18.24	36.80	75.84	N/A	PASS
Middle	17.12	18.24	36.80	18.16	36.64	---		
Highest	17.12	18.32	36.96	18.32	36.80	75.84		

Band 4:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.76	21.92	41.60	21.92	41.44	---	N/A	PASS
Middle	21.76	21.84	---	21.76	---	82.56		
Highest	21.84	21.92	41.76	22.00	41.44	---		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.20	18.24	36.80	18.24	36.80	---	N/A	PASS
Middle	17.12	18.16	---	18.24	---	76.16		
Highest	17.12	18.32	36.80	18.24	36.80	---		
Test Channel	6dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	16.48	17.76	36.80	17.76	36.80	---	>500kHz	PASS
Middle	16.48	17.76	---	17.76	---	76.48		
Highest	16.48	17.76	36.80	17.76	36.80	---		

AUX ANT:

Band 1:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.68	21.76	41.44	21.84	41.28	---	N/A	PASS
Middle	21.76	21.84	---	22.00	---	81.92		
Highest	21.68	21.92	41.44	21.92	41.44	---		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.12	18.24	36.80	18.24	36.80	---	N/A	PASS
Middle	17.12	18.24	---	18.16	---	75.84		
Highest	17.20	18.24	36.80	18.16	36.80	---		

Band 2:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.76	21.84	41.28	21.76	41.60	---	N/A	PASS
Middle	21.68	21.84	---	22.00	---	82.24		
Highest	21.68	22.00	41.44	21.60	41.60	---		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.20	18.24	36.80	18.24	36.80	---	N/A	PASS
Middle	17.12	18.24	---	18.16	---	75.52		
Highest	17.12	18.24	36.80	18.24	36.80	---		


Band 3:

Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.76	21.92	41.28	21.92	41.28	81.92	N/A	PASS
Middle	21.76	21.84	41.44	21.68	41.44	---		
Highest	21.84	21.92	41.12	21.92	41.60	82.24		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.12	18.16	36.80	18.16	36.80	75.52	N/A	PASS
Middle	17.12	18.16	36.80	18.24	36.80	---		
Highest	17.12	18.24	36.96	18.24	36.96	75.84		

Band 4:


Test Channel	26dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	21.76	22.00	41.28	22.00	41.44	---	N/A	PASS
Middle	21.76	21.92	---	21.84	---	81.92		
Highest	21.84	21.92	41.44	21.84	41.44	---		
Test Channel	99% Occupy Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	17.20	18.24	36.96	18.24	36.80	---	N/A	PASS
Middle	17.20	18.32	---	18.24	---	76.16		
Highest	17.20	18.24	36.80	18.24	36.80	---		
Test Channel	6dB Emission Bandwidth (MHz)						Limit	Result
	802.11a	802.11n (HT20)	802.11n (HT40)	802.11ac (HT20)	802.11ac (HT40)	802.11ac (HT80)		
Lowest	16.48	17.76	36.80	17.76	36.80	---	>500kHz	PASS
Middle	16.48	17.76	---	17.76	---	76.16		
Highest	16.48	17.76	36.64	17.76	36.80	---		

Test plot as follows:
MAIN ANT:
Band 1:




802.11n(HT20)

26 dB EBW




Date: 1.JUL.2020 17:53:32

99% OBW




Date: 1.JUL.2020 17:53:39

Lowest channel




Date: 1.JUL.2020 17:54:00




Date: 1.JUL.2020 17:53:53

Middle channel



Date: 1.JUL.2020 17:54:11




Date: 1.JUL.2020 17:54:18

Highest channel


802.11n(HT40)

26 dB EBW




Date: 1.JUL.2020 17:53:07

99% OBW




Date: 1.JUL.2020 17:52:57

Lowest channel



Date: 1.JUL.2020 17:48:48




Date: 1.JUL.2020 17:48:55

Highest channel


802.11ac(HT20)

26 dB EBW




Date: 1.JUL.2020 17:55:20

99% OBW




Date: 1.JUL.2020 17:55:13

Lowest channel




Date: 1.JUL.2020 17:54:53




Date: 1.JUL.2020 17:55:00

Middle channel



Date: 1.JUL.2020 17:54:41




Date: 1.JUL.2020 17:54:33

Highest channel


802.11ac(HT40)

26 dB EBW




Date: 1.JUL.2020 17:48:03

99% OBW




Date: 1.JUL.2020 17:48:12

Lowest channel




Date: 1.JUL.2020 17:48:32




Date: 1.JUL.2020 17:48:24

Highest channel

802.11ac(HT80)



Date: 1.JUL.2020 17:38:11




Date: 1.JUL.2020 17:38:01

Middle channel

Band 2:


802.11a

26 dB EBW




Date: 1.JUL.2020 17:57:06

99% OBW




Date: 1.JUL.2020 17:56:54

Lowest channel




Date: 1.JUL.2020 17:57:21




Date: 1.JUL.2020 17:57:31

Middle channel



Date: 1.JUL.2020 17:58:03




Date: 1.JUL.2020 17:57:51

Highest channel


802.11n(HT20)

26 dB EBW




Date: 1.JUL.2020 18:00:24

99% OBW




Date: 1.JUL.2020 18:00:13

Lowest channel




Date: 1.JUL.2020 18:00:42




Date: 1.JUL.2020 18:00:55

Middle channel



Date: 1.JUL.2020 18:01:25




Date: 1.JUL.2020 18:01:13

Highest channel


802.11n(HT40)

26 dB EBW




Date: 1.JUL.2020 17:46:33

99% OBW




Date: 1.JUL.2020 17:46:40

Lowest channel



Date: 1.JUL.2020 17:47:00





Date: 1.JUL.2020 17:46:53

Highest channel

802.11ac(HT20)

26 dB EBW



99% OBW



Date: 1.JUL.2020 17:59:41

Date: 1.JUL.2020 17:59:51



Lowest channel



Date: 1.JUL.2020 17:59:25

Date: 1.JUL.2020 17:59:12

Middle channel



Date: 1.JUL.2020 17:58:23



Date: 1.JUL.2020 17:58:34

Highest channel

802.11ac(HT40)

26 dB EBW



99% OBW



Date: 1.JUL.2020 17:47:45

Date: 1.JUL.2020 17:47:35

Lowest channel





Date: 1.JUL.2020 17:47:17

Date: 1.JUL.2020 17:47:24

Highest channel

802.11ac(HT80)



Date: 1.JUL.2020 17:38:31

Date: 1.JUL.2020 17:38:42



Middle channel

Band 3:

802.11a

26 dB EBW



99% OBW



Date: 1.JUL.2020 18:05:40

Date: 1.JUL.2020 18:05:48



Lowest channel



Date: 1.JUL.2020 18:05:24

Date: 1.JUL.2020 18:05:15

Middle channel




Date: 1.JUL.2020 18:04:47

Date: 1.JUL.2020 18:04:57

Highest channel


802.11n(HT20)

26 dB EBW




Date: 1.JUL.2020 18:02:58

99% OBW




Date: 1.JUL.2020 18:03:09

Lowest channel




Date: 1.JUL.2020 18:02:38




Date: 1.JUL.2020 18:02:28

Middle channel



Date: 1.JUL.2020 18:02:02




Date: 1.JUL.2020 18:02:13

Highest channel


802.11n(HT40)

26 dB EBW




Date: 1.JUL.2020 17:46:14

99% OBW




Date: 1.JUL.2020 17:46:07

Lowest channel




Date: 1.JUL.2020 17:45:47




Date: 1.JUL.2020 17:45:55

Middle channel



Date: 1.JUL.2020 17:45:32




Date: 1.JUL.2020 17:45:24

Highest channel


802.11ac(HT20)

26 dB EBW




Date: 1.JUL.2020 18:03:35

99% OBW




Date: 1.JUL.2020 18:03:26

Lowest channel




Date: 1.JUL.2020 18:03:48




Date: 1.JUL.2020 18:03:58

Middle channel



Date: 1.JUL.2020 18:04:31





Date: 1.JUL.2020 18:04:16

Highest channel

802.11ac(HT40)

26 dB EBW



99% OBW



Date: 1.JUL.2020 17:44:24

Date: 1.JUL.2020 17:44:32



Lowest channel



Date: 1.JUL.2020 17:44:51

Date: 1.JUL.2020 17:44:44


Middle channel



Date: 1.JUL.2020 17:45:03

Date: 1.JUL.2020 17:45:11

Highest channel





Band 4:

802.11a

26 dB EBW



99% OBW



Date: 1.JUL.2020 18:06:16

Date: 1.JUL.2020 18:06:06



Lowest channel



Date: 1.JUL.2020 18:06:33

Date: 1.JUL.2020 18:06:43

Middle channel




Date: 1.JUL.2020 18:07:06

Date: 1.JUL.2020 18:06:59

Highest channel


802.11n(HT20)

26 dB EBW




Date: 1.JUL.2020 18:08:39

99% OBW




Date: 1.JUL.2020 18:08:28

Lowest channel




Date: 1.JUL.2020 18:08:55




Date: 1.JUL.2020 18:09:02

Middle channel



Date: 1.JUL.2020 18:09:30




Date: 1.JUL.2020 18:09:20

Highest channel


802.11n(HT40)

26 dB EBW




Date: 1.JUL.2020 17:43:02

99% OBW




Date: 1.JUL.2020 17:42:53

Lowest channel



Date: 1.JUL.2020 17:42:29




Date: 1.JUL.2020 17:42:37

Highest channel


802.11ac(HT20)

26 dB EBW




Date: 1.JUL.2020 18:08:06

99% OBW




Date: 1.JUL.2020 18:08:14

Lowest channel




Date: 1.JUL.2020 18:07:54




Date: 1.JUL.2020 18:07:46

Middle channel



Date: 1.JUL.2020 18:07:23




Date: 1.JUL.2020 18:07:31

Highest channel


802.11ac(HT40)

26 dB EBW




Date: 1.JUL.2020 17:43:34

99% OBW




Date: 1.JUL.2020 17:43:41

Lowest channel




Date: 1.JUL.2020 17:44:03




Date: 1.JUL.2020 17:43:53

Highest channel

802.11ac(HT80)



Date: 1.JUL.2020 17:41:56




Date: 1.JUL.2020 17:41:47

Middle channel


6dB BW

802.11a




Date: 1.JUL.2020 18:39:53

802.11n(HT20)




Date: 1.JUL.2020 18:38:44

Lowest channel




Date: 1.JUL.2020 18:40:39

Lowest channel




Date: 1.JUL.2020 18:38:10

Middle channel



Date: 1.JUL.2020 18:41:21

Middle channel




Date: 1.JUL.2020 18:37:32

Highest channel

Highest channel


802.11n(HT40)



Date: 1.JUL.2020 18:33:50


Lowest channel

802.11ac(HT20)




Date: 1.JUL.2020 18:35:36

Lowest channel




Date: 1.JUL.2020 18:34:33

Highest channel



Date: 1.JUL.2020 18:36:20


Middle channel



Date: 1.JUL.2020 18:36:57

Highest channel


802.11ac(HT40)



Date: 1.JUL.2020 18:32:58

Lowest channel


802.11ac(HT80)



Date: 1.JUL.2020 18:31:12


Middle channel

802.11ac(HT40)




Date: 1.JUL.2020 18:32:09

Highest channel




802.11n(HT20)

26 dB EBW




Date: 4.JUL.2020 15:27:16

99% OBW




Date: 4.JUL.2020 15:27:08

Lowest channel




Date: 4.JUL.2020 15:26:47




Date: 4.JUL.2020 15:26:56

Middle channel



Date: 4.JUL.2020 15:26:33




Date: 4.JUL.2020 15:26:23

Highest channel


802.11n(HT40)

26 dB EBW




Date: 4.JUL.2020 15:23:31

99% OBW




Date: 4.JUL.2020 15:23:40

Lowest channel



Date: 4.JUL.2020 15:23:59




Date: 4.JUL.2020 15:23:52

Highest channel


802.11ac(HT20)

26 dB EBW




Date: 4.JUL.2020 15:25:12

99% OBW




Date: 4.JUL.2020 15:25:20

Lowest channel




Date: 4.JUL.2020 15:25:40




Date: 4.JUL.2020 15:25:31

Middle channel



Date: 4.JUL.2020 15:25:57



Date: 4.JUL.2020 15:26:06

Highest channel