



Rieco-Titan Products, Inc.

965 Lambrecht Road ♦ Frankfort, IL 60423
(815)464-7400 ♦ Fax(815)469-4705
email: customerservice@riecotitan.com
www.riecotitan.com

RIECO-TITAN SIX CIRCUIT ELECTRONIC CONTROL SYSTEM (JEG-6LTX)

In order to expand the usefulness and application of the Rieco-Titan Electric Jack Electronic Control system, a modification was developed to provide control for two additional electric devices on a camper, such as a slide-out room, an awning, or a tongue jack.

For a very positive, safer design to control the switching from 4 circuits to a two circuit Operation, we developed the following system modifications:

Mode Selection: To select the controls for either the four jacks or the two auxiliary devices, we provided a Selector/Status button on the face of the remote (incorporated into the button membrane) for changing from four circuits to two circuits, and vice-versa. The operator presses the Selector/Status button for five seconds, and an LED will indicate bright red for the four jack mode and green for the two auxiliary device mode.

Confirmation: For confirmation of the mode of control at any time, the operator presses the Selector/Status button once quickly and the LED will indicate the mode that the system is in.


This method of mode selection also eliminates the concern about draining the battery in the remote.

Operation: The top four buttons on the remote will operate the two auxiliary devices. The bottom four buttons and the "All" buttons will be inoperative during the Auxiliary mode.

In the four Jack mode, the buttons will all function as our normal button controls, with all buttons active. Labels are provided on the face of the remote to indicate which buttons control auxiliary devices and which control jacks. The red remote will be set up identically.

Rieco-Titan Products, Inc

REMOTE CONTROL BUTTON ARRANGEMENT



The Receiver Control Box for the six circuit system is accommodated by utilizing the cube within the case to house the four extra relays, fuses and terminals. Appropriate labeling is provided to indicate component designations as on our present unit.

RECEIVER CONROL BOX



*Federal Communications Commission (FCC) Statement:

15.21

You are cautioned that changes or modifications not expressly approved by the part responsible for compliance could void the user's authority to operate the equipment.

15.105(b)

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions:

- 1) This device may not cause harmful interference and
- 2) This device must accept any interference received, including interference that may cause undesired operation of the device.

MODE: JEG-6LTX

FCC ID: 2ATKVJANSSEN-6LTX

