

Product Number:JSP-18123-06BM

Product Name:2.4GHz Antenna



Specification For Approval

Date : 2022/02/15

File No. : XBL2022021501

Version : 1.0

Customer : 长虹

Customer P/N: JSP-18123-06BM

Sinbolin P/N : JSP-18123-06BM

Description : 2.4GHz Antenna

Sinbolin Checked By:

Customer Approved By:



Sinbolin Technology Inc.

No.218, Laixinde Zhigu Industrial Park, No.12 West Industrial Road, Songshan
LakeScience&Technologic Industry Park., Dongguan city, Guangdong province

TEL : 86-769-23078845 Phone : 13929204545

Product Number:JSP-18123-06BM

Product Name:2.4GHz Antenna




Index:

- 1. Revision History / Page 3**
- 2. Specification / Page 4**
- 3. Characteristics and Reliability Test / Page 5**
- 4. Antenna - S Parameter Test Data / Page 6**
- 5. Antenna - Radiation Pattern Test Data / Page 7-9**
- 6. Mechanical / Page10**
- 7. ROHS Page11-end**

1. Revision History

Revision	Date	Change Notification	Description
1.0	2022/02/15	初版	

2. Specification


Sample Photo	
	
A. Electrical Characteristics	
Frequency	2400 ~ 2500 MHz
V.S.W.R.	<= 2.0 Test data from the model test
Peak Gain	2.51 dBi
Polarization	Line
Impedance	50 Ohm
B. Material & Mechanical Characteristics	
Material of Radiator	CU
Material of Plastic	
Cable Type	
Connector Type	
C. Environmental	
Operation Temperature	- 40 °C ~ + 70 °C
Storage Temperature	- 40 °C ~ + 80 °C

3. Characteristics and Reliability Test

Test Items 測試項目		Test Condition and Procedure 測試方法	Requirements 要求	Result 結果
C1	V.S.W.R. 電壓駐波比	Set DUT on Network Analyzer; make individual calibration to test 設置網路分析儀參數進行測試	Directive DUT specification 符合待測物規範	PASS
C3	Antenna Gain 天線增益	Set DUT on Antenna Chamber; make individual calibration to test 設置天線暗室參數進行測試	Directive DUT specification 符合待測物規範	PASS
M1	Vibration 震動	GB / T2423.48-2008 Amplitude: 0.03 inch (1.5mm); Freq: 20 to 80 to 20 Hz 3 directions; 2 hours for each direction 振幅 1.5mm; 頻率 20~80~20Hz; 3 個方向各 2H	1. No Visual Damage 2. Frequency Tol.≤5% 無明顯外觀不良;頻率偏移≤5%	PASS
M2	Random Drop 跌落	GB / T2423.8-1995 Single: Height: 1.0 Meter; 3 directions; 1 time for each direction 單支天線, 高 1m; 3 個方向各 1 次	1. No parts separated、 fracture 2. Frequency Tol.≤5% 產品無脫落、斷裂;頻率偏移≤5%	PASS
M4	Pull Test 拉力	Holding with individual specification; force applied to axis of terminal .單獨定義產品端子拉力	1. Directive DUT specification 2. Frequency Tol.≤5% 符合待測物規範;頻率偏移≤5%	PASS
M6	Dimension 尺寸	Inspection of dimension, color, material, package, surface process. 检查尺寸, 颜色, 材料, 包装, 表面處理	Directive DUT specification 符合待測物規範	PASS
E2	Salt Spray 鹽霧	GB / T 2423.17-2008 Temp: 35°C; RH: ≥ 95%; NaCl solution: ≥ 5%;Time: 24H 溫度 35°C; 濕度≥95%;鹽水濃度≥5%; 測試 24H	1. No Visual Damage 2. Frequency Tol.≤5% 無明顯外觀不良;頻率偏移≤5%	PASS
E3	Temperature and Humidity Chamber 恒溫恒濕	GB / T 2423.3-2006 Temp: 80°C / 12 H; -40°C / 12H RH: ≥ 90%; Time: 24H 溫度 80°C 測試 12H 轉-40°C 測試 12H; 濕度≥90%; 時間 24H	After 2 Hours Recovery 1. No Visual Damage 2. Frequency Tol.≤5% 恢復 2H 后, 無明顯外觀不良;頻率偏移≤5%	PASS
E4	Thermal Shock 冷熱衝擊	GB / T 2423.22 - 2008 - 40° C (30 minutes) to + 80° C (30 minutes); Cycles: 24 - 40° C 測試 30 分轉 80° C 測試 30 分為一個週期; 共 24 週期	After 2 Hours Recovery 1. No Visual Damage 2. Frequency Tol.≤5% 恢復 2H 后, 無明顯外觀不良;頻率偏移≤5%	PASS
E5	Aging	GB / T 2423.2 - 2008	After 2 Hours Recovery	





	test 老化	Temp: 80°C; Time: 24 hours 溫度 80° C, 測試 24H	1. No Visual Damage 2. Frequency Tol.≤5% 無明顯外觀不良;頻率偏移≤5%	PASS
R1	RoHS	With Reference to IEC 62321:2008 with flow chart 參考 IEC 62321 測試流程	Directive RoHS 2011/65/EU 符合 RoHS 2011/65/EU 標準	PASS


4. Antenna - S Parameter Test Data




5. Antenna - Radiation Pattern Test Data

Passive Test For WIFI2400										
Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)	Gain (dBd)	UHS (%)	DHIS (%)	Max (dB)	Min (dB)	irectivity (dBi)	Beamwidth (3dB)
2400	69.32	-1.59	2.47	0.32	35.439	33.882	2.47	-19.76	4.06	0
2410	69.39	-1.59	2.37	0.22	35.403	33.987	2.37	-19.22	3.96	0
2420	68.48	-1.64	2.36	0.21	34.924	33.555	2.36	-19.23	4.01	0
2430	66.76	-1.75	2.29	0.14	34.133	32.626	2.29	-19.22	4.04	0
2440	65.48	-1.84	2.25	0.1	33.631	31.849	2.25	-19.11	4.08	0
2450	62.09	-2.07	2.03	-0.12	32.092	29.999	2.03	-19.23	4.1	0
2460	61	-2.15	1.87	-0.28	31.67	29.332	1.87	-19.37	4.01	0
2470	61.63	-2.1	1.85	-0.3	31.916	29.71	1.85	-19.42	3.95	0
2480	60.85	-2.16	1.9	-0.25	31.304	29.541	1.9	-19.75	4.06	0
2490	63.92	-1.94	2.12	-0.03	32.643	31.278	2.12	-19.62	4.06	0
2500	68.17	-1.66	2.51	0.36	34.608	33.562	2.51	-19.86	4.17	0







Horizontal








E1 Face



E2 Face







SIGN	DATE	DESCRIPTION	APPROVER
△			
△			
△			

HF	<input type="checkbox"/>
RoHS	<input checked="" type="checkbox"/>
REACH	<input type="checkbox"/>
CONFIDENTIAL	

技术要求:
 1. 材质为不锈钢
 2. 颜色为本色

信博联 东莞市信博联电子科技有限公司																
TITLE: L形金属片		CUSTOMER P/N: /														
PART NO.: JSP-18123-06BM		<table border="1"> <tr> <th colspan="2">Standard Tolerance</th> </tr> <tr> <td>X.X ±0.1</td> <td>○ 0.02</td> </tr> <tr> <td>X.XX ±0.05</td> <td>◎ 0.03</td> </tr> <tr> <td>X° ±1</td> <td>▱ 0.05</td> </tr> <tr> <td>UNITS: mm</td> <td>// 0.03</td> </tr> <tr> <td>SCALE: 1/1</td> <td>⊥ 0.05</td> </tr> <tr> <td>REVISION: A</td> <td>≡ 0.05</td> </tr> </table>	Standard Tolerance		X.X ±0.1	○ 0.02	X.XX ±0.05	◎ 0.03	X° ±1	▱ 0.05	UNITS: mm	// 0.03	SCALE: 1/1	⊥ 0.05	REVISION: A	≡ 0.05
Standard Tolerance																
X.X ±0.1	○ 0.02															
X.XX ±0.05	◎ 0.03															
X° ±1	▱ 0.05															
UNITS: mm	// 0.03															
SCALE: 1/1	⊥ 0.05															
REVISION: A	≡ 0.05															
APP BY	CHK BY	RF BY														
DES BY																
City 2022/02/14	Yixin 2022/02/14	YJH 2022/02/14														

测试报告

No. CANEC2103381602

日期: 2021年03月15日 第1页,共4页

佛山市南海浩旺精密薄钢有限公司
佛山市南海九江镇九江工业园园北四路

以下测试之样品是由申请者所提供及确认: 不锈钢

SGS工作编号: CP21-009795 - GZ

型号: 304

样品接收日期: 2021年03月10日

测试周期: 2021年03月10日 - 2021年03月15日

测试要求: 根据客户要求测试

测试方法: 请参见下一页

测试结果: 请参见下一页

结论: 基于所送样品进行的测试, 镉、铅、汞、六价格的测试结果符合欧盟RoHS指令2011/65/EU附录II的修正指令(EU) 2015/863的限值要求。

通标标准技术服务有限公司广州分公司
授权签名

谢冬育

Dongyu Xie 谢冬育
批准签署人

scan to see the report



CANEC2103381602



SGS-CSI Standards Technical Services Co., Ltd.
Guangzhou Branch 广州分公司
Guangzhou Branch 广州分公司
Guangzhou Branch 广州分公司

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kazhu Road, Sciotech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgsgroup.com.cn
t (86-20) 82155555 sgs.china@sgs.com

测试报告

No. CANEC2103381602

日期: 2021年03月15日 第2页,共4页

测试结果:

测试样品描述:

样品编号	SGS样品ID	描述
SN1	CAN21-033816.001	银灰色金属片

备注:

- (1) 1 mg/kg = 0.0001%
- (2) MDL = 方法检测限
- (3) ND = 未检出 (< MDL)
- (4) "-" = 未规定

RoHS指令2011/65/EU附录II的修正指令(EU) 2015/863

测试方法: 参考IEC 62321-4:2013+A1:2017, IEC62321-5:2013, IEC 62321-7-1:2015, 采用 ICP-OES 和 UV-Vis 进行分析.

测试项目	限值	单位	MDL	001
镉 (Cd)	100	mg/kg	2	ND
铅 (Pb)	1,000	mg/kg	2	ND
汞 (Hg)	1,000	mg/kg	2	ND
六价铬(Cr(VI))▼	-	µg/cm ²	0.10	ND

备注:

- (1) 最大允许限值引用自RoHS指令(EU) 2015/863。
- (2) IEC 62321 系列等同于 EN 62321 系列
https://www.cenelec.eu/dyn/www/f?p=104:30:1742232870351101:::FSP_ORG_ID,FSP_LANG_ID:1258637,25
- (3) ▼=a. 当六价铬的浓度高于0.13 µg/cm²时, 样品为阳性, 即含有六价铬;
b. 当六价铬的浓度为ND(低于0.10 µg/cm²)时, 样品为阴性, 即未检测到六价铬;
c. 当六价铬的浓度介于0.10 µg/cm²与0.13 µg/cm²之间时, 无法直接判定是否检测到六价铬, 因不同个体的样品表面差异可能会影响测定结果;
由于未获知样品的存储条件和生产日期, 样品的六价铬测试结果仅能代表测试时样品含六价铬的状态。

除非另有说明, 此报告结果仅对测试的样品负责。本报告未经本公司书面许可, 不可部分复制。检测报告仅用于客户科研、教学、内部质量控制、产品研发等目的, 仅供内部参考。




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 www.sgs.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 sgs.china@sgs.com

附件

Pb/Cd/Hg/Cr⁶⁺ 测试流程图

1) 样品按照下述流程被完全消解（六价铬测试除外）。



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.


Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

测试报告

No. CANEC2103381602

日期: 2021年03月15日 第4页,共4页

样品照片:



此照片仅限于随SGS正本报告使用

*** 报告完 ***



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

198 Kezhu Road, Sciencetech Park Guangzhou Economic & Technology Development District, Guangzhou, China 510663

中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663

t (86-20) 82155555 www.sgs.com.cn
t (86-20) 82155555 sgs.china@sgs.com