Smart wifi socket



- Product size:50*50*50mm
- Maximum current:10A
- Input voltage:AC 90~250V
 Output voltage:AC 90~250V
- Maximum load:2000W 10A
 Working temperature:-20℃~45℃
- Support system:Android/IOS
 Wireless standard:IEEE 802.11 b/g/n

Start Using

Step1: Download the "DoHome" APP from Apple Store, Google Play Store or Scan the QR code below.



Step2: Register/login your DoHome account.



Step3: Power on the plug, long press the button for 5 seconds,then the blue light starts to flash fast.



Step4: Click the "+", then choose "Receptacle & Switch"-"Receptacle".



Step5: Enter the current wifi router password. According to the user guide, return to the phone's WLAN settings and connect to the "DoHome-XXXX"

hotspot with the password "12345678". If you have multiple devices, be aware of distinguishing the different devices.



Note:

Only support 2.4G Wifi router

Step6: Waiting for the connect completion, and click "Finish" to add the plug successfully.



Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation.

If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.
- -- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- -- Consult the dealer or an experienced radio/TV technician for help.

This equipment complies with FCC radiation exposure limits set forth for an uncontrolled environment. This equipment should be installed and operated with a minimum distance of 20cm between the radiator & your body. This transmitter must not be co-located or operating in conjunction with any other antenna or transmitter.